

References

- 1 Favero MS, Bond WW. Sterilisation and disinfection in the hospital. In: Manual of Clinical Microbiology, 5th ed., American Society of Microbiology, Washington, DC, 1990.
- 2 Favero MS, Bond WW. Chemical disinfection of medical and surgical materials. In: Block SS (Ed), Disinfection, Sterilisation and Preservation, 5th ed., Lippincott William and Wilkins, Philadelphia, 2000.
- 3 Olympus Small Diameter Flexible Endoscopes, Camera Heads and Accessories with the STERRAD® NX Sterilizer: 2009. Available from: <http://www.olympusamerica.com/files/OlympusSTERRADNXAnnouncement.pdf>
- 4 Spaulding EH. Chemical disinfection of medical and surgical materials. In: Block SS, Lawrence CA, eds. Disinfection, sterilization, and preservation. Philadelphia: Lea & Febiger. 1968: 517-531.
- 5 Nicholson G, Hudson RA, Chadwick MV, Gaya H. The efficacy of the disinfection of bronchoscopes contaminated in vitro with *Mycobacterium tuberculosis* and *Mycobacterium avium-intracellulare* in sputum: a comparison of Sactimed-I-Sinal and glutaraldehyde. J Hosp Infect 1995;29: 257-64.
- 6 Favero MS. Sterility Assurance: Concepts for patient safety. In: Rutala, WA (ed). Disinfection, sterilization and antisepsis: principles and practice in health care facilities. Washington; Association for Professionals in Infection Control and Epidemiology. 2001: 110-119.
- 7 Bruch CW. The philosophy of sterilization validation. In: Morrisey RF, Phillips GB, editors. Sterilization technology: a practical guide for manufacturers and users of healthcare products. New York; Van Nostrand Reinhold, 1993:17-35.
- 8 Kallings L, Ernerfeldt F, Silverstolpe L. Microbiological contamination of medical preparations. Report to the Swedish National Board of Health, Stockholm 1965.
- 9 Sjöberg L. Scandinavian regulatory viewpoint-sterile medical products. In: Gaughran ERL, Morrisey RF, editors. Sterilization of medical products. Multiscience Publications 1981, Montreal Canada; 2:294-9.
- 10 Jarvis WR and Epidemiology Branch. Nosocomial Outbreaks. The Centers for Disease Control's Hospital Infections Program Experience 1980-1990. In: Marrone WJ, Garner JS, editors. Proceedings of the 3rd decennial international conference on nosocomial infections. Am J Med 1991; 91(3B): 101S-106S.
- 11 Pajkos A, Vickery K, Cossart Y. Is biofilm accumulation on endoscope tubing a contributor to the failure of cleaning and decontamination? J Hosp Infect. 2004; 58:224-9.
- 12 Buss AJ, Been MH, Borgers RP, Stokroos I, Melchers WJ, Peters FT, Limburg AJ, Degener JE. Endoscope disinfection and its pitfalls-requirement for retrograde surveillance cultures. Endoscopy. 2008 Apr;40(4):327-32.
- 13 British Thoracic Society. Guidelines in diagnostic flexible bronchoscopy. Thorax 2001; 56 (suppl 1): i1-i21.
- 14 Mehta AC, Minai OA. Infection control in the bronchoscopy suite. Clin Chest Med 1999; 20: 19-32.
- 15 Shaukat A, Nelson DB. Risks of infection from gastrointestinal endoscopy Gastrointest Endosc 2007; 9: 225-32.
- 16 American Society for Gastrointestinal Endoscopy Ad Hoc Committee on Disinfection. Position Statement - Reprocessing of flexible gastrointestinal endoscopes. *Gastrointestinal Endoscopy* 1996;43(5):540-545.
- 17 Hanson PJV, Chadwick MV, Gaya H, Collins JV. A study of glutaraldehyde disinfection of fibreoptic bronchoscopes experimentally contaminated with *Mycobacterium tuberculosis*. J Hosp Infect 1992;22:137-42.
- 18 Corne P, Godreuilb S, Jean-Pierreb H, Jonqueta O, Camposb J, Jumas-Bilakc E, Parerd, H, Marchandinb S. Unusual implication of biopsy forceps in outbreaks of *Pseudomonas aeruginosa* infections and pseudo-infections related to bronchoscopy Journal of Hospital Infection 2005 ;61: 20-26.
- 19 Cêtre JC, Nicolle MC, Salord H, Pérol M, Tigaud S, David G, Bourjault M, Vanhems P. Outbreaks of contaminated broncho-alveolar lavage related to intrinsically defective bronchoscopes. Journal of Hospital Infection 2005; 61: 39-45.
- 20 Lubowski D, Newstead G. Rigid Sigmoidoscopy: a potential hazard for cross-contamination. Surg Endosc 2006; 20: 812-4.
- 21 Wheeler PW, Lancaster D, Kaiser AB. Bronchopulmonary cross-colonisation and infection related to mycobacterial contamination of suction valves of bronchoscopes. J Infect Dis 1989;159:954-8.
- 22 Graham DY, Alpert LC, Smith JL, Yoshimura HH. Iatrogenic *Campylobacter pylori* infection is a cause of epidemic achlorhydria. Am J Gastroenterol 1988;83:974-80.
- 23 Cooke RP, Whyman-Morris A, Umasankar RS, Goddard SV. Bacteria-free water for automatic washer-disinfectors: an impossible dream? J Hosp Infect 1998;39:63-65.
- 24 Richards J (Ed) Rinse water for heat labile endoscopy equipment. A joint working group of the Hospital Infection Society and the Public Health Laboratory Service. J Hosp Infect 2002; 51: 7-16.
- 25 Langer BKT, Daniels-Haardt I, Fischeder R, Boschek HJ. *Legionellen, P. aeruginosa* und atypische Mykobakterien in Haunsinstallationssystem von Althenheimen und Kreankenhdusern einer deutschen Gropstadt (*Legionelle, P. aeruginosa* and atypical mycobacteria in home water supply systems at convalescent homes and hospitals of a large German city). Forum Stadte-Hygiene 1990; 451:286.
- 26 Nye K, Chadha DK, Hodgkin P, Bradley C, Hancox J, Wise R. *Mycobacterium chelonae* isolation from broncho-alveola lavage fluid and its practical implications. J Hosp Infect 16 (3): 257-61.
- 27 Favero MS, Pugliese G. Infections transmitted by endoscopy: an international problem (editorial; comment). Am J Inf Control 1996; 24 (5): 343-5.
- 28 Bryce EA, Walker M, Bevan C, Smith JA. Contamination of bronchoscopes with *Mycobacterium tuberculosis*. Can J Infect Control 1993;8(2):35.
- 29 Fraser VJ, Jones M, Murray PR et al. Contamination of flexible fiberoptic bronchoscopes with *Mycobacterium chelonae* linked to an automated bronchoscope disinfection machine. Am Rev Respir Dis 1992;145:853.
- 30 Transmission of Hepatitis B and C Viruses in Outpatient Settings --- New York, Oklahoma, and Nebraska, 2000---2002. MMWR Morb Mortal Wkly Rep. September 26, 2003;52(38):901-906. Online: Accessed 12.4.09. <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5238a1.htm>
- 31 Comstock RD, Mallonee S, Fox JL, Moolenaar RL, Vogt TM, Perz JF, Bell BP, Crutcher JM. A large nosocomial outbreak of hepatitis C and hepatitis B among patients receiving pain remediation treatments. Infect Control Hosp Epidemiol. 2004 Jul;25(7):576-83.
- 32 Centers for Disease Control and Prevention (CDC). Acute hepatitis C virus infections attributed to unsafe injection practices at an endoscopy clinic--Nevada, 2007. MMWR Morb Mortal Wkly Rep. 2008 May 16;57(19):513-7. Online: Accessed 12.4.09 <http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5719a2.htm>

- 33 Dolan S, Felizardo G, Barnes S et al. APIC position paper: Safe injection, infusion, and medication vial practices in health care. *Am J Infect Control* 2010;38:167-72.
- 34 Phillips L. Identification and Resolution of Contamination Causes Found in Flexible Endoscopes. *Gastroenterology Nursing* 1997; 20(1):9-11.
- 35 Reynolds CD, Rhinehart E, Dreyer P, Goldman DA. Variability in reprocessing policies and procedures for flexible fiberoptic endoscopes in Massachusetts hospitals. *Am J Infect Control* 1992;20:283-90.
- 36 Seoane-Vazquez E, Rodriguez-Monguio R, Visaria J, Carlson A. Endoscopy-related infections and toxic reactions: an international comparison. *Endoscopy*. 2007 Aug;39(8):742-78.
- 37 Bou R, Aguilar A, Perpiñán J, Ramos P, Peris M, Lorente L, Zúñiga A. Nosocomial outbreak of *Pseudomonas aeruginosa* infections related to a flexible bronchoscope. *Journal of Hospital Infection* 2006; 64(2):129-35.
- 38 Schaffer K, Fitzgerald SF, Commane M, Maguinness A, Fenelon LE. A pseudo-outbreak of *Fusarium solani* in an intensive care unit associated with bronchoscopy. *J Hosp Infect*. 2008;69(4):400-2.
- 39 Silva CV, Magalhães VD, Pereira CR, Kawagoe JY, Ikura C, Ganc AJ. Pseudo-outbreak of *Pseudomonas aeruginosa* and *marcescens* related to bronchoscopes. *Infect Control Hosp Epidemiol* 2003;24(3):195-197.
- 40 Ahn GY, Yu FN, Jang SJ, Kim DM, Park G, Moon DS, Park YJ. Pseudo-outbreak of *Stenotrophomonas maltophilia* due to contamination of bronchoscope. *Korean J Lab Med*. 2007 Jun;27(3):205-9.
- 41 Wilson SJ, Everts RJ, Kirkland KB, Sexton DJ. A pseudo-outbreak of *Aureobasidium* species lower respiratory tract infections caused by reuse of single-use stopcocks during bronchoscopy. *Infect Control Hosp Epidemiol*. 2000 Jul;21(7):470-2.
- 42 Centers for Disease Control and Prevention (CDC). Pseudo-outbreak of legionnaires disease among patients undergoing bronchoscopy - Arizona, 2008. *MMWR Morb Mortal Wkly Rep*. 2009 Aug 14;58(31):849-54.
- 43 O'Connor BH, Bennett JR, Alexander JG, Sutton DR, Leighton I. Salmonellosis infection transmitted by fibreoptic endoscopes. *Lancet* 1982;2:864-6.
- 44 Tuffnell PG. Salmonella infections transmitted by a gastroscope. *Can J Public Health* 1976; 67: 141-2.
- 45 Chmel H, Armstrong D. Salmonella oslo - a focal outbreak in a hospital. *Am J Med* 1976; 60: 203-8.
- 46 Beecham HJ, Cohen ML, Parkin WE. *Salmonella typhimurium*. Transmission by fiberoptic upper gastrointestinal endoscopy. *JAMA* 1979; 241: 1013-5.
- 47 Dwyer DM, Klein EG, Istre GR, Robinson MG, Neumann DA, McCoy GA. *Salmonella Newport* infections transmitted by fiberoptic colonoscopy. *Gastrointest Endosc* 1987; 33: 84-7.
- 48 Bond WW. Disinfection and endoscopy: Microbial considerations. *J Gastroenterol Hepatol* 1991; 6:31-6.
- 49 Hanson PJV, Chadwick M, Nicholson G et al. Mycobacterial resistance to disinfection in AIDS: whither infection control policies now? *Thorax* 1988;43:850.
- 50 van Klingeren B, Pullen W. Glutaraldehyde resistant mycobacteria from endoscope washers (letter). *J Hosp Infect* 1993;25(2):147.
- 51 Pappas SA, Schaaff DM, DiCostanzo MB, King FW, Sharp JT. Contamination of flexible fiberoptic bronchoscopes. *Am Rev Respir Dis* 1982;127:391-2.
- 52 Leers WD. Disinfecting endoscopes: how not to transmit *Mycobacterium tuberculosis* by bronchoscopy. *Can Med Assoc J* 1980;123:275-83.
- 53 Reeves DS, Brown NM. Mycobacterial contamination of fibreoptic bronchoscopes. *J Hosp Inf* 1995;30: 531-536.
- 54 Gubler JG, Salfinger M, von Graevenitz A. Pseudoepidemic of nontuberculosis mycobacteria due to a contaminated bronchoscope machine. *Chest* 1992;101(5):1245-9.
- 55 Centres for Disease Control and Prevention Core Curriculum on Tuberculosis: what the clinician should know. 3rd ed. Atlanta, GA. US Dept of Health and Human Services. 1994.
- 56 Hanson PJV, Chadwick MV, Gaya H, Collins JV. A study of glutaraldehyde disinfection of fibreoptic bronchoscopes experimentally contaminated with *Mycobacterium tuberculosis*. *J Hosp Infect* 1992;22:137-42.
- 57 Agerton T, Valway S, Gore B, Pozsik C, Plikaytis B, Woodley C, Onorato I. Transmission of a highly drug-resistant strain (strain W1) of *Mycobacterium tuberculosis*. *JAMA* 1997;278(13): 1073-1077.
- 58 Michele TM, Cronin WA, Graham NM, Dwyer DM, Pope DS, Harrington S, Chaisson RE, Bishai WR. Transmission of *Mycobacterium tuberculosis* by a fibreoptic bronchoscope. *JAMA* 1997;278(13):1093-1095.
- 59 Larson JL, Lambert L, Stricof RL, Driscoll J, McGarry MA, Ridzon R. Potential nosocomial exposure to *Mycobacterium tuberculosis* from a bronchoscope. *Infect Control Hosp Epidemiol*. 2003 Nov;24(11):825-30.
- 60 Webb SF, Vall-Spinosa A. Outbreak of *marcescens* associated with the flexible fiberbronchoscope. *Chest* 1975;68:703-8.
- 61 Vandenbroucke-Grauls CM, Baars AC, Visser MR et al. An outbreak of *marcescens* traced to a contaminated bronchoscope. *J Hosp Infect* 1993.23(4):263-70.
- 62 Kirschke DJ, Jones TJ, Craig AS, Chu PS, Mayernick GG, Patel JA, Schaffner W. *Pseudomonas aeruginosa* and *marcescens* contamination associated with a manufacturing defect in bronchoscopes. *NEJM* 2003; 348: 214-9.
- 63 Gledhill T, Leicester RJ, Addis B, et al. Epidemic hypochlorhydria. *Br Med J* 1985;289:1383-6.
- 64 Langenberg W, Rauws EA, Oudbier JH, Tytgat GN. Patient-to-patient transmission of *Campylobacter pylori* infection by fibreoptic gastro-duodenoscopy and biopsy. *J Infect Dis* 1990;161:507-11.
- 65 Bisset L, Cossart YE, Selby W, West R, Catterson D, O'hara K, Vickery K. A prospective study of the efficacy of routine decontamination for gastrointestinal endoscopes and the risk factors for failure. *American Journal of Infection Control*.34(5):274-80, 2006.
- 66 Nürnberg M, Schulz HJ, Rüdén H, Vogt K. Do conventional cleaning and disinfection techniques avoid the risk of endoscopic *Helicobacter pylori* transmission? *Endoscopy*. 2003;35(4):295-9.
- 67 Noone P, Waclawski E, Watt A. Are endoscopy nurses at risk of infection with *Helicobacter pylori* from their work? *Occupational Medicine (Oxford)*. 2006;56(2):122-8.
- 68 De Schryver AA, Van Winckel MA. *Helicobacter pylori* infection: epidemiology and occupational risk for health care workers. *Ann Acad Med Singapore*. 2001 Sep;30(5):457-63.
- 69 Patterson DJ, Johnson EH, Schmulen AC. Fulminant pseudomembranous colitis occurring after colonoscopy. *Gastrointest Endosc* 1984;30:249-53.
- 70 Hughes CE, Gebhard RL, Peterson LR, Gerding DN. Efficacy of routine fiberoptic endoscope cleaning and disinfection for killing *Clostridium difficile*. *Gastrointest Endosc* 1986;32:7-9.
- 71 Low DE, Shoenuit JP, Kennedy JK, Sharma GP, Harding GK, Den Boer B, Micflikier AB. Prospective assessment of risk of bacteraemia with colonoscopy and polypectomy. *Digestive Diseases & Sciences* 1987;32:1239-43.
- 72 Greene WH, Moody M, Hartley R, Effman E, Aisner J, Young VM, Wiernik RH. Oesophagoscopy as a source of *Pseudomonas aeruginosa* sepsis in patients with acute leukemia: The need for sterilisation of endoscopes. *Gastroenterology* 1974;67:912-9.

- 73 Bianco JA, Pepe MS, Higano C, Applebaum FR, McDonald GB, Singer JW. Prevalence of clinically relevant bacteremia after upper gastrointestinal endoscopy in bone marrow transplant recipients. *Am J Med* 1990; 89(2):134-6.
- 74 Wendelboe AM, Baumbach J, Blossom DB, Frank P, Srinivasan A, Sewell CM. Outbreak of Cystoscopy Related Infections With *Pseudomonas Aeruginosa*: New Mexico, 2007. *Journal of Urology* 2008;180(2):599-92.
- 75 Srinivasan A, Wolfenden LL, Song X, Mackie K, Hartsell T, Jones H et al. An outbreak of *Pseudomonas aeruginosa* infections associated with flexible bronchoscopes *NEJM* 2003; 348: 221-7.
- 76 Sorin M, Segal-Maurer S, Mariano N, Urban C, Combest A, Rahal JJ. Nosocomial transmission of imipenem-resistant *Pseudomonas aeruginosa* following bronchoscopy associated with improper connection to the STERIS SYSTEM 1 processor. *Infect Control Hosp Epidemiol* 2001;22(7):409-13.
- 77 DiazGranados CA, Jones MY, Kongphet-Tran T, White N, Shapiro M, Wang YF, Ray SM, Blumberg HM. Outbreak of *Pseudomonas aeruginosa* infection associated with contamination of a flexible bronchoscope. *Infect Control Hosp Epidemiol*. 2009 Jun;30(6):550-5.
- 78 Shimono N, Takuma T, Tsuchimochi N, Shiose A, Murata M, Kanamoto Y, Uchida Y, Morita S, Matsumoto H, Hayashi J. An outbreak of *Pseudomonas aeruginosa* infections following thoracic surgeries occurring via the contamination of bronchoscopes and an automatic endoscope reprocessor. *J Infect Chemother*. 2008 Dec;14(6):418-23.
- 79 Marcus, R and the CDC Cooperative Needlestick Surveillance Group. Surveillance of health care workers exposed to blood from patients infected with the human immunodeficiency virus. *N Engl J Med* 1988;319:1118-23.
- 80 Henderson DK, Saah AJ, Zak BJ, Kaslow RA, Lane HC, Folks T, Blackwelder WC, Schmitt J, LaCamera DJ, Masur H, Fauci AS. Risk of nosocomial infection with human T-cell lymphotropic virus type III/lymphadenopathy-associated virus and in large cohort of intensively exposed health care workers. *Ann Int Med* 1986;104(5):644-7.
- 81 McEvoy M, Porter K, Mortimer P, Simmons N, Shanson D. Prospective study of clinical, laboratory, and ancillary staff with accidental exposures to blood or body fluids from patients infected with HIV. *Br Med J* 1987;294:1595-7.
- 82 Geberding JL, Moss AR, Bryant CE, Levy J, Sande MA. Risk of acquired immune deficiency syndrome (AIDS) virus transmission to health care workers (HCW) (Abstract). In: Program and Abstracts of the Twenty-Fifth Interscience Conference on Antimicrobial Agents and Chemotherapy Washington, DC: American Society for Microbiology; 1985: 131.
- 83 Henderson DK, Fahey BJ, Willy M, Schmitt JM, Carey K, Koziol DE, Lane HC, Fedio J, Saah AJ. Risk for occupational transmission of human immunodeficiency virus type 1 (HIV-1) associated with clinical exposures: a prospective evaluation. *Ann Intern Med* 1990;113:740-6.
- 84 Hanson PJV, Gor D, Jeffries DJ, Collins JV. Chemical inactivation of HIV on surfaces. *Br Med J* 1989;298:862-4.
- 85 Martin LS, McDougal JS, Loskoski SC. Disinfection and inactivation of the human T lymphotropic virus type III/Lymphadenopathy-associated virus. *J Infect Dis* 1985;2:400-3.
- 86 Resnick L, Veren K, Salahuddin SZ, Tondreau S, Markham PD. Stability and inactivation of HTLV III/LAV under clinical and laboratory environments. *JAMA* 1986;255:1887-91.
- 87 Hanson PJV, Gor D, Clarke JR, et al. Contamination of endoscopes used in AIDS patients. *Lancet* 1989;2:86-8.
- 88 Hanson PJV, Gor D, Jeffries DJ, Collins JV. Elimination of high titre HIV from fiberoptic endoscopes. *Gut* 1990;31:657-9.
- 89 Deva AK, Vickery K, Zou J, West RH, Harris JP, Cossart YE. Establishment of an in use testing method for evaluating disinfection of surgical instruments using duck Hepatitis B model. *J Hosp Infect* 1996;33:119-30.
- 90 Seeff LB, Wright EC, Zimmerman HJ, et al. Type B hepatitis after needle-stick exposure. Prevention with hepatitis B immune globulin. Final report of the Veterans Administration cooperative study. *Ann Intern Med* 1978;88:285-93.
- 91 Grady GF, Lee VA. Prevention of hepatitis from accidental exposure among medical workers. *N Engl J Med* 1975;293:1067-70.
- 92 Mast EE, Alter MJ. Prevention of Hepatitis B virus infection among health care workers. In: Ellis RW ed *Hepatitis B Vaccines in Clinical Practice* New York, Marcel Dekker, 1993;295-307.
- 93 Gerberding JL. Management of occupational exposures to blood-borne viruses. *N Engl J Med* 1995;332:444-51.
- 94 Werner BG, Grady GF. Accidental Hepatitis B surface antigen positive inoculations. Use of e antigen to estimate infectivity. *Ann Intern Med* 1982;97:367-9.
- 95 Birnie GG, Quigley EM, Clements GB, Follet EAC, Watkinson G. Endoscopic transmission of hepatitis B virus. *Gut* 1983;24:171-4.
- 96 Ayoola EA. The risk of type B hepatitis infection in flexible endoscopy. *Gastrointest Endosc* 1981;2:60-2.
- 97 Bond WW, Moncada RE. Viral hepatitis B infection risk in flexible fiberoptic endoscopy. *Gastrointest Endosc* 1978;24:225-30.
- 98 Ferrari AR, Geocze S, Ferraz MLG, Silva AEB, Vilela ME. Lack of evidence of upper gastrointestinal endoscopy as a risk factor for transmission of Hepatitis B virus. *Endoscopy* 1991;23:353-4.
- 99 Galambos JT. Transmission of hepatitis B from providers to patients: How big is the risk? *Hepatology* 1986;2:320-5.
- 100 Hoofnagle JH, Blake J, Buskell-Bales Z, Seeff LB. Lack of transmission of type B hepatitis by fiberoptic upper endoscopy. *J Clin Gastroenterol* 1980;2:65-9.
- 101 Lok ASF, Lai C-L, Hui W-M, et al. Absence of transmission of hepatitis B by fiberoptic upper gastrointestinal endoscopy. *J Gastroenterol Hepatol* 1987;2:175-80.
- 102 McClelland BDL, Burrell CJ, Tonkin RW, Heading RC. Hepatitis B: absence of transmission by gastrointestinal endoscopy. *Br Med J* 1978;8:23-4.
- 103 Moncada RE, Denes AE, Berquist KR, Fields HA, Maynard JE. Inadvertent exposure of endoscopy patients to viral hepatitis B. *Gastrointest Endosc* 1978;24:231-232.
- 104 Ishino Y, Ido K, Sugano K. Contamination with hepatitis B virus DNA in gastrointestinal endoscope channels: risk of infection on reuse after on-site cleaning. *Endoscopy* 2005;37(6):548-51.
- 105 Bond WW, Favero MS, Petersen NJ, Ebert JW. Inactivation of hepatitis B virus by intermediate to high level disinfectant chemicals. *J Clin Microbiol* 1983;18:535-8.
- 106 Kobayashi H, Tsuzuki M, Koshimizu K, et al. Susceptibility of hepatitis B virus to disinfectants or heat. *J Clin Microbiol*. 1984;20:214-6.
- 107 Wicker S, Cinatl J, Berger A, Doerr HW, Gottschalk R, Rabenau HF. Determination of risk of infection with blood-borne pathogens following a needlestick injury in hospital workers. *Ann Occup Hyg*. 2008 Oct;52(7):615-22.
- 108 Andrieu J, Barny S, Colardelle P, Maisonneuve P, Giraud V, Robin E, Bréart G, Coste T. Prevalence et facteurs de risque de l'infection par le virus de l'hépatite C dans une population hospitalisée en gastroentérologie. Role des biopsies per-endoscopiques. *Gastroenterol Clin Biol* 1995;19:340-345.
- 109 Karmochkine M, Carrat F, Dos Santos O, Cacoub P, Raguin G. A case-control study of risk factors for hepatitis C infection in patients with unexplained routes of infection. *J Viral Hepat*. 2006 Nov;13(11):775-82.

- 110 Davis AJ, Pink JM, Kowalik AM, et al. Multiple endoscopies in a Sydney blood donor found positive for hepatitis B and C antibodies (letter). *Med J Aust* 1996;164:571.
- 111 Tennenbaum R, Colardelle P, Chochon M, et al. Hépatite C après cholangiographique rétrograde. *Gastroenterol Clin Biol*. 1993;17:763-764.
- 112 Bronowicki JP, Venard V, Botte C, et al. Patient-to-patient transmission of Hepatitis C virus during colonoscopy. *New Engl J Med* 1997; 337(4): 237-240.
- 113 Crenn P, Gigou M, Passeron J et al. Patient to patient transmission of Hepatitis C virus during gastroscopy on neuroleptanalgesia. *Gastroenterology* 1988; 114:4,A1229.
- 114 Becheur H, Harzic M, Colardelle P, Deny P, Coste T, Dubeaux B, Chochon M, Roussin-Bretagne S, Doll J, Andrieu J. Hepatitis C virus contamination of endoscopes and biopsy forceps. *Gastroenterol Clin Biol*. 2000 Oct;24(10):906-10.
- 115 Goudin JL, Hot A, Dumont O, Bobichon R, Souquet JC. Systematic Hepatitis C virus (HCV) screening in patients with previous digestive endoscopy. *Gastroenterology* 1995;114-4, A15.
- 116 Kim YS, Ahn YO, Kim DW. A case-control study on the risk factors of Hepatitis C virus infection among Koreans. *J Korean Med Science* 1996;11(1):38-43.
- 117 Ciancio A, Manzini P, Castagno F, D'Antico S, Reynaudo P, Coucourde L, Ciccone G, Del Piano M, Ballarè M, Peyre S, Rizzi R, Barletti C, Bruno M, Caronna S, Carucci P, Venon Wde B, De Angelis C, Morgando A, Musso A, Repici A, Rizzetto M, Saracco G. Digestive endoscopy is not a major risk factor for transmitting hepatitis C virus. *Ann Intern Med*. 2005 Jun 7;142(11):903-9.
- 118 Raymond JM, Labadie JC, Fayon E, Bui F, Baldit C, Dumas F, Couzigou P, Béraud C, Amouretti M. Evaluation des procédures de décontamination utilisées dans les centres d'endoscopie digestive de Gironde. *Gastroenterol Clin Biol* 1990;14:134-139.
- 119 Mikhail NN, Lewis DL, Omar N, Taha H, El-Badawy A, Abdel-Mawgoud N, Abdel-Hamid M, Strickland GT. Prospective study of cross-infection from upper-GI endoscopy in a hepatitis C-prevalent population. *Gastrointest Endosc*. 2007 Apr;65(4):584-8.
- 120 Morris J, Duckworth GJ, Ridgway GL. Gastrointestinal endoscopy decontamination failure and the risk of transmission of blood-borne viruses: a review. *J Hosp Infect*. 2006 May;63(1):1-13.
- 121 Muscarella LF. Recommendations for preventing hepatitis C virus infection: analysis of a Brooklyn endoscopy clinic's outbreak. *Infect Control Epidemiol* 2001; Nov 22 (11): 669.
- 122 Gutelius B, Perz JF, Parker MM, Hallack R, Stricof R, Clement EJ, Lin Y, Xia GL, Punsalang A, Eramo A, Layton M, Balter S. Multiple Clusters of Hepatitis Virus Infections Associated with Anesthesia for Outpatient Endoscopy Procedures. *Gastroenterology*. 2010 Mar 27. [Epub ahead of print].
- 123 Tallis GF, Ryan GM, Lambert SB, Bowden DS, McCaw R, Birch CJ, Moloney M, Carnie JA, Locarnini SA, Rouch GJ, Catton MG. Evidence of patient-to-patient transmission of hepatitis C virus through contaminated intravenous anaesthetic ampoules. *Viral Hepat*. 2003 May;10(3):234-9.
- 124 Department of Veterans Affairs. Office of Inspector General. Use and reprocessing of flexible fiberoptic endoscopes at VA medical facilities. June 16, 2009. Available at <http://www4.va.gov/oig/54/reports/VAOIG-09-01784-146.pdf>
- 125 Hanson PJ, Bennett J, Jeffries DJ, Collins JV. Enteroviruses, endoscopy and infection control: an applied study. *J Hospital Infection* 1994;27(1):61-7.
- 126 Barthel JS, Sprouse RF, Dix JD, Sunderrajan EV. Fatal Candida esophageal abscess and sepsis complicating endoscopic variceal sclerosis. *Gastrointest Endosc* 1987;33:107-10.
- 127 Hoffmann KK, Weber DJ, Rutala WA. Pseudoepidemic of *Rhodotorula rubra* in patients undergoing fiberoptic bronchoscopy. *Infect Control Hosp Epidemiol* 1989;10:511-4.
- 128 Angus KW, Sherwood D, Hutchison G, Campbell I. Evaluation of the effect of two aldehyde-based disinfectants on the infectivity of faecal cryptosporidia for mice. *Res Vet Sci* 1982;33:379-81.
- 129 Campbell I, Tzipori S, Hutchison G, Angus KW. Effect of disinfectants on survival of *Cryptosporidium* oocysts. *Vet Rec* 1982;111:414-5.
- 130 La Scola B, Rolain JM, Maurin M, Raoult D. Can Whipple's disease be transmitted by gastroscopes? *Infect Control Hosp Epidemiol*. 2003 Mar;24(3):191-4.
- 131 Department of Health and Ageing 2007. Infection Control Guidelines for the prevention of transmission of infectious diseases in the healthcare setting – Chapter 31 Classical CJD. [http://www.health.gov.au/internet/main/publishing.nsf/content/2804E9F9B95357F7CA256F190003B4DA/\\$File/goodCJD%20Chapter%2031.pdf](http://www.health.gov.au/internet/main/publishing.nsf/content/2804E9F9B95357F7CA256F190003B4DA/$File/goodCJD%20Chapter%2031.pdf). Online: Accessed 12.4.09.
- 132 Lipp A, Lusardi G. Systemic antimicrobial prophylaxis for percutaneous endoscopic gastrostomy. *Cochrane Database of Systematic Reviews* 2006:CD005571.
- 133 Andriulli A; Loperfido S; Napolitano G; Niro G; Valvano MR; Spirito F; Pilotto A; Forlano R. Incidence rates of post-ERCP complications: a systematic survey of prospective studies. *Am J Gastroenterol*. 2007 Aug;102(8):1781-8.
- 134 Bianco JA, Pepe MS, Higano C, Applebaum FR, McDonald GB, Singer JW. Prevalence of clinically relevant bacteremia after upper gastrointestinal endoscopy in bone marrow transplant recipients. *Am J Med*. 1990 Aug;89(2):134-6.
- 135 Kaw M, Przepiorka D, Sekas G. Infectious complications of endoscopic procedures in bone marrow transplant recipients. *Dig Dis Sci*. 1993 Jan;38(1):71-4.
- 136 Forbes GM, Rule SA, Herrmann RP, Davies JM, Collins BJ. A prospective study of screening upper gastrointestinal (GI) endoscopy prior to and after bone marrow transplantation (BMT). *Aust N Z J Med*. 1995 Feb;25(1):32-6.
- 137 Thornton JR, Losowsky MS. Septicaemia after colonoscopy in patients with cirrhosis. *Gut*. 1991 Apr;32(4):450-1.
- 138 Macrae FA, Tan KG, Williams CB. Towards safer colonoscopy: a report on the complications of 5000 diagnostic or therapeutic colonoscopies. *Gut*. 1983 May;24(5):376-83.
- 139 Ito K, Shiraki K, Sakai T, Yoshimura H, Nakano T. Portal hypertensive colopathy in patients with liver cirrhosis. *World J Gastroenterol*. 2005 May 28;11(20):3127-30.
- 140 Llach J, Elizalde JI, Bordas JM, Gines A, Almela M, Sans M, Mondelo F, Pique JM. Prospective assessment of the risk of bacteremia in cirrhotic patients undergoing lower intestinal endoscopy. *Gastrointest Endosc*. 1999 Feb;49(2):214-7.
- 141 Allison MC, Sandoe JAT, Simpson IA et al. Antibiotic prophylaxis in gastrointestinal endoscopy. *Gut* 2009;58:869-880.
- 142 Baddour LM, Bettmann MA, Bolger AF et al. Nonvalvular cardiovascular device-related infections. *Circulation* 2003;108:2015-31.
- 143 British Society of Gastroenterology, Antibiotic prophylaxis in gastrointestinal endoscopy. <http://www.bsg.org.uk/bsgdisp1.php?id=48c1b0bcae9daa89d36a&h=1&m=00023>
- 144 Nelson DB. Infectious disease complications of GI endoscopy: Part 1: endogenous infections. *Gastrointest Endosc* 2003;57:546-56.

- 145 Zuccaro G Jr, Richter JE, Rice TW, et al. Viridans streptococcal bacteremia after esophageal stricture dilation. *Gastrointest Endosc* 1998;48: 568-73.
- 146 Shorvon PJ, Eykyn SJ, Cotton PB. Gastrointestinal instrumentation, bacteraemia, and endocarditis. *Gut* 1983 24: 1078-1093.
- 147 Pelican G, Hentges D, Butt J, Haag T, Rolfe R, Hutcheson D. Bacteremia during colonoscopy. *Gastrointest Endosc* 1976;23:33-5.
- 148 Dickman MD, Farrell R, Higgs RH, et al. Colonoscopy associated bacteremia. *Surg Gynecol Obstet* 1976;42:173-6.
- 149 Le Frock JL, Ellis CA, Turchik J, Weinstein L. Transient bacteraemia associated with sigmoidoscopy. *N Engl J Med* 1973; 289: 467-9.
- 150 Banerjee S, Shen B, Baron TH, et al. ASGE Guideline - Antibiotic prophylaxis for GI endoscopy. *Gastrointest Endosc* 2008; 67: 791-8.
- 151 Richey R, Wray D, Stokes T. Prophylaxis against infective endocarditis: summary of NICE guidance. *BMJ* 2008;336:770-1.
- 152 Strom BL, Abrutyn E, Berlin JA, et al. Risk Factors for Infective Endocarditis: Oral Hygiene and Nondental Exposures. *Circulation* 2000;102:2842-2848.
- 153 Meyer GW, Artis AL. Antibiotic prophylaxis for orthopedic prostheses and GI procedures: report of a survey. *Am J Gastroenterol* 1997;92: 989-91.
- 154 Scott NA, Tweedle DE. Pyogenic arthritis of the knee following Nd:YAG laser destruction of an esophageal cancer. *Gastrointest Endosc* 1990; 36:545-6.
- 155 Vanderhooft JE, Robinson RP. Late infection of a bipolar prosthesis following endoscopy. A case report. *J Bone Joint Surg Am* 1994;76:744-6.
- 156 Jain NK, Larson DE, Schroeder KW et al. Antibiotic prophylaxis for percutaneous endoscopic gastrostomy. A prospective, randomized, double-blind clinical trial. *Ann Intern Med* 1987; 107: 824-828.
- 157 Sturgis TM, Yancy W, Cole JC et al. Antibiotic prophylaxis in percutaneous endoscopic gastrostomy. *Am J Gastroenterol* 1996; 91: 2301-2304.
- 158 Preclik G, Grüne S, Leser HG, Lebherz J, Heldwein W, Machka K, Holstege A, Kern WV. Prospective, randomised, double blind trial of prophylaxis with single dose of co-amoxiclav before percutaneous endoscopic gastrostomy. *BMJ* 1999; 319: 881.
- 159 Lipp A, Lusardi G. A systematic review of prophylactic antimicrobials in PEG placement. *Journal of Clinical Nursing*. 2009 Apr;18(7):938-48.
- 160 Faias S, Cravo M, Claro I, Lage P, Nobre-Leitão C. High Rate of Percutaneous Endoscopic Gastrostomy Site Infections Due to Oropharyngeal Colonization. *Dig Dis Sci* 2006; 51:2384-2388.
- 161 Zopf Y, Konturek P, Nuernberger A, Maiss J, Jenk J, Iro H, Hahn EG, Schwab D. Local infection after placement of percutaneous endoscopic gastrostomy tubes: a prospective study evaluating risk factors. *Canadian Journal of Gastroenterology*. 2008 Dec; 22(12):987-91.
- 162 Bilbao MK, Dotter CT, Lee TG, Katon RM. Complications of endoscopic retrograde cholangiopancreatography (ERCP): A study of 10,000 cases. *Gastroenterology* 1976;70:314-20.
- 163 Devière J, Motte S, Dumonceau JM, Serruys E, Thys JP, Cremer M. Septicemia after endoscopic retrograde cholangiopancreatography. *Endoscopy* 1990;22:72-5.
- 164 Freeman ML, Nelson DB, Sherman S, Haber GB, Herman ME, Dorsher PJ, Moore JP, Fennerty MB, Ryan ME, Shaw MJ, Lande JD, Pheley AM. Complications of endoscopic biliary sphincterotomy. *N Engl J Med* 1996;335:909-18.
- 165 Loperfido S, Angelini G, Benedetti G, Chilovi F, Costan F, De Berardinis F, De Bernardin M, Ederle A, Fina P, Fratton A. Major early complications from diagnostic and therapeutic ERCP: a prospective multicenter study. *Gastrointest Endosc* 1998;48:1-10.
- 166 Masci E, Toti G, Mariani A, Curioni S, Lomazzi A, Dinelli M, Minoli G, Crosta C, Comin U, Fertitta A, Prada A, Passoni GR, Testoni PA. Complications of diagnostic and therapeutic ERCP: a prospective multicenter study. *Am J Gastroenterol* 2001;96:417-23.
- 167 Motte S, Deviere J, Dumonceau JM, Serruys E, Thys JP, Cremer M. Risk factors for septicaemia following endoscopic biliary stenting. *Gastroenterology* 1991;101:1374-81.
- 168 Centres for Disease Control Nosocomial infection and pseudo-infection from contaminated endoscopes and bronchoscopes - Wisconsin and Missouri. *JAMA* 1991 Oct23-30;266(16):2197-8.
- 169 Struelens MJ, Rost F, Deplano A, Maas A, Schwam V, Serruys E, Cremer M. *Pseudomonas aeruginosa* and *Enterobacteriaceae* bacteremia after biliary endoscopy: an outbreak investigation using DNA macrorestriction analysis. *Am J Med* 1993;95:489.
- 170 Alfa MJ, Sitter DL. In-hospital evaluation of contamination of duodenoscopes: a quantitative assessment of the effect of drying. *J Hosp Infect* 1991;19:89.
- 171 Bass DH, Oliver S, Bornman PC. *Pseudomonas* septicemia after endoscopic retrograde cholangiopancreatography: an unresolved problem. *S Afr Med J* 1990;77:509.
- 172 Palabiyikoglu I, Tekeli E, Aysev D, Sirlak M, Kaymakci S, Ozturk S. ERCP related sepsis. *American Journal of Infectious Diseases* 1 (2): 86-88, 2005.
- 173 Williams DB, Sahai AV, Aabakken L, Penman ID, van Velse A, Webb J, Wilson M, Hoffman BJ, Hawes RH. Endoscopic ultrasound guided fine needle aspiration biopsy: a large single centre experience. *Gut* 1999;44:720-6.
- 174 Eloubeidi MA, Tamhane A, Varadarajulu S, Wilcox CM. Frequency of major complications after EUS-guided FNA of solid pancreatic masses: a prospective evaluation. *Gastrointest Endosc* 2006;63:622-9.
- 175 Wiersema MJ, Vilmann P, Giovannini M, Chang KJ, Wiersema LM. Endosonography-guided fine-needle aspiration biopsy: diagnostic accuracy and complication assessment. *Gastroenterology* 1997;112:1087-95.
- 176 Wilson W, Taubert KA, Gewitz M, Lockhart PB, Baddour LM, Levison M, Bolger A, Cabell CH, Takahashi M, Baltimore RS, Newburger JW, Strom BL, Tani LY, Gerber M, Bonow RO, Pallasch T, Shulman ST, Rowley AH, Burns JC, Ferrieri P, Gardner T, Goff D, Durack DT. Prevention of infective endocarditis: guidelines from the American Heart Association: a guideline from the American Heart Association Rheumatic Fever, Endocarditis, and Kawasaki Disease Committee, Council on Cardiovascular Disease in the Young, and the Council on Clinical Cardiology, Council on Cardiovascular Surgery and Anesthesia, and the Quality of Care and Outcomes Research Interdisciplinary Working Group. *Circulation* 2007;116:1736-54.
- 177 Vasanthakumar V, Bhan GL, Perera BS, Taft P. A study to assess the efficacy of chemoprophylaxis in the prevention of endoscopy-related bacteraemia in patients aged 60 and over. *Q J Med* 1990;75:647-53.
- 178 Wright AJ, Wilson WR. Experimental animal endocarditis. *Mayo Clin Proc* 1982;57:10-14.
- 179 Imperiale TF, Horwitz RI. Does prophylaxis prevent postdental infective endocarditis? A controlled evaluation of protective efficacy. *Am J Med* 1990;88:131-6.
- 180 International Rheumatic Fever Study Group. Allergic reactions to long-term benzathine penicillin prophylaxis for rheumatic fever. *Lancet*. 1991 Jun 1;337(8753):1308-10.

- 181 American Association of Orthopaedic Surgeons Information Statement 2009. Antibiotic Prophylaxis for Bacteremia in Patients with Joint Replacements. <http://www.aaos.org/about/papers/advistmt/1033.asp>. Accessed February 2010.
- 182 Thomas S; Cantrill S; Waghorn DJ; McIntyre A. The role of screening and antibiotic prophylaxis in the prevention of percutaneous gastrostomy site infection caused by methicillin-resistant *Staphylococcus aureus*. *Aliment Pharmacol Ther*. 2007 Mar 1;25(5):593-7.
- 183 Harris A, Chan AC, Torres-Viera C, Hammett R, Carr-Locke D. Meta-analysis of antibiotic prophylaxis in endoscopic retrograde cholangiopancreatography (ERCP). *Endoscopy* 1999;31: 718-24.
- 184 Soares-Weiser K, Brezis M, Tur-Kaspa R, Leibovici L. Antibiotic prophylaxis for cirrhotic patients with gastrointestinal bleeding. *Cochrane Database Syst Rev* 2002;CD002907.
- 185 Fernández J, Ruiz del Arbol L, Gómez C, Durandez R, Serradilla R, Guarner C, Planas R, Arroyo V, Navasa M. Norfloxacin vs ceftriaxone in the prophylaxis of infections in patients with advanced cirrhosis and hemorrhage. *Gastroenterology* 2006;131:1049-56.
- 186 Howie R, Alfa MJ, Coombs K. Survival of enveloped and non-enveloped viruses on surfaces compared with other micro-organisms and impact of suboptimal disinfectant exposure. *Journal of Hospital Infection* 2008; 69:368-376.
- 187 Alfa M, DeGagne P, Olson N, et al. *BMC Infectious Diseases* 2010, 10:200. <http://www.biomedcentral.com/1471-2334/10/200>
- 188 Chu N, McAlister D, Antonopoulos P. Natural bioburden levels detected on flexible gastrointestinal endoscopes after clinical use and manual cleaning. *Gastrointest Endosc* 1998;48(2):137-142.
- 189 Gillespie EE, Kotsanas D, Stuart RL. Microbiological monitoring of endoscopes: 5-year review. *J Gastroenterol Hepatol*. 2008 Jul;23 (7 Pt 1):1069-74.
- 190 Deva AK, Vickery K, Zou J, West RH, Selby W, Benn RA, Harris JP, Cossart YE. Detection of persistent vegetative bacteria and amplified viral nucleic acid from in-use testing of gastrointestinal endoscopes. *J Hosp Inf* 1998;39:149-157.
- 191 Kovacs BJ, Apreccio RM, Kettering JD, Chen YK. Efficacy of various disinfectants in killing a resistant strain of *Pseudomonas aeruginosa* by comparing zones of inhibition: implications for endoscopic equipment reprocessing. *Am J Gastro* 1998; 93(11):2057-9.
- 192 Kovacs BJ, Chen YK, Kettering JD et al. High-level disinfection of flexible GI endoscopes: are current recommendations adequate? *Am J Gastroenterol* 1999; 94 (6): 1546-50.
- 193 Cronmiller JR, Nelson DK, Salman G et al. Antimicrobial efficacy of endoscopic disinfection procedures: a controlled, multifactorial investigation. *Gastrointest Endosc* 1999.
- 194 Bordas JM, Marcos-Maeso A, Perez MJ, Llach J, Terés. High level disinfection of duodenoscopes: assessment using "in use" tests. *Gastrointest Endosc* 1999.
- 195 Vandervoort J, Tanasijevic M, Tham TCK et al. HIV detection on endoscopes after high level disinfection. *Gastrointest Endosc* 1999.
- 196 Godreuil S, Jean-Pierre H, Jonquet O, Campos J, Jumas-Bilak E, Parer S, Marchandin H. Corne P. Unusual implication of biopsy forceps in outbreaks of *Pseudomonas aeruginosa* infections and pseudo-infections related to bronchoscopy. *Journal of Hospital Infection*. 2005 Sep;61(1):20-6.
- 197 DiazGranados CA, Jones MY, Kongphet-Tran T, White N, Shapiro M, Wang YF, Ray SM, Blumberg HM. Outbreak of *Pseudomonas aeruginosa* infection associated with contamination of a flexible bronchoscope. *Infection Control & Hospital Epidemiology*. 2009 Jun; 30(6):550-5.
- 198 Nomura K, Ogawa M, Miyamoto H, Muratani T, Taniguchi H. Antibiotic susceptibility of glutaraldehyde-tolerant *Mycobacterium chelonae* from bronchoscope washing machines. *American Journal of Infection Control*. 2004 Jun; 32(4):185-8.
- 199 Hutchisson B, LeBlanc C. The truth and consequences of enzymatic detergents. *Gastroenterology Nursing*. 2005 Sep-Oct; 28(5):372-6.
- 200 Obee PC, Griffith CJ, Cooper RA, Cooke RP, Bennion NE, Lewis M. Real-time monitoring in managing the decontamination of flexible gastrointestinal endoscopes. *Am J Infect Control*. 2005 May;33(4):202-6.
- 201 Zühlsdorf B, Floss H, Martiny H. Efficacy of 10 different cleaning processes in a washer-disinfector for flexible endoscopes. *Journal of Hospital Infection*. 2004; 56(4):305-11.
- 202 Zühlsdorf B, Martiny H. Intralaboratory reproducibility of the German test method of prEN ISO 15883-1 for determination of the cleaning efficacy of washer-disinfectors for flexible endoscopes. *J Hosp Infect*. 2005 Apr;59(4):286-91.
- 203 Pineau L. Comparison of detergent activity of two types of cleaners (brush and dispoclean cleaners) 2004. Germande translation available at <http://www.alkapharm.co.uk/cgi-bin/products.cgi?fa=list&cid=3> Accessed April 2010.
- 204 Pineau L, Richard M, Marchetti B. An Alternative to Standard Brushing Procedure Gastrointestinal Endoscopy. 2008;67(5):Page AB286.
- 205 Cheetham NWH, Berentsveig V. Relative efficacy and activity of medical instrument cleaning agents. *Australian Infection Control* 2002; 7(3): 105-11.
- 206 Kizkin O, Suleyman GT, Hacievliyagil S, Gunen H. Proteolytic enzyme sensitivity and decrease in respiratory function (a 10-year follow-up). *Int Arch Occup Environ Health*. 2002 Aug;75(6):441-4.
- 207 Vickery K, Pajkos A, Cossart Y. Removal of biofilm from endoscopes: evaluation of detergent efficacy. *Am J Infect Control*. 2004; 32:170-6.
- 208 Marion K, Frenay J, James G, Bergeron E, Renaud FNR, Costerton JW. Using an efficient biofilm detachment agent: an essential step for the improvement of endoscope reprocessing protocols. *J Hosp Infect*. 2006;64:136-42.
- 209 Pajkos A, Vickery K, Cossart Y. Is biofilm accumulation on endoscope tubing a contributor to the failure of cleaning and decontamination? *J Hosp Infect*. 2004; 58:224-9.
- 210 Bisset L, Cossart YE, Selby W, West R, Catterson D, O'hara K, Vickery K. A prospective study of the efficacy of routine decontamination for gastrointestinal endoscopes and the risk factors for failure. *American Journal of Infection Control*. 2006 Jun; 34(5):274-80.
- 211 Muscarella LF. Application of environmental sampling to flexible endoscope reprocessing: the importance of monitoring the rinse water. *Infect Control Hosp Epidemiol*. 2002; 23 (5) 285-9.
- 212 Muscarella, LF. The claims of AERs and the importance of routinely sampling the rinse water used during endoscope reprocessing. May 2002; www.myendosite.com
- 213 Willis C. Bacteria-free endoscopy rinse water -- a realistic aim? *Epidemiology Infection*. 2006 Apr;134(2):279-84.
- 214 Working Party Report. Decontamination of minimally invasive surgical endoscopes and accessories. *J Hosp Infect*. 2000; 45: 263-77.

- 215 Babb JR, Bradley CR. Endoscope decontamination: where do we go from here? *J Hosp Infect* 1995; 30: 543-51.
- 216 Langer BKT, Daniels-Haardt I, Fischeder R, Boschek HJ. Legionellen, *P. aeruginosa* und atypische Mykobakterien in Haunsinstallations-systemen von Althenheimen und Krankenhäusern einer deutschen Großstadt (*Legionelle, P. aeruginosa* and atypical mycobacteria in home water supply systems at convalescent homes and hospitals of a large German city). *Forum Städte-Hygiene*. 1990; 451:286.
- 217 Lowry PN, Blankenship R, Gridley W, Tompkins L. A cluster of Legionella sternal-wound infections due to post-operative topical exposure to contaminated tapwater. *N Engl J Med*. 1990; 324: 109-13.
- 218 Nye K, Chadha DK, Hodgkin P, Bradley C, Hancox J, Wise R. *Mycobacterium chelonae* isolation from broncho-alveola lavage fluid and its practical implications. *J Hosp Infect*. 16 (3): 257-61.
- 219 Grange JM, Yates MI. Infections caused by opportunistic mycobacteria - a review. *JR Soc Med*. 1986; 79: 226-9.
- 220 Freije MR. Legionellae control in health care facilities: a guide for minimizing risk. Indianapolis: HC Information Resources, Inc 1997 (xi); 131.
- 221 Muder RR, Stout JE, Yee YC. Isolation of *Legionella pneumophila* serogroup 5 from empyema following esophageal perforation: source of the micro-organism and mode of transmission. *Chest*. 1992; 102 (5): 1601-3.
- 222 Sniadack DH, Ostroff SM, Karlix MA, Smithwick RW, Schwartz B, Sprauer MA, Silcox VA, Good RC. A nosocomial pseudo-outbreak of *Mycobacterium xenopi* due to a contaminated potable water supply: lessons in prevention. *Inf Control & Hospital Epidemiol*. 1993; 14 (11): 636-41.
- 223 Mackay WG, Leanord AT, Williams CL. Water, water everywhere nor any a sterile drop to rinse your endoscope. *J Hosp Infect*. 2002; 51: 256-61.
- 224 Pang J, Perry P, Ross A et al. Bacteria-free rinse water for endoscope disinfection. *Gastrointestinal Endoscopy*. 2002; 56 (3): 402-6.
- 225 Phillips G, McEwan H, Butler J. Quality of water in washer-disinfectors. *J Hosp Infect*. 1995;31:152-154.
- 226 McKnight A, Cadwallader H, Thomas L. Is filtered rinse water for endoscopy sterile? Australian Infection Control Association May 1998 12th National Conference, Poster No. 6, p.95.
- 227 Peadon J. Achieving filtered water with endocleaners. Australian Infection Control Association May 1998, 12th National Conference, p.51.
- 228 Hutchisson B, LeBlanc C. The truth and consequences of enzymatic detergents. *Gastroenterology Nursing*. 2005 Sep-Oct;28(5):372-6.
- 229 Durante L, Zulty JC, Israel E, Powers PJ, Russell RG, Qizilbash AH, Morris JG Jr. Investigation of an outbreak of bloody diarrhea: association with endoscopic cleaning solution and demonstration of lesions in an animal model. *Am J Med*. 1992;92(5):476-80.
- 230 Venticinqe SG, Kashyap VS, O'Connell RJ. Chemical burn injury secondary to intraoperative transesophageal echocardiography. *Anesth Analg*. 2003 Nov;97(5):1260-1.
- 231 Wardle E, Jones D. Determination of rinsing volumes following manual endoscope disinfection with *ortho-phthalaldehyde* (OPA) *J.GENCA*. 2003; 12 (4): 7-9.
- 232 Therapeutic Goods Administration. Chemicals at <http://www.tga.gov.au/>
- 233 Lewis DL, Arens M. Resistance of micro-organismmicro-organisms to disinfection in dental and medical devices. *Nature Medicine*. 1995;1(9):956-958.
- 234 Smith GW, Smith AJ, Creanor S, Hurrell D, Bagg J, Lappin DF. Survey of the decontamination and maintenance of dental handpieces in general dental practice. *Br Dent J*. 2009 Aug; 22:207(4):E7.
- 235 Standards Australia. AS/NZS4187 (2003). Cleaning, disinfecting and sterilizing reusable medical and surgical instruments and equipment, and maintenance of associated environments in health care facilities 2003. Canberra:
- 236 Rutala WA, Weber DJ. Disinfection of endoscopes: review of new chemical sterilants used for high-level disinfection. *Inf Cont Hosp Epid*. 1999;20:69-76.
- 237 Systchenko R, Marchetti B, Canard JN, Palazzo L, Ponchon T, Rey JF, Sautereau D; French Society of Digestive Endoscopy. Guidelines of the French Society of Digestive Endoscopy: recommendations for setting up cleaning and disinfection procedures in gastrointestinal endoscopy. *French Society of Digestive Endoscopy* 2000. *Endoscopy*. 2000;32(10):807-18.
- 238 Gerding DN, Peterson LR, Vennes, JA. Cleaning and disinfection of fiberoptic endoscopes: evaluation of glutaraldehyde exposure time and forced air drying. *Gastroenterology*. 1982;83:613-8.
- 239 Pineau L, Villard E, Duc DL, Marchetti B. Endoscope drying/storage cabinet: interest and efficacy. *Journal of Hospital Infection*. 2008 Jan; 68(1):59-65.
- 240 Foxcroft L, Monaghan W, Faoagali J. Controlled study of the Lancer FD8 Drying/Storage Cabinet for Endoscopes. *J. GENCA*. 2008;18(2):5-11.
- 241 Wardle E. Endoscope storage cabinets. *J.GENCA*. 2007;17(3):7-12.
- 242 Riley R, Beanland C, Bos H. Establishing the shelf life of flexible colonoscopes. *Gastroenterology Nursing*. 2002;25(3):114-9.
- 243 Osborne S, Reynolds S, George N, Lindemayer F, Gill A, Chalmers M. Challenging endoscopy reprocessing guidelines: a prospective study investigating the safe shelf life of flexible endoscopes in a tertiary gastroenterology unit. *Endoscopy*. 2007;39(9):825-30.
- 244 Vergis AS, Thomson D, Pieroni P, Dhalla S. Reprocessing flexible gastrointestinal endoscopes after a period of disuse: is it necessary? *Endoscopy*. 2007; 39: 737-9.
- 245 Rejchrt S, Cermak P, Pavlatova L, McKova E, Bures J. Bacteriologic testing of endoscopes after high-level disinfection. *Gastrointestinal Endoscopy*. 2004;60(1):76-8.
- 246 CHRISP Queensland. High efficiency particulate air (HEPA) filtered cabinets to dry and store flexible endoscopes. Online: Accessed 12.4.09 http://www.health.qld.gov.au/chrisp/resources/advisory_01_2008a.pdf
- 247 SGNA Position Statement, Reprocessing of Endoscopic accessories and valves. *Gastroenterology Nursing*. 2010;33(2): 139-40.
- 248 British Society of Gastroenterology: Guidelines for decontamination of equipment for gastrointestinal endoscopy. Feb 2008. Available at <http://www.bsg.org.uk/clinical-guidelines/endoscopy/guidelines-for-decontamination-of-equipment-for-gastrointestinal-endoscopy.html> Accessed April 2010.
- 249 WGO-OMGE/OMED Practice Guideline: Endoscope Disinfection 2005. Available from: <http://www.worldgastroenterology.org/endoscope-disinfection.html> Accessed April 2010.

- 250 Doherty DE, Falko JM, Lefkowitz N, Rogers J, Fromkes J. *Pseudomonas aeruginosa* sepsis following retrograde cholangiopancreatography (ERCP). *Dig Dis Sci*. 1982 Feb;27(2):169-70.
- 251 Kaczmarek RG, Moore RM Jr, McCrohan J, Goldmann DA, Reynolds C, Caquelin C, Israel E. Multi-state investigation of the actual disinfection/sterilisation of endoscopes in health care facilities. *Am J Med*. 1992;92:256-61.
- 252 Van Gossum A, Loriers M, Serruys E, Cremer M. Methods of disinfecting endoscopic material: results of an international survey. *Endoscopy*. 1989;21:247-50.
- 253 Gorse GJ, Roberta L, Messner RNC. Infection control practises in gastrointestinal endoscopy in the United States: a national survey. *Infect Control Hosp Epidemiol*. 1991; 12 (5): 289-96.
- 254 Spinzi G, Fasoli R, Centenaro R, Minoli G; SIED Lombardia Working Group. Reprocessing in digestive endoscopy units in Lombardy: results of a regional survey. *Dig Liver Dis*. 2008 Nov;40(11):890-6.
- 255 U.S. Department of Health and Human Services Food and Drug Administration. CPG Sec. 300.500 Reprocessing of Single Use Devices. <http://www.fda.gov/ICECI/ComplianceManuals/CompliancePolicyGuidanceManual/ucm073887.htm> Accessed April 2010
- 256 Therapeutic Goods Administration. Single use devices (SUDs) and the reuse of SUDs. Available at: <http://www.tga.gov.au/devices/argmd-drsud.pdf> Accessed 12.4.09
- 257 Foss D, Monagan BA. A national survey of physicians and nurses attitudes towards endoscopic cleaning and the potential for cross infection. *Gastroenterology Nursing*. 1992;15(2):59-65.
- 258 ISO 15883-1:2006. http://www.iso.org/iso/catalogue_detail.htm?csnumber=41076
- 259 Beilenhoff U, Neumann C, Biering H, Blum R, Schmidt V, Rey JF. ESGE/ESGENA guideline for process validation and routine testing for reprocessing endoscopes in washer-disinfectors, according to the European Standard prEN ISO 15883 parts 1, 4 and 5. *Endoscopy*. 2007 Jan; 39(1):85-94.
- 260 Alfa MJ, Olson N, DeGagne P. Automated washing with the Reliance Endoscope Processing System and its equivalence to optimal manual cleaning. *Am J Infect Control*. 2006 Nov;34(9):561-70
- 261 Silva CV, Magalhães VD, Pereira CR, Kawagoe JY, Ikura C, Ganc AJ. Pseudo-outbreak of *Pseudomonas aeruginosa* and *marcescens* related to bronchoscopes. *Infection Control & Hospital Epidemiology*. 2003 Mar;24(3):195-7.
- 262 Moses FM, Lee JS. Current GI endoscope disinfection and QA practices. *Digestive Diseases & Sciences*. 2004 Nov-Dec;49(11-12):1791-7.
- 263 Kanagalingam J, Zainal A, Georgalas C, Paun S, Tolley NS. The disinfection of flexible fibre-optic nasendoscopes out-of-hours: confidential telephone survey of ENT units in England. *Journal of Laryngology & Otology*. 2002 Oct; 116(10):817-22.
- 264 Shimono N, Takuma T, Tsuchimochi N, Shiose A, Murata M, Kanamoto Y, Uchida Y, Morita S, Matsumoto H, Hayashi J. An outbreak of *Pseudomonas aeruginosa* infections following thoracic surgeries occurring via the contamination of bronchoscopes and an automatic endoscope reprocessor. *Journal of Infection and Chemotherapy*. 2008 Dec;14(6):418-23.
- 265 Vanhems P, Gayet-Ageron A, Ponchon T, Bernet C, Chayvialle JA, Chemorin C, Morandat L, Bibollet MA, Chevallier P, Ritter J, Fabry J. Follow-up and management of patients exposed to a flawed automated endoscope washer-disinfectors in a digestive diseases unit. *Infect Control Hosp Epidemiol*. 2006 Jan; 27(1):89-92.
- 266 Seoane-Vazquez E, Rodriguez-Monguio R, Visaria J, Carlson. A Endoscopy-related infections and toxic reactions: an international comparison. *Endoscopy*. 2007 Aug;39:742-78.
- 267 Kircheis U, Martiny H. Comparison of the cleaning and disinfecting efficacy of four washer-disinfectors for flexible endoscopes. *Journal of Hospital Infection*. 2007 Jul; 66(3):255-61.
- 268 Martin DJ, Denyer SP, McDonnell G, Maillard JY. Resistance and cross-resistance to oxidising agents of bacterial isolates from endoscope washer disinfectors. *Journal of Hospital Infection*. 2008 Aug; 69(4):377-83.
- 269 Gamble HP, Duckworth GJ, Ridgway GL. Endoscope decontamination incidents in England 2003-2004. *J Hosp Infect*. 2007 Dec;67(4):350-4.
- 270 GESA/GENCA Standards of practice for endoscopic facilities and services. Available from: <http://www.gesa.org.au/professional/guidelines/standards-for-endoscopy.cfm> Accessed April 2010.
- 271 CHRISP Centre for Healthcare Related Infection Surveillance and Prevention. Endoscope Reprocessing Audit. Via link at page 1 <http://www.health.qld.gov.au/EndoscopeReprocessing/default.asp>
- 272 Queensland Health. Endoscope reprocessing training website. <http://www.health.qld.gov.au/EndoscopeReprocessing/default.asp>
- 273 Cowen A, Denham J, Morcom J, Rayner T. *Infection and Endoscopy* 3rd edition. Gastroenterological Society of Australia and the Gastroenterological Nurses Society of Australia. Sydney, 1995.
- 274 SNZ HB 8149:2001 Microbiological Surveillance of Flexible Hollow Endoscopes. Standards New Zealand, 2001.
- 275 Systchenko R, Archetti B, Canard J, Palazzo L, Ponchon T, Rey J, Sautereau D, and the Council of the French Society of Gastrointestinal Endoscopy: Guidelines of the French Society of Digestive Endoscopy: recommendations for setting up cleaning and disinfection procedures in gastrointestinal endoscopy. *Endoscopy*. 2000; 32 (10):807-818.
- 276 Endoscopy Working Group Infection Control Subcommittee, Manitoba Advisory Committee on Infectious Disease. Guidelines for infection prevention and control in endoscopy. Manitoba Public Health, September 2000.
- 277 Hygiene measures for endoscopic procedures. In: Guidelines for Hygiene in Hospitals and Practice. Retrieved from Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften. Available from: <http://www.uni-duesseldorf.de/AWMF/II/029-008e.htm> Accessed 12.4.09.
- 278 Robert Koch-Institut Anforderungen an die Hygiene bei der Aufbereitung flexibler Endoskope und endoskopischen Zusatzinstrumentariums. Empfehlungen der Kommission für Krankenhaushygiene und Infektionsprävention beim Robert Koch-Institut (RKI) Bundesgesundheitsbl Gesundheitsforsch Gesundheitschutz. 2002;45:395-411.
- 279 Leung J. Working Party Report: Care of Endoscopes. Reprocessing of Flexible Endoscopes. *J Gastroenterol Hepatol*. 2000;15(S3):G73-77.
- 280 Beilenhoff U, Neumann C, Rey JF, Biering H, Blum R, Schmidt V. ESGE-ESGENA Guideline for quality assurance in reprocessing: microbiological surveillance testing in endoscopy. *Endoscopy*. 2007; Feb;39(2):175-81.
- 281 Mehta A, Prakash U, Garland R, Haponik E, Moses L, Schaffner W, Silvestri G. American College of Chest Physicians and American Association for Bronchology Consensus Statement: Prevention of Flexible Bronchoscopy-Associated Infection. *Chest*. 2005; 128(3):1742-55.
- 282 Nelson DB, Jarvis WR, Rutala WA, Foxx-Orenstein AE, Isenberg G, Dash GP, Alvarado CJ, Ball M, Griffin-Sobel J, Petersen C, Ball KA, Henderson J, Stricof RL; SHEA. Multi-society Guideline for Reprocessing Flexible Gastrointestinal Endoscopes/Dis Colon Rectum. 2004; 47(4):413-21.

- 283 Moses FM, Lee JS. Current GI Endoscope Disinfection and QA Practices. *Digest Dis Sciences*. 2004; 49(11-12):1791-7.
- 284 Tunuguntla A, Sullivan M. Monitoring Quality of Flexible Endoscope Disinfection by Microbiologic Surveillance Cultures. *Tennessee Medicine*. 2004;97:453-6.
- 285 Moses FM, Lee JS. Surveillance cultures to monitor quality of gastrointestinal endoscope reprocessing. *Am J Gastroenterol*. 2003; 98(1):77-81.
- 286 Leung J, Vallero R, Wilson R. Surveillance cultures to monitor quality of gastrointestinal endoscope reprocessing. *Am J Gastroenterol*. 2003; 98(1):3-5.
- 287 Phillips L. Identification and Resolution of Contamination Causes Found in Flexible Endoscopes. *Gastroenterology Nursing*. 1997; 20(1):9-11.
- 288 Weber DJ, Rutala WA. Lessons from outbreaks associated with bronchoscopy. *Infect Control Hosp Epidemiol*. 2001; 22(7):403-8.
- 289 Sorin M, Segal-Maurer S, Mariano N, Urban C, Combest A, Rahal JJ. Nosocomial transmission of imipenem-resistant *Pseudomonas aeruginosa* following bronchoscopy associated with improper connection to the STERIS SYSTEM 1 processor. *Infect Control Hosp Epidemiol*. 2001;22(7):409-13.
- 290 Kressel A, Kidd F. Pseudo-outbreak of *Mycobacterium chelonae* and *Methylobacterium mesophilicum* caused by contamination of an automated endoscopy washer. *Infect Control Hosp Epidemiol*. 2001;22(7):414-418.
- 291 Chomel De Varagnes S, Brulebois A, Shum J, Croizé J, Brenier-Pinchart MP, Pison C, Mallaret MR. Results of 4 years of microbiological testing of bronchoscopes. *Revue des Maladies Respiratoires*. 2009 Mar; 26(3):283-90.
- 292 Fröhlich E, Muller R, Kimmig JM, Funke G. Quality-agreement colonoscopy: an outcome evaluation from the district of North-Württemberg, Germany, 2003 - 2007 *Z Gastroenterol*. 2009 Feb;47(2):203-8.
- 293 Machado AP, Pimenta AT, Contijo PP, Geocze S, Fischman O. Microbiologic profile of flexible endoscope disinfection in two Brazilian hospitals. *Arquivos de Gastroenterologia*. 2006 Oct-Dec;43(4):255-8.
- 294 Muscarella L. Application of environmental sampling to flexible endoscope reprocessing: the importance of monitoring the rinse water. *Infect control Hosp Epidemiol*. 2002;23:285-9.
- 295 Banerjee S, Nelson DB, Dominitz JA, Ikenberry SO, Anderson MA, Cash BD, Gan S-I, Harrison ME, Shen B, Baron TH, Van Guilder T, Lee KK. Standards of Practice Committee, American Society for Gastrointestinal Endoscopy. Reprocessing Failure. *Gastrointest Endosc*. 2007; 66: 869-71.
- 296 Rutala WA, Weber DJ. How to assess risk of disease transmission to patients when there is a failure to follow recommended disinfection and sterilization guidelines. *Inf Control Hosp Epidemiol*. 2007; 28(2): 146-55.
- 297 Newsom SWB. Le Scandale du Cidex. *J Hosp Infect*. 2002;50: 164.
- 298 Vanhems P, Gayet-Ageron A, Ponchon T et al. Follow up and management of patients exposed to a flawed automated endoscope washer-disinfector in a digestive diseases unit. *Infect Control Hosp Epidemiol*. 2006;27: 89-92.
- 299 Nelson DB. Hepatitis C virus cross-infection during endoscopy: is it the tip of the iceberg or the absence of ice? *Gastrointest Endosc*. 2007; 65:589-91.
- 300 Fennelly KP. Personal Respiratory Protection Against *Mycobacterium Tuberculosis*. *Clinics in Chest Medicine*. 1997;18:1-17.
- 301 NHMRC. The Australian Immunisation Handbook 9th ed. 2008. Available at: <http://www.health.gov.au/internet/immunise/publishing.nsf/Content/Handbook-home> Accessed 12.4.09.
- 302 Communicable Disease Network of Australia. Protection for Health Care Workers (Section 22). In: *Infection Control Guidelines for the Prevention of Transmission of Infectious Diseases in the Health Care Setting*. 2002. Available at <http://www.health.gov.au/internet/main/publishing.nsf/Content/icg-guidelines-index.htm> Accessed 12.4.09
- 303 NICNAS (National Industrial Chemicals Notification & Assessment Scheme). <http://www.nicnas.gov.au/Publications.asp> Accessed 12.4.09.