Ganglion Excision Ganglion Excision Facility: A. Interpreter / cultural needs An Interpreter Service is required?			
Ganglion Excision Facility: A. Interpreter / cultural needs An Interpreter Service is required?	Queensland		DNI:
Ganglion Excision Facility: A. Interpreter / cultural needs An Interpreter Service is required? Yes No If Yes, is a qualified Interpreter present? Yes No A Cultural Support Person is required? Yes No If Yes, is a Cultural Support Person present? Yes No B. Condition and treatment The doctor has explained that you have the following condition: (Doctor to document in patient's own words) This condition requires the following procedure. (Doctor to document - include site and/or side where relevant to the procedure)	ON GOVERNMENT		
Addre Facility: A. Interpreter / cultural needs An Interpreter Service is required?			•
A. Interpreter / cultural needs An Interpreter Service is required? Yes No If Yes, is a qualified Interpreter present? Yes No A Cultural Support Person is required? Yes No If Yes, is a Cultural Support Person present? Yes No B. Condition and treatment The doctor has explained that you have the following condition: (Doctor to document in patient's own words) This condition requires the following procedure. (Doctor to document - include site and/or side where relevant to the procedure)	Ganglion E	excision	
A. Interpreter / cultural needs An Interpreter Service is required?			
An Interpreter Service is required? If Yes, is a qualified Interpreter present? A Cultural Support Person is required? If Yes, is a Cultural Support Person present? Yes No If Yes, is a Cultural Support Person present? Yes No B. Condition and treatment The doctor has explained that you have the following condition: (Doctor to document in patient's own words) This condition requires the following procedure. (Doctor to document - include site and/or side where relevant to the procedure)			
If Yes, is a qualified Interpreter present? Yes No A Cultural Support Person is required? Yes No If Yes, is a Cultural Support Person present? Yes No B. Condition and treatment The doctor has explained that you have the following condition: (Doctor to document in patient's own words) This condition requires the following procedure. (Doctor to document - include site and/or side where relevant to the procedure)			
A Cultural Support Person is required? If Yes, is a Cultural Support Person present? Yes No B. Condition and treatment The doctor has explained that you have the following condition: (Doctor to document in patient's own words) This condition requires the following procedure. (Doctor to document - include site and/or side where relevant to the procedure)			
If Yes, is a Cultural Support Person present? Yes No B. Condition and treatment The doctor has explained that you have the following condition: (Doctor to document in patient's own words) This condition requires the following procedure. (Doctor to document - include site and/or side where relevant to the procedure)	·		
B. Condition and treatment The doctor has explained that you have the following condition: (Doctor to document in patient's own words) This condition requires the following procedure. (Doctor to document - include site and/or side where relevant to the procedure)	• •		
The doctor has explained that you have the following condition: (Doctor to document in patient's own words) This condition requires the following procedure. (Doctor to document - include site and/or side where relevant to the procedure)			Т
Condition: (Doctor to document in patient's own words) This condition requires the following procedure. (Doctor to document - include site and/or side where relevant to the procedure) Index Ring Finger Finger Finger Finger	B. Condition and treat	ment	
This condition requires the following procedure. (Doctor to document - include site and/or side where relevant to the procedure) Index Ring Finger Finger Finger Finger			
to document - include site and/or side where relevant to the procedure) Index Ring Ring Finger Finger Finger	Condition: (Doctor to document	in in patient 3 own words)	
to document - include site and/or side where relevant to the procedure) Index Ring Ring Finger Finger Finger	This condition requires the following	llowing procedure (Doctor	
Index Ring Ring Index Finger Finger Finger	to document - include site and		
Finger Finger Finger	the procedure)		
Finger Finger Finger			
Finger Finger Finger			
Thumb			
Thumb			
	Thumb	Thumb	
1			
Left Hand Right Hand	Left Hand	Right Hand	

Left hand	Yes No
Right hand	☐ Yes ☐ No

The following will be performed:

This procedure is where a ganglion (bag of fluid) is excised from either a joint or tunnel that surrounds the finger or tendon.

C. Risks of a ganglion excision

There are risks and complications with this procedure. They include but are not limited to the following.

General risks:

- Infection can occur, requiring antibiotics and further treatment.
- Bleeding could occur and may require a return to the operating room. Bleeding is more common if you have been taking blood thinning drugs such as Warfarin, Asprin, Clopidogrel (Plavix or Iscover) or Dipyridamole (Persantin or Asasantin).

(Affix identification label here)

v name:

name(s):

ess:

of birth:

Sex: M F I

risk of chest infection. This may need antibiotics and physiotherapy. Increased risk in obese people of wound infection,

Small areas of the lung can collapse, increasing the

- chest infection, heart and lung complications, and thrombosis.
- Heart attack or stroke could occur due to the strain on the heart.
- Blood clot in the leg (DVT) causing pain and swelling. In rare cases part of the clot may break off and go to the lungs.
- · Death as a result of this procedure is possible.

Specific risks:

- · Complications from the tourniquet with numbness of the nerves and damage to the muscles where the tourniquet was placed.
- Skin death under the tourniquet that may require further dressings and/or surgery and skin grafting.
- Possible nerve damage which can cause numbness in the hand, fingers and wrist. This is usually temporary but may be permanent.
- The ganglion may grow back. This may require further surgery.
- Damage to arteries or veins, which can lead to death of fingers. This may lead to amputation of the fingers.
- Abnormal pain response to surgery with worsening of pain and disability.
- The surgical cut may cause changes to the sensation and colour of the limb.
- In some people, healing of the wound may be abnormal and the wound can be thickened and red and the scar may be painful.

D.	Significant	risks	and	procedure	options
Ο.	Oigimicant	HONO	ana	procedure	options

(Doctor to document in space provided.	Continue	in
Medical Record if necessary.)		

E.	Risks of	of not	having	this	procedur

(Doctor to document in space provided.	Continue in
Medical Record if necessary.)	

F	Anaesthetic
	Allacoulcuc

This procedure may require an anaesthetic. (Doctor to document type of anaesthetic discussed)

ROCEDURAL CONSENT

Queensland Government	
Government	

Ganglion Excision

Given name(s):		
Address:		

URN:

Family name:

Date of birth:

(Affix identification label here)

Sex: M F I

Facility:

G. Patient consent

I acknowledge that the doctor has explained;

- my medical condition and the proposed procedure, including additional treatment if the doctor finds something unexpected. I understand the risks, including the risks that are specific to
- the anaesthetic required for this procedure. I understand the risks, including the risks that are specific to me.
- other relevant procedure/treatment options and their associated risks.
- my prognosis and the risks of not having the procedure.
- that no guarantee has been made that the procedure will improve my condition even though it has been carried out with due professional care.
- the procedure may include a blood transfusion.
- tissues and blood may be removed and could be used for diagnosis or management of my condition, stored and disposed of sensitively by the hospital.
- if immediate life-threatening events happen during the procedure, they will be treated based on my discussions with the doctor or my Acute Resuscitation Plan.
- a doctor other than the Consultant may conduct the procedure. I understand this could be a doctor undergoing further training.

I have been given the following Patient Information Sheet/s:

About Your Anaesthetic OR **Anaesthetic: Nerve Block**

Ganglion Excision

- I was able to ask questions and raise concerns with the doctor about my condition, the proposed procedure and its risks, and my treatment options. My questions and concerns have been discussed and answered to my satisfaction.
- I understand I have the right to change my mind at any time, including after I have signed this form but, preferably following a discussion with my doctor.
- I understand that image/s or video footage may be recorded as part of and during my procedure and that these image/s or video/s will assist the doctor to provide appropriate treatment.

On the basis of the above statements,

I request to have the procedure

Name of Patien	nt:
Signature:	
Date:	
	vho lack capacity to provide consent
	st be obtained from a substitute decision ne order below.
Does the particular (AHD)?	tient have an Advance Health Directive
☐ Yes ► Lo	ocation of the original or certified copy of the AHD:
	ame of Substitute ecision Maker/s:
Sig	gnature:
Re	elationship to patient:
Da	ate: PH No:
So	ource of decision making authority (tick one):
	Tribunal-appointed Guardian
	Attorney/s for health matters under Enduring Power of Attorney or AHD
	Statutory Health Attorney
	If none of these, the Adult Guardian has provided consent. Ph 1300 QLD OAG (753 624)
1	

H. Doctor/delegate Statement

I have explained to the patient all the above points under the Patient Consent section (G) and I am of the opinion that the patient/substitute decisionmaker has understood the information. Name of Doctor/delegate:

Designation:		
Signature:		

Date:

Interpreter's statement

I have given a sight translation in

(state the patient's language here) of the consent form and assisted in the provision of any verbal and written information given to the patient/parent or

guardian/substitute decision-maker by the doctor.
Name of
Interpreter:
Signature:
Date:



Consent Information - Patient Copy Ganglion Excision

What do I need to know about this procedure?

This procedure is where a ganglion (bag of fluid) is excised from either a joint or tunnel that surrounds the finger or tendon.

2. My anaesthetic

This procedure will require an anaesthetic.

See About Your Anaesthetic OR Anaesthetic Nerve **Block** for information about the anaesthetic and the risks involved. If you have any concerns, discuss these with your doctor.

If you have not been given an information sheet, please ask for one.

3. What are the risks of this specific procedure?

There are risks and complications with this procedure. They include but are not limited to the following.

General risks:

- Infection can occur, requiring antibiotics and further treatment.
- Bleeding could occur and may require a return to the operating room. Bleeding is more common if you have been taking blood thinning drugs such as Warfarin, Asprin, Clopidogrel (Plavix or Iscover) or Dipyridamole (Persantin or Asasantin).
- Small areas of the lung can collapse, increasing the risk of chest infection. This may need antibiotics and physiotherapy.
- Increased risk in obese people of wound infection, chest infection, heart and lung complications, and thrombosis.
- Heart attack or stroke could occur due to the strain on the heart.
- · Blood clot in the leg (DVT) causing pain and swelling. In rare cases part of the clot may break off and go to the lungs.
- Death as a result of this procedure is possible.

Specific risks:

- Complications from the tourniquet with numbness of the nerves and damage to the muscles where the tourniquet was placed.
- Skin death under the tourniquet that may require further dressings and/or surgery and skin grafting.
- Possible nerve damage which can cause numbness in the hand, fingers and wrist. This is usually temporary but may be permanent.
- The ganglion may grow back. This may require further surgery.
- Damage to arteries or veins, which can lead to death of fingers. This may lead to amputation of the fingers.
- Abnormal pain response to surgery with worsening of pain and disability.
- The surgical cut may cause changes to the sensation and colour of the limb.

 In some people, healing of the wound may be abnormal and the wound can be thickened and red and the scar may be painful.

Notes to talk to my doctor about:
