

# **Health Determinants**

Queensland 2004

## **Charters Towers Health Service District**



**Queensland  
Government**  
Queensland Health



**Queensland Government**  
Queensland **Health**

## **HEALTH DETERMINANTS QUEENSLAND 2004**

### **Chapter 6. CHARTERS TOWERS HEALTH SERVICE DISTRICT**

#### **PUBLIC HEALTH SERVICES AND HEALTH INFORMATION CENTRE**

© Queensland Health 2004

ISBN 0 7345 2957 0

Copyright protects this publication. However, Queensland Health has no objection to this material being reproduced with acknowledgment, except for commercial purposes. Permission to reproduce for commercial purposes should be sought from the Policy and Quality Officer, Queensland Health, GPO Box 48, Brisbane Q 4001.

ABS data used with permission from the Australian Bureau of Statistics

This document is also available on:

- Queensland Health internet and intranet site at <http://health.qld.gov.au/phs/documents/phpru/22418dmp.htm>
- CD.

Suggested citation:

Queensland Health: Harper C, Cardona M, Bright M, Neill A, McClintock C, McCulloch B, Hunter I, Bell M. Health Determinants Queensland 2004 Public Health Services, Queensland Health. Brisbane 2004.

## **Health Determinants Queensland 2004**

Chapter 1 Whole of population

Chapter 2 Children

Chapter 3 Young people

Chapter 4 Older people

Chapter 5 Indigenous peoples

Chapter 6 Health service district profiles

## **Companion documents**

*Health Determinants Queensland 2004 at a glance*

*Health Determinants Queensland 2004: Statistical report.*

## **For further information: Tropical Public Health Unit Network:**

Cairns

19 Aplin Street

Cairns Qld 4870

Ph: 07 4050 3600

PO Box 1103

Cairns Qld 4870

Mackay

Mackay Base Hospital Campus

475 Bridge Road

Mackay Qld 4740

Ph: (07) 4968 6611

PO Box 5925

Mackay MCQ 4741

Mt Isa

Doreen Street

Mount Isa Qld 4825

Ph: 07 4744 4846

PO Box 27

Mount Isa Qld 4825

Townsville

Nathan Business Centre

340 Ross River Road

Aitkenvale Qld 4814

Ph: (07) 4750 4000

Locked Bag 16

Aitkenvale Qld 4814

## Foreword

The health of the people of Queensland is very good overall and continues to improve. However, recent declines in the amount of physical activity undertaken, poor nutrition, an increase in overweight and obesity, as well as high levels of smoking and alcohol misuse, tell us that this is not a time for complacency. In addition, the increasing inequalities in health and the poor health of Indigenous peoples require specific attention.

In order for us to address these issues, Queensland Health and others whose work impacts on health and wellbeing, need to focus on the areas that will have the greatest gains for all Queenslanders. Information is critical to enable us to make decisions about where to focus and invest.

*Health Determinants Queensland 2004* is a key resource in this regard. It provides a summary of the most important factors influencing the health status of Queenslanders today and the areas of potential gain, and highlights the key responses needed to address them. This report brings together indicators of the major behavioural, social, economic and environmental determinants of health and their recent trends in Queensland. In doing so, it provides valuable guidance to government, non-government agencies and the community for improving health and reducing the burden of disease tomorrow and into the future.

It is absolutely clear that the influences on the health of Queenslanders go well beyond the scope of health agencies. All parts of society are and need to be engaged in the effort. Promoting and sustaining the health of the public is one of the most important functions of government and Queensland Health's new strategic intention highlights this.

Our mission is to promote a healthier Queensland. Our vision is to be leaders in health and partners for life. We will be successful in promoting a healthier Queensland through acting on following five strategic intents:

- Healthier staff – optimise staffing levels, provide staff with the right knowledge and skills, and provide an environment that values their experience and which supports positive ideas to drive innovation, creativity and health enhancements
- Healthier partnerships – work with others to harmonise programs and activities that impact on health
- Healthier people and communities – promote healthier lifestyles and environments for individuals, families and communities and improve community-based chronic disease management
- Healthier hospitals – provide high quality and equitable acute emergency care, integrated with enhanced community-based services
- Healthier resources – use finite resources to maximum advantage.

Health Determinants Queensland provides an information basis from which we can make informed decisions about how to best action each of these intents – what initiatives need to be implemented in which areas to achieve the greatest possible gains in health.

I encourage everyone with an interest in health – which is all of us – to familiarise yourself with the information in this report and to use this information in planning priority setting, and decisions about resource allocation.

Dr Steve Buckland  
Director-General  
Queensland Health

## Acknowledgments

Health Determinants Queensland 2004 was undertaken by Public Health Services in collaboration with Health Information Centre, Queensland Health.

Specialist advice and assistance relevant to all chapters was received from William Fox (alcohol, tobacco and illicit drugs), Fran McFadzen and Di James (graphics), Danny Youlden (ICD coding), Liz Davis and Trisha Johnson (mental health), Amanda Lee, Terry Coyne, Torukiri Ibiebele, Simone Lowson and Christina Stubbs (nutrition), Paul Wood and Penny Slater (oral health), Ruth Miller, Brigid Walsh, Kate Swanton and Paula Nihot (physical activity), Natalie Baig, Paul Harris and Garth Henniker (social determinants and community capacity) and Jennifer Muller (women's cancer screening). In addition, Angela Taft, Kelsey Hegarty, Emad Nimri, Ross Thompson, Vicki Poxon, Annette Dobson, Elvia Ramirez and Jennifer Muller contributed during the consultation on selection of indicators and literature review.

Specialist assistance relevant to this chapter was received from Brett Eichmann (mapping) and Stephen Begg, University of Queensland (synthetic estimation).

The intervention sections in this report were managed by Helen Clifford and provided by Steve Anstis (alcohol), Margaret Young (communicable disease), Kerry Bell (food safety), Paul Vardon and Phil Carswell (injury), Liz Davis (mental health), Amanda Lee and Christina Stubbs (nutrition), Paul Wood and Linda Bertram (oral health), Mark Counter (sexual health), Paul Harris and Natalie Baig (social determinants), Mark West (smoking), Cameron Earl (sun protection), Brigid Walsh (physical activity), Jennifer Muller and Angela Beitz (women's cancer screening).

## Table of contents

6.1	Health Determinants Queensland 2004 .....	6-1
6.2	What is the aim of this profile?.....	6-1
6.3	An introduction to small area analysis .....	6-1
6.4	Who lives in Charters Towers HSD and how will that change? .....	6-2
6.5	What are the key health issues and their causes? .....	6-4
6.6	How many people are at risk? .....	6-5
6.7	How can the burden of disease be addressed? .....	6-6
6.8	Priorities for prevention in Charters Towers HSD .....	6-7
6.9	Appendix: Tables and figures.....	6-8
6.10	References .....	6-13

## 6.1 Health Determinants Queensland 2004

*Health Determinants Queensland 2004* (HDQ) reports indicators of the major behavioural, social, economic and environmental determinants of health in the state. Where possible, it reports key trends in these indicators. Outcome indicators of preventable health issues are also reported. The report describes the relationship between the determinants of health and their outcomes. Queensland population groups with excess mortality and morbidity associated with conditions and determinants are also identified.

A determinant of health is a factor or characteristic that brings about a change in health, either for the better or for the worse. Health determinants can be broadly divided into 'upstream' determinants (education, employment, income, living and working conditions), 'midstream' (community capacity, health behaviours and psychosocial factors) and 'downstream' (physiological and biological factors).<sup>1</sup> The social, cultural, economic and environmental factors are collectively called 'social determinants of health and wellbeing'.

The five population based chapters of HDQ reflect the life course approach and the age specific nature of many health determinants and outcomes. The *Whole of population* chapter reports the determinants of health which affect the entire population, key health outcomes and interventions to address these determinants. The *Children, Young people, Older people* and *Indigenous peoples* chapters reflect the health determinants of specific relevance to those populations. Population-specific interventions to address these determinants are described.

The *Health service district profiles* chapter comprises a suite of 34 profiles, one for each of the population based Health Service Districts (HSDs) in Queensland. The Charters Towers HSD profile is one of that suite.

## 6.2 What is the aim of this profile?

This profile provides Charters Towers HSD with a summary of the key health issues and their causes, in the total population and in subpopulations within the district.

Information on the prevalence of risk and protective factors for health is required to determine the level of need in the population, and to measure the effectiveness of services. With rapidly changing populations in many parts of Queensland, and specifically an ageing population, strategic prevention initiatives are critically needed.

*Health Determinants Queensland 2004* supports decision makers at the local level in identifying priority areas for prevention and evidence based interventions for investment. It provides information for planning to strategically address the current, and short and long term future burden of disease in the Charters Towers HSD.

## 6.3 An introduction to small area analysis

The health status of the people of Charters Towers HSD can be considered in two ways.

- What are the major determinants of health, death and disease?
- Are the health issues of the people of this district different to other populations in Queensland? That is, what is the relative health status of this population?

The major determinants of health, death and disease, and the health status of the total Queensland population are reported in other chapters of *Health Determinants Queensland 2004* and in earlier publications.<sup>2,3,4,5,6</sup> This information provides a good base for understanding the general health issues affecting this district's population.

Regarding the relative health status of this population, this is of critical concern, as the impact of changing sociodemographic patterns and the effect of lifestyle behaviours on demand for health services is experienced in the district currently and in the future.

In order to determine the relative health status of the district population, knowledge of the health status of this and other districts in Queensland is required. However, at HSD level and smaller, mortality and morbidity information is not always available. In addition, where this information is available, it has some inherent problems which can lead to difficulties with interpretation and possibly the development of misinformation.<sup>7</sup> These difficulties with small area analysis mostly stem from the relatively small number of cases reported for many conditions in smaller populations, with variation in numbers of cases, deaths or behaviours due to unexpected or non-representative events.

An estimation method has been adopted to address this problem and is used in this profile. This method relies on the fact that the health status of a population is largely predicted by sociodemographic characteristics of that population.<sup>8,9</sup> The key sociodemographic predictors of health status of a population are the age structure, sex distribution, proportion of Indigenous people and socioeconomic profile, and to a lesser extent urban, rural or remote location. Cultural diversity also needs to be considered.<sup>14</sup>

The relative health status of people living in the Charters Towers HSD can be estimated from knowledge of:

- key sociodemographic characteristics of the population in the district and Queensland
- the distribution of health outcomes and determinants in these sociodemographic groups in Queensland, as described in *Health Determinants Queensland 2004*.

This methodology is detailed in section 1.6 of *Whole of population* chapter and in other Queensland Health documents.<sup>7</sup> While this estimation method provides broad indications of health status in the population, complementary local knowledge will enhance the interpretation of this information and the understanding of its significance to the local population.

Population groups are not homogenous in regards to health issues. Thus, the key issues for population groups are interdependent. Prevalence of health outcomes and determinants are the result of complex interactions between the sociodemographic variables of the population. Key interactions are between: Indigenous status, socioeconomic disadvantage, and to a lesser extent rural or remote location; and between all populations and socioeconomic disadvantage. That is, older people who live in socioeconomically disadvantaged areas have greater health needs than those living in socioeconomically advantaged areas. A similar observation holds for Indigenous people, where the impact of Indigenous status, socioeconomic disadvantage, and rural and remote locations are interwoven. In addition, other interactions occur within district population groups. For example, Indigenous children and children from lower socioeconomic backgrounds are at greater risk of developing untoward health outcomes such as diabetes, than other children.

## 6.4 Who lives in Charters Towers HSD and how will that change?

The key sociodemographic predictors of health are described for Charters Towers HSD, using data from the 2001 census of population and housing, and population projections where available (Table CT 6.2).

In summary, compared to Queensland, Charters Towers HSD has:

- a higher proportion of children
- a higher proportion of older people
- a higher proportion of Indigenous people

Within the boundaries of the district, the sociodemographic distribution of the population varies considerably. Specifically, some areas of the HSD have a higher proportion of young children aged 0-4 years (Figure CT 6.2), children aged 5-14 years (Figure CT 6.3), young people aged 15-24 years (Figure CT 6.4), older people aged 65 years and older (Figure CT 6.5). The location of Indigenous people (Figure CT 6.6) and areas of greater socioeconomic disadvantage (Figure CT 6.7) also varies across the district. Many areas have greater proportions of a number of these population groups, including older people and Indigenous peoples living in areas of socioeconomic disadvantage.

Depending upon the sociodemographic mix of the local population as shown in these figures, the health status and specifically the likely prevalence of determinants of health, will vary within the district. This same estimation model can be applied to identify areas within the district at greater health risk.

In this profile, unless otherwise noted, the following age range definitions apply; children are 0-14 years, young people aged 15-24 years, adults are 25-64 years and older people are 65 years and older.

### Age and sex distribution

In 2002, the population of Charters Towers HSD was 15,494, which was less than 1% of the Queensland population (Table CT 6.2). Compared to the Queensland population and relative to other districts there were proportionally more children and older people in this population (Figure CT 6.1).

There were similar proportions of males and females as there were in the state population (Table CT 6.2).

## Population growth

Charters Towers HSD is an area with a recent history of population decline. Further decline is projected for the period 1996 to 2016 and this decline will affect all age groups except older people, consistent with an ageing population in many areas in Queensland (Table CT 6.2).

These projections are based on data derived from the 1996 census.<sup>10</sup> Projected population growth using the 2001 census, for Queensland and at Local Government Area level have been reported,<sup>11</sup> but are currently not available for health service districts.

## Indigenous population

In 2001, there were 1,016 Indigenous people in the district, representing 6.6% of the total district population and 0.9% of Queensland's Indigenous population. In Queensland, 3.1% of the population identified as Indigenous in 2001.<sup>12</sup>

## Socioeconomic disadvantage

Compared to Queensland population the socioeconomic profile of the Charters Towers HSD showed neither extreme disadvantage nor extreme advantage. There were however about 1,700 people (11% of the district population) living in areas of relative disadvantage compared with 20% of Queenslanders. While 20% of the Queensland population lived in areas with a profile of advantage, in this district there were no areas with such a profile. Using the 2001 Index of Relative Socioeconomic Advantage/Disadvantage,<sup>13</sup> a profile of socioeconomic disadvantage includes variables for unemployment, lower income and level of skilled occupations. A profile of advantage includes variables for higher household and individual income, non-manual occupations and employment.

In 1996, following the pattern in all HSDs in Queensland, the Indigenous population in this HSD were more likely to live in areas of greater socioeconomic disadvantage than the non-Indigenous population.<sup>4</sup>

## 6.5 What are the key health issues and their causes?

Considering the whole population in the Charters Towers HSD, the major causes of death and illness include: Coronary heart disease (CHD), stroke, chronic obstructive pulmonary disease (COPD), depression and lung cancer (Table CT 6.3).

Health determinants of significant impact in this population include: harmful alcohol consumption, smoking, overweight and obesity, poor nutrition, physical inactivity, and risk and protective factors for mental health.

Due to the effect of remoteness and in some areas socioeconomic disadvantage in this district, the health issues and their determinants listed above are likely to be exacerbated. In addition, in comparison to urban populations, rural and remote populations in Queensland will have greater death and illness due to injury and poisoning, particularly road transport injury.

A complete list of health outcomes and determinants of particular importance in each population group in Charters Towers HSD are in Table CT 6.3.

The social determinants of health vary for each population group, and are not detailed in this profile. These determinants are described in each population-based chapter of *Health Determinants Queensland 2004*. The social determinants of health will vary between areas of the district. For example, socioeconomic disadvantage in one area may be reflected in poor employment options while in other areas it may be reflected in low disposable incomes, or lack of health awareness and general education.

## Higher proportion of children

The major causes of death and illness for very young children aged 0-4 years include: low birth weight, birth trauma and asphyxia, congenital heart disease and sudden infant death syndrome (SIDS).

The major cause of death and illness for children aged 5-14 years is asthma, with additional key conditions of: attention-deficit hyperactivity disorder, depression and road traffic injury.

Health determinants of significant impact in this population include: poor nutrition (both maternal and childhood), overweight and obesity, physical inactivity, sun protection, vaccination and oral health. The social determinants of health of specific importance to children include family supports, housing, family income and employment, and quality education for children.

While the health of children is affected by current lifestyle behaviours, such behaviours will also have considerable impact later in life. There will be substantial long-term gains in health and wellbeing gains by addressing the social and economic environments of children and their families. This will involve consideration of a broad range of environmental, socioeconomic and community capacity factors.

### **Higher proportion of older people**

The major causes of death and illness for older people will include: CHD, stroke, Alzheimer and other dementias, COPD, diabetes, and lung and colorectal cancer.

Health determinants of significant impact in this population will include: poor diabetes management, overweight and obesity, poor nutrition, physical inactivity, high blood pressure, poor blood cholesterol management, and smoking. In addition, falls are of particular concern in this population. Risk and protective factors for mental health are likely to have widespread effects on physical and mental health. Social determinants of health are of specific importance in this population, particularly housing, transport and social isolation.

These health issues will be exacerbated where older people are socioeconomically disadvantaged.

### **Socioeconomic disadvantage in the district**

In general, socioeconomically disadvantaged people experience poorer health and shorter life expectancy than more socioeconomically advantaged people, for nearly all disease causes and populations studied.

The major causes of death and illness for populations of high socioeconomic disadvantage compared to those of low socioeconomic disadvantage include higher rates of: diabetes, intentional and unintentional injuries and mental disorders.

Health determinants of significant impact in this population include: diabetes management, harmful alcohol consumption, overweight and obesity, poor nutrition, physical inactivity, and risk and protective factors for mental health.

Socioeconomic disadvantage is evident in this district, and while the instrument for measuring disadvantage lacks sensitivity in terms of pinpointing individual age groups, it would be expected that all age groups would be affected. The impact of disadvantage in children may be seen in a growing prevalence of physical inactivity, overweight and obesity, poor nutrition and oral health. This pattern is also likely to be seen in young people with the uptake of smoking and hazardous alcohol consumption setting up patterns for long term health burden. Smoking prevalence plus overweight and obesity, lack of fruit and vegetables in the diet, harmful alcohol consumption and insufficient physical activity during the adult years will combine to produce higher rates of the chronic disease burden of cardiovascular disease, diabetes and cancers. Socioeconomic disadvantage will be reflected in health determinants such as unemployment, transport difficulties, lack of affordable housing and a greater reliance on Queensland Health services.

### **Indigenous population**

Due to the excess burden of disease in Indigenous peoples in Queensland in urban, rural and remote parts of the state, specific health gains can be made through targeted interventions in this district. Indigenous peoples in this HSD were more likely to live in areas of greater socioeconomic disadvantage than the non-Indigenous population.

The major causes of death and illness for Indigenous peoples include: stroke, CHD, diabetes, suicide, unintentional injury and mental health.

Health determinants of significant impact in this population include: poor diabetes management, overweight and obesity, poor nutrition, physical inactivity, harmful alcohol consumption, high blood pressure, poor blood cholesterol management, and risk and protective factors for mental health. In addition, rates of cervical cancer screening and asthma management are projected to be low in this population. Social determinants of health are of specific importance in this population, particularly sense of control, housing, employment and transport.

## **6.6 How many people are at risk?**

An extension of estimating prevalence of health determinants of Charters Towers HSD is the estimation of the number of residents with specific key conditions (Table CT 6.1). The attributable burden of disease, the preventability of the conditions and the availability of data, were the basis for selecting the conditions to estimate case numbers.

**Table CT 6.1: Estimated number of current residents with specific key conditions in Charters Towers HSD, by sex**

	males	females
Diabetic adults, aged 25 years and older	400	400
Overweight adults, aged 20 years and older	2,000	1,500
Obese adults, aged 20 years and older	1,000	1,000
Overweight children, aged 5-14 years	150	200
Obese children, aged 5-14 years	50	100
Asthmatic children, aged 0-9 years	150	100

## 6.7 How can the burden of disease be addressed?

Specific interventions to address the burden of disease in a population should target diseases, conditions and determinants of health which pose significant threat and are potentially preventable. There is now good evidence that a range of interventions are effective in preventing disease, illness and injury, and in promoting health and wellbeing through action on the determinants of health and ill health.

The key challenge is to ensure these initiatives are ongoing and widespread, and, are at a level sufficient to achieve broad based population-wide outcomes, as well as reduce health inequalities across population subgroups. Evidence based interventions to address these issues in each population are detailed in section 1.5 of the *Whole of population* chapter and in equivalent sections in other chapters of *Health Determinants Queensland 2004*.

Since population health issues are being addressed by multiple organisations and communities, the aim of these intervention sections is to identify key evidence based strategies that are currently being undertaken, are planned or are required. These strategies are based upon best practice. The interventions will be led by a variety of organisations in partnership with other sectors.

It is clear there are no simple, quick fixes to these complex issues. Action on all determinants requires multi-strategy approaches which:

- include both population-wide and at-risk group approaches
- involve sectors working together
- focus on both risk and protective factors
- address social, behavioural, economic and environmental factors
- specifically address equity and reduce disparities by focusing on the needs of the most disadvantaged communities and population groups
- take a lifecourse perspective.

The risk of disease is not confined to a particular group of the population with particularly high levels of risk factors. Rather, the risk of many diseases increases with increasing levels of risk factors, from levels within the normal range to very high levels of risk factors.<sup>15</sup> In particular, there is a continuous association between:

- risk of coronary heart disease and healthy and excess weight (as assessed by body mass index),<sup>16</sup> serum cholesterol,<sup>16</sup> fruit and vegetable intake<sup>17</sup> and diastolic blood pressure<sup>16</sup>
- risk of diabetes and healthy and excess weight<sup>16</sup>
- risk of haemorrhagic and ischaemic stroke and healthy and excess levels of diastolic blood pressure<sup>18</sup>
- risk of hip fracture and bone mineral density<sup>16</sup>
- risk of neural tube defects and maternal plasma folate.<sup>16</sup>

Thus incremental change in the population prevalence of these health determinants will affect the health status of the population in Charters Towers HSD.

Considerable evidence indicates that current greater prevalence of determinants of ill-health will result in higher hospital separations and mortality in the population in the short and long term. There is a variable and often long lag time between the incidence of health determinants and hospital separation or deaths from associated diseases or conditions. As a result, the excess prevalence of some health determinants in Charters Towers HSD will be partially reflected in current mortality and morbidity statistics, and partially reflected in future statistics.

## 6.8 Priorities for prevention in Charters Towers HSD

Addressing the burden of disease in Charters Towers HSD requires interventions that positively modify the diseases, conditions and health determinants that pose significant preventable burden for the population. Priority health determinants may include those for which prevalence is higher in the HSD than that of Queensland. However, interventions should also be implemented at the small area level if those conditions or risk factors have similar or lower prevalence than that of Queensland, but have a large impact within the small area.

Social determinants of health, particularly sense of control, employment and housing must be addressed to achieve sustained health improvement in this HSD. In addition, environments that support healthy lifestyles must be developed and maintained. Intersectorial partnerships are needed to affect these upstream determinants of health.

It is estimated that currently population groups within this HSD have a higher prevalence of some health behaviours than Queensland as a whole (Table CT 6.3). These key health determinants or preventable morbidity factors are:

- overweight and obesity
- physical inactivity
- poor diabetes management
- poor asthma management
- risk and protective factors for mental health
- hazardous and harmful alcohol consumption
- falls in older people.

In addition, specific interventions to address those determinants of health in this population which pose significant preventable burden for the population, but whose prevalence is similar or lower than that of Queensland must be addressed. There is one such health determinant in this district:

- tobacco smoking

The relative priority of key health determinants and preventable morbidity factors may change in the future as the population changes.

Population health interventions to address the burden of disease attributable to these health determinants are identified for the whole of the population and for sociodemographic groups, within the relevant chapters of the *Health Determinants Queensland 2004*.


## 6.9 Appendix: Tables and figures

**Table CT 6.2: Key summary demographic variables, Charters Towers HSD and Queensland, 2001**


	Charters Towers	Queensland
Total population 2002	15,494	3,707,175
Percentage of Qld population	0.4	
% males	51.1	49.7
Age distribution 2002		
% aged 0-14 years	24.1	21.0
% aged 15-24 years	14.0	14.1
% aged 25-64 years	49.9	53.1
% aged 65+ years	12.0	11.8
Past growth (av annual change 1996-2001)	-0.4	2.46
Projected growth 1996 to 2016		
Population aged 0-14 years	-21.8	13.4
Population aged 15-24 years	-14.0	23.9
Population aged 25-64 years	-11.7	43.4
Population aged 65+ years	21.4	87.4
Total population	-10.8	38.7
Index of Socioeconomic Advantage/Disadvantage 2001		
% population disadvantaged quintile	11.0	20
% population advantaged quintile	0.0	20
% Aboriginal and Torres Strait Islander	6.6	3.1
% Australian born	88.2	77.7
% speaks a main language other than English at home (MLOTESH)	1.2	7.1
% MLOTESH and speaks English not well or not at all	1.4	4.9
Accessibility	Remote	

Source: ABS Census 2001. Base data for projections - Department of Local Government and Planning (District groupings added by Health Information Centre)


**Figure CT 6.1: Estimated resident population for Charters Towers HSD by age and sex, and difference in age structure between HSD population and Queensland population, 2002**




**Figure CT 6.2: Proportion of young children (0-4 years) in Charters Towers HSD, compared to Queensland, by collection district, 2001**




**Figure CT 6.3: Proportion of children (5-14 years) in Charters Towers HSD, compared to Queensland, by collection district, 2001**




**Figure CT 6.4: Proportion of young people (15-24 years) in Charters Towers HSD, compared to Queensland, by collection district, 2001**




**Figure CT 6.5: Proportion of older people (65 years and older) in Charters Towers HSD, compared to Queensland, by collection district, 2001**



**Figure CT 6.6: Proportion of Indigenous people in Charters Towers HSD, compared to Queensland by collection district, 2001**



**Figure CT 6.7: Proportion of population in quintile of highest socioeconomic disadvantage in Charters Towers, by collection district, 2001**



**Table CT 6.3 Burden of disease and injury, and determinants of health in populations within Charters Towers HSD**

Sociodemographic groups in Charters Towers HSD									
	Charters Towers HSD total population	Currently in greater proportion			Other population groups				
		Young children (0-14 years)	Older people (65 years & older)	Indigenous peoples <sup>1,3</sup>	Males	Females	Young people (15-24 years)	Adults (25-59 years)	Socioeconomic disadvantaged <sup>1,2</sup>
<b>Burden of disease and injury</b>	CHD	Asthma	CHD	All causes	CHD	Stroke	Road traffic injury	CHD	All causes
	Stroke	Low birth weight	Stroke	CHD	Stroke	CHD	Depression	COPD	Diabetes
	COPD	Attention-deficit hyperactivity disorder	Alzheimer & other dementias	Diabetes & complications including renal failure	Lung cancer	Depression	Bipolar affective disorder	Suicide & self-inflicted injuries	Diseases of the digestive system
	Depression	Birth trauma & asphyxia	COPD	Unintentional injury	Suicide & self-inflicted injury	Breast cancer	Heroin dependence & harmful use	Diabetes	Intentional injury
	Lung cancer	Other chromosomal anomalies	Lung cancer	Suicide & self-inflicted injury	COPD	Anxiety disorders	Suicide & self-inflicted injury	Lung cancer	Unintentional injury
	Diabetes	Congenital heart disease	Colorectal cancer	Mental health	Road traffic injury	Dementias	Social phobia	Depression	Mental disorders
	Colorectal cancer	SIDS	Diabetes		Diabetes	Asthma	Schizophrenia	Breast cancer	Musculoskeletal diseases
	Asthma	Depression	Vision disorders		Substance use disorders	Diabetes	Borderline personality disorder	Stroke	Chronic respiratory disease
	Osteoarthritis	Road traffic injury	Prostate cancer		Depression	Osteoarthritis	Alcohol dependence & harmful use	Colorectal cancer	Infectious & parasitic diseases & acute respiratory infections
		Autism & Asperger's syndrome	Hearing loss		Colorectal cancer	COPD	Eating disorders	Road traffic injury	Neonatal causes
<b>Health determinants<sup>4</sup></b>	Harmful alcohol consumption	Poor nutrition	Poor nutrition	Physical inactivity	Harmful alcohol consumption	Smoking	Harmful alcohol consumption	Harmful alcohol consumption	Harmful alcohol consumption
	Smoking	Overweight & obesity	Overweight & obesity	Poor nutrition	Smoking	Poor nutrition	Smoking	Smoking	Poor nutrition
	Poor nutrition	Physical inactivity	Physical inactivity	Overweight & obesity	Smoking	Overweight & obesity	Illicit drugs	Smoking	Overweight & obesity
	Overweight & obesity	Sun protection	Influenza vaccination	Falls	Illicit drugs	Physical inactivity	Sexual health	Overweight & obesity	Physical inactivity
	Physical inactivity	Vaccination	Social determinants	Vaccination	Sun protection	Breast & cervical cancer screening	Social determinants		Overweight & obesity
	Breast & cervical cancer screening	Oral health		Breast & cervical cancer screening		Harmful alcohol consumption			Physical inactivity
	Vaccination	Social determinants		Harmful alcohol consumption		Sexual health			Cervical cancer screening
	Social determinants			Sexual health		Illicit drugs			Social determinants
				Illicit drugs		Social determinants			Smoking
				Social determinants					

1. Due to the interplay between these factors and current data sources it is impossible to attribute differences to a single sociodemographic factor.  
 2. Order of burden of disease of conditions based on rank order of excess burden of bottom quintile of SEIFA 1996, compared with top quintile. Order and inclusion of conditions not based on burden of disease in socioeconomically disadvantaged populations.  
 3. Condition list based on multiple measures, but not burden of disease based on disability adjusted life years. No rank order applies.  
 4. Health determinants listed are those in excess prevalence in the specific sub-population and are not in rank order of impact on burden of disease.

## 6.10 References

1. Turrell G, Oldenburg B, McGuffog I, Dent R. *Socioeconomic determinants of health: towards a national research program and a policy and intervention agenda*. Canberra: Queensland University of Technology; April 1999.
2. Queensland Health. *Health Indicators for Queensland: Central Zone 2001*. Brisbane: Public Health Services, Queensland Health; 2001.
3. Queensland Health. *Health Indicators for Queensland: Southern Zone 2001*. Brisbane: Public Health Services, Queensland Health; 2001.
4. Queensland Health. *Health Indicators for Queensland: Northern Zone 2001*. Brisbane: Public Health Services, Queensland Health; 2001.
5. Queensland Health. *The State of Health of the Queensland Population*. Brisbane: Queensland Health; 2001.
6. Pike A, Baade P, Harper C, Muller S, Kennedy B. *Quantifying the Burden of Disease and Injury in Queensland 1996 - 1998*. Brisbane: Health Information Centre, Queensland Health; 2002. Information Circular 61.
7. Queensland Health. *The Estimation of Health Status in Small Areas: Central Public Health Unit Network*, Queensland Health; 2003.
8. Queensland Health. *Social Determinants of Health: The Role of Public Health Services*. Brisbane: Public Health Services, Queensland Health; 2001.
9. Harper C, Baade P, Kennedy B. *The socio-demographic determinants of small area population health in Queensland*: Queensland Health; 2002.
10. Queensland Government. *Department of Local Government and Planning*. Available at: <http://www.dlgp.qld.gov.au/Default.aspx?ID=199>
11. Queensland Government. *Queensland Government Population Projections 2003*.
12. Queensland Health. *2001 Census Factsheets for Health Service Districts: Indigenous population profile*: Public Health Services, Queensland Health; 2004.
13. Australian Bureau of Statistics. *Socioeconomic Indexes for Areas. Index of Relative Socioeconomic Advantage/Disadvantage*. Canberra 2001. Cat. No. 2039.0.
14. Queensland Health. *2001 Census Factsheets for Health Service Districts- Culturally and linguistically diverse populations*: Public Health Services, Queensland Health; 2004.
15. World Health Organization. *The World Health Report 2002: Reducing risks, promoting healthy life*. France 2002.
16. Law MR, Wald N J. Risk factor thresholds: their existence under scrutiny. *British Medical Journal*. 2002;324:1570-1576.
17. Joshipura KJ, Hu F B, Manson J E, et al. The effect of fruit and vegetable intake on risk for coronary heart disease. *Annals of Internal Medicine*. 2001;134(12):1106-1114.
18. Eastern Stroke and Coronary Heart Disease Collaborative Group. Blood pressure, cholesterol and stroke in eastern Asia. *Lancet*. 1998;352:1801-1807.



**Queensland**  
**Government**  

---

**Queensland Health**