


MOTHERS DELIVERING IN QUEENSLAND, 1998
SELECTED VARIABLES BY NUMBER OF PREVIOUS DELIVERIES

Selected variables	Number of previous deliveries							
	None		One to four		Five or more		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%
Age of mother (years)								
Less than 20	2,481	13.4	603	2.2	-	-	3,085	6.5
20-34	14,706	79.5	22,620	80.7	522	56.5	37,849	79.8
35 and over	1,322	7.1	4,792	17.1	402	43.5	6,516	13.7
Total	18,509	100.0	28,015	100.0	924	100.0	47,450	100.0
Indigenous status of mother								
Indigenous	761	4.1	1,715	6.1	255	27.6	2,731	5.8
Non-indigenous	17,744	95.9	26,298	93.9	669	72.4	44,713	94.2
Not stated	4	0.0	2	0.0	-	-	6	0.0
Total	18,509	100.0	28,015	100.0	924	100.0	47,450	100.0
Marital status of mother								
Single	3,334	18.0	2,329	8.3	122	13.2	5,786	12.2
Married/defacto	15,070	81.4	25,227	90.0	761	82.4	41,059	86.5
Other	104	0.6	458	1.6	41	4.4	603	1.3
Not stated	1	0.0	1	0.0	-	-	2	0.0
Total	18,509	100.0	28,015	100.0	924	100.0	47,450	100.0
Country of birth of mother								
Australia	15,502	83.8	23,392	83.5	771	83.4	39,666	83.6
Other English speaking	1,537	8.3	2,474	8.8	73	7.9	4,085	8.6
Non-English speaking	1,465	7.9	2,142	7.6	80	8.7	3,687	7.8
Other ^(b)	5	0.0	7	0.0	-	-	12	0.0
Total	18,509	100.0	28,015	100.0	924	100.0	47,450	100.0
Area of usual residence of mother ^(c)								
Urban	12,784	69.1	17,789	63.5	502	54.3	31,077	65.5
Rural	5,131	27.7	8,963	32.0	334	36.1	14,428	30.4
Remote	466	2.5	1,033	3.7	80	8.7	1,579	3.3
Other	128	0.7	230	0.8	8	0.9	366	0.8
Total	18,509	100.0	28,015	100.0	924	100.0	47,450	100.0
Plurality of pregnancy								
Singleton	18239	98.5	27611	98.6	911	98.6	46,763	98.6
Twin	255	1.4	394	1.4	13	1.4	662	1.4
Other multiple	15	0.1	10	0.0	-	-	25	0.1
Total	18,509	100.0	28,015	100.0	924	100.0	47,450	100.0

(a) Includes 2 mothers with previous deliveries not stated

(b) Includes not stated country of birth and "Other" countries as per Table 4.05.

(c) "Other" includes interstate/overseas. "Rural" includes "Remote Major", ie. Mt Isa.




**MOTHERS DELIVERING IN QUEENSLAND, 1998
SELECTED VARIABLES BY NUMBER OF PREVIOUS DELIVERIES**

Selected variables	Number of previous deliveries							
	None		One to four		Five or more		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%
Number of antenatal visits								
Less than 2	244	1.3	461	1.6	55	6.0	760	1.6
2 or more	18,258	98.6	27,541	98.3	868	93.9	46,669	98.4
Not stated	7	0.0	13	0.0	1	0.1	21	0.0
Total	18,509	100.0	28,015	100.0	924	100.0	47,450	100.0
Type of antenatal care								
Public hospital/clinic	4,804	26.0	7,736	27.6	445	48.2	12,986	27.4
Shared care	7,372	39.8	11,076	39.5	329	35.6	18,778	39.6
Private medical practitioner	6,173	33.4	8,933	31.9	114	12.3	15,220	32.1
Private midwifery practitioner	80	0.4	139	0.5	7	0.8	226	0.5
Private medical & midwife practitioners	4	0.0	10	0.0	-	-	14	0.0
No antenatal care	71	0.4	109	0.4	28	3.0	208	0.4
Not stated	5	0.0	12	0.0	1	0.1	18	0.0
Total	18,509	100.0	28,015	100.0	924	100.0	47,450	100.0
Assisted conception status								
Not assisted	17,847	96.4	27,548	98.3	920	99.6	46,317	97.6
Assisted conception	655	3.5	458	1.6	3	0.3	1,116	2.4
Not stated	7	0.0	9	0.0	1	0.1	17	0.0
Total	18,509	100.0	28,015	100.0	924	100.0	47,450	100.0
Type of facility from where mother was transferred before giving birth								
Homebirth	12	0.1	9	0.0	-	-	21	0.0
Birth centre	82	0.4	39	0.1	1	0.1	122	0.3
Public facility	363	2.0	520	1.9	50	5.4	933	2.0
Private facility	28	0.2	22	0.1	-	-	50	0.1
Not stated facility	-	-	3	0.0	-	-	3	0.0
Not transferred ^(b)	18,024	97.4	27,422	97.9	873	94.5	46,321	97.6
Total	18,509	100.0	28,015	100.0	924	100.0	47,450	100.0
Accommodation type								
Not applicable - Planned homebirth	44	0.2	121	0.4	6	0.6	171	0.4
Public	12,298	66.4	19,142	68.3	824	89.2	32,266	68.0
Private shared/single	6,165	33.3	8,751	31.2	94	10.2	15,010	31.6
Not stated	2	0.0	1	0.0	-	-	3	0.0
Total	18,509	100.0	28,015	100.0	924	100.0	47,450	100.0

(a) Includes 2 mothers with previous deliveries not stated.

(b) Includes not stated antenatal transfer.

**FIGURE 2: Mothers delivering in Queensland, 1998
Selected variables by number of previous deliveries**




MOTHERS DELIVERING IN QUEENSLAND, 1998
SELECTED VARIABLES BY NUMBER OF PREVIOUS DELIVERIES

Selected variables	Number of previous deliveries							
	None		One to four		Five or more		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%
Selected pregnancy / medical complications ^(b)								
Pre-eclampsia	2,318	12.5	1,573	5.6	64	6.9	3,957	8.3
Rupture of membranes >4 hrs before labour (<24 hrs before delivery)	1,406	7.6	1,390	5.0	60	6.5	2,856	6.0
Asthma	741	4.0	946	3.4	32	3.5	1,719	3.6
Rupture of membranes >24 hrs before delivery	832	4.5	714	2.5	40	4.3	1,586	3.3
Gestational diabetes	466	2.5	899	3.2	66	7.1	1,431	3.0
Infectious and parasitic diseases	557	3.0	800	2.9	37	4.0	1,394	2.9
<i>Streptococcal infection</i>	224	1.2	346	1.2	17	1.8	587	1.2
<i>Active genital herpes</i>	140	0.8	134	0.5	2	0.2	276	0.6
<i>Viral hepatitis</i>	57	0.3	118	0.4	9	1.0	184	0.4
<i>Syphilis</i>	13	0.1	43	0.2	6	0.6	62	0.1
Antepartum haemorrhage, abruptio placentae and placenta praevia	528	2.9	825	2.9	32	3.5	1,385	2.9
Haemorrhage in early pregnancy	429	2.3	636	2.3	21	2.3	1,086	2.3
Disorder of thyroid gland	99	0.5	224	0.8	11	1.2	334	0.7
Epilepsy	119	0.6	159	0.6	6	0.6	284	0.6
Substance abuse	55	0.3	144	0.5	14	1.5	213	0.4
Diabetes mellitus	59	0.3	112	0.4	12	1.3	183	0.4
Intrauterine fetal death	66	0.4	80	0.3	3	0.3	149	0.3
Suspected fetal anomaly	52	0.3	82	0.3	3	0.3	137	0.3
Infection of amniotic cavity	28	0.2	51	0.2	8	0.9	87	0.2
Cervical incompetence	11	0.1	39	0.1	2	0.2	52	0.1
Total	18,509		28,015		924		47,450	
Length of antenatal stay (days)								
0-1	16,720	90.3	26,188	93.5	819	88.6	43,729	92.2
2-7	1,511	8.2	1,184	4.2	65	7.0	2,760	5.8
8-14	131	0.7	173	0.6	13	1.4	317	0.7
15-21	47	0.3	81	0.3	2	0.2	130	0.3
22 and over	36	0.2	72	0.3	9	1.0	117	0.2
Not applicable- Planned homebirth	44	0.2	121	0.4	6	0.6	171	0.4
Not applicable- Born before arrival	20	0.1	195	0.7	10	1.1	225	0.5
Not stated	-	-	1	0.0	-	-	1	0.0
Total	18,509	100.0	28,015	100.0	924	100.0	47,450	100.0
Selected procedures and operations during pregnancy, labour & delivery, or the puerperium ^(b)								
Obstetric ultrasound	18,289	98.8	27,515	98.2	864	93.5	46,670	98.4
Amniocentesis	596	3.2	1,267	4.5	44	4.8	1,907	4.0
Removal of retained placenta	300	1.6	457	1.6	19	2.1	776	1.6
Chorionic villus sampling	111	0.6	212	0.8	8	0.9	331	0.7
Encirclement suture of cervix	23	0.1	87	0.3	6	0.6	116	0.2
Total	18,509		28,015		924		47,450	
Onset of labour								
Spontaneous - not augmented	5,843	31.6	10,919	39.0	414	44.8	17,177	36.2
Spontaneous - augmented	5,837	31.5	6,628	23.7	203	22.0	12,668	26.7
Induced	5,232	28.3	6,049	21.6	202	21.9	11,484	24.2
No labour	1,596	8.6	4,418	15.8	104	11.3	6,118	12.9
Not stated	1	0.0	1	0.0	1	0.1	3	0.0
Total	18,509	100.0	28,015	100.0	924	100.0	47,450	100.0

(a) Includes 2 mothers with previous deliveries not stated.

(b) Reporting of multiple conditions/procedures permitted.



MOTHERS DELIVERING IN QUEENSLAND, 1998
SELECTED VARIABLES BY NUMBER OF PREVIOUS DELIVERIES

Selected variables	Number of previous deliveries							
	None		One to four		Five or more		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%
Place of delivery								
Public facility	13,142	71.0	20,411	72.9	839	90.8	34,394	72.5
Private facility	5,225	28.2	7,087	25.3	67	7.3	12,379	26.1
Birth centre	78	0.4	201	0.7	2	0.2	281	0.6
Homebirth	44	0.2	121	0.4	6	0.6	171	0.4
Born before arrival	20	0.1	195	0.7	10	1.1	225	0.5
Total	18,509	100.0	28,015	100.0	924	100.0	47,450	100.0
Perineal status (vaginal deliveries only - including vacuum and forceps)								
Intact	4,050	29.0	11,420	52.0	589	78.4	16,060	43.8
Lacerated - sutured	5,085	36.4	6,448	29.4	81	10.8	11,614	31.7
Lacerated - not sutured	875	6.3	2,085	9.5	67	8.9	3,027	8.3
Episiotomy	3,954	28.3	1,987	9.1	13	1.7	5,954	16.2
Not stated	-	-	1	0.0	1	0.1	2	0.0
Total	13,964	100.0	21,941	100.0	751	100.0	36,657	100.0
Selected labour and delivery complications ^(b)								
Obstructed/abnormal labour	5,839	31.5	9,645	34.4	384	41.6	15,868	33.4
Meconium liquor	3,233	17.5	3,481	12.4	162	17.5	6,876	14.5
Fetal distress	2,755	14.9	1,488	5.3	42	4.5	4,285	9.0
Primary post-partum haemorrhage	466	2.5	670	2.4	29	3.1	1,165	2.5
Retained placenta or membranes (without haemorrhage)	324	1.8	503	1.8	21	2.3	848	1.8
Total	18,509		28,015		924		47,450	
Length of postnatal stay for mothers delivering in hospital/birth centre and discharged home (days)								
0	200	1.1	857	3.1	44	5.0	1,101	2.4
1	991	5.5	4,074	14.9	187	21.1	5,252	11.4
2	2,278	12.6	5,591	20.5	204	23.1	8,073	17.5
3	3,534	19.6	5,279	19.3	153	17.3	8,966	19.4
4 - 7	9,809	54.3	10,636	39.0	257	29.0	20,704	44.8
8-14	1,188	6.6	803	2.9	38	4.3	2,029	4.4
15-21	57	0.3	48	0.2	1	0.1	106	0.2
22 and over	12	0.1	16	0.1	1	0.1	29	0.1
Total	18,069	100.0	27,304	100.0	885	100.0	46,260	100.0
Separation status of mother ^(c)								
Planned homebirth	44	0.2	121	0.4	6	0.6	171	0.4
Discharged	18,069	97.6	27,304	97.5	885	95.8	46,260	97.5
Transferred	395	2.1	587	2.1	33	3.6	1,015	2.1
Died	-	-	-	-	-	-	-	-
Not stated	1	0.0	3	0.0	-	-	4	0.0
Total	18,509	100.0	28,015	100.0	924	100.0	47,450	100.0

(a) Includes 2 mothers with previous deliveries not stated.

(b) Reporting of multiple conditions permitted.

(c) Includes 11 mothers transferred to a facility from the homebirth.

BIRTHS, QUEENSLAND, 1998
SELECTED VARIABLES BY NUMBER OF PREVIOUS DELIVERIES OF MOTHER

Selected variables	Number of previous deliveries						Total ^(a)	
	None		One to four		Five or more		No.	%
	No.	%	No.	%	No.	%	No.	%
Selected methods of analgesia or anaesthesia used during labour and delivery^(b)								
None reported	1,543	8.2	6,616	23.3	390	41.6	8,549	17.8
At least one method	17,250	91.8	21,810	76.7	546	58.3	39,608	82.2
<i>Nitrous oxide</i>	10,103	53.8	11,832	41.6	297	31.7	22,234	46.2
<i>Narcotic (IM/IV)</i>	7,517	40.0	6,121	21.5	113	12.1	13,751	28.6
<i>Epidural</i>	7,559	40.2	5,603	19.7	99	10.6	13,261	27.5
<i>Spinal</i>	2,027	10.8	3,564	12.5	108	11.5	5,700	11.8
<i>General anaesthesia</i>	590	3.1	925	3.3	48	5.1	1,563	3.2
<i>Other</i>	402	2.1	304	1.1	6	0.6	712	1.5
Not stated	2	0.0	3	0.0	1	0.1	6	0.0
Total	18,795		28,429		937		48,163	
Method of delivery								
Spontaneous vertex	10,675	56.8	20,868	73.4	736	78.5	32,280	67.0
Forceps/vacuum	3,272	17.4	992	3.5	14	1.5	4,278	8.9
Caesarean section	4,716	25.1	6,291	22.1	180	19.2	11,188	23.2
Breech	115	0.6	246	0.9	7	0.7	368	0.8
Other	16	0.1	31	0.1	-	-	47	0.1
Not stated	1	0.0	1	0.0	-	-	2	0.0
Total	18,795	100.0	28,429	100.0	937	100.0	48,163	100.0
Accoucheur								
Obstetrician	7,267	38.7	8,979	31.6	175	18.7	16,422	34.1
Other medical officer	3,707	19.7	3,944	13.9	130	13.9	7,782	16.2
Midwife	6,427	34.2	12,590	44.3	488	52.1	19,505	40.5
Student midwife	1,075	5.7	2,073	7.3	103	11.0	3,251	6.7
Medical student	295	1.6	627	2.2	27	2.9	949	2.0
Other	20	0.1	208	0.7	13	1.4	241	0.5
Not stated	4	0.0	8	0.0	1	0.1	13	0.0
Total	18,795	100.0	28,429	100.0	937	100.0	48,163	100.0
Birthweight (grams)								
Less than 1,500	335	1.8	369	1.3	28	3.0	732	1.5
<i>Less than 1,000</i>	188	1.0	232	0.8	18	1.9	438	0.9
1,500-2,499	1,158	6.2	1,319	4.6	82	8.8	2,560	5.3
2,500-3,999	15,421	82.0	22,731	80.0	686	73.2	38,839	80.6
4,000 and over	1,877	10.0	4,008	14.1	141	15.0	6,026	12.5
Not stated	4	0.0	2	0.0	-	-	6	0.0
Total	18,795	100.0	28,429	100.0	937	100.0	48,163	100.0
Gestation (weeks)								
Less than 28	173	0.9	220	0.8	17	1.8	410	0.9
28-36	1,486	7.9	1,792	6.3	108	11.5	3,388	7.0
37-41	16,615	88.4	25,962	91.3	781	83.4	43,358	90.0
42 and over	519	2.8	454	1.6	30	3.2	1,003	2.1
Not stated	2	0.0	1	0.0	1	0.1	4	0.0
Total	18,795	100.0	28,429	100.0	937	100.0	48,163	100.0

(a) Includes 2 mothers with previous deliveries not stated.

(b) Reporting of multiple methods of analgesia/anaesthesia permitted.




FIGURE 5: Births, Queensland, 1998
Number of previous deliveries of mother by size of birth facility





FIGURE 6: Births, Queensland, 1998
Number of previous deliveries of mother by level of nursery at birth facility



BIRTHS, QUEENSLAND, 1998
SELECTED VARIABLES BY NUMBER OF PREVIOUS DELIVERIES OF MOTHER

Selected variables	Number of previous deliveries						Total ^(a)	
	None		One to four		Five or more		No.	%
Size of birth facility (births per year)	No.	%	No.	%	No.	%	No.	%
1-100	301	1.6	870	3.1	48	5.1	1,219	2.5
101-500	2,938	15.6	5,021	17.7	156	16.6	8,115	16.8
501-1,000	2,503	13.3	3,698	13.0	100	10.7	6,301	13.1
1,001-2,000 ^(b)	5,934	31.6	9,260	32.6	359	38.3	15,553	32.3
2,001 and over	7,054	37.5	9,264	32.6	258	27.5	16,578	34.4
Planned homebirth	44	0.2	121	0.4	6	0.6	171	0.4
Born before arrival	21	0.1	195	0.7	10	1.1	226	0.5
Total	18,795	100.0	28,429	100.0	937	100.0	48,163	100.0
Level of nursery at birth facility	No.	%	No.	%	No.	%	No.	%
Level 1	1,977	10.5	3,840	13.5	176	18.8	5,993	12.4
Level 2	10,935	58.2	16,982	59.7	527	56.2	28,446	59.1
Level 3	5,817	30.9	7,288	25.6	218	23.3	13,323	27.7
Other	1	0.0	3	0.0	-	-	4	0.0
Planned homebirth	44	0.2	121	0.4	6	0.6	171	0.4
Born before arrival	21	0.1	195	0.7	10	1.1	226	0.5
Total	18,795	100.0	28,429	100.0	937	100.0	48,163	100.0

(a) Includes 2 mothers with previous deliveries not stated.

(b) Includes 1 hospital with a level 3 nursery.

LIVEBIRTHS, QUEENSLAND, 1998
SELECTED VARIABLES BY NUMBER OF PREVIOUS DELIVERIES OF MOTHER

Selected variables	Number of previous deliveries							
	None		One to four		Five or more		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%
Apgar score at 1 minute								
0-4	925	5.0	934	3.3	50	5.4	1,909	4.0
5-7	3,347	18.0	4,085	14.5	129	13.9	7,561	15.8
8-10	14,364	77.1	23,199	82.1	747	80.5	38,312	80.1
Not stated	5	0.0	33	0.1	2	0.2	40	0.1
Total	18,641	100.0	28,251	100.0	928	100.0	47,822	100.0
Apgar score at 5 minutes								
0-4	117	0.6	122	0.4	10	1.1	249	0.5
5-7	558	3.0	561	2.0	29	3.1	1,148	2.4
8-10	17,961	96.4	27,540	97.5	887	95.6	46,390	97.0
Not stated	5	0.0	28	0.1	2	0.2	35	0.1
Total	18,641	100.0	28,251	100.0	928	100.0	47,822	100.0
Establishment of respirations >3 minutes (excludes babies who were intubated at birth or failed to establish respirations)	555	3.0	580	2.1	34	3.7	1,169	2.4
Selected neonatal resuscitation methods ^(b)								
Nil resuscitation	5,147	27.6	9,739	34.5	339	36.5	15,226	31.8
At least one method	13,494	72.4	18,511	65.5	588	63.4	32,594	68.2
<i>Oral/pharyngeal suction</i>	11,135	59.7	15,710	55.6	475	51.2	27,321	57.1
<i>Facial oxygen</i>	5,501	29.5	6,900	24.4	228	24.6	12,630	26.4
<i>Bag and mask</i>	1,851	9.9	1,997	7.1	79	8.5	3,927	8.2
<i>Narcotic antagonist injection</i>	430	2.3	428	1.5	12	1.3	870	1.8
<i>IPPV via ETT ^(c)</i>	294	1.6	312	1.1	13	1.4	619	1.3
Not stated	-	-	1	0.0	1	0.1	2	0.0
Total	18,641		28,251		928		47,822	
Selected neonatal treatment ^(b)								
None	15,305	82.1	24,480	86.7	743	80.1	40,529	84.7
At least one method	3,336	17.9	3,769	13.3	185	19.9	7,291	15.2
<i>Oxygen >4 hrs</i>	1,200	6.4	1,484	5.3	69	7.4	2,754	5.8
<i>Phototherapy</i>	1,301	7.0	1,246	4.4	65	7.0	2,612	5.5
<i>Intramuscular/Intravenous antibiotics</i>	1,137	6.1	1,170	4.1	78	8.4	2,385	5.0
<i>Intravenous fluid</i>	1,137	6.1	1,280	4.5	76	8.2	2,493	5.2
<i>Mechanical ventilation</i>	347	1.9	387	1.4	31	3.3	765	1.6
Not stated	-	-	2	0.0	-	-	2	0.0
Total	18,641		28,251		928		47,822	
Administration of Vitamin K								
Oral	88	0.5	191	0.7	3	0.3	282	0.6
Intramuscular injection	18,406	98.7	27,777	98.3	907	97.7	47,092	98.5
None	142	0.8	278	1.0	18	1.9	438	0.9
Not stated	5	0.0	5	0.0	-	-	10	0.0
Total	18,641	100.0	28,251	100.0	928	100.0	47,822	100.0
Feeding method for livebirths discharged home from a facility/birth centre								
Breastmilk	15,342	85.6	22,277	82.1	636	74.0	38,256	83.3
Artificial milk	2,148	12.0	4,426	16.3	198	23.0	6,773	14.7
Both breastmilk and artificial milk	439	2.4	438	1.6	26	3.0	903	2.0
Total	17,929	100.0	27,141	100.0	860	100.0	45,932	100.0
Length of stay of livebirths discharged home from a facility/birth centre (days)								
0	129	0.7	765	2.8	41	4.8	935	2.0
1	903	5.0	3,922	14.5	176	20.5	5,001	10.9
2	2,196	12.2	5,433	20.0	188	21.9	7,817	17.0
3	3,415	19.0	5,157	19.0	141	16.4	8,713	19.0
4-7	9,472	52.8	10,393	38.3	239	27.8	20,105	43.8
8-14	1,285	7.2	955	3.5	43	5.0	2,283	5.0
15-27	309	1.7	317	1.2	23	2.7	650	1.4
28 and over	219	1.2	199	0.7	9	1.0	427	0.9
Not stated	1	0.0	-	-	-	-	1	0.0
Total	17,929	100.0	27,141	100.0	860	100.0	45,932	100.0

(a) Includes babies where mothers previous deliveries were not stated.

(b) Reporting of multiple methods/treatments permitted.

(c) Intermittent positive pressure ventilation via endotracheal tube.

BIRTHS, QUEENSLAND, 1998
SELECTED VARIABLES BY NUMBER OF PREVIOUS DELIVERIES OF MOTHER

Selected variables	Number of previous deliveries							
	None		One to four		Five or more		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%
Congenital anomaly status								
No anomaly	17,911	95.3	27,341	96.2	899	95.9	46,153	95.8
At least one anomaly	881	4.7	1,088	3.8	38	4.1	2,007	4.2
Not stated	3	0.0	-	-	-	-	3	0.0
Total	18,795	100.0	28,429	100.0	937	100.0	48,163	100.0
Separation status of baby								
Planned homebirth ^(b)	44	0.2	121	0.4	6	0.6	171	0.4
Discharged	17,929	95.4	27,141	95.5	860	91.8	45,932	95.4
Transferred	602	3.2	891	3.1	55	5.9	1,548	3.2
<i>To a facility with a Level 1 nursery</i>	274	1.5	389	1.4	22	2.3	685	1.4
<i>To a facility with a Level 2 nursery</i>	176	0.9	239	0.8	20	2.1	435	0.9
<i>To a facility with a Level 3 nursery</i>	121	0.6	191	0.7	9	1.0	321	0.7
<i>Other^(c)</i>	30	0.2	72	0.3	4	0.4	106	0.2
<i>Not stated</i>	1	0.0	-	-	-	-	1	0.0
Died	220	1.2	274	1.0	16	1.7	510	1.1
Not stated	-	-	2	0.0	-	-	2	0.0
Total	18,795	100.0	28,429	100.0	937	100.0	48,163	100.0
Perinatal deaths								
	No.	Rate ^(d)	No.	Rate ^(d)	No.	Rate ^(d)	No.	Rate ^(d)
Stillbirths	154	8.2	178	6.3	9	9.6	341	7.1
Neonatal deaths	77	4.1	125	4.4	6	6.5	208	4.3
Perinatal deaths	231	12.3	303	10.7	15	16.0	549	11.4

(a) Includes 2 mothers with previous deliveries not stated.

(b) Includes 12 babies transferred and 1 neonatal death.

(c) Other includes Interstate facilities.

(d) Neonatal death rate per 1,000 livebirths of specified parity group.

Stillbirth and Perinatal death rates per 1,000 total births of specified parity group.

