

References

1. Blondel B, Duncan G, Couder T, Delpyroux F, Pavio N and Colbere-Garapin F. Molecular aspects of poliovirus biology with a special focus on interactions with nerve cells. *Journal of Neurovirology* 1998;4(1):1-26.
2. Robbins FC and Daniel TM. A history of poliomyelitis. In: Daniel TM and Robbins FC, eds. Polio. Rochester, NY: University of Rochester Press 1997;5-22.
3. Pascuzzi RM. Poliomyelitis and the postpolio syndrome. *Seminars in Neurology* 1992;12:193-199.
4. Hull AF, Ward NA, Hull BP, Milstien JB and de Quadros C. Paralytic poliomyelitis: seasoned strategies, disappearing disease. *Lancet* 1994;343:1331-1337.
5. Gawne AC and Halstead LS. Post-polio syndrome: pathophysiology and clinical management. *Critical Review in Physical Medicine and Rehabilitation* 1995;7:147-188.
6. Dalakas MC and Hallett M. The Post-Polio Syndrome. In: Plum F, ed. *Advances in Contemporary Neurology*. Philadelphia: F.A. Davis 1988;51-94.
7. Kidd D, Williams AJ and Howard RS. Poliomyelitis. *Postgraduate Medical Journal* 1996;62:641-647.
8. Trojan DA and Cashman NR. Pathophysiology and diagnosis of post-polio syndrome. *NeuroRehabilitation* 1997;8:83-92.
9. Bruno RL, Frick NM and Cohen MD. Polioencephalitis, stress and the etiology of post-polio sequelae. *Orthopaedics* 1991;14(11):1269-1276.
10. Bruno RL, Cohen MD, Galski T and Frick, NM. The neuroanatomy of post-polio fatigue. Internet resource available from Lincolnshire Library. URL:<<http://www.zynet.co.uk/ott/polio/lincolnshire> (15 January, 2001)
11. Bruno RL, Sapolsky R, Zimmerman JR and Frick NM. The pathophysiology of post-polio fatigue. *Annals of the New York Academy of Sciences* 1995;753:257-275.
12. Falconer M and Bollenbach E. Late functional loss in nonparalytic polio. *American Journal of Physical Medicine and Rehabilitation* 2000;79:19-23.
13. Mulder DW. Clinical observations on acute poliomyelitis. *Annals of the New York Academy of Sciences* 1995;753:1-10.
14. Cashman NR, Covault J, Wollman RL and Sanes JR. Neural cell adhesion molecule in normal, denervated and myopathic human muscle. *Annals of Neurology* 1987;21:481-189.
15. Agre JC, Rodriguez AA and Tafel JA. Late effects of polio: critical review of the literature on neuromuscular function. *Archives of Physical Medicine and Rehabilitation* 1991;72:923-931.
16. Wiechers DO and Hubbell SL. Late changes in the motor unit after acute poliomyelitis. *Muscle and Nerve* 1981;4:524-528.
17. Agre JC and Rodriguez AA. Neuromuscular function: comparison of symptomatic and asymptomatic polio subjects to control subjects. *Archives of Physical Medicine and Rehabilitation* 1990;71:545-551.
18. Ravits J, Hallett M, Baker M, Nilsson J and Dalakas MC. Clinical and electromyographic studies of post polio progressive muscular atrophy. *Muscle and Nerve* 1990;13:667-674.
19. Rodriguez AA and Agre JC. Correlation of motor units with strength and spectral characteristics in polios and controls. *Muscle and Nerve* 1991;14:429-434.
20. Grimby G and Stalberg E. Muscle function, muscle structure and electrophysiology in a dynamic perspective in late polio. In: Halstead LS and Grimby G, eds. *Post Polio Syndrome*. Philadelphia: Hanley and Belfus Inc. 1995;15-24.
21. Coers C and Wolf AL. *The Innervation of Muscle: A Biopsy Study*. Oxford: Blackwell Scientific Publications 1959.
22. Grimby G, Einarsson G, Hedberg M and Aniasson A. Muscle adaptive changes in post-polio subjects. *Scandinavian Journal of Rehabilitation Medicine* 1989;21:19-26.
23. Grimby G and Einarsson G. Muscle morphology with special reference to muscle strength in post-polio subjects. In: Halstead LS and Wiecher DO, eds. *Research and Clinical Aspects of the Late Effects of Poliomyelitis*. New York: March of Dimes Birth Defects Foundation 1987;23:265-274.
24. Borg K, Borg J, Edstrom L and Grimby L. Effects of excessive use of remaining muscle fibres in prior polio and LV lesion. *Muscle and Nerve* 1988;11:1219-1230.
25. Halstead LS. Acute polio and post-polio syndrome. In: Halstead LS, ed. *Managing Post-Polio – A Guide to Living Well with Post-Polio Syndrome*. Washington D.C.: NRH Press 1998;1-19.
26. Cashman NR, Maselli R, Wollmann R, Roos R, Simon R and Antel J. Late denervation in patients with antecedent paralytic poliomyelitis. *New England Journal of Medicine* 1987;317:7-12.
27. Wiechers DO. Pathophysiology and late changes of the motor unit after poliomyelitis. In: Halstead LS and Weichers DO, eds. *Late Effects of Poliomyelitis*. Miami: Symposia Foundation 1985; 91-94.
28. Dalakas MC, Elder G, Hallett M, Ravits J, Baker M, Papadopoulos N, Albrecht P and Sever J. A long term follow-up study of patients with post-poliomyelitis neuromuscular symptoms. *The New England Journal of Medicine* 1986;314:959-963.
29. Sabin AB. Oral poliovirus vaccine: history of its development and use and current challenge to eliminate poliomyelitis from the world. *Journal of Infectious Disease* 1985;151:420-436.
30. Bartfeld H and Ma D. Recognising post polio syndrome. *Hospital Practice* 1996;95-116.
31. Strebel PM, Sutter RW, Pallansch MA and Cochi SL. Intramuscular injections and vaccine-associated poliomyelitis-reply. *The New England Journal of Medicine* 1995;333:64.
32. World Health Organisation. Progress towards global poliomyelitis eradication as of May 1999. *Weekly Epidemiological Review* 1999;74(21):165-170.
33. D'Souza RM, Watson C and Kennett M. Australia's contribution to global polio eradication initiative. *Australian and New Zealand Journal of Public Health* 1999;23(3):289-294.

34. Lister S, McIntyre PB, Burgess MA and O'Brien ED. Immunisation coverage in Australian children: a systematic review 1990-1998. *Communicable Diseases Intelligence* 1999;23(6).
35. Lynch M. The Late Effects of Polio in Queensland. Unpublished thesis. St Lucia: University of Queensland 2000.
36. Queensland Department of Health. Annual Reports of Health and Medical Services (1917-1975)
37. Patrick R. A History of Health and Medicine in Queensland 1824-1960. St Lucia: University of Queensland Press.
38. Dalakas MC. Post-polio syndrome 12 years later: how it all started. *Annals of the New York Academy of Sciences* 1995;753:11-18.
39. Halstead LS. Post-Polio Syndrome. *Scientific American* 1998;278: 36-41.
40. Mulder DW, Rosenbaum RA and Layton DD. Late progression of poliomyelitis or forme fruste amyotrophic lateral sclerosis? *Mayo Clinic Proceedings* 1972;47:756-761.
41. Halstead LS. Post Polio Syndrome: Definition of an elusive concept. In: Munsat TL, ed. Post Polio Syndrome. Butterworth Heineman 1991:23-28.
42. Codd MB, Mulder DW, Kurland LT, Beard CM and O'Fallon WM. Poliomyelitis in Rochester, Minnesota 1935-55: Epidemiology and long-term sequelae - a preliminary report. In: Halstead LS and Wiechers DO, eds. Late Effects of Poliomyelitis. Miami: Miami Symposia Foundation Inc. 1985:121-134.
43. Windebank AJ, Litchy WJ, Daube JR, Kurland LT, Codd M and Iverson R. Late effects of paralytic poliomyelitis in Olmstead County, Minnesota. *Neurology* 1991;41:730-735.
44. Ramlow J, Alexander M, Laporte R, Kaufmann C. and Kuller L. Epidemiology of the post-polio syndrome. *American Journal of Epidemiology* 1992;136:769-786.
45. Speier J, Owen RR, Knapp M and Canine JK. Occurrence of post-polio sequelae in an epidemic population. In: Halstead LS and Wiecher DO, eds. Research and Clinical Aspects of the Late Effects of Poliomyelitis. New York: March of Dimes Birth Defects Foundation 1987;39-48.
46. Jubelt B and Cashman NA. Neurological manifestations of the postpolio syndrome. *CRC Critical Reviews in Neurobiology* 1987;3:207-211.
47. Halstead LS, Wiecher DO and Rossi CD. Late effects of poliomyelitis: A national survey. In Halstead LS and Wiechers DO, eds. Late Effects of Poliomyelitis. Maimi: Symposia Foundation 1985;11-31.
48. Trojan DA, Cashman NR, Shapiro S, Tansey CM and Esdaile JM. Predictive factors for post-poliomyelitis syndrome. *Archives of Physical Medicine and Rehabilitation* 1994;75:770-777.
49. Lonnberg F and Madsen M. Late onset polio sequelae in Denmark. *Scandinavian Journal of Rehabilitation Medicine* 1993;Suppl 28:17-23.
50. Klingman J, Chui H, Corgiat M and Perry J. Functional recovery: a major risk factor for the development of post-poliomyelitis muscular atrophy. *Archives of Neurology* 1988;45:645-647.
51. Westbrook MT. A survey of post-poliomyelitis sequelae: manifestations, effects on people's lives and responses to treatment. *Australian Journal of Physiotherapy* 1991;37:89-102.
52. Halstead LS and Rossi CD. Post-polio syndrome: clinical experience with 132 consecutive outpatients. In Halstead LS and Wiechers DO, eds. Research and Clinical Aspects of the Late Effects of Poliomyelitis. New York: March of Dimes Birth Defects Foundation;1987:13-26.
53. Grimby G, Stalberg E, Sandberg A and Sunnerhagen K. An 8 year longitudinal study of muscle strength, muscle fibre size and dynamic electromyogram in individuals with late polio. *Muscle and Nerve* 1998;21:1428-1437.
54. Windebank AJ, Litchy WJ, Daube JR and Iverson R. A lack of progression of neurologic deficit in survivors of paralytic polio. *Neurology* 1996;46: 80-84.
55. Stanghelle JK and Fetvag LV. Postpolio syndrome: a 5 year follow-up. *Spinal Cord* 1997;35:503-508.
56. Dalakas MC. Pathogenetic mechanisms of post-polio syndrome: morphological, electrophysiological, virological and immunological relations. *Annals of the New York Academy of Sciences* 1995;753:167-185.
57. Trojan DA, Gendrone D and Cashman NR. Electrophysiology and electrodiagnosis of the post-poliomyelitis motor unit. *Orthopaedics* 1991;12:1353-1361.
58. Waring P and McLaurin T. Correlation of creatine kinase and gait measurement in postpolio population: a corrected version. *Archives of Physical Medicine and Rehabilitation* 1992;73:447-450.
59. Perry J, Fontaine JD and Mulroy S. Findings in post-poliomyelitis syndrome: weakness of muscles of the calf as a source of late pain and fatigue of muscles of the thigh after poliomyelitis. *Journal of Bone and Joint Surgery* 1995;77-A:1148-1153.
60. Klingman J, Chui H, Corgiat M and Perry J. Functional recovery: a major risk factor for the development of postpoliomyelitis muscular atrophy. *Archives of Neurology* 1988;45:645-647.
61. Muller EA. Influence of training and of inactivity on muscle strength. *Archives of Physical Medicine and Rehabilitation* 1970;51:449-462.
62. Tomlinson BE and Irving D. The number of limb motor neurons in the human lumbosacral cord throughout life. *Journal of Neurological Science* 1997;34:213-219.
63. Stegmeen AT (1937) cited in Gawne AC and Halstead LS. Post-polio syndrome: pathophysiology and clinical management. *Critical Reviews in Physical Medicine and Rehabilitation* 1995;7:147-188.
64. Sharief MK, Hentages R and Ciardi M. Intrathecal immune response in patients with the post-polio syndrome. *The New England Journal of Medicine* 1991;325:749-755.
65. Pezeshkpour GH and Dalakas MC. Pathology of spinal cord in post-poliomyelitis muscular atrophy. In: Halstead LS and Wiechers DO, eds. Research and Clinical Aspects of the Late Effects of Poliomyelitis. New York: March of Dimes Birth Defects Foundation 1987;173-181.

66. Ginsberge GH, Galle MJ, Rose LM and Clark EA. T-Cell alterations in late myelitis. *Archives of Neurology* 1989;46:487-501.
67. Shetty KR, Gupta KL, Agre JC, Rudman IW, and Rudman D. Effects of human growth hormone on muscle function in post-polio syndrome. *Annals of the New York Academy of Sciences* 1995;753:368-389.
68. Rudman D, Feller AG, Nagraj HS, Gergams GA, Lalitha PY, Goldberg AF, Schenkler RA, Cohn L, Rudman IW and Mattson DE. Effects of human growth hormone in men over sixty years old. *New England Journal of Medicine* 1990;323:1-6.
69. Halstead LS. Acute polio and post-polio syndrome. In: Halstead LS and Grimby G, eds. *Post Polio Syndrome*. Philadelphia: Hanley and Belfus Inc. 1998; 99-214.
70. Halstead LS and Rossi CD. New problems in old polio patients: result of a survey of 539 polio survivors. *Orthopaedics* 1985;8:845-850.
71. Lonnberg F. Late onset polio sequelae in Denmark- presentation and results of a nationwide survey of 3607 polio survivors. *Scandinavian Journal of Rehabilitation Medicine* 1993;28:7-15.
72. Wekre LL, Stanghell JK, Lobben B and Oyhaugen S. The Norwegian polio study 1994: a nation-wide survey of problems in long-standing poliomyelitis. *Spinal Cord* 1998;38:280-284.
73. Chetwynd J, Botting C and Hogan D. Post polio syndrome in New Zealand: a survey of 700 polio survivors. *New Zealand Medical Journal* 1993;106:406-408.
74. Lynch M. The Late Effects of Poliomyelitis in Queensland. Unpublished thesis. St Lucia: University of Queensland 2000.
75. Smith LK and Mabry M. Poliomyelitis and the postpolio syndrome. In Umphred D, ed. *Neurological Rehabilitation*. St Louis: Mosby 1995;571-587.
76. Agre JC and Sliwa JA. Neuromuscular rehabilitation and electrodiagnosis. *Archives of Physical Medicine and Rehabilitation* 2000;81(3):S27-31.
77. Perry J and Fleming C. Polio: long term problems. *Orthopaedics* 1985;8:877-881.
78. Beasley WC. Quantitative muscle testing. Principles and applications for research and clinical services. *Archives of Physical Medicine and Rehabilitation* 1961;2:398-425.
79. Weiss M. Physical therapy examination and treatment of the polio survivor. Eighth International Post-Polio and Independent Living Conference Saint Louis, Missouri 2000.
80. Cosgrove JL, Alexander MA, Kitts EL, Swan BE, Klein MJ and Bauer RE. Late effects of poliomyelitis. *Archives of Physical Medicine and Rehabilitation* 1987;68:4-7.
81. Agre JC, Rodriguez AA and Sperling KB. Symptoms and clinical impressions of patients seen in a postpolio clinic. *Archives of Physical Medicine and Rehabilitation* 1989;70;367-370.
82. Bruno RL and Frick NM. Stress and "type A" behaviour as precipitants of post-polio sequelae: the Felician/Columbia Survey. In: Halstead LS and Wiechers DO, eds. *Research and Clinical Aspects of the Late Effects of Poliomyelitis*. New York: March of Dimes Birth Defects Foundation 1987;145-155.
83. Bruno RL and Frick NM. The psychology of polio as prelude to post-polio sequelae: behaviour modification and psychotherapy. *Orthopaedics* 1991;14:1185-1193.
84. Kohl SJ. Emotional responses to the late effects of poliomyelitis. In: Halstead LS and Wiechers DO, eds. *Research and Clinical Aspects of the Late Effects of Poliomyelitis*. New York: March of Dimes Birth Defects Foundation 1987;135-143.
85. Fischer DA. Sleep-disordered breathing as a late effect of poliomyelitis. In: Halstead LS and Wiechers DO, eds. *Research and Clinical Aspects of the Late Effects of Poliomyelitis*. New York: March of Dimes Birth Defects Foundation 1987;115-120.
86. Halstead LS. Assessment and differential diagnosis for post-polio syndrome. *Orthopaedics* 1991;14:1209-1217.
87. Bruno RL, Glaski T and DeLuca J. The neuropsychology of post-polio fatigue. *Archives of Physical Medicine and Rehabilitation* 1993;74:1061-1065.
88. Grafman J, Clark K, Richardson D, Donsmore ST, Stein D and Dalakas MC. Neuropsychology of post-polio syndrome. *Annals of the New York Academy of Sciences* 1995;753:103-110.
89. Trojan DA, Gendron D and Cashman NR. Electrophysiology and electrodiagnosis of the post-poliomyelitis motor unit. *Orthopaedics* 1991;12:1353-1361.
90. Berly MH, Strauser WW and Hall KM. Fatigue in post-polio syndrome. *Archives of Physical Medicine and Rehabilitation* 1991;72:115-118.
91. Cashman NR and Trojan DA. Correlation of electrophysiology with pathology, pathogenesis and anticholinesterase therapy in post-polio syndrome. *Annals of the New York Academy of Sciences* 1995;753:138-150.
92. Trojan DA and Cashman NA. Fibromyalgia is common in a postpoliomyelitis clinic. *Archives of Neurology* 1995;52:620-624.
93. Perry J. Orthopaedic management of post-polio sequelae. In Halstead LS and Wiechers DO, eds. *Late Effects of Poliomyelitis*. Miami: Symposia Foundation 1984;193.
94. Bach JR and Alba A. Pulmonary dysfunction and sleep disordered breathing as post-polio sequelae: evaluation and management. *Orthopaedics* 1991;14:1329-1337.
95. Bruno RL, Frick NM, and Creange SJ. Nocturnal generalised myoclonus as a post-polio sequelae. *Archives of Physical Medicine and Rehabilitation* 1995;76:594.
96. Bruno RL, Johnson JC and Berman WS. Vasomotor abnormalities as post polio sequelae. *Orthopaedics* 1985;8(7):865-69.
97. Dean E, Ross J, Road J, Courtenay L and Madill K. Lung function in individuals with a history of poliomyelitis. *Chest* 1991;100:118-123.

98. Knobil, K, Becker FS, Harper P, Graf LB, Wolf GT and Martinez FJ. Dyspnea in a patient years after severe poliomyelitis: the role of cardiopulmonary exercise testing. *Chest* 1994;105(3):777-781.
99. Borg J and Weinberg J. Respiratory management in late post-polio. In: Halstead LS and Grimby G, eds. *Post Polio Syndrome*. Philadelphia: Hanley and Belfus Inc. 1995;113-124.
100. Bach JR. Evaluation and management of post-polio respiratory sequelae: noninvasive options. In: Halstead, LS and Grimby G, eds. *Post Polio Syndrome*. Philadelphia: Hanley and Belfus Inc. 1995;89-111.
101. Sonies BC and Dalakas MC. Dysphagia in patients with the post-polio syndrome. *The New England Journal of Medicine* 1991;324:1162-1167.
102. Silbergleit, AK, Waring WP, Sullivan MJ and Maynard FM (1990). Evaluation, treatment, and follow up results of post polio patients with dysphagia. *Otolaryngology and Head and Neck Surgery* 1990;104:333-338.
103. Sonies BC. Long-term effects of post-polio on oral-motor and swallowing function. In: Halstead LS and Grimby G, eds. *Post Polio Syndrome*. Philadelphia: Hanley and Belfus Inc. 1995;125-140.
104. Frick NM and Bruno RL. Post-polio sequelae: Physiological and psychological overview. *Rehabilitation Literature* 1986;47:106-111.
105. Maynard FM and Roller S. Recognizing typical coping styles of polio survivors can improve re-rehabilitation. *American Journal of Physical Medicine and Rehabilitation* 1991;70:70-72.
106. Halstead LS. The residual of polio in aged. *Topics in Geriatric Rehabilitation* 1988;3:9-26.
107. Backman ME. The post-polio patient: psychological issues. *Journal of Rehabilitation* 1987;Oct-Dec:23-26.
108. Frick NM. Post-polio sequelae and the psychology of second disability. *Orthopaedics* 1985;8:851-853.
109. Conrady LJ, Wish JR, Agre JC, Rodriguez AA and Sperling. KB. Psychological characteristics of polio survivors: a preliminary report. *Archives of Physical Medicine and Rehabilitation* 1989;70:458-463.
110. Freidenberg DL, Freeman D, Huber SJ, Perry J, Fischer A, Van Gorp WG and Cummings JL. Postpoliomyelitis syndrome: assessment of behavioural features. *Neuropsychiatry, Neuropsychology and Behavioural Neurology* 1989;2(4):272-281.
111. Cameron PMG. (1989) cited in Hazeendonk KM and Crow SF. A neuropsychological study of the postpolio syndrome: support for depression without neuropsychological impairment. *Neuropsychiatry, Neuropsychology and Behavioural Neurology* 2000;13(2):112-118.
112. Tate DG, Forchheimer M, Kirsch N, Maynard F and Roller A. Prevalence and associated features of depression and psychological distress in polio survivors. *Archives of Physical Medicine and Rehabilitation* 1993;74:1056-1060.
113. Olkin R. Polio/Post-polio syndrome and specific life tasks. In: Halstead LS, ed. *Managing Post-Polio: A Guide to Living Well with Post-Polio Syndrome*. Washing D.C.: NRH Press 1998;126-145.
114. Young G. Energy conservation, occupational therapy and the treatment of post-polio sequelae. *Orthopaedics* 1991;14:233-239.
115. Nee L, Damborisa J and Bern R. Post-polio syndrome in twins and their siblings: evidence that post-polio syndrome can develop in patients with non-paralytic polio. *Annals of the New York Academy of Science* 1995;378-380.
116. Sharrad (1955) cited in Falconer M and Bollenbach E. Late functional loss in nonparalytic polio. *American Journal of Physical Medicine and Rehabilitation* 2000;79:19-23.
117. Halstead LS and Silver JK. Nonparalytic polio and postpolio syndrome. *American Journal of Physical Medicine and Rehabilitation* 2000;79:13-18.
118. Halstead LS. New health problems in persons with polio. In: Halstead LS, ed. *Managing Post-Polio – A Guide to Living Well with Post-Polio Syndrome*. Washington D.C.:NRH Press 1998:20-53.
119. Post Polio Task Force. *Post-Polio Syndrome Slide Kit*. New York: Bioscience Communications 1999.
120. Thorsteinsson G. Subspecialty clinics: physical medicine and rehabilitation. Management of postpolio syndrome. *Mayo Clinic Proceedings*. 1997;72:627-638.
121. Trojan DA and Finch L. Management of post-polio syndrome. *NeuroRehabilitation*. 1997;8:93-105.
122. Dean E. Post-poliomyelitis sequelae: a pathophysiologic basis for management. *Australian Journal of Physiotherapy* 1991;37:79-86.
123. Trojan DA, Collet J-P, Shapiro S, Jubelt B, Miller RG, Agre JC, Munsat TL, Hollander D, Tandan R, Granger C, Robinson A, Finch L, Ducruet T and Cashman NR. A multicenter, randomised, double-blinded trial of pyridostigmine in post-polio syndrome. *Neurology* 1999;53:1225-1233.
124. Trojan DA and Cashman NR. An open trial of pyridostigmine in post poliomyelitis syndrome. *Canadian Journal of Neurological Science*. 1995;22:223-227.
125. Stein DP, Dambrosia J and Dalakas MC. A double-blind, placebo-controlled trial of amantadine for the treatment of fatigue in patients with the post-polio syndrome. *Annals of the New York Academy of Sciences* 1995;753:296-302.
126. Dinsmore S, Dambrosia J and Dalakas MC. A double-blind, placebo-controlled trial of high-dose prednisone for the treatment of post-poliomyelitis syndrome. *Annals of the New York Academy of Sciences* 1995;753:303-313.
127. Bamford CR, Montgomery EB Jr, Munoz JE, Stumpf C and Pry S. Post-polio syndrome response to deprenyl (selegiline). *International Journal of Neuroscience* 1993;71:183-188.
128. Bruno RL, Zimmerman JR and Creange SJ. Bromocriptine in the treatment of post-polio fatigue. *American Journal of Physical Medicine and Rehabilitation* 1996;75:340-347.
129. Gupta KL, Shetty KR, Agre JC, Cuisneer MC, Rudman IW and Rudman D. Human growth hormone effect on serum IGF-1 and muscle function in poliomyelitis survivors. *Archives of Physical Medicine and Rehabilitation* 1994;75:889-894.