

CANCER IN QUEENSLAND

Incidence and Mortality

1982 to 2002

Statistical Tables

Queensland Cancer Registry

Queensland Cancer Fund

November 2004

Acknowledgements

This report has been made possible by the co-operation of staff of hospitals, pathology laboratories and nursing homes throughout Queensland. The work of all people concerned is appreciated and grateful thanks are extended to them for their continued support in notifying cancer cases.

Thanks are also due to the members of the Cancer Registry Advisory Committee, the Registrar of Births, Deaths and Marriages and to the members of the medical profession who provided additional information to improve the accuracy of Registry data. A special thanks is due to Dr Kris Kerr who provides the Registry staff with clinical coding advice.

Many thanks also go to the Health Information Branch at Queensland Health for their advice and support.

Finally, acknowledgement is made of the work of the members of staff of the Queensland Cancer Registry. The Registry staff have worked tirelessly to ensure the quality of the data is of the highest standard. This publication would not have been possible without their support and dedication.

Published by the Queensland Cancer Fund, November 2004
© Queensland Health

Queensland Cancer Registry
Queensland Cancer Fund
Locked Bag No 1450
Spring Hill Q 4004

Telephone (07) 3258 2333
Facsimile (07) 3258 2345
E-mail diana_skilton@health.qld.gov.au
Websites www.health.qld.gov.au/hic or www.qldcancer.com.au

ISSN: 1323 - 8760

| Contents | Page |
|--|-------------|
| Acknowledgements | 2 |
| Members of the Queensland Cancer Registry | 4 |
| Members of the Queensland Cancer Registry Advisory Committee | 4 |
| Introduction | 5 |
| Establishment of the Cancer Registry | 5 |
| Aims of the Registry | 5 |
| Notification and Sources of Data | 5 |
| Classification and Coding | 5 |
| Coverage of the Registry | 6 |
| Structure of this Report | 6 |
| Lip Cancer Notifications | 6 |
| Cancer Reporting Definitions | 7 |
| Publication of Reports | 7 |
| Abbreviations | 7 |

Tables

| | |
|--|-------|
| 1a. Leading 20 Cancer Sites for 2002 (Age Standardised Rates (Australia 2001)/100,000), Incidence, Males, 1982-2002 | 8 |
| 1b. Leading 20 Cancer Sites for 2002 (Age Standardised Rates (Australia 2001)/100,000), Mortality, Males, 1982-2002 | 8 |
| 1c. Leading 20 Cancer Sites for 2002 (Age Standardised Rates (Australia 2001)/100,000), Incidence, Females, 1982-2002 | 9 |
| 1d. Leading 20 Cancer Sites for 2002 (Age Standardised Rates (Australia 2001)/100,000), Mortality, Females, 1982-2002 | 9 |
| 2. Cancer Incidence and Mortality (Counts) by Site and Sex, Queensland, 1982 - 2002 | 10-16 |
| 3. Cancer Incidence and Mortality (Age Standardised Rates (World)/100,000) by Site and Sex, Queensland, 1982 – 2002 | 17-24 |
| 4. Cancer Incidence and Mortality (Age Standardised Rates (Australia 2001)/100,000) by Site and Sex, Queensland, 1982 – 2002 | 25-32 |
| 5. Cancer Incidence and Mortality by Site, Sex and Age Group, Queensland, 2002 | 33-47 |

Appendices

| | |
|---|-------|
| Appendix 1: Guidelines for Release of Information, Queensland Cancer Registry | 48-49 |
| Appendix 2: Queensland Cancer Registry Notification Form | 50 |
| Appendix 3: Related Publications | 51 |
| Appendix 4: Calculation of Rates and Ratios | 52 |
| Appendix 5: Age Distribution of Standard Populations | 53 |
| Appendix 6: Indices of Data Quality | 54-55 |

Members of the Queensland Cancer Registry

Di Skilton
Julie Bourke

Registrar
Assistant Registrar

Norma Anderson
Robyn Chatman
Kim Crawford
Nilani Goonewardene
Lyn Hunter
Lachlan Manahan
Kim Neri
Georgina Novak
Janice Reithmuller
Kathy Temperton

Members of the Queensland Cancer Registry Advisory Committee

Dr. G. Wright (Chairman)
B.Sc., M.B., Ch.B., F.R.C.P.A.

Mr. A. Hooper
F.C.I.S.

Dr. R. MacLennan
M.B.,B.S., M.S., M.R.C.P., F.R.A.C.P.

Dr. W. McWhirter
M.D., B.A., M.B., Ch.B, D.Obst., F.R.C.P., F.R.C.P.Ed.

Dr. N.J. Nicolaides
M.B.,B.S., F.R.A.C.P., F.R.C.P.A., F.C.A.P.

Dr. R. Alison
M.B.,B.S, D Obst. R.C.O.G., M.R.C.P, D.M.R.T., F.R.C.R.

Dr. P. Webb
M.A., D.Phil.

Dr. J. Aitken
B.Sc., S.M., PhD.

Dr. I. Ring
M.B.,B.S., M.P.H., M.Sc., F.A.F.P.H.M., D.L.S.H.T.M., F.A.C.R.R.M.

Dr. M. Smithers
M.B.,B.S, F.R.C.S (Eng), F.R.A.C.S.

Ms S. Cornes
B.Sc.

INTRODUCTION

Establishment of the Cancer Registry

The Queensland Cancer Registry operates under the *Health Act 1937*, to receive information on cancer in Queensland. The Cancer Registry is a population-based registry and maintains a Register of all cases of cancer diagnosed in Queensland since the beginning of 1982. It was established in response to the need for Statewide information on cancer expressed by community and state organisations such as the Queensland Institute of Medical Research and the Queensland Cancer Fund.

The Queensland Cancer Fund currently manages the processing operations of the Registry for Queensland Health (since October 2000).

Aims of the Registry

The main aim of the Queensland Cancer Registry is to collect data to describe the nature and extent of cancer in Queensland. This can be combined with related data to assist in the control and prevention of cancer. To this end, Queensland Cancer Registry data is available for use:

- in research projects on the causes, treatment and prevention of cancer,
- in the planning and assessment of cancer treatment and prevention services,
- in monitoring survival times of cancer patients, and
- for the education of health professionals and members of the general public.

Notification and Sources of Data

Notification of cancer is a statutory requirement for all public and private hospitals, nursing homes and pathology services. Notifications are received for all persons with cancer separated from public and private hospitals and nursing homes. Queensland pathology laboratories provide copies of pathology reports for cancer specimens. Data on all persons who die of cancer or cancer patients who die of other diseases are abstracted from the mortality files of the Registrar of Births, Deaths and Marriages and linked to hospital and pathology data.

Classification and Coding

The Queensland Cancer Registry codes the site and the histology of the cancers to the International Classification of Diseases for Oncology, 2nd edition (ICD-O-2). Prior to July 1999, the primary site of cancer was coded to the International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM).

The change to ICD-O-2 was in response to an Australasian Association of Cancer Registries (AACR) recommendation. At present, cancer registries in Australia use this specialist oncology classification. Hospitals code patient separation records using International Classification of Diseases, 10th Revision, Australian Modification (ICD-10-AM). The Australian Bureau of Statistics codes deaths from 1999 using ICD-10. The variety of classifications employed and a desire to publish categories that are comparable with other States has meant that for the purposes of this publication ICD-O-2 codes have been mapped to the equivalent ICD-10-AM structure.

All sub-descriptions of cancer sites and morphologies are included on an electronic reference file that is readily accessible to coders on-line. This means that:

- a greater degree of detail may be recorded by coders,
- the search process has improved (by using wild cards),
- the inclusion of the additional coded detail makes it easier to code with certainty,
- it may assist future conversions by having more detail available.

In addition, the Registry links sites and morphologies through the use of morphology families based on those published by the International Agency for Research on Cancer (IARC Technical Report No. 19). This means we are able to validate our code combinations more thoroughly and investigate any that fall outside the norm.

Coverage of the Registry

All primary cancers (ICD-0-2 rubrics C00-C80) with either a malignant, uncertain or in-situ behaviour are registered, excluding basal or squamous cell carcinoma of skin (C44, M805-M811). Basal and squamous cell carcinomas of skin are not registered by the Queensland Cancer Registry (nor most other registries) as many are treated in doctor's surgeries using destructive techniques which preclude histological confirmation.

Benign brain cancers are also registered.

Structure of this Report

The information contained in this publication is intended to give a summary of cancer incidence and mortality statistics in Queensland from the inception of the Register (1982 to 2002) and a brief outline of the Queensland Cancer Registry. The earlier years of 1982 to 1986 have been aggregated with the average being displayed in the tables. They are available individually on the website (www.health.qld.gov.au/hic). The data presented in this report only include invasive primary cancers (behaviour = 3, site C000-C809) other than basal and squamous cell carcinomas of skin (C44, M805-M811).

Prior to 1999, annual reports were based on the ICD-9-CM topography codes for cancer type. In an effort to publish data that is comparable with historical and other data sources, ICD-O-2 codes have been mapped to the equivalent ICD-10-AM structure.

This means that the following cancer types: Mesothelioma, Kaposi's Sarcoma, Lymphoma and other neoplasms of haematopoietic and reticuloendothelial systems, are tabulated as separate categories and excluded from the organ in which these diseases were diagnosed. The remaining sites retain their ICD-O-2 site code. Some are grouped for the purposes of preserving comparability with previous reports or where the numbers are very small.

| | |
|--|--|
| M905 | Mesothelioma |
| M914 | Kaposi's Sarcoma |
| M959,M967-M971 | Non-Hodgkin's Lymphoma |
| M965-M966 | Hodgkin's Disease |
| M972,M974,M976 | Other Neoplasms Of Lymphatic & Haematopoietic Tissue |
| M973 | Myeloma |
| M9800 | Unspecified Leukaemia |
| M9801-M9804,M983-M985,M987-M988,M990-M991,M993 | Other Specified Leukaemia |
| M982,M994 | Lymphoid Leukaemia |
| M986,M9930 | Myeloid Leukaemia |
| M989 | Monocytic Leukaemia |
| C44, M872-M879 | Melanoma |

Additional information concerning the Registry and more detailed statistics are available on request. See Appendix 1 for details.

Lip Cancer Notifications

At the end of 1998, the Registry notified suppliers that they were no longer required to supply notifications of squamous and basal cell carcinomas of the skin. These cancers are not registered. On finalising data for 1999, 2000 and 2001 it was evident that the number of lip cancer notifications had significantly decreased from 1998. Contact with pathology laboratories confirmed that this decrease was due to pathologists coding a number of the lip cancers to skin cancer of the lip. The Registry therefore did not receive the notifications and was not able to recover these at the point of finalising this publication. However, since that time the Registry has been receiving these cancer registrations, which accounts for the increase in numbers.

Cancer Reporting Definitions

Cancer Incidence is defined as the occurrence of new cancers in a defined population during a specified time period. For the purposes of this report, 2002 incidence, for example, is based on those cancers notified to the registry which were first diagnosed between 1 January 2002 and 31 December 2002 for residents of Queensland.

Cancer Mortality is based on those deaths notified to the registry for persons who died from cancer during a specified time period and who usually resided in Queensland at the time of diagnosis of cancer. This means that mortality information is not directly comparable with death data released from the Australian Bureau of Statistics (which is based on a place of residence at death).

Multiple Primary Tumours: Incidence reflects the number of primary tumours rather than the number of individuals with cancer. The Queensland Cancer Registry records multiple primary cancers in the same person, of which only the first instance is reported for incidence purposes according to the rules of the International Agency for Research on Cancer and International Association of Cancer Registries. In brief, these rules state that:-

- The recognition of the existence of one or more primary tumours does not depend on time. Hence synchronous and metachronous multiple lesions are not distinguished as the definitions are frequently arbitrary.
- A primary cancer is one that originates in a primary site or tissue and is thus not an extension, a recurrence, nor a metastasis of a pre-existing tumour.
- Only one tumour shall be recognised in an organ or pair of organs or tissue (as defined by the three-digit rubric of the ICD-O-2 topography) unless of 'different' histology.
- A 'different' cancer in the same organ is counted as a new tumour. There are eight defined groups of malignant neoplasms considered to be histologically 'different' based on the first three digits of the ICDO morphology code, and incidence reporting of multiple tumours is based upon these groups. (ICDO 2nd edition. Ed Percy C, Van Holten V, and Muir C. Geneva: WHO, 1990.)

Publication of Reports

It should be noted that despite intensive efforts to ensure the completeness of incidence and mortality data before publication, the rates for a given time period change by a small percentage over time. The Registry may continue to receive notifications for cases already counted in incidence and the diagnosis date or diagnosis may be amended as a result of this later notification. Reports for previously uncounted cases diagnosed in a particular year may continue to arrive at the Registry for some years after the incidence for that year has been published. The database is therefore continually being updated and the quality of data improved across the entire period of cancer reporting.

The incidence and mortality data reported in this publication are the 1982 to 2002 statistics as they stood in September 2004. Future publications and requests for data may not exactly correspond to the figures in this report as they will reflect subsequent revisions to the data.

Abbreviations

| | |
|----------|---|
| ASR | Age Standardised Rate. See Appendix 4 on Calculation of rates and ratios. |
| Cum Rate | Cumulative Rate. See Appendix 4 on Calculation of rates and ratios. |
| Cum Risk | Cumulative Risk. See Appendix 4 on Calculation of rates and ratios. |
| n.a. | not applicable |
| ICD-O-2 | International Classification of Diseases, Oncology, 2 nd Edition |

Table 1a. Leading 20 Cancer Sites for 2002 (ASR (Aust 2001)/100,000), Incidence, Males, Queensland, 1982 - 2002

| ICDO-2/SITE | 1982 - 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 |
|---|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| TOTAL MALIGNANT NEOPLASMS (C00-C80) | 517.6 | 538.1 | 530.1 | 544.2 | 551.1 | 562.0 | 581.1 | 624.2 | 623.7 | 599.8 | 595.4 | 588.0 | 599.2 | 577.0 | 586.1 | 580.4 | 583.1 |
| C61 PROSTATE GLAND | 93.3 | 91.7 | 91.8 | 103.7 | 111.8 | 119.6 | 130.7 | 166.8 | 169.8 | 142.7 | 126.1 | 117.9 | 121.8 | 119.7 | 120.2 | 121.3 | 130.3 |
| C44, M872-M879 MELANOMA | 51.6 | 65.4 | 66.1 | 62.5 | 61.2 | 60.1 | 67.9 | 65.0 | 65.9 | 70.9 | 76.3 | 81.3 | 78.6 | 72.5 | 79.7 | 80.9 | 84.9 |
| C33,C34 TRACHEA AND BRONCHUS & LUNG | 86.6 | 86.1 | 83.8 | 81.8 | 78.0 | 75.6 | 76.2 | 75.2 | 69.8 | 70.9 | 72.6 | 73.6 | 70.3 | 72.4 | 68.4 | 66.4 | 62.0 |
| C18 COLON | 45.6 | 49.3 | 48.1 | 49.2 | 49.3 | 52.0 | 44.5 | 52.1 | 48.2 | 48.6 | 47.1 | 50.9 | 48.3 | 49.4 | 54.2 | 54.3 | 47.8 |
| C67 BLADDER | 32.2 | 33.7 | 32.9 | 28.9 | 31.6 | 32.1 | 30.7 | 31.6 | 35.9 | 32.9 | 32.8 | 33.9 | 37.1 | 32.5 | 34.5 | 34.1 | 31.9 |
| C19,C20 RECTOSIGMOID JUNCTION AND RECTUM | 22.6 | 23.3 | 23.1 | 23.9 | 25.5 | 25.4 | 25.9 | 28.5 | 28.9 | 29.5 | 31.4 | 28.5 | 27.0 | 27.4 | 29.5 | 30.2 | 27.9 |
| M959,M967-M971 NON-HODGKIN'S LYMPHOMA | 14.3 | 16.0 | 13.7 | 15.8 | 16.7 | 19.2 | 17.7 | 18.6 | 16.3 | 18.3 | 19.0 | 19.7 | 19.9 | 20.2 | 20.7 | 19.4 | 20.4 |
| C26, C39,C76,C77,C80 OTHER & ILL-DEFINED SITES AND UNKNOWN PRIMARY SITI | 21.6 | 20.3 | 18.9 | 22.7 | 21.6 | 21.3 | 21.4 | 20.7 | 21.7 | 22.2 | 22.5 | 20.0 | 21.5 | 18.6 | 18.7 | 18.1 | 19.6 |
| C64-C66,C68 KIDNEY AND OTHER RENAL TRACT | 13.3 | 13.2 | 12.7 | 13.7 | 15.1 | 14.9 | 17.1 | 16.4 | 16.1 | 16.1 | 18.2 | 17.2 | 17.2 | 18.4 | 19.7 | 15.9 | 14.4 |
| C16 STOMACH | 20.9 | 19.7 | 14.9 | 21.2 | 18.4 | 17.8 | 17.0 | 16.7 | 15.6 | 16.1 | 15.9 | 15.0 | 14.4 | 16.9 | 14.6 | 13.5 | 13.4 |
| C00 LIP | 10.0 | 11.9 | 16.7 | 14.1 | 13.4 | 10.3 | 11.5 | 15.7 | 17.2 | 15.8 | 15.1 | 15.2 | 17.9 | 8.8 | 7.5 | 8.8 | 10.8 |
| C25 PANCREAS | 11.6 | 10.5 | 10.5 | 10.4 | 11.3 | 11.3 | 10.8 | 10.3 | 12.1 | 10.3 | 10.8 | 11.7 | 11.3 | 11.3 | 12.3 | 11.0 | 10.3 |
| M982,M994 LYMPHOID LEUKAEMIA | 8.8 | 7.6 | 8.3 | 7.6 | 8.2 | 7.4 | 8.7 | 10.8 | 9.2 | 8.7 | 10.0 | 7.4 | 11.0 | 10.9 | 8.9 | 7.8 | 9.7 |
| M986,M9930 MYELOID LEUKAEMIA | 7.1 | 6.3 | 7.4 | 7.8 | 7.4 | 10.6 | 8.7 | 8.4 | 9.2 | 8.1 | 8.9 | 8.7 | 7.9 | 8.4 | 8.3 | 7.4 | 8.8 |
| C70, C71, C72 BRAIN, MENINGES AND OTHER CENTRAL NERVOUS SYSTEM | 7.5 | 10.1 | 8.2 | 8.1 | 8.1 | 8.0 | 7.9 | 7.8 | 8.9 | 8.7 | 9.1 | 10.1 | 8.6 | 8.3 | 8.7 | 8.7 | 8.4 |
| C15 OESOPHAGUS | 5.7 | 8.9 | 8.6 | 5.8 | 6.5 | 7.5 | 9.3 | 8.0 | 8.7 | 8.4 | 8.9 | 7.6 | 8.1 | 10.4 | 9.1 | 8.2 | 8.3 |
| C62 TESTIS | 4.8 | 3.9 | 4.2 | 4.1 | 4.9 | 4.4 | 5.4 | 5.8 | 5.7 | 5.8 | 5.6 | 5.2 | 6.1 | 6.1 | 4.6 | 5.8 | 7.4 |
| M973 MYELOMA | 6.1 | 6.3 | 5.3 | 6.5 | 6.0 | 5.5 | 6.6 | 6.7 | 6.1 | 6.1 | 6.3 | 6.9 | 9.5 | 6.8 | 7.7 | 6.9 | 6.9 |
| M905 MESOTHELIOMA | 2.3 | 2.3 | 4.1 | 2.7 | 3.5 | 4.0 | 2.5 | 3.6 | 5.1 | 4.0 | 3.7 | 4.8 | 5.3 | 5.3 | 5.2 | 5.6 | 5.6 |
| C32 LARYNX | 8.5 | 8.2 | 8.4 | 7.6 | 8.4 | 7.7 | 9.8 | 7.7 | 6.9 | 6.5 | 6.6 | 6.8 | 7.1 | 5.6 | 5.6 | 6.5 | 5.4 |

Table 1b. Leading 20 Cancer Sites for 2002 (ASR (Aust 2001)/100,000), Mortality, Males, Queensland, 1982 - 2002

| ICDO-2/SITE | 1982 - 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 |
|---|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| TOTAL MALIGNANT NEOPLASMS (C00-C80) | 259.0 | 265.0 | 262.4 | 273.6 | 260.0 | 261.7 | 265.4 | 268.6 | 273.5 | 258.5 | 268.0 | 256.7 | 257.1 | 251.0 | 251.2 | 238.7 | 237.4 |
| C33,C34 TRACHEA AND BRONCHUS & LUNG | 72.3 | 71.3 | 74.3 | 70.7 | 65.9 | 60.5 | 66.6 | 63.1 | 63.3 | 59.1 | 66.6 | 60.0 | 60.5 | 60.2 | 57.9 | 55.7 | 55.0 |
| C61 PROSTATE GLAND | 32.3 | 36.0 | 35.2 | 34.2 | 40.7 | 39.5 | 41.5 | 46.3 | 44.8 | 40.9 | 41.8 | 36.7 | 37.7 | 35.3 | 38.5 | 36.1 | 34.8 |
| C18 COLON | 22.3 | 23.0 | 20.3 | 25.7 | 22.4 | 23.5 | 20.3 | 20.2 | 23.0 | 18.7 | 21.3 | 22.8 | 20.5 | 22.2 | 20.2 | 20.0 | 19.7 |
| C26, C39,C76,C77,C80 OTHER & ILL-DEFINED SITES AND UNKNOWN PRIMARY SITI | 17.3 | 15.7 | 14.2 | 19.1 | 16.4 | 15.8 | 14.9 | 15.5 | 18.0 | 15.7 | 18.5 | 16.2 | 16.5 | 13.7 | 14.0 | 12.4 | 13.8 |
| C16 STOMACH | 16.8 | 13.5 | 14.3 | 14.5 | 13.9 | 14.0 | 10.9 | 13.2 | 11.8 | 11.9 | 12.0 | 12.5 | 10.4 | 11.3 | 10.8 | 10.1 | 10.4 |
| C25 PANCREAS | 10.3 | 9.2 | 8.4 | 11.0 | 8.5 | 10.5 | 8.6 | 10.7 | 11.3 | 11.1 | 10.2 | 9.8 | 10.7 | 9.7 | 9.6 | 11.3 | 9.9 |
| C19,C20 RECTOSIGMOID JUNCTION AND RECTUM | 10.6 | 12.7 | 12.0 | 11.4 | 10.9 | 12.8 | 12.8 | 14.4 | 13.0 | 13.6 | 11.6 | 11.7 | 11.9 | 11.8 | 12.3 | 11.1 | 8.8 |
| M959,M967-M971 NON-HODGKIN'S LYMPHOMA | 7.3 | 7.9 | 7.3 | 8.8 | 7.5 | 8.9 | 10.0 | 9.6 | 8.0 | 8.7 | 8.4 | 10.1 | 9.4 | 8.8 | 10.0 | 7.3 | 8.6 |
| C67 BLADDER | 8.6 | 8.0 | 8.6 | 10.9 | 7.7 | 8.0 | 7.5 | 9.3 | 9.9 | 8.2 | 9.4 | 8.3 | 7.7 | 9.0 | 7.9 | 7.9 | 8.5 |
| C44, M872-M879 MELANOMA | 7.4 | 9.9 | 8.7 | 8.6 | 7.1 | 8.4 | 9.3 | 8.9 | 11.2 | 9.7 | 8.3 | 8.0 | 9.5 | 9.7 | 9.4 | 9.2 | 8.3 |
| C15 OESOPHAGUS | 4.9 | 5.4 | 7.3 | 5.7 | 4.6 | 5.8 | 7.7 | 6.7 | 6.3 | 6.6 | 7.7 | 5.1 | 6.7 | 6.1 | 6.9 | 6.6 | 6.8 |
| C70, C71, C72 BRAIN, MENINGES AND OTHER CENTRAL NERVOUS SYSTEM | 5.9 | 7.8 | 6.2 | 5.0 | 7.2 | 6.3 | 6.4 | 5.4 | 6.9 | 6.2 | 6.7 | 8.5 | 7.5 | 6.7 | 7.1 | 5.5 | 6.5 |
| C64-C66,C68 KIDNEY AND OTHER RENAL TRACT | 5.8 | 6.4 | 5.5 | 6.3 | 6.2 | 6.4 | 7.5 | 6.2 | 6.5 | 6.4 | 7.0 | 6.3 | 5.6 | 6.8 | 6.8 | 6.1 | 5.6 |
| M986,M9930 MYELOID LEUKAEMIA | 5.4 | 4.2 | 4.6 | 6.0 | 6.0 | 6.6 | 5.9 | 7.3 | 5.0 | 5.6 | 5.7 | 5.0 | 6.7 | 6.0 | 5.4 | 4.1 | 5.5 |
| C22 LIVER & INTRAHEPATIC BILE DUCTS | 2.1 | 3.1 | 2.5 | 3.1 | 3.5 | 3.0 | 3.4 | 3.3 | 3.9 | 3.9 | 3.6 | 3.3 | 3.4 | 3.9 | 4.1 | 5.1 | 4.9 |
| M973 MYELOMA | 3.3 | 5.3 | 3.9 | 4.5 | 4.6 | 4.1 | 3.8 | 3.5 | 4.4 | 4.1 | 3.3 | 4.2 | 4.6 | 4.9 | 4.5 | 4.6 | 4.5 |
| M905 MESOTHELIOMA | 1.9 | 2.5 | 3.1 | 2.6 | 2.7 | 3.0 | 3.5 | 2.3 | 3.8 | 3.7 | 3.8 | 3.8 | 4.1 | 4.8 | 4.9 | 4.9 | 4.3 |
| M982,M994 LYMPHOID LEUKAEMIA | 3.1 | 2.2 | 3.8 | 3.0 | 3.8 | 2.3 | 3.9 | 3.9 | 4.3 | 3.5 | 3.8 | 4.0 | 3.6 | 3.5 | 2.3 | 3.2 | 3.0 |
| C23,C24 GALLBLADDER AND OTHER & UNSPECIFIED PARTS OF BILIARY TRACT | 2.4 | 1.9 | 2.0 | 2.3 | 1.6 | 2.8 | 1.7 | 1.6 | 1.4 | 2.2 | 2.8 | 2.5 | 2.8 | 1.9 | 2.4 | 1.9 | 2.3 |
| C01,C02 TONGUE | 1.7 | 1.6 | 2.2 | 2.0 | 2.2 | 1.8 | 1.7 | 1.9 | 1.4 | 2.4 | 1.2 | 1.9 | 2.3 | 1.4 | 1.6 | 1.4 | 1.8 |

Table 1c. Leading 20 Cancer Sites for 2002 (ASR (Aust 2001)/100,000), Incidence, Females, Queensland, 1982 - 2002

| ICDO-2/SITE | 1982 - 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 |
|---|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| TOTAL MALIGNANT NEOPLASMS (C00-C80) | 360.4 | 380.0 | 358.7 | 369.8 | 374.1 | 393.3 | 393.6 | 403.8 | 399.8 | 407.4 | 410.1 | 413.3 | 423.1 | 425.2 | 431.9 | 426.5 | 429.7 |
| C50 BREAST | 86.7 | 96.2 | 89.5 | 91.9 | 99.0 | 105.6 | 99.5 | 110.4 | 109.1 | 107.5 | 103.4 | 113.1 | 116.5 | 120.2 | 120.5 | 120.4 | 118.4 |
| C44, M872-M879 MELANOMA | 45.1 | 51.2 | 48.5 | 48.9 | 45.7 | 45.9 | 47.6 | 44.7 | 45.7 | 49.8 | 53.5 | 54.2 | 53.9 | 52.1 | 53.3 | 54.1 | 57.5 |
| C18 COLON | 41.6 | 39.7 | 39.5 | 38.9 | 37.3 | 39.4 | 41.3 | 41.7 | 42.1 | 40.6 | 40.1 | 39.2 | 41.5 | 42.7 | 41.2 | 39.7 | 41.7 |
| C33,C34 TRACHEA AND BRONCHUS & LUNG | 18.7 | 20.1 | 19.5 | 19.4 | 22.2 | 26.2 | 22.9 | 24.2 | 23.4 | 23.4 | 26.8 | 26.2 | 27.3 | 24.8 | 27.9 | 29.4 | 29.8 |
| C54 CORPUS UTERI | 13.3 | 13.7 | 12.9 | 11.7 | 13.7 | 12.2 | 14.7 | 14.1 | 16.2 | 15.3 | 13.3 | 14.6 | 14.5 | 15.5 | 17.9 | 16.1 | 16.5 |
| C56 OVARY | 14.9 | 14.5 | 13.0 | 13.9 | 14.1 | 13.9 | 15.2 | 15.2 | 15.1 | 15.8 | 13.0 | 13.0 | 13.7 | 13.5 | 14.3 | 14.6 | 15.4 |
| C19,C20 RECTOSIGMOID JUNCTION AND RECTUM | 13.2 | 13.5 | 12.8 | 14.3 | 11.1 | 13.9 | 15.1 | 13.8 | 15.0 | 14.5 | 17.0 | 15.6 | 15.6 | 13.9 | 14.7 | 14.8 | 15.3 |
| C26, C39,C76,C77,C80 OTHER & ILL-DEFINED SITES AND UNKNOWN PRIMARY SITI | 13.9 | 11.4 | 12.9 | 14.5 | 15.1 | 14.4 | 14.2 | 15.8 | 13.0 | 16.9 | 14.1 | 13.5 | 14.9 | 14.8 | 15.1 | 12.0 | 13.0 |
| M959,M967-M971 NON-HODGKIN'S LYMPHOMA | 11.4 | 11.9 | 10.0 | 12.8 | 13.2 | 13.3 | 12.8 | 13.3 | 13.4 | 12.1 | 14.2 | 13.2 | 14.8 | 15.5 | 14.1 | 15.6 | 13.0 |
| C73 THYROID GLAND | 4.0 | 4.4 | 4.1 | 4.8 | 4.6 | 4.9 | 6.5 | 6.5 | 6.0 | 7.3 | 7.5 | 8.2 | 8.1 | 8.9 | 10.5 | 9.7 | 10.9 |
| C64-C66,C68 KIDNEY AND OTHER RENAL TRACT | 7.4 | 8.6 | 8.8 | 9.2 | 8.0 | 9.7 | 9.5 | 9.6 | 9.2 | 10.3 | 10.0 | 9.3 | 9.8 | 11.0 | 9.7 | 9.8 | 9.8 |
| C67 BLADDER | 8.7 | 9.6 | 7.7 | 7.7 | 8.5 | 8.9 | 7.7 | 9.7 | 10.2 | 8.9 | 9.4 | 9.5 | 9.2 | 8.9 | 9.8 | 8.1 | 8.9 |
| C25 PANCREAS | 7.2 | 7.5 | 8.1 | 7.3 | 7.6 | 8.2 | 8.4 | 7.2 | 6.4 | 9.0 | 8.4 | 7.9 | 9.1 | 9.3 | 8.3 | 8.2 | 8.3 |
| C53 CERVIX UTERI | 16.2 | 14.9 | 14.7 | 15.2 | 14.3 | 14.7 | 13.6 | 14.0 | 13.3 | 11.3 | 12.2 | 10.4 | 9.3 | 10.6 | 9.1 | 8.3 | 7.9 |
| C16 STOMACH | 8.8 | 8.5 | 6.0 | 6.1 | 6.2 | 7.1 | 7.2 | 7.7 | 5.7 | 7.7 | 7.7 | 6.8 | 6.0 | 5.4 | 7.0 | 6.1 | 6.6 |
| M982,M994 LYMPHOID LEUKAEMIA | 4.4 | 4.7 | 3.8 | 4.2 | 5.4 | 4.2 | 5.7 | 6.0 | 4.9 | 6.4 | 5.9 | 4.8 | 5.8 | 5.8 | 6.4 | 6.7 | 6.1 |
| C70, C71, C72 BRAIN, MENINGES AND OTHER CENTRAL NERVOUS SYSTEM | 5.9 | 5.3 | 7.1 | 6.3 | 5.1 | 6.3 | 6.3 | 6.3 | 6.2 | 5.3 | 6.4 | 6.3 | 5.8 | 6.4 | 6.7 | 6.8 | 5.4 |
| M986,M9930 MYELOID LEUKAEMIA | 4.3 | 4.3 | 3.5 | 4.8 | 5.6 | 5.3 | 5.4 | 4.6 | 5.2 | 5.7 | 5.6 | 5.6 | 4.7 | 5.3 | 3.9 | 4.9 | 4.7 |
| C00 LIP | 1.8 | 4.6 | 3.1 | 3.4 | 3.1 | 2.1 | 2.2 | 3.9 | 3.7 | 3.6 | 4.7 | 5.0 | 5.4 | 2.5 | 2.8 | 3.2 | 4.3 |
| M973 MYELOMA | 4.1 | 3.7 | 3.4 | 3.7 | 3.1 | 3.7 | 4.5 | 3.2 | 3.5 | 4.3 | 5.1 | 4.0 | 4.6 | 4.7 | 5.5 | 5.2 | 3.8 |

Table 1d. Leading 20 Cancer Sites for 2002 (ASR (Aust 2001)/100,000), Mortality, Females, Queensland, 1982 - 2002

| ICDO-2/SITE | 1982 - 1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 |
|---|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| TOTAL MALIGNANT NEOPLASMS (C00-C80) | 148.1 | 152.1 | 144.3 | 149.0 | 145.9 | 155.7 | 153.3 | 151.1 | 151.3 | 147.9 | 155.9 | 153.0 | 149.3 | 146.0 | 144.4 | 141.1 | 145.0 |
| C33,C34 TRACHEA AND BRONCHUS & LUNG | 14.5 | 14.1 | 13.7 | 15.5 | 16.0 | 18.9 | 17.2 | 20.4 | 18.0 | 17.9 | 20.6 | 21.8 | 20.5 | 21.4 | 21.3 | 21.8 | 24.1 |
| C50 BREAST | 27.4 | 28.9 | 26.4 | 28.0 | 27.5 | 28.3 | 28.1 | 29.5 | 28.6 | 27.8 | 27.4 | 26.0 | 26.1 | 24.0 | 23.0 | 25.1 | 22.4 |
| C18 COLON | 20.0 | 20.2 | 19.8 | 19.3 | 17.4 | 18.5 | 16.6 | 15.2 | 16.7 | 16.0 | 16.2 | 18.1 | 15.7 | 15.2 | 15.0 | 15.4 | 15.8 |
| C26, C39,C76,C77,C80 OTHER & ILL-DEFINED SITES AND UNKNOWN PRIMARY SITI | 11.0 | 8.9 | 10.0 | 11.3 | 11.3 | 11.6 | 9.5 | 12.2 | 10.7 | 13.0 | 12.5 | 9.8 | 12.4 | 12.6 | 11.7 | 9.1 | 10.8 |
| C25 PANCREAS | 6.5 | 6.7 | 6.7 | 6.9 | 6.5 | 6.5 | 8.5 | 6.9 | 5.6 | 7.8 | 7.9 | 8.0 | 7.3 | 7.2 | 8.1 | 7.3 | 7.3 |
| C56 OVARY | 8.4 | 9.0 | 7.0 | 7.6 | 7.1 | 7.0 | 8.3 | 6.8 | 7.7 | 6.8 | 8.0 | 6.1 | 6.4 | 7.1 | 6.1 | 6.3 | 7.0 |
| M959,M967-M971 NON-HODGKIN'S LYMPHOMA | 5.1 | 6.7 | 4.5 | 5.1 | 6.3 | 5.4 | 6.3 | 6.1 | 5.8 | 5.4 | 6.6 | 6.9 | 7.3 | 5.5 | 5.7 | 5.1 | 6.5 |
| C19,C20 RECTOSIGMOID JUNCTION AND RECTUM | 5.9 | 6.2 | 5.1 | 5.9 | 5.6 | 5.3 | 5.9 | 5.8 | 6.0 | 5.3 | 6.5 | 6.7 | 6.2 | 5.3 | 5.5 | 5.3 | 5.6 |
| C70, C71, C72 BRAIN, MENINGES AND OTHER CENTRAL NERVOUS SYSTEM | 4.1 | 4.4 | 5.6 | 4.5 | 4.5 | 4.4 | 5.2 | 4.7 | 5.4 | 3.6 | 5.0 | 5.2 | 4.2 | 5.2 | 5.1 | 4.3 | 5.2 |
| C64-C66,C68 KIDNEY AND OTHER RENAL TRACT | 3.3 | 3.9 | 4.1 | 4.4 | 4.2 | 4.5 | 4.0 | 4.4 | 3.7 | 4.3 | 3.8 | 3.7 | 4.2 | 4.1 | 3.5 | 3.6 | 3.8 |
| C16 STOMACH | 6.9 | 5.8 | 6.0 | 4.8 | 4.3 | 6.1 | 5.1 | 5.1 | 4.8 | 4.5 | 4.6 | 4.8 | 4.0 | 3.7 | 3.7 | 4.0 | 3.4 |
| C44, M872-M879 MELANOMA | 3.8 | 4.0 | 3.2 | 4.2 | 3.7 | 3.9 | 3.2 | 4.4 | 3.6 | 3.8 | 3.9 | 3.7 | 4.8 | 4.6 | 3.5 | 3.4 | 3.4 |
| C54 CORPUS UTERI | 2.6 | 2.6 | 2.7 | 2.8 | 1.8 | 2.8 | 2.5 | 2.8 | 3.0 | 2.8 | 2.8 | 3.2 | 2.1 | 2.9 | 2.9 | 2.8 | 3.1 |
| M986,M9930 MYELOID LEUKAEMIA | 3.3 | 3.7 | 2.1 | 3.8 | 3.0 | 4.5 | 4.0 | 3.4 | 4.2 | 2.9 | 4.3 | 3.6 | 3.3 | 3.3 | 2.9 | 2.6 | 2.7 |
| C15 OESOPHAGUS | 2.3 | 2.6 | 2.9 | 2.5 | 2.3 | 2.4 | 2.7 | 2.3 | 2.6 | 2.7 | 2.6 | 2.7 | 2.5 | 2.3 | 2.5 | 2.7 | 2.4 |
| M973 MYELOMA | 2.4 | 2.4 | 2.2 | 2.5 | 3.2 | 2.0 | 2.8 | 2.3 | 2.7 | 2.7 | 3.2 | 2.6 | 2.3 | 2.1 | 2.8 | 2.3 | 2.4 |
| C23,C24 GALLBLADDER AND OTHER & UNSPECIFIED PARTS OF BILIARY TRACT | 2.9 | 3.9 | 3.9 | 2.7 | 2.9 | 3.7 | 4.0 | 1.7 | 3.5 | 3.1 | 3.1 | 3.2 | 2.8 | 2.3 | 2.2 | 2.1 | 2.2 |
| C67 BLADDER | 2.4 | 2.5 | 1.1 | 2.0 | 3.1 | 3.3 | 2.3 | 2.7 | 2.7 | 3.1 | 2.4 | 3.3 | 2.2 | 1.9 | 2.3 | 2.7 | 2.2 |
| C53 CERVIX UTERI | 4.4 | 4.0 | 4.5 | 4.4 | 4.0 | 4.2 | 3.6 | 3.9 | 4.1 | 3.1 | 3.9 | 2.9 | 3.4 | 2.5 | 3.3 | 2.7 | 1.9 |
| M982,M994 LYMPHOID LEUKAEMIA | 1.5 | 1.7 | 2.2 | 2.0 | 1.4 | 1.2 | 2.4 | 1.8 | 2.1 | 1.8 | 1.9 | 1.5 | 2.3 | 1.9 | 2.2 | 1.7 | 1.7 |

**Table 2. Cancer Incidence and Mortality (Counts) by Site and Sex,
Queensland, 1982 - 2002**

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 |
|--|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| C00 LIP | | | | | | | | | | | | | | | | | | |
| Incidence | M | 102.2 | 132 | 187 | 161 | 166 | 126 | 142 | 206 | 228 | 225 | 220 | 231 | 271 | 137 | 121 | 149 | 187 |
| | F | 19.4 | 53 | 38 | 43 | 41 | 29 | 31 | 57 | 55 | 57 | 74 | 84 | 91 | 43 | 50 | 59 | 81 |
| | P | 121.6 | 185 | 225 | 204 | 207 | 155 | 173 | 263 | 283 | 282 | 294 | 315 | 362 | 180 | 171 | 208 | 268 |
| Mortality | M | 1.8 | 1 | 4 | 3 | 3 | 2 | 3 | 4 | 5 | 6 | 0 | 4 | 3 | 6 | 3 | 4 | 6 |
| | F | 0.6 | 0 | 0 | 1 | 2 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 1 | 1 |
| | P | 2.4 | 1 | 4 | 4 | 5 | 2 | 3 | 5 | 5 | 6 | 1 | 5 | 5 | 8 | 6 | 5 | 7 |
| C01,C02 TONGUE | | | | | | | | | | | | | | | | | | |
| Incidence | M | 41.8 | 49 | 48 | 45 | 46 | 62 | 67 | 57 | 44 | 59 | 62 | 55 | 59 | 69 | 55 | 68 | 71 |
| | F | 14.6 | 17 | 16 | 24 | 27 | 27 | 19 | 21 | 26 | 22 | 37 | 36 | 29 | 38 | 33 | 24 | 26 |
| | P | 56.4 | 66 | 64 | 69 | 73 | 89 | 86 | 78 | 70 | 81 | 99 | 91 | 88 | 107 | 88 | 92 | 97 |
| Mortality | M | 16.6 | 17 | 23 | 23 | 25 | 20 | 23 | 24 | 19 | 32 | 17 | 27 | 34 | 22 | 26 | 23 | 32 |
| | F | 4.8 | 8 | 11 | 10 | 9 | 9 | 6 | 6 | 11 | 13 | 8 | 6 | 10 | 12 | 18 | 15 | 13 |
| | P | 21.4 | 25 | 34 | 33 | 34 | 29 | 29 | 30 | 30 | 45 | 25 | 33 | 44 | 34 | 44 | 38 | 45 |
| C03 GUM | | | | | | | | | | | | | | | | | | |
| Incidence | M | 3.2 | 5 | 3 | 2 | 5 | 1 | 8 | 9 | 11 | 5 | 5 | 6 | 3 | 8 | 9 | 5 | 4 |
| | F | 3.6 | 4 | 4 | 4 | 1 | 1 | 5 | 4 | 5 | 3 | 5 | 1 | 6 | 6 | 6 | 8 | 5 |
| | P | 6.8 | 9 | 7 | 6 | 6 | 2 | 13 | 13 | 16 | 8 | 10 | 7 | 9 | 14 | 15 | 13 | 9 |
| Mortality | M | 0.6 | 1 | 2 | 1 | 2 | 0 | 4 | 2 | 4 | 2 | 4 | 0 | 3 | 0 | 1 | 4 | 4 |
| | F | 0.8 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 1 | 3 | 3 | 3 | 3 |
| | P | 1.4 | 2 | 3 | 3 | 3 | 1 | 5 | 3 | 5 | 3 | 5 | 4 | 4 | 3 | 4 | 7 | 7 |
| C04 FLOOR OF MOUTH | | | | | | | | | | | | | | | | | | |
| Incidence | M | 20.4 | 19 | 12 | 25 | 16 | 16 | 20 | 23 | 20 | 26 | 22 | 23 | 23 | 27 | 30 | 20 | 18 |
| | F | 7.0 | 4 | 8 | 7 | 7 | 10 | 7 | 7 | 8 | 6 | 9 | 5 | 14 | 10 | 14 | 7 | 11 |
| | P | 27.4 | 23 | 20 | 32 | 23 | 26 | 27 | 30 | 28 | 32 | 31 | 28 | 37 | 37 | 44 | 27 | 29 |
| Mortality | M | 6.8 | 6 | 7 | 8 | 8 | 4 | 8 | 8 | 6 | 11 | 12 | 8 | 10 | 12 | 11 | 8 | 6 |
| | F | 2.0 | 2 | 0 | 2 | 1 | 2 | 2 | 3 | 2 | 1 | 3 | 3 | 1 | 3 | 4 | 4 | 4 |
| | P | 8.8 | 8 | 7 | 10 | 9 | 6 | 10 | 11 | 8 | 12 | 15 | 11 | 11 | 15 | 15 | 12 | 10 |
| C05,C06 PALATE AND OTHER & UNSPECIFIED PARTS OF MOUTH | | | | | | | | | | | | | | | | | | |
| Incidence | M | 25.2 | 29 | 27 | 21 | 20 | 21 | 31 | 23 | 19 | 19 | 20 | 27 | 31 | 20 | 24 | 22 | 34 |
| | F | 8.8 | 14 | 8 | 15 | 22 | 15 | 23 | 27 | 14 | 17 | 15 | 20 | 15 | 16 | 20 | 12 | 14 |
| | P | 34.0 | 43 | 35 | 36 | 42 | 36 | 54 | 50 | 33 | 36 | 35 | 47 | 46 | 36 | 44 | 34 | 48 |
| Mortality | M | 9.2 | 10 | 9 | 11 | 6 | 5 | 14 | 5 | 13 | 12 | 10 | 8 | 9 | 6 | 5 | 9 | 8 |
| | F | 3.2 | 3 | 3 | 6 | 4 | 15 | 6 | 6 | 7 | 3 | 8 | 3 | 1 | 9 | 7 | 7 | 6 |
| | P | 12.4 | 13 | 12 | 17 | 10 | 20 | 20 | 11 | 20 | 15 | 18 | 11 | 10 | 15 | 12 | 16 | 14 |
| C07,C08 PAROTID AND OTHER & UNSPECIFIED MAJOR SALIVARY GLANDS | | | | | | | | | | | | | | | | | | |
| Incidence | M | 15.8 | 13 | 13 | 23 | 18 | 19 | 20 | 26 | 24 | 22 | 26 | 29 | 31 | 27 | 29 | 32 | 31 |
| | F | 8.8 | 12 | 10 | 9 | 7 | 11 | 20 | 13 | 21 | 16 | 14 | 14 | 18 | 13 | 12 | 18 | 16 |
| | P | 24.6 | 25 | 23 | 32 | 25 | 30 | 40 | 39 | 45 | 38 | 40 | 43 | 49 | 40 | 41 | 50 | 47 |
| Mortality | M | 4.2 | 4 | 10 | 5 | 4 | 8 | 4 | 3 | 9 | 10 | 5 | 7 | 6 | 4 | 7 | 9 | 13 |
| | F | 1.6 | 4 | 1 | 4 | 3 | 3 | 2 | 2 | 6 | 5 | 4 | 3 | 4 | 5 | 5 | 2 | 7 |
| | P | 5.8 | 8 | 11 | 9 | 7 | 11 | 6 | 5 | 15 | 15 | 9 | 10 | 10 | 9 | 12 | 11 | 20 |
| C09,C10 TONSIL AND OROPHARYNX | | | | | | | | | | | | | | | | | | |
| Incidence | M | 29.0 | 22 | 22 | 34 | 18 | 30 | 35 | 41 | 36 | 34 | 35 | 37 | 50 | 40 | 40 | 51 | 47 |
| | F | 7.4 | 10 | 9 | 7 | 13 | 8 | 6 | 11 | 9 | 11 | 6 | 10 | 10 | 14 | 10 | 13 | 15 |
| | P | 36.4 | 32 | 31 | 41 | 31 | 38 | 41 | 52 | 45 | 45 | 41 | 47 | 60 | 54 | 50 | 64 | 62 |
| Mortality | M | 13.6 | 18 | 11 | 14 | 14 | 14 | 14 | 19 | 19 | 20 | 16 | 12 | 20 | 15 | 18 | 20 | 23 |
| | F | 4.0 | 7 | 5 | 1 | 4 | 4 | 4 | 4 | 3 | 4 | 4 | 5 | 4 | 9 | 3 | 4 | 4 |
| | P | 17.6 | 25 | 16 | 15 | 18 | 18 | 18 | 23 | 22 | 24 | 20 | 17 | 24 | 24 | 21 | 24 | 27 |
| C11 NASOPHARYNX | | | | | | | | | | | | | | | | | | |
| Incidence | M | 10.8 | 9 | 9 | 9 | 8 | 9 | 15 | 13 | 13 | 8 | 11 | 14 | 10 | 11 | 10 | 8 | 10 |
| | F | 3.6 | 6 | 3 | 3 | 4 | 3 | 3 | 9 | 4 | 5 | 6 | 2 | 2 | 4 | 4 | 3 | 3 |
| | P | 14.4 | 15 | 12 | 12 | 12 | 12 | 18 | 22 | 17 | 13 | 17 | 16 | 12 | 15 | 14 | 11 | 13 |
| Mortality | M | 6.4 | 6 | 5 | 6 | 5 | 6 | 8 | 10 | 10 | 4 | 8 | 11 | 7 | 10 | 4 | 2 | 2 |
| | F | 2.4 | 1 | 4 | 2 | 3 | 0 | 2 | 2 | 3 | 4 | 1 | 3 | 3 | 3 | 5 | 2 | 1 |
| | P | 8.8 | 7 | 9 | 8 | 8 | 6 | 10 | 12 | 13 | 8 | 9 | 14 | 10 | 13 | 9 | 4 | 3 |
| C12,C13 PYRIFORM SINUS AND HYPOPHARYNX | | | | | | | | | | | | | | | | | | |
| Incidence | M | 21.2 | 32 | 29 | 32 | 24 | 26 | 32 | 27 | 24 | 37 | 36 | 27 | 32 | 32 | 31 | 33 | 22 |
| | F | 3.0 | 5 | 5 | 6 | 3 | 2 | 1 | 3 | 8 | 3 | 6 | 6 | 3 | 2 | 8 | 6 | 5 |
| | P | 24.2 | 37 | 34 | 38 | 27 | 28 | 33 | 30 | 32 | 40 | 42 | 33 | 35 | 34 | 39 | 39 | 27 |
| Mortality | M | 10.6 | 16 | 15 | 18 | 23 | 14 | 19 | 23 | 15 | 13 | 17 | 23 | 16 | 18 | 18 | 18 | 25 |
| | F | 2.2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 5 | 2 | 6 | 2 | 1 | 1 | 6 | 7 |
| | P | 12.8 | 18 | 17 | 19 | 24 | 15 | 20 | 24 | 17 | 18 | 19 | 29 | 18 | 19 | 19 | 24 | 32 |
| C14 OTHER & ILL-DEFINED SITES IN LIP, ORAL CAVITY & PHARYNX | | | | | | | | | | | | | | | | | | |

**Table 2. Cancer Incidence and Mortality (Counts) by Site and Sex,
Queensland, 1982 - 2002**

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | |
|---|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| Incidence | M | 6.8 | 6 | 9 | 11 | 9 | 15 | 9 | 12 | 7 | 12 | 16 | 8 | 15 | 8 | 22 | 15 | 12 | |
| | F | 1.2 | 3 | 2 | 2 | 4 | 4 | 5 | 3 | 1 | 2 | 1 | 3 | 3 | 8 | 8 | 2 | 4 | |
| | P | 8.0 | 9 | 11 | 13 | 13 | 19 | 14 | 15 | 8 | 14 | 17 | 11 | 18 | 16 | 30 | 17 | 16 | |
| Mortality | M | 3.2 | 4 | 4 | 7 | 7 | 8 | 10 | 8 | 6 | 2 | 5 | 7 | 8 | 4 | 8 | 10 | 5 | |
| | F | 0.6 | 2 | 1 | 1 | 1 | 1 | 3 | 1 | 2 | 2 | 1 | 2 | 1 | 4 | 1 | 4 | 3 | |
| | P | 3.8 | 6 | 5 | 8 | 8 | 9 | 13 | 9 | 8 | 4 | 6 | 9 | 9 | 8 | 9 | 14 | 8 | |
| C15 OESOPHAGUS | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 53.4 | 88 | 88 | 63 | 76 | 89 | 107 | 98 | 114 | 114 | 117 | 106 | 114 | 155 | 142 | 132 | 138 | |
| | F | 30.6 | 38 | 59 | 38 | 48 | 41 | 43 | 54 | 49 | 65 | 45 | 67 | 62 | 53 | 64 | 65 | 49 | |
| | P | 84.0 | 126 | 147 | 101 | 124 | 130 | 150 | 152 | 163 | 179 | 162 | 173 | 176 | 208 | 206 | 197 | 187 | |
| Mortality | M | 45.8 | 53 | 75 | 63 | 53 | 66 | 89 | 81 | 79 | 90 | 98 | 72 | 96 | 88 | 101 | 104 | 109 | |
| | F | 25.0 | 30 | 36 | 32 | 31 | 32 | 38 | 34 | 39 | 42 | 42 | 46 | 43 | 40 | 47 | 51 | 47 | |
| | P | 70.8 | 83 | 111 | 95 | 84 | 98 | 127 | 115 | 118 | 132 | 140 | 118 | 139 | 128 | 148 | 155 | 156 | |
| C16 STOMACH | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 180.0 | 186 | 143 | 208 | 194 | 195 | 197 | 196 | 196 | 200 | 211 | 200 | 201 | 237 | 223 | 212 | 220 | |
| | F | 93.4 | 100 | 75 | 77 | 82 | 96 | 102 | 112 | 87 | 120 | 123 | 111 | 100 | 94 | 125 | 115 | 128 | |
| | P | 273.4 | 286 | 218 | 285 | 276 | 291 | 299 | 308 | 283 | 320 | 334 | 311 | 301 | 331 | 348 | 327 | 348 | |
| Mortality | M | 139.6 | 123 | 131 | 135 | 138 | 147 | 125 | 149 | 150 | 141 | 153 | 165 | 142 | 157 | 159 | 151 | 170 | |
| | F | 72.8 | 69 | 72 | 61 | 56 | 82 | 71 | 74 | 74 | 71 | 74 | 80 | 69 | 65 | 68 | 76 | 67 | |
| | P | 212.4 | 192 | 203 | 196 | 194 | 229 | 196 | 223 | 224 | 212 | 227 | 245 | 211 | 222 | 227 | 227 | 237 | |
| C17 SMALL INTESTINE | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 11.0 | 17 | 10 | 12 | 13 | 21 | 14 | 22 | 12 | 19 | 21 | 27 | 32 | 32 | 33 | 29 | 37 | |
| | F | 9.4 | 14 | 6 | 12 | 15 | 16 | 11 | 12 | 17 | 9 | 22 | 15 | 19 | 28 | 20 | 22 | 30 | |
| | P | 20.4 | 31 | 16 | 24 | 28 | 37 | 25 | 34 | 29 | 28 | 43 | 42 | 51 | 60 | 53 | 51 | 67 | |
| Mortality | M | 5.6 | 7 | 7 | 9 | 8 | 7 | 11 | 8 | 4 | 8 | 9 | 10 | 12 | 12 | 14 | 14 | 11 | |
| | F | 5.0 | 5 | 8 | 5 | 5 | 11 | 8 | 12 | 9 | 5 | 6 | 12 | 6 | 7 | 12 | 9 | 11 | |
| | P | 10.6 | 12 | 15 | 14 | 13 | 18 | 19 | 20 | 13 | 13 | 15 | 22 | 18 | 19 | 26 | 23 | 22 | |
| C18-C20,C218 COLORECTAL CANCER | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 623.2 | 748 | 742 | 787 | 842 | 883 | 840 | 993 | 992 | 1041 | 1075 | 1126 | 1095 | 1158 | 1294 | 1370 | 1273 | |
| | F | 588.2 | 633 | 645 | 684 | 637 | 716 | 784 | 800 | 852 | 856 | 902 | 894 | 956 | 982 | 1001 | 1019 | 1106 | |
| | P | 1211.4 | 1381 | 1387 | 1471 | 1479 | 1599 | 1624 | 1793 | 1844 | 1897 | 1977 | 2020 | 2051 | 2140 | 2295 | 2389 | 2379 | |
| Mortality | M | 284.6 | 353 | 328 | 375 | 360 | 399 | 369 | 408 | 444 | 394 | 428 | 468 | 460 | 484 | 486 | 490 | 465 | |
| | F | 274.8 | 309 | 304 | 319 | 302 | 317 | 312 | 304 | 340 | 334 | 361 | 402 | 374 | 361 | 378 | 396 | 420 | |
| | P | 559.4 | 662 | 632 | 694 | 662 | 716 | 681 | 712 | 784 | 728 | 789 | 870 | 834 | 845 | 864 | 886 | 885 | |
| C18 COLON | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 413.0 | 505 | 496 | 527 | 553 | 591 | 525 | 636 | 610 | 636 | 637 | 710 | 689 | 730 | 820 | 868 | 792 | |
| | F | 444.4 | 472 | 488 | 496 | 491 | 529 | 576 | 602 | 626 | 628 | 633 | 640 | 695 | 738 | 734 | 740 | 799 | |
| | P | 857.4 | 977 | 984 | 1023 | 1044 | 1120 | 1101 | 1238 | 1236 | 1264 | 1270 | 1350 | 1384 | 1468 | 1554 | 1608 | 1591 | |
| Mortality | M | 191.8 | 228 | 207 | 257 | 241 | 257 | 224 | 235 | 276 | 227 | 273 | 306 | 281 | 311 | 296 | 311 | 318 | |
| | F | 212.0 | 236 | 238 | 244 | 229 | 246 | 231 | 220 | 252 | 250 | 257 | 295 | 269 | 269 | 273 | 292 | 308 | |
| | P | 403.8 | 464 | 445 | 501 | 470 | 503 | 455 | 455 | 528 | 477 | 530 | 601 | 550 | 580 | 569 | 603 | 626 | |
| C19,C20 RECTOSIGMOID JUNCTION AND RECTUM | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 209.0 | 242 | 242 | 258 | 286 | 291 | 314 | 355 | 378 | 402 | 434 | 412 | 404 | 421 | 468 | 495 | 473 | |
| | F | 142.0 | 159 | 156 | 183 | 144 | 187 | 208 | 198 | 223 | 222 | 264 | 252 | 260 | 239 | 258 | 273 | 292 | |
| | P | 351.0 | 401 | 398 | 441 | 430 | 478 | 522 | 553 | 601 | 624 | 698 | 664 | 664 | 660 | 726 | 768 | 765 | |
| Mortality | M | 92.6 | 123 | 119 | 116 | 118 | 140 | 144 | 172 | 166 | 167 | 155 | 159 | 174 | 172 | 187 | 178 | 146 | |
| | F | 62.4 | 72 | 64 | 75 | 73 | 71 | 81 | 84 | 88 | 83 | 103 | 107 | 103 | 91 | 99 | 101 | 110 | |
| | P | 155.0 | 195 | 183 | 191 | 191 | 211 | 225 | 256 | 254 | 250 | 258 | 266 | 277 | 263 | 286 | 279 | 256 | |
| C21 ANUS & ANAL CANAL | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 6.6 | 2 | 11 | 9 | 16 | 14 | 15 | 13 | 17 | 26 | 21 | 14 | 20 | 21 | 13 | 20 | 25 | |
| | F | 10.8 | 17 | 15 | 19 | 13 | 15 | 15 | 14 | 19 | 18 | 21 | 17 | 17 | 23 | 27 | 20 | 30 | |
| | P | 17.4 | 19 | 26 | 28 | 29 | 29 | 30 | 27 | 36 | 44 | 42 | 31 | 37 | 44 | 40 | 40 | 55 | |
| Mortality | M | 2.0 | 5 | 2 | 3 | 3 | 3 | 6 | 3 | 7 | 6 | 3 | 6 | 10 | 5 | 6 | 2 | 5 | |
| | F | 4.4 | 4 | 8 | 1 | 8 | 9 | 5 | 2 | 3 | 6 | 8 | 1 | 8 | 3 | 11 | 8 | 6 | |
| | P | 6.4 | 9 | 10 | 4 | 11 | 12 | 11 | 5 | 10 | 12 | 11 | 7 | 18 | 8 | 17 | 10 | 11 | |
| C22 LIVER & INTRAHEPATIC BILE DUCTS | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 26.0 | 41 | 42 | 47 | 46 | 36 | 60 | 55 | 56 | 67 | 62 | 61 | 81 | 65 | 93 | 107 | 82 | |
| | F | 11.4 | 16 | 14 | 22 | 13 | 23 | 21 | 20 | 27 | 26 | 22 | 24 | 27 | 35 | 43 | 46 | 35 | |
| | P | 37.4 | 57 | 56 | 69 | 59 | 59 | 81 | 75 | 83 | 93 | 84 | 85 | 108 | 100 | 136 | 153 | 117 | |
| Mortality | M | 20.0 | 33 | 26 | 37 | 40 | 34 | 42 | 40 | 49 | 51 | 50 | 46 | 50 | 57 | 63 | 82 | 81 | |
| | F | 7.2 | 20 | 6 | 13 | 15 | 14 | 23 | 10 | 21 | 19 | 16 | 20 | 19 | 31 | 30 | 37 | 29 | |
| | P | 27.2 | 53 | 32 | 50 | 55 | 48 | 65 | 50 | 70 | 70 | 66 | 66 | 69 | 88 | 93 | 119 | 110 | |
| C23,C24 GALLBLADDER AND OTHER & UNSPECIFIED PARTS OF BILIARY TRACT | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 23.4 | 29 | 30 | 25 | 32 | 36 | 43 | 26 | 43 | 45 | 32 | 47 | 45 | 54 | 43 | 45 | 54 | |

**Table 2. Cancer Incidence and Mortality (Counts) by Site and Sex,
Queensland, 1982 - 2002**

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | |
|--|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| Mortality | F | 41.2 | 47 | 52 | 46 | 52 | 58 | 56 | 49 | 62 | 55 | 60 | 63 | 60 | 51 | 50 | 49 | 66 | |
| | P | 64.6 | 76 | 82 | 71 | 84 | 94 | 99 | 75 | 105 | 100 | 92 | 110 | 105 | 105 | 93 | 94 | 120 | |
| | M | 19.4 | 18 | 21 | 24 | 19 | 30 | 21 | 20 | 18 | 27 | 34 | 33 | 40 | 26 | 35 | 28 | 36 | |
| | F | 31.4 | 45 | 47 | 34 | 37 | 49 | 55 | 24 | 52 | 49 | 49 | 52 | 48 | 40 | 39 | 40 | 44 | |
| | P | 50.8 | 63 | 68 | 58 | 56 | 79 | 76 | 44 | 70 | 76 | 83 | 85 | 88 | 66 | 74 | 68 | 80 | |
| C25 PANCREAS | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 101.6 | 104 | 107 | 114 | 126 | 126 | 129 | 126 | 153 | 133 | 145 | 163 | 158 | 167 | 187 | 172 | 170 | |
| | F | 78.4 | 89 | 98 | 95 | 101 | 111 | 116 | 106 | 96 | 142 | 134 | 129 | 154 | 162 | 151 | 156 | 160 | |
| | P | 180.0 | 193 | 205 | 209 | 227 | 237 | 245 | 232 | 249 | 275 | 279 | 292 | 312 | 329 | 338 | 328 | 330 | |
| Mortality | M | 90.8 | 92 | 85 | 117 | 96 | 117 | 103 | 128 | 141 | 143 | 131 | 132 | 149 | 142 | 144 | 177 | 162 | |
| | F | 70.4 | 81 | 81 | 90 | 86 | 87 | 118 | 100 | 84 | 123 | 126 | 131 | 125 | 128 | 146 | 138 | 143 | |
| | P | 161.2 | 173 | 166 | 207 | 182 | 204 | 221 | 228 | 225 | 266 | 257 | 263 | 274 | 270 | 290 | 315 | 305 | |
| C30,C31 NASAL CAVITY & MIDDLE EAR AND ACCESSORY SINUSES | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 10.0 | 5 | 12 | 12 | 14 | 10 | 15 | 15 | 14 | 16 | 15 | 14 | 11 | 12 | 11 | 14 | 9 | |
| | F | 5.8 | 4 | 5 | 9 | 9 | 8 | 4 | 7 | 9 | 8 | 6 | 8 | 8 | 4 | 6 | 6 | 6 | |
| | P | 15.8 | 9 | 17 | 21 | 23 | 18 | 19 | 22 | 23 | 24 | 21 | 22 | 19 | 16 | 17 | 20 | 15 | |
| Mortality | M | 4.0 | 2 | 4 | 8 | 4 | 9 | 9 | 8 | 4 | 9 | 6 | 7 | 6 | 3 | 10 | 4 | 6 | |
| | F | 2.4 | 2 | 5 | 2 | 2 | 6 | 3 | 2 | 3 | 2 | 4 | 1 | 4 | 1 | 3 | 0 | 3 | |
| | P | 6.4 | 4 | 9 | 10 | 6 | 15 | 12 | 10 | 7 | 11 | 10 | 8 | 10 | 4 | 13 | 4 | 9 | |
| C32 LARYNX | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 85.8 | 86 | 98 | 90 | 99 | 94 | 124 | 107 | 92 | 88 | 92 | 102 | 107 | 88 | 89 | 107 | 97 | |
| | F | 7.8 | 7 | 13 | 8 | 8 | 12 | 21 | 7 | 15 | 12 | 9 | 9 | 11 | 7 | 9 | 5 | 10 | |
| | P | 93.6 | 93 | 111 | 98 | 107 | 106 | 145 | 114 | 107 | 100 | 101 | 111 | 118 | 95 | 98 | 112 | 107 | |
| Mortality | M | 23.0 | 34 | 25 | 31 | 22 | 38 | 25 | 23 | 32 | 25 | 29 | 31 | 25 | 31 | 28 | 36 | 31 | |
| | F | 4.0 | 2 | 4 | 2 | 3 | 7 | 4 | 2 | 2 | 2 | 6 | 3 | 3 | 2 | 3 | 1 | 7 | |
| | P | 27.0 | 36 | 29 | 33 | 25 | 45 | 29 | 25 | 34 | 27 | 35 | 34 | 28 | 33 | 31 | 37 | 38 | |
| C33,C34 TRACHEA AND BRONCHUS & LUNG | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 811.4 | 894 | 883 | 900 | 878 | 876 | 933 | 931 | 909 | 944 | 986 | 1034 | 1007 | 1069 | 1043 | 1063 | 1030 | |
| | F | 205.2 | 240 | 245 | 252 | 296 | 351 | 320 | 348 | 347 | 361 | 419 | 421 | 451 | 423 | 490 | 533 | 561 | |
| | P | 1016.6 | 1134 | 1128 | 1152 | 1174 | 1227 | 1253 | 1279 | 1256 | 1305 | 1405 | 1455 | 1458 | 1492 | 1533 | 1596 | 1591 | |
| Mortality | M | 663.4 | 730 | 776 | 755 | 724 | 685 | 794 | 782 | 799 | 785 | 881 | 828 | 851 | 884 | 873 | 877 | 901 | |
| | F | 159.6 | 169 | 171 | 202 | 216 | 256 | 244 | 295 | 266 | 277 | 321 | 352 | 339 | 367 | 375 | 397 | 456 | |
| | P | 823.0 | 899 | 947 | 957 | 940 | 941 | 1038 | 1077 | 1065 | 1062 | 1202 | 1180 | 1190 | 1251 | 1248 | 1274 | 1357 | |
| C37, C38 THYMUS,HEART,MEDIASTINUM & PLEURA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 5.0 | 8 | 7 | 10 | 7 | 10 | 8 | 9 | 14 | 12 | 12 | 14 | 10 | 11 | 11 | 13 | 15 | |
| | F | 2.8 | 4 | 7 | 5 | 5 | 3 | 5 | 3 | 6 | 6 | 7 | 5 | 7 | 7 | 3 | 4 | 8 | |
| | P | 7.8 | 12 | 14 | 15 | 12 | 13 | 13 | 12 | 20 | 18 | 19 | 19 | 17 | 18 | 14 | 17 | 23 | |
| Mortality | M | 4.4 | 1 | 6 | 4 | 2 | 6 | 6 | 0 | 6 | 8 | 7 | 6 | 6 | 4 | 7 | 3 | 6 | |
| | F | 2.0 | 4 | 2 | 4 | 6 | 2 | 1 | 5 | 4 | 3 | 4 | 4 | 0 | 5 | 1 | 2 | 3 | |
| | P | 6.4 | 5 | 8 | 8 | 8 | 8 | 7 | 5 | 10 | 11 | 11 | 10 | 6 | 9 | 8 | 5 | 9 | |
| C40,C41 BONES,JOINTS & ARTICULAR CARTILAGES | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 14.2 | 20 | 20 | 20 | 20 | 22 | 16 | 16 | 25 | 22 | 18 | 25 | 16 | 10 | 22 | 18 | 33 | |
| | F | 7.6 | 12 | 2 | 10 | 14 | 19 | 16 | 8 | 13 | 21 | 10 | 14 | 11 | 15 | 19 | 22 | 17 | |
| | P | 21.8 | 32 | 22 | 30 | 34 | 41 | 32 | 24 | 38 | 43 | 28 | 39 | 27 | 25 | 41 | 40 | 50 | |
| Mortality | M | 5.8 | 4 | 16 | 10 | 5 | 7 | 12 | 9 | 8 | 5 | 6 | 7 | 13 | 8 | 6 | 6 | 10 | |
| | F | 4.0 | 2 | 2 | 3 | 5 | 8 | 3 | 4 | 4 | 7 | 3 | 5 | 6 | 4 | 7 | 4 | 4 | |
| | P | 9.8 | 6 | 18 | 13 | 10 | 15 | 15 | 13 | 12 | 12 | 9 | 12 | 19 | 12 | 13 | 10 | 14 | |
| C44, M872-M879 MELANOMA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 529.2 | 746 | 768 | 746 | 748 | 763 | 876 | 860 | 918 | 1025 | 1109 | 1229 | 1224 | 1155 | 1298 | 1362 | 1472 | |
| | F | 505.8 | 628 | 616 | 634 | 613 | 634 | 672 | 660 | 697 | 786 | 855 | 886 | 903 | 897 | 943 | 986 | 1081 | |
| | P | 1035.0 | 1374 | 1384 | 1380 | 1361 | 1397 | 1548 | 1520 | 1615 | 1811 | 1964 | 2115 | 2127 | 2052 | 2241 | 2348 | 2553 | |
| Mortality | M | 70.4 | 105 | 95 | 92 | 80 | 96 | 110 | 111 | 148 | 128 | 108 | 116 | 136 | 143 | 142 | 151 | 134 | |
| | F | 40.0 | 47 | 42 | 55 | 49 | 51 | 45 | 62 | 54 | 60 | 61 | 60 | 82 | 81 | 62 | 63 | 65 | |
| | P | 110.4 | 152 | 137 | 147 | 129 | 147 | 155 | 173 | 202 | 188 | 169 | 176 | 218 | 224 | 204 | 214 | 199 | |
| C44 OTHER SKIN (EXCL BCC/SCC) | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 15.0 | 30 | 19 | 31 | 39 | 33 | 50 | 43 | 45 | 46 | 45 | 41 | 52 | 52 | 57 | 60 | 69 | |
| | F | 7.6 | 15 | 17 | 15 | 21 | 12 | 21 | 27 | 20 | 15 | 22 | 29 | 34 | 34 | 33 | 32 | 41 | |
| | P | 22.6 | 45 | 36 | 46 | 60 | 45 | 71 | 70 | 65 | 61 | 67 | 70 | 86 | 86 | 90 | 92 | 110 | |
| Mortality | M | 1.4 | 6 | 3 | 3 | 6 | 6 | 5 | 15 | 6 | 8 | 6 | 12 | 6 | 10 | 15 | 11 | 13 | |
| | F | 0.2 | 1 | 2 | 2 | 1 | 0 | 3 | 3 | 3 | 2 | 1 | 4 | 5 | 8 | 7 | 7 | 10 | |
| | P | 1.6 | 7 | 5 | 5 | 7 | 6 | 8 | 18 | 9 | 10 | 7 | 16 | 11 | 18 | 22 | 18 | 23 | |
| M905 MESOTHELIOMA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 21.4 | 25 | 44 | 28 | 41 | 47 | 31 | 47 | 67 | 52 | 49 | 70 | 76 | 77 | 78 | 86 | 92 | |
| | F | 1.8 | 4 | 4 | 4 | 5 | 9 | 9 | 8 | 6 | 6 | 8 | 8 | 8 | 14 | 11 | 27 | 25 | |

**Table 2. Cancer Incidence and Mortality (Counts) by Site and Sex,
Queensland, 1982 - 2002**

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | |
|---|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| | P | 23.2 | 29 | 48 | 32 | 46 | 56 | 40 | 55 | 73 | 58 | 57 | 78 | 84 | 91 | 89 | 113 | 117 | |
| Mortality | M | 17.6 | 28 | 30 | 27 | 30 | 37 | 40 | 30 | 51 | 50 | 50 | 54 | 59 | 69 | 72 | 76 | 71 | |
| | F | 1.4 | 1 | 7 | 2 | 4 | 4 | 6 | 7 | 6 | 9 | 3 | 6 | 7 | 10 | 13 | 11 | 20 | |
| | P | 19.0 | 29 | 37 | 29 | 34 | 41 | 46 | 37 | 57 | 59 | 53 | 60 | 66 | 79 | 85 | 87 | 91 | |
| M914 KAPOSI'S SARCOMA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.0 | 6 | 10 | 12 | 6 | 12 | 16 | 19 | 9 | 12 | 6 | 4 | 6 | 8 | 8 | 2 | 7 | |
| | F | 0.0 | 0 | 1 | 0 | 0 | 2 | 0 | 2 | 1 | 2 | 0 | 0 | 0 | 3 | 0 | 0 | 0 | |
| | P | 1.0 | 6 | 11 | 12 | 6 | 14 | 16 | 21 | 10 | 14 | 6 | 4 | 6 | 11 | 8 | 2 | 7 | |
| Mortality | M | 0.4 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | F | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | P | 0.4 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| C47,C49 CONNECTIVE TISSUE, PERIPHERAL NERVES | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 28.6 | 33 | 22 | 34 | 34 | 35 | 30 | 29 | 31 | 45 | 46 | 40 | 48 | 39 | 49 | 46 | 60 | |
| | F | 22.2 | 14 | 18 | 18 | 33 | 26 | 33 | 34 | 24 | 29 | 38 | 38 | 46 | 30 | 40 | 31 | 37 | |
| | P | 50.8 | 47 | 40 | 52 | 67 | 61 | 63 | 63 | 55 | 74 | 84 | 78 | 94 | 69 | 89 | 77 | 97 | |
| Mortality | M | 11.4 | 8 | 8 | 14 | 10 | 13 | 16 | 11 | 10 | 16 | 11 | 16 | 14 | 10 | 5 | 18 | 22 | |
| | F | 10.2 | 5 | 9 | 8 | 10 | 8 | 12 | 12 | 9 | 12 | 15 | 11 | 15 | 12 | 11 | 18 | 8 | |
| | P | 21.6 | 13 | 17 | 22 | 20 | 21 | 28 | 23 | 19 | 28 | 26 | 27 | 29 | 22 | 16 | 36 | 30 | |
| C48 RETROPERITONEUM & PERITONEUM | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 3.0 | 2 | 4 | 4 | 6 | 6 | 2 | 4 | 7 | 5 | 4 | 8 | 5 | 7 | 7 | 4 | 7 | |
| | F | 6.2 | 2 | 2 | 5 | 3 | 8 | 8 | 3 | 9 | 14 | 9 | 13 | 16 | 24 | 28 | 33 | 21 | |
| | P | 9.2 | 4 | 6 | 9 | 9 | 14 | 10 | 7 | 16 | 19 | 13 | 21 | 21 | 31 | 35 | 37 | 28 | |
| Mortality | M | 2.6 | 0 | 3 | 3 | 6 | 5 | 3 | 2 | 1 | 0 | 2 | 1 | 9 | 3 | 7 | 3 | 5 | |
| | F | 2.8 | 3 | 5 | 4 | 4 | 3 | 2 | 3 | 1 | 2 | 8 | 4 | 10 | 11 | 12 | 11 | 17 | |
| | P | 5.4 | 3 | 8 | 7 | 10 | 8 | 5 | 5 | 2 | 2 | 10 | 5 | 19 | 14 | 19 | 14 | 22 | |
| C50 BREAST | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 9.4 | 11 | 8 | 9 | 9 | 11 | 2 | 8 | 10 | 13 | 19 | 16 | 12 | 14 | 17 | 19 | 15 | |
| | F | 917.4 | 1122 | 1075 | 1142 | 1277 | 1393 | 1355 | 1556 | 1605 | 1629 | 1603 | 1809 | 1915 | 2031 | 2100 | 2191 | 2222 | |
| | P | 926.8 | 1133 | 1083 | 1151 | 1286 | 1404 | 1357 | 1564 | 1615 | 1642 | 1622 | 1825 | 1927 | 2045 | 2117 | 2210 | 2237 | |
| Mortality | M | 3.0 | 3 | 2 | 5 | 1 | 1 | 2 | 1 | 6 | 4 | 7 | 3 | 1 | 1 | 5 | 4 | 0 | |
| | F | 290.6 | 327 | 320 | 350 | 356 | 376 | 386 | 417 | 421 | 427 | 429 | 420 | 434 | 412 | 408 | 465 | 432 | |
| | P | 293.6 | 330 | 322 | 355 | 357 | 377 | 388 | 418 | 427 | 431 | 436 | 423 | 435 | 413 | 413 | 469 | 432 | |
| C51 VULVA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | F | 26.8 | 29 | 26 | 31 | 17 | 40 | 29 | 28 | 36 | 38 | 38 | 48 | 29 | 29 | 32 | 43 | 42 | |
| | P | 26.8 | 29 | 26 | 31 | 17 | 40 | 29 | 28 | 36 | 38 | 38 | 48 | 29 | 29 | 32 | 43 | 42 | |
| Mortality | M | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | F | 5.6 | 6 | 8 | 5 | 10 | 12 | 9 | 7 | 9 | 8 | 8 | 11 | 12 | 7 | 5 | 5 | 11 | |
| | P | 5.6 | 6 | 8 | 5 | 10 | 12 | 9 | 7 | 9 | 8 | 8 | 11 | 12 | 7 | 5 | 5 | 11 | |
| C53 CERVIX UTERI | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | F | 182.0 | 181 | 188 | 201 | 191 | 202 | 195 | 203 | 203 | 178 | 196 | 173 | 158 | 182 | 159 | 151 | 148 | |
| | P | 182.0 | 181 | 188 | 201 | 191 | 202 | 195 | 203 | 203 | 178 | 196 | 173 | 158 | 182 | 159 | 151 | 148 | |
| Mortality | M | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | F | 47.8 | 47 | 56 | 56 | 54 | 55 | 52 | 55 | 60 | 49 | 61 | 47 | 56 | 43 | 57 | 50 | 36 | |
| | P | 47.8 | 47 | 56 | 56 | 54 | 55 | 52 | 55 | 60 | 49 | 61 | 47 | 56 | 43 | 57 | 50 | 36 | |
| C54 CORPUS UTERI | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | F | 145.8 | 164 | 157 | 148 | 178 | 162 | 201 | 199 | 237 | 231 | 202 | 232 | 238 | 263 | 311 | 293 | 309 | |
| | P | 145.8 | 164 | 157 | 148 | 178 | 162 | 201 | 199 | 237 | 231 | 202 | 232 | 238 | 263 | 311 | 293 | 309 | |
| Mortality | M | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | F | 29.4 | 32 | 33 | 38 | 24 | 38 | 34 | 41 | 45 | 43 | 45 | 51 | 36 | 50 | 53 | 52 | 60 | |
| | P | 29.4 | 32 | 33 | 38 | 24 | 38 | 34 | 41 | 45 | 43 | 45 | 51 | 36 | 50 | 53 | 52 | 60 | |
| C56 OVARY | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | F | 161.8 | 174 | 157 | 181 | 187 | 187 | 212 | 218 | 224 | 243 | 204 | 209 | 228 | 231 | 252 | 267 | 289 | |
| | P | 161.8 | 174 | 157 | 181 | 187 | 187 | 212 | 218 | 224 | 243 | 204 | 209 | 228 | 231 | 252 | 267 | 289 | |
| Mortality | M | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | F | 91.0 | 107 | 85 | 97 | 92 | 95 | 114 | 100 | 113 | 105 | 124 | 98 | 106 | 122 | 108 | 117 | 134 | |
| | P | 91.0 | 107 | 85 | 97 | 92 | 95 | 114 | 100 | 113 | 105 | 124 | 98 | 106 | 122 | 108 | 117 | 134 | |
| C52,C55,C57,C58 OTHER FEMALE GENITAL ORGANS | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | F | 20.8 | 17 | 15 | 22 | 19 | 30 | 23 | 21 | 19 | 18 | 24 | 22 | 27 | 32 | 34 | 27 | 32 | |
| | P | 20.8 | 17 | 15 | 22 | 19 | 30 | 23 | 21 | 19 | 18 | 24 | 22 | 27 | 32 | 34 | 27 | 32 | |

**Table 2. Cancer Incidence and Mortality (Counts) by Site and Sex,
Queensland, 1982 - 2002**

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 |
|---|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Mortality | M | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | F | 7.8 | 15 | 7 | 4 | 6 | 11 | 15 | 8 | 10 | 6 | 5 | 11 | 12 | 10 | 14 | 19 | 8 |
| | P | 7.8 | 15 | 7 | 4 | 6 | 11 | 15 | 8 | 10 | 6 | 5 | 11 | 12 | 10 | 14 | 19 | 8 |
| C61 PROSTATE GLAND | | | | | | | | | | | | | | | | | | |
| Incidence | M | 740.4 | 821 | 859 | 1019 | 1144 | 1242 | 1420 | 1953 | 2114 | 1800 | 1624 | 1588 | 1689 | 1718 | 1789 | 1912 | 2163 |
| | F | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | P | 740.4 | 821 | 859 | 1019 | 1144 | 1242 | 1420 | 1953 | 2114 | 1800 | 1624 | 1588 | 1689 | 1718 | 1789 | 1912 | 2163 |
| Mortality | M | 230.6 | 284 | 305 | 306 | 369 | 368 | 404 | 463 | 481 | 452 | 476 | 435 | 464 | 440 | 512 | 507 | 509 |
| | F | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | P | 230.6 | 284 | 305 | 306 | 369 | 368 | 404 | 463 | 481 | 452 | 476 | 435 | 464 | 440 | 512 | 507 | 509 |
| C62 TESTIS | | | | | | | | | | | | | | | | | | |
| Incidence | M | 59.6 | 52 | 58 | 57 | 73 | 67 | 84 | 93 | 94 | 98 | 96 | 91 | 107 | 108 | 84 | 104 | 135 |
| | F | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | P | 59.6 | 52 | 58 | 57 | 73 | 67 | 84 | 93 | 94 | 98 | 96 | 91 | 107 | 108 | 84 | 104 | 135 |
| Mortality | M | 7.4 | 7 | 7 | 2 | 5 | 5 | 1 | 1 | 5 | 9 | 9 | 7 | 3 | 2 | 4 | 3 | 2 |
| | F | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | P | 7.4 | 7 | 7 | 2 | 5 | 5 | 1 | 1 | 5 | 9 | 9 | 7 | 3 | 2 | 4 | 3 | 2 |
| C60,C63 PENIS AND OTHER & UNSPECIFIED MALE GENITAL ORGANS | | | | | | | | | | | | | | | | | | |
| Incidence | M | 10.6 | 8 | 7 | 11 | 14 | 17 | 16 | 15 | 15 | 21 | 11 | 15 | 18 | 14 | 18 | 23 | 16 |
| | F | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | P | 10.6 | 8 | 7 | 11 | 14 | 17 | 16 | 15 | 15 | 21 | 11 | 15 | 18 | 14 | 18 | 23 | 16 |
| Mortality | M | 2.0 | 6 | 3 | 2 | 4 | 1 | 6 | 2 | 2 | 3 | 3 | 0 | 4 | 3 | 6 | 5 | 3 |
| | F | 0.0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | P | 2.0 | 6 | 3 | 2 | 4 | 1 | 6 | 2 | 2 | 3 | 3 | 0 | 4 | 3 | 6 | 5 | 3 |
| C64-C66,C68 KIDNEY AND OTHER RENAL TRACT | | | | | | | | | | | | | | | | | | |
| Incidence | M | 127.6 | 143 | 134 | 143 | 174 | 179 | 211 | 211 | 212 | 214 | 254 | 248 | 258 | 285 | 307 | 264 | 247 |
| | F | 82.0 | 103 | 109 | 119 | 106 | 132 | 134 | 138 | 139 | 160 | 158 | 151 | 164 | 189 | 171 | 179 | 185 |
| | P | 209.6 | 246 | 243 | 262 | 280 | 311 | 345 | 349 | 351 | 374 | 412 | 399 | 422 | 474 | 478 | 443 | 432 |
| Mortality | M | 53.8 | 67 | 57 | 64 | 66 | 70 | 88 | 77 | 85 | 78 | 95 | 86 | 80 | 100 | 97 | 98 | 91 |
| | F | 36.2 | 47 | 49 | 55 | 57 | 60 | 56 | 64 | 56 | 69 | 60 | 61 | 72 | 72 | 62 | 67 | 73 |
| | P | 90.0 | 114 | 106 | 119 | 123 | 130 | 144 | 141 | 141 | 147 | 155 | 147 | 152 | 172 | 159 | 165 | 164 |
| C67 BLADDER | | | | | | | | | | | | | | | | | | |
| Incidence | M | 285.6 | 327 | 340 | 301 | 340 | 346 | 355 | 379 | 445 | 429 | 432 | 468 | 513 | 464 | 509 | 535 | 513 |
| | F | 93.2 | 114 | 95 | 99 | 114 | 120 | 111 | 142 | 154 | 140 | 151 | 155 | 156 | 155 | 174 | 152 | 171 |
| | P | 378.8 | 441 | 435 | 400 | 454 | 466 | 466 | 521 | 599 | 569 | 583 | 623 | 669 | 619 | 683 | 687 | 684 |
| Mortality | M | 67.0 | 70 | 75 | 94 | 73 | 76 | 76 | 97 | 108 | 94 | 106 | 103 | 98 | 118 | 107 | 115 | 125 |
| | F | 26.0 | 29 | 14 | 25 | 42 | 44 | 33 | 39 | 42 | 49 | 38 | 55 | 38 | 35 | 43 | 52 | 46 |
| | P | 93.0 | 99 | 89 | 119 | 115 | 120 | 109 | 136 | 150 | 143 | 144 | 158 | 136 | 153 | 150 | 167 | 171 |
| C69 EYE & ADNEXA | | | | | | | | | | | | | | | | | | |
| Incidence | M | 16.2 | 21 | 19 | 23 | 16 | 29 | 33 | 33 | 34 | 32 | 35 | 28 | 48 | 31 | 22 | 38 | 31 |
| | F | 9.6 | 16 | 14 | 16 | 18 | 16 | 24 | 21 | 11 | 24 | 22 | 15 | 16 | 23 | 14 | 26 | 17 |
| | P | 25.8 | 37 | 33 | 39 | 34 | 45 | 57 | 54 | 45 | 56 | 57 | 43 | 64 | 54 | 36 | 64 | 48 |
| Mortality | M | 3.0 | 4 | 5 | 2 | 6 | 7 | 2 | 5 | 5 | 4 | 2 | 5 | 3 | 9 | 8 | 2 | 7 |
| | F | 1.8 | 1 | 1 | 6 | 4 | 2 | 12 | 3 | 5 | 5 | 2 | 3 | 3 | 4 | 4 | 4 | 1 |
| | P | 4.8 | 5 | 6 | 8 | 10 | 9 | 14 | 8 | 10 | 9 | 4 | 8 | 6 | 13 | 12 | 6 | 8 |
| C70, C71, C72 BRAIN, MENINGES AND OTHER CENTRAL NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | |
| Incidence | M | 82.2 | 121 | 98 | 101 | 99 | 104 | 106 | 106 | 128 | 134 | 136 | 155 | 133 | 137 | 147 | 149 | 151 |
| | F | 68.4 | 66 | 94 | 84 | 71 | 89 | 90 | 94 | 96 | 84 | 103 | 104 | 98 | 110 | 119 | 124 | 101 |
| | P | 150.6 | 187 | 192 | 185 | 170 | 193 | 196 | 200 | 224 | 218 | 239 | 259 | 231 | 247 | 266 | 273 | 252 |
| Mortality | M | 63.2 | 90 | 70 | 62 | 85 | 79 | 86 | 69 | 92 | 91 | 98 | 126 | 113 | 109 | 116 | 95 | 115 |
| | F | 46.2 | 55 | 73 | 58 | 60 | 61 | 73 | 69 | 80 | 57 | 77 | 85 | 70 | 89 | 89 | 78 | 98 |
| | P | 109.4 | 145 | 143 | 120 | 145 | 140 | 159 | 138 | 172 | 148 | 175 | 211 | 183 | 198 | 205 | 173 | 213 |
| C73 THYROID GLAND | | | | | | | | | | | | | | | | | | |
| Incidence | M | 18.4 | 17 | 18 | 25 | 23 | 28 | 29 | 29 | 31 | 36 | 45 | 41 | 59 | 58 | 52 | 65 | 68 |
| | F | 47.6 | 55 | 52 | 64 | 65 | 66 | 94 | 95 | 93 | 115 | 120 | 137 | 137 | 154 | 185 | 176 | 203 |
| | P | 66.0 | 72 | 70 | 89 | 88 | 94 | 123 | 124 | 124 | 151 | 165 | 178 | 196 | 212 | 237 | 241 | 271 |
| Mortality | M | 3.2 | 4 | 6 | 3 | 9 | 9 | 7 | 4 | 3 | 9 | 5 | 5 | 5 | 5 | 5 | 9 | 10 |
| | F | 4.6 | 2 | 3 | 5 | 9 | 6 | 8 | 3 | 5 | 4 | 8 | 6 | 4 | 8 | 3 | 8 | 5 |
| | P | 7.8 | 6 | 9 | 8 | 18 | 15 | 15 | 7 | 8 | 13 | 13 | 11 | 9 | 13 | 8 | 17 | 15 |
| C74,C75 ADRENAL AND OTHER ENDOCRINE GLANDS | | | | | | | | | | | | | | | | | | |
| Incidence | M | 3.6 | 5 | 7 | 4 | 9 | 4 | 4 | 7 | 14 | 4 | 5 | 11 | 4 | 9 | 7 | 12 | 5 |
| | F | 2.6 | 8 | 4 | 5 | 8 | 4 | 4 | 7 | 8 | 5 | 8 | 6 | 4 | 8 | 6 | 6 | 8 |
| | P | 6.2 | 13 | 11 | 9 | 17 | 8 | 8 | 14 | 22 | 9 | 13 | 17 | 8 | 17 | 13 | 18 | 13 |

**Table 2. Cancer Incidence and Mortality (Counts) by Site and Sex,
Queensland, 1982 - 2002**

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | |
|---|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| Mortality | M | 2.8 | 2 | 1 | 3 | 3 | 2 | 5 | 3 | 3 | 7 | 1 | 2 | 2 | 3 | 6 | 4 | 4 | |
| | F | 0.8 | 3 | 3 | 5 | 4 | 2 | 3 | 4 | 4 | 4 | 3 | 2 | 2 | 4 | 5 | 1 | 7 | |
| | P | 3.6 | 5 | 4 | 8 | 7 | 4 | 8 | 7 | 7 | 11 | 4 | 4 | 4 | 7 | 11 | 5 | 11 | |
| C26, C39,C76,C77,C80 OTHER & ILL-DEFINED SITES AND UNKNOWN PRIMARY SITE | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 185.4 | 194 | 193 | 234 | 232 | 238 | 240 | 247 | 268 | 277 | 299 | 271 | 302 | 264 | 276 | 280 | 320 | |
| | F | 150.0 | 131 | 159 | 185 | 199 | 193 | 198 | 230 | 200 | 265 | 227 | 221 | 254 | 259 | 274 | 229 | 259 | |
| | P | 335.4 | 325 | 352 | 419 | 431 | 431 | 438 | 477 | 468 | 542 | 526 | 492 | 556 | 523 | 550 | 509 | 579 | |
| Mortality | M | 147.6 | 145 | 147 | 192 | 176 | 176 | 165 | 176 | 220 | 195 | 243 | 215 | 229 | 189 | 203 | 187 | 220 | |
| | F | 118.6 | 103 | 122 | 146 | 148 | 155 | 133 | 178 | 164 | 205 | 200 | 163 | 212 | 222 | 215 | 175 | 217 | |
| | P | 266.2 | 248 | 269 | 338 | 324 | 331 | 298 | 354 | 384 | 400 | 443 | 378 | 441 | 411 | 418 | 362 | 437 | |
| M959-M971 ALL LYMPHOMAS | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 169.4 | 189 | 186 | 203 | 240 | 245 | 249 | 276 | 252 | 281 | 299 | 319 | 331 | 340 | 354 | 365 | 381 | |
| | F | 141.8 | 161 | 147 | 191 | 200 | 202 | 207 | 222 | 228 | 210 | 256 | 244 | 283 | 299 | 272 | 320 | 278 | |
| | P | 311.2 | 350 | 333 | 394 | 440 | 447 | 456 | 498 | 480 | 491 | 555 | 563 | 614 | 639 | 626 | 685 | 659 | |
| Mortality | M | 78.8 | 87 | 87 | 99 | 91 | 107 | 115 | 123 | 110 | 119 | 116 | 149 | 139 | 136 | 150 | 120 | 144 | |
| | F | 60.6 | 85 | 63 | 75 | 88 | 78 | 93 | 93 | 92 | 92 | 108 | 120 | 128 | 97 | 108 | 99 | 133 | |
| | P | 139.4 | 172 | 150 | 174 | 179 | 185 | 208 | 216 | 202 | 211 | 224 | 269 | 267 | 233 | 258 | 219 | 277 | |
| M965-M966 HODGKIN'S DISEASE | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 29.6 | 23 | 33 | 30 | 43 | 29 | 31 | 33 | 31 | 26 | 35 | 33 | 36 | 36 | 31 | 40 | 41 | |
| | F | 16.4 | 20 | 23 | 25 | 25 | 21 | 28 | 30 | 26 | 21 | 28 | 29 | 35 | 33 | 23 | 33 | 29 | |
| | P | 46.0 | 43 | 56 | 55 | 68 | 50 | 59 | 63 | 57 | 47 | 63 | 62 | 71 | 69 | 54 | 73 | 70 | |
| Mortality | M | 11.0 | 8 | 8 | 8 | 8 | 8 | 5 | 7 | 6 | 7 | 7 | 10 | 7 | 7 | 4 | 7 | 8 | |
| | F | 5.4 | 5 | 8 | 8 | 3 | 3 | 6 | 5 | 3 | 6 | 2 | 9 | 3 | 1 | 4 | 3 | 7 | |
| | P | 16.4 | 13 | 16 | 16 | 11 | 11 | 11 | 12 | 9 | 13 | 9 | 19 | 10 | 8 | 8 | 10 | 15 | |
| M959,M967-M971 NON-HODGKIN'S LYMPHOMA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 139.8 | 166 | 153 | 173 | 197 | 216 | 218 | 243 | 221 | 255 | 264 | 286 | 295 | 304 | 323 | 325 | 340 | |
| | F | 125.4 | 141 | 124 | 166 | 175 | 181 | 179 | 192 | 202 | 189 | 228 | 215 | 248 | 266 | 249 | 287 | 249 | |
| | P | 265.2 | 307 | 277 | 339 | 372 | 397 | 397 | 435 | 423 | 444 | 492 | 501 | 543 | 570 | 572 | 612 | 589 | |
| Mortality | M | 67.8 | 79 | 79 | 91 | 83 | 99 | 110 | 116 | 104 | 112 | 109 | 139 | 132 | 129 | 146 | 113 | 136 | |
| | F | 55.2 | 80 | 55 | 67 | 85 | 75 | 87 | 88 | 89 | 86 | 106 | 111 | 125 | 96 | 104 | 96 | 126 | |
| | P | 123.0 | 159 | 134 | 158 | 168 | 174 | 197 | 204 | 193 | 198 | 215 | 250 | 257 | 225 | 250 | 209 | 262 | |
| M980-M994 ALL LEUKAEMIAS | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 169.6 | 162 | 185 | 183 | 184 | 216 | 216 | 252 | 264 | 241 | 282 | 239 | 285 | 304 | 284 | 258 | 319 | |
| | F | 112.4 | 123 | 102 | 131 | 157 | 143 | 174 | 169 | 167 | 202 | 192 | 183 | 190 | 201 | 192 | 228 | 212 | |
| | P | 282.0 | 285 | 287 | 314 | 341 | 359 | 390 | 421 | 431 | 443 | 474 | 422 | 475 | 505 | 476 | 486 | 531 | |
| Mortality | M | 88.6 | 81 | 99 | 109 | 114 | 107 | 123 | 129 | 125 | 132 | 134 | 130 | 146 | 139 | 125 | 123 | 143 | |
| | F | 62.8 | 75 | 64 | 85 | 64 | 84 | 98 | 86 | 105 | 81 | 105 | 91 | 103 | 104 | 99 | 90 | 90 | |
| | P | 151.4 | 156 | 163 | 194 | 178 | 191 | 221 | 215 | 230 | 213 | 239 | 221 | 249 | 243 | 224 | 213 | 233 | |
| M982,M994 LYMPHOID LEUKAEMIA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 86.8 | 83 | 95 | 86 | 92 | 89 | 105 | 137 | 125 | 118 | 142 | 111 | 167 | 168 | 143 | 132 | 165 | |
| | F | 50.8 | 60 | 48 | 55 | 75 | 59 | 83 | 89 | 74 | 101 | 94 | 81 | 98 | 101 | 114 | 125 | 115 | |
| | P | 137.6 | 143 | 143 | 141 | 167 | 148 | 188 | 226 | 199 | 219 | 236 | 192 | 265 | 269 | 257 | 257 | 280 | |
| Mortality | M | 29.0 | 23 | 41 | 31 | 41 | 25 | 47 | 42 | 54 | 45 | 51 | 49 | 52 | 52 | 35 | 50 | 49 | |
| | F | 16.8 | 21 | 28 | 27 | 19 | 17 | 33 | 27 | 32 | 28 | 31 | 25 | 41 | 34 | 40 | 33 | 34 | |
| | P | 45.8 | 44 | 69 | 58 | 60 | 42 | 80 | 69 | 86 | 73 | 82 | 74 | 93 | 86 | 75 | 83 | 83 | |
| M986,M9930 MYELOID LEUKAEMIA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 64.6 | 62 | 76 | 82 | 79 | 116 | 100 | 99 | 123 | 110 | 124 | 121 | 107 | 124 | 128 | 118 | 142 | |
| | F | 47.8 | 51 | 46 | 64 | 76 | 73 | 77 | 68 | 80 | 90 | 90 | 93 | 81 | 91 | 70 | 91 | 88 | |
| | P | 112.4 | 113 | 122 | 146 | 155 | 189 | 177 | 167 | 203 | 200 | 214 | 214 | 188 | 215 | 198 | 209 | 230 | |
| Mortality | M | 48.2 | 39 | 45 | 63 | 63 | 72 | 70 | 79 | 61 | 76 | 77 | 71 | 88 | 81 | 78 | 64 | 88 | |
| | F | 37.4 | 44 | 26 | 50 | 39 | 61 | 56 | 50 | 62 | 47 | 68 | 59 | 56 | 57 | 53 | 49 | 52 | |
| | P | 85.6 | 83 | 71 | 113 | 102 | 133 | 126 | 129 | 123 | 123 | 145 | 130 | 144 | 138 | 131 | 113 | 140 | |
| M989 MONOCYTIC LEUKAEMIA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 7.0 | 5 | 2 | 3 | 5 | 4 | 1 | 5 | 3 | 0 | 3 | 1 | 3 | 2 | 4 | 4 | 3 | |
| | F | 5.0 | 3 | 1 | 3 | 1 | 0 | 3 | 2 | 0 | 2 | 2 | 2 | 2 | 3 | 0 | 5 | 4 | |
| | P | 12.0 | 8 | 3 | 6 | 6 | 4 | 4 | 7 | 3 | 2 | 5 | 3 | 5 | 5 | 4 | 9 | 7 | |
| Mortality | M | 4.4 | 7 | 3 | 2 | 6 | 3 | 1 | 3 | 3 | 1 | 0 | 2 | 3 | 0 | 4 | 4 | 1 | |
| | F | 3.4 | 2 | 2 | 2 | 1 | 2 | 1 | 1 | 2 | 1 | 1 | 1 | 2 | 3 | 0 | 3 | 2 | |
| | P | 7.8 | 9 | 5 | 4 | 7 | 5 | 2 | 4 | 5 | 2 | 1 | 3 | 5 | 3 | 4 | 7 | 3 | |
| M9801-M9804,M983-M985,M987-M988,M990-M991,M9931, M9932 OTHER SPECIFIED LEUKAEMIA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 7.4 | 7 | 7 | 8 | 6 | 5 | 5 | 6 | 8 | 8 | 9 | 3 | 6 | 7 | 6 | 4 | 7 | |
| | F | 5.8 | 6 | 4 | 4 | 5 | 7 | 6 | 6 | 9 | 6 | 5 | 7 | 7 | 5 | 5 | 5 | 4 | |
| | P | 13.2 | 13 | 11 | 12 | 11 | 12 | 11 | 12 | 17 | 14 | 14 | 10 | 13 | 12 | 11 | 9 | 11 | |
| Mortality | M | 4.4 | 9 | 7 | 10 | 4 | 7 | 3 | 5 | 6 | 8 | 2 | 7 | 3 | 6 | 7 | 4 | 4 | |

**Table 2. Cancer Incidence and Mortality (Counts) by Site and Sex,
Queensland, 1982 - 2002**

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | |
|--|-----|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|
| | F | 3.2 | 8 | 5 | 4 | 3 | 3 | 6 | 6 | 5 | 3 | 4 | 6 | 3 | 7 | 5 | 3 | 1 | |
| | P | 7.6 | 17 | 12 | 14 | 7 | 10 | 9 | 11 | 11 | 11 | 6 | 13 | 6 | 13 | 12 | 7 | 5 | |
| M9800 UNSPECIFIED LEUKAEMIA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 3.8 | 5 | 5 | 4 | 2 | 2 | 5 | 5 | 5 | 5 | 4 | 3 | 2 | 3 | 3 | 0 | 2 | |
| | F | 3.0 | 3 | 3 | 5 | 0 | 4 | 5 | 4 | 4 | 3 | 1 | 0 | 2 | 1 | 3 | 2 | 1 | |
| | P | 6.8 | 8 | 8 | 9 | 2 | 6 | 10 | 9 | 9 | 8 | 5 | 3 | 4 | 4 | 6 | 2 | 3 | |
| Mortality | M | 2.6 | 3 | 3 | 3 | 0 | 0 | 2 | 0 | 1 | 2 | 4 | 1 | 0 | 0 | 1 | 1 | 1 | |
| | F | 2.0 | 0 | 3 | 2 | 2 | 1 | 2 | 2 | 4 | 2 | 1 | 0 | 1 | 3 | 1 | 2 | 1 | |
| | P | 4.6 | 3 | 6 | 5 | 2 | 1 | 4 | 2 | 5 | 4 | 5 | 1 | 1 | 3 | 2 | 3 | 2 | |
| M973 MYELOMA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 52.6 | 64 | 54 | 67 | 66 | 58 | 72 | 80 | 72 | 72 | 82 | 98 | 131 | 104 | 115 | 110 | 110 | |
| | F | 44.8 | 46 | 41 | 47 | 42 | 50 | 63 | 46 | 53 | 66 | 80 | 65 | 77 | 82 | 98 | 97 | 72 | |
| | P | 97.4 | 110 | 95 | 114 | 108 | 108 | 135 | 126 | 125 | 138 | 162 | 163 | 208 | 186 | 213 | 207 | 182 | |
| Mortality | M | 27.4 | 48 | 40 | 47 | 45 | 45 | 40 | 39 | 50 | 46 | 40 | 54 | 65 | 68 | 65 | 68 | 69 | |
| | F | 25.8 | 29 | 27 | 32 | 43 | 27 | 39 | 33 | 41 | 43 | 51 | 42 | 40 | 38 | 51 | 44 | 46 | |
| | P | 53.2 | 77 | 67 | 79 | 88 | 72 | 79 | 72 | 91 | 89 | 91 | 96 | 105 | 106 | 116 | 112 | 115 | |
| M972,M974,M976 OTHER NEOPLASMS OF LYMPHATIC & HAEMATOPOIETIC TISSUE | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 3.4 | 1 | 2 | 4 | 3 | 2 | 5 | 3 | 4 | 2 | 8 | 8 | 3 | 6 | 15 | 11 | 12 | |
| | F | 2.0 | 2 | 1 | 0 | 0 | 2 | 1 | 2 | 3 | 5 | 1 | 3 | 2 | 5 | 9 | 3 | 10 | |
| | P | 5.4 | 3 | 3 | 4 | 3 | 4 | 6 | 5 | 7 | 7 | 9 | 11 | 5 | 11 | 24 | 14 | 22 | |
| Mortality | M | 0.8 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 0 | 0 | 0 | 5 | 2 | 4 | 1 | 4 | 1 | |
| | F | 0.6 | 0 | 1 | 0 | 0 | 3 | 1 | 0 | 0 | 1 | 0 | 0 | 2 | 0 | 2 | 0 | 2 | |
| | P | 1.4 | 1 | 2 | 3 | 1 | 4 | 3 | 1 | 0 | 1 | 0 | 5 | 4 | 4 | 3 | 4 | 3 | |
| TOTAL MALIGNANT NEOPLASMS (C00-C80) | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 4759.2 | 5521 | 5583 | 5897 | 6190 | 6418 | 6926 | 7736 | 8093 | 8010 | 8142 | 8374 | 8724 | 8645 | 9063 | 9403 | 9804 | |
| | F | 3920.8 | 4522 | 4432 | 4734 | 4944 | 5301 | 5492 | 5820 | 5980 | 6300 | 6465 | 6707 | 7056 | 7288 | 7621 | 7829 | 8134 | |
| | P | 8680.0 | 10043 | 10015 | 10631 | 11134 | 11719 | 12418 | 13556 | 14073 | 14310 | 14607 | 15081 | 15780 | 15933 | 16684 | 17232 | 17938 | |
| Mortality | M | 2264.2 | 2582 | 2634 | 2797 | 2751 | 2838 | 3014 | 3125 | 3356 | 3249 | 3441 | 3439 | 3549 | 3558 | 3682 | 3683 | 3804 | |
| | F | 1595.6 | 1791 | 1766 | 1911 | 1930 | 2091 | 2139 | 2182 | 2263 | 2310 | 2464 | 2496 | 2520 | 2543 | 2595 | 2640 | 2806 | |
| | P | 3859.8 | 4373 | 4400 | 4708 | 4681 | 4929 | 5153 | 5307 | 5619 | 5559 | 5905 | 5935 | 6069 | 6101 | 6277 | 6323 | 6610 | |

Table 3. Cancer Incidence and Mortality (ASR (World)/100,000) by Site and Sex, Queensland, 1982 - 2002

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 |
|--|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| C00 LIP | | | | | | | | | | | | | | | | | | |
| Incidence | M | 7.3 | 8.7 | 11.9 | 9.9 | 9.9 | 7.3 | 7.5 | 10.9 | 11.6 | 11.1 | 10.8 | 10.9 | 12.3 | 6.0 | 5.2 | 6.3 | 7.6 |
| | F | 1.2 | 3.2 | 2.2 | 2.0 | 2.0 | 1.5 | 1.6 | 2.4 | 2.3 | 2.4 | 2.7 | 3.1 | 3.4 | 1.6 | 1.8 | 2.0 | 3.0 |
| | P | 4.2 | 5.9 | 6.9 | 5.8 | 5.9 | 4.3 | 4.4 | 6.6 | 6.9 | 6.6 | 6.7 | 7.0 | 7.7 | 3.8 | 3.5 | 4.1 | 5.2 |
| Mortality | M | 0.1 | 0.1 | 0.3 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 | 0.0 | 0.2 | 0.1 | 0.2 | 0.1 | 0.2 | 0.2 |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 |
| | P | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| C01,C02 TONGUE | | | | | | | | | | | | | | | | | | |
| Incidence | M | 3.0 | 3.2 | 3.1 | 2.7 | 2.8 | 3.7 | 3.9 | 3.2 | 2.3 | 3.1 | 3.2 | 2.7 | 2.7 | 3.0 | 2.4 | 2.7 | 2.8 |
| | F | 0.9 | 1.1 | 1.0 | 1.2 | 1.6 | 1.3 | 0.9 | 1.0 | 1.3 | 1.0 | 1.6 | 1.6 | 1.2 | 1.5 | 1.4 | 0.9 | 1.0 |
| | P | 1.9 | 2.1 | 2.0 | 2.0 | 2.2 | 2.5 | 2.4 | 2.1 | 1.8 | 2.1 | 2.4 | 2.1 | 2.0 | 2.3 | 1.9 | 1.8 | 1.9 |
| Mortality | M | 1.2 | 1.1 | 1.5 | 1.4 | 1.5 | 1.2 | 1.3 | 1.3 | 0.9 | 1.6 | 0.9 | 1.3 | 1.5 | 0.9 | 1.1 | 0.9 | 1.3 |
| | F | 0.2 | 0.4 | 0.6 | 0.5 | 0.5 | 0.4 | 0.2 | 0.3 | 0.5 | 0.6 | 0.3 | 0.2 | 0.3 | 0.4 | 0.6 | 0.6 | 0.4 |
| | P | 0.7 | 0.7 | 1.0 | 0.9 | 1.0 | 0.8 | 0.8 | 0.8 | 0.7 | 1.1 | 0.6 | 0.7 | 0.9 | 0.7 | 0.8 | 0.7 | 0.9 |
| C03 GUM | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.2 | 0.3 | 0.2 | 0.1 | 0.3 | 0.1 | 0.4 | 0.5 | 0.5 | 0.2 | 0.3 | 0.3 | 0.1 | 0.3 | 0.5 | 0.2 | 0.1 |
| | F | 0.2 | 0.2 | 0.1 | 0.2 | 0.0 | 0.0 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.1 | 0.2 | 0.2 | 0.3 | 0.4 | 0.2 |
| | P | 0.2 | 0.3 | 0.1 | 0.2 | 0.1 | 0.1 | 0.3 | 0.3 | 0.4 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.4 | 0.3 | 0.2 |
| Mortality | M | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.2 | 0.1 | 0.2 | 0.1 | 0.2 | 0.0 | 0.2 | 0.0 | 0.1 | 0.2 | 0.2 |
| | F | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.1 | 0.0 | 0.1 | 0.1 |
| | P | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| C04 FLOOR OF MOUTH | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.5 | 1.4 | 0.8 | 1.6 | 1.0 | 0.9 | 1.2 | 1.3 | 1.1 | 1.4 | 1.0 | 1.1 | 1.1 | 1.3 | 1.3 | 0.9 | 0.8 |
| | F | 0.4 | 0.2 | 0.5 | 0.4 | 0.4 | 0.5 | 0.4 | 0.3 | 0.5 | 0.2 | 0.4 | 0.2 | 0.6 | 0.4 | 0.6 | 0.3 | 0.4 |
| | P | 1.0 | 0.8 | 0.6 | 1.0 | 0.7 | 0.7 | 0.8 | 0.8 | 0.8 | 0.8 | 0.7 | 0.6 | 0.9 | 0.9 | 1.0 | 0.6 | 0.6 |
| Mortality | M | 0.5 | 0.4 | 0.5 | 0.5 | 0.5 | 0.2 | 0.4 | 0.4 | 0.3 | 0.6 | 0.6 | 0.4 | 0.5 | 0.5 | 0.5 | 0.4 | 0.2 |
| | F | 0.1 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.2 |
| | P | 0.3 | 0.3 | 0.2 | 0.3 | 0.3 | 0.1 | 0.3 | 0.3 | 0.2 | 0.3 | 0.4 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 |
| C05,C06 PALATE AND OTHER & UNSPECIFIED PARTS OF MOUTH | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.8 | 2.0 | 1.8 | 1.3 | 1.2 | 1.3 | 1.8 | 1.3 | 1.0 | 1.0 | 1.0 | 1.3 | 1.4 | 0.8 | 1.1 | 0.9 | 1.4 |
| | F | 0.5 | 0.7 | 0.4 | 0.8 | 1.2 | 0.8 | 1.1 | 1.3 | 0.6 | 0.7 | 0.6 | 0.9 | 0.6 | 0.5 | 0.9 | 0.3 | 0.5 |
| | P | 1.2 | 1.4 | 1.1 | 1.1 | 1.2 | 1.0 | 1.4 | 1.3 | 0.8 | 0.9 | 0.8 | 1.1 | 1.0 | 0.7 | 1.0 | 0.6 | 0.9 |
| Mortality | M | 0.6 | 0.7 | 0.6 | 0.7 | 0.3 | 0.3 | 0.8 | 0.2 | 0.7 | 0.6 | 0.5 | 0.3 | 0.4 | 0.3 | 0.2 | 0.4 | 0.4 |
| | F | 0.2 | 0.1 | 0.1 | 0.2 | 0.1 | 0.7 | 0.3 | 0.3 | 0.3 | 0.1 | 0.2 | 0.1 | 0.0 | 0.3 | 0.2 | 0.2 | 0.1 |
| | P | 0.4 | 0.4 | 0.4 | 0.5 | 0.2 | 0.5 | 0.5 | 0.3 | 0.5 | 0.4 | 0.4 | 0.2 | 0.2 | 0.3 | 0.2 | 0.3 | 0.3 |
| C07,C08 PAROTID AND OTHER & UNSPECIFIED MAJOR SALIVARY GLANDS | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.1 | 0.8 | 0.8 | 1.4 | 1.1 | 1.1 | 1.1 | 1.3 | 1.2 | 1.1 | 1.3 | 1.4 | 1.3 | 1.2 | 1.2 | 1.1 | 1.1 |
| | F | 0.6 | 0.8 | 0.5 | 0.3 | 0.4 | 0.5 | 1.0 | 0.6 | 0.9 | 0.6 | 0.7 | 0.6 | 0.7 | 0.5 | 0.5 | 0.6 | 0.6 |
| | P | 0.8 | 0.8 | 0.6 | 0.8 | 0.7 | 0.8 | 1.0 | 0.9 | 1.0 | 0.8 | 1.0 | 1.0 | 1.0 | 0.8 | 0.9 | 0.8 | 0.9 |
| Mortality | M | 0.3 | 0.3 | 0.6 | 0.3 | 0.1 | 0.4 | 0.2 | 0.1 | 0.4 | 0.4 | 0.2 | 0.3 | 0.3 | 0.1 | 0.3 | 0.3 | 0.4 |
| | F | 0.1 | 0.2 | 0.0 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.2 |
| | P | 0.2 | 0.2 | 0.3 | 0.2 | 0.1 | 0.3 | 0.1 | 0.1 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.3 |
| C09,C10 TONSIL AND OROPHARYNX | | | | | | | | | | | | | | | | | | |
| Incidence | M | 2.2 | 1.4 | 1.4 | 2.2 | 1.1 | 1.8 | 2.1 | 2.3 | 1.9 | 1.7 | 1.8 | 1.9 | 2.4 | 1.8 | 1.8 | 2.2 | 1.9 |
| | F | 0.5 | 0.7 | 0.5 | 0.4 | 0.7 | 0.4 | 0.3 | 0.6 | 0.4 | 0.5 | 0.3 | 0.4 | 0.4 | 0.7 | 0.5 | 0.5 | 0.6 |
| | P | 1.3 | 1.0 | 1.0 | 1.3 | 0.9 | 1.1 | 1.2 | 1.4 | 1.2 | 1.1 | 1.0 | 1.1 | 1.4 | 1.2 | 1.1 | 1.4 | 1.2 |
| Mortality | M | 1.0 | 1.2 | 0.7 | 0.9 | 0.8 | 0.8 | 0.8 | 1.1 | 1.1 | 1.0 | 0.8 | 0.6 | 0.9 | 0.7 | 0.8 | 0.8 | 1.0 |
| | F | 0.2 | 0.5 | 0.3 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.1 | 0.2 | 0.2 | 0.3 | 0.1 | 0.2 | 0.2 |
| | P | 0.6 | 0.8 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.6 | 0.6 | 0.6 | 0.4 | 0.4 | 0.5 | 0.5 | 0.5 | 0.5 | 0.6 |
| C11 NASOPHARYNX | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.8 | 0.6 | 0.7 | 0.6 | 0.5 | 0.5 | 0.8 | 0.6 | 0.7 | 0.4 | 0.6 | 0.7 | 0.5 | 0.6 | 0.4 | 0.4 | 0.5 |
| | F | 0.3 | 0.4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.6 | 0.2 | 0.3 | 0.3 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 | 0.1 |
| | P | 0.5 | 0.5 | 0.4 | 0.3 | 0.3 | 0.3 | 0.5 | 0.6 | 0.4 | 0.3 | 0.4 | 0.4 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 |
| Mortality | M | 0.4 | 0.4 | 0.3 | 0.4 | 0.3 | 0.3 | 0.4 | 0.5 | 0.5 | 0.2 | 0.4 | 0.5 | 0.4 | 0.4 | 0.2 | 0.1 | 0.1 |
| | F | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.0 |
| | P | 0.3 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.2 | 0.1 | 0.1 |
| C12,C13 PYRIFORM SINUS AND HYPOPHARYNX | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.5 | 2.2 | 1.9 | 1.9 | 1.5 | 1.6 | 1.9 | 1.5 | 1.3 | 2.0 | 1.9 | 1.3 | 1.5 | 1.4 | 1.3 | 1.3 | 0.8 |

Table 3. Cancer Incidence and Mortality (ASR (World)/100,000) by Site and Sex, Queensland, 1982 - 2002

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 |
|--|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Mortality | F | 0.2 | 0.3 | 0.3 | 0.3 | 0.2 | 0.1 | 0.1 | 0.1 | 0.4 | 0.1 | 0.3 | 0.3 | 0.1 | 0.1 | 0.3 | 0.2 | 0.2 |
| | P | 0.8 | 1.2 | 1.1 | 1.1 | 0.8 | 0.8 | 1.0 | 0.8 | 0.9 | 1.0 | 1.1 | 0.8 | 0.8 | 0.8 | 0.8 | 0.8 | 0.5 |
| | M | 0.7 | 1.1 | 1.0 | 1.1 | 1.4 | 0.8 | 1.0 | 1.3 | 0.8 | 0.7 | 0.9 | 1.1 | 0.7 | 0.8 | 0.8 | 0.6 | 0.9 |
| | F | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.2 | 0.0 | 0.3 | 0.1 | 0.1 | 0.1 | 0.2 | 0.3 |
| | P | 0.4 | 0.6 | 0.5 | 0.6 | 0.7 | 0.4 | 0.5 | 0.7 | 0.4 | 0.4 | 0.4 | 0.7 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 |
| C14 OTHER & ILL-DEFINED SITES IN LIP, ORAL CAVITY & PHARYNX | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.5 | 0.4 | 0.6 | 0.7 | 0.5 | 0.8 | 0.5 | 0.6 | 0.4 | 0.5 | 0.8 | 0.3 | 0.6 | 0.4 | 1.0 | 0.7 | 0.5 |
| | F | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.3 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.3 | 0.3 | 0.0 | 0.2 |
| | P | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.5 | 0.4 | 0.4 | 0.2 | 0.3 | 0.4 | 0.2 | 0.4 | 0.3 | 0.6 | 0.3 | 0.3 |
| Mortality | M | 0.2 | 0.2 | 0.2 | 0.4 | 0.4 | 0.4 | 0.6 | 0.5 | 0.3 | 0.1 | 0.2 | 0.3 | 0.3 | 0.2 | 0.4 | 0.4 | 0.2 |
| | F | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| | P | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.4 | 0.3 | 0.2 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 |
| C15 OESOPHAGUS | | | | | | | | | | | | | | | | | | |
| Incidence | M | 3.7 | 5.4 | 5.3 | 3.8 | 4.4 | 5.0 | 5.8 | 5.1 | 5.7 | 5.6 | 5.5 | 4.6 | 4.6 | 6.5 | 6.0 | 5.2 | 5.2 |
| | F | 1.6 | 2.0 | 2.7 | 1.6 | 1.9 | 1.7 | 1.7 | 2.1 | 2.1 | 2.6 | 1.6 | 2.4 | 2.2 | 1.8 | 1.8 | 1.9 | 1.5 |
| | P | 2.6 | 3.6 | 3.9 | 2.7 | 3.2 | 3.3 | 3.6 | 3.5 | 3.8 | 4.1 | 3.5 | 3.5 | 3.4 | 4.1 | 3.8 | 3.5 | 3.3 |
| Mortality | M | 3.1 | 3.3 | 4.4 | 3.8 | 3.0 | 3.8 | 4.9 | 4.2 | 3.9 | 4.3 | 4.5 | 3.2 | 3.9 | 3.5 | 3.8 | 4.0 | 4.0 |
| | F | 1.3 | 1.5 | 1.7 | 1.4 | 1.3 | 1.2 | 1.5 | 1.2 | 1.4 | 1.4 | 1.6 | 1.4 | 1.4 | 1.3 | 1.4 | 1.3 | 1.1 |
| | P | 2.2 | 2.3 | 3.0 | 2.5 | 2.1 | 2.4 | 3.1 | 2.7 | 2.6 | 2.8 | 2.9 | 2.3 | 2.6 | 2.3 | 2.6 | 2.6 | 2.5 |
| C16 STOMACH | | | | | | | | | | | | | | | | | | |
| Incidence | M | 12.0 | 10.9 | 8.3 | 11.4 | 10.5 | 10.6 | 10.1 | 9.6 | 9.4 | 9.1 | 9.5 | 8.5 | 8.6 | 9.3 | 8.8 | 8.0 | 7.8 |
| | F | 4.8 | 5.0 | 3.5 | 3.3 | 3.6 | 4.1 | 4.3 | 4.4 | 3.0 | 4.3 | 4.3 | 4.1 | 3.8 | 3.1 | 4.5 | 3.6 | 3.9 |
| | P | 8.1 | 7.7 | 5.7 | 6.9 | 6.8 | 7.2 | 7.0 | 6.8 | 6.1 | 6.5 | 6.8 | 6.1 | 6.0 | 6.0 | 6.5 | 5.7 | 5.8 |
| Mortality | M | 9.3 | 7.1 | 7.4 | 7.4 | 7.3 | 7.7 | 6.4 | 7.2 | 7.1 | 6.4 | 6.7 | 6.9 | 5.9 | 6.1 | 6.0 | 5.5 | 6.0 |
| | F | 3.6 | 3.2 | 3.3 | 2.5 | 2.4 | 3.4 | 2.8 | 2.7 | 2.6 | 2.3 | 2.4 | 2.7 | 2.3 | 2.0 | 2.1 | 2.3 | 1.9 |
| | P | 6.2 | 5.0 | 5.1 | 4.6 | 4.6 | 5.4 | 4.5 | 4.8 | 4.8 | 4.2 | 4.4 | 4.6 | 4.0 | 3.9 | 3.9 | 3.7 | 3.8 |
| C17 SMALL INTESTINE | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.7 | 1.1 | 0.6 | 0.7 | 0.7 | 1.3 | 0.8 | 1.2 | 0.6 | 0.9 | 1.0 | 1.2 | 1.4 | 1.3 | 1.4 | 1.1 | 1.4 |
| | F | 0.6 | 0.9 | 0.3 | 0.6 | 0.8 | 0.8 | 0.5 | 0.5 | 0.8 | 0.4 | 1.0 | 0.7 | 0.8 | 1.1 | 0.7 | 0.8 | 1.0 |
| | P | 0.7 | 1.0 | 0.5 | 0.6 | 0.8 | 1.0 | 0.6 | 0.8 | 0.7 | 0.6 | 1.0 | 0.9 | 1.1 | 1.2 | 1.1 | 0.9 | 1.2 |
| Mortality | M | 0.4 | 0.4 | 0.4 | 0.5 | 0.4 | 0.3 | 0.6 | 0.4 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.5 | 0.6 | 0.5 | 0.4 |
| | F | 0.3 | 0.3 | 0.4 | 0.3 | 0.2 | 0.5 | 0.3 | 0.6 | 0.4 | 0.2 | 0.2 | 0.5 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 |
| | P | 0.3 | 0.3 | 0.4 | 0.4 | 0.3 | 0.4 | 0.4 | 0.5 | 0.3 | 0.2 | 0.3 | 0.5 | 0.3 | 0.4 | 0.5 | 0.4 | 0.4 |
| C18-C20, C218 COLORECTAL CANCER | | | | | | | | | | | | | | | | | | |
| Incidence | M | 42.9 | 46.6 | 45.2 | 45.6 | 47.3 | 48.7 | 45.4 | 51.0 | 49.3 | 50.3 | 50.4 | 50.8 | 47.6 | 48.9 | 53.1 | 53.2 | 47.3 |
| | F | 34.8 | 33.5 | 32.0 | 34.1 | 30.6 | 34.0 | 35.9 | 35.1 | 36.5 | 34.9 | 36.5 | 34.0 | 36.1 | 35.6 | 34.9 | 33.9 | 35.7 |
| | P | 38.6 | 39.8 | 38.3 | 39.4 | 38.5 | 40.9 | 40.5 | 42.7 | 42.5 | 42.3 | 43.2 | 42.2 | 41.6 | 42.1 | 43.7 | 43.3 | 41.4 |
| Mortality | M | 19.3 | 21.9 | 19.8 | 21.5 | 19.6 | 21.3 | 19.1 | 20.8 | 21.7 | 18.0 | 19.4 | 20.9 | 19.3 | 19.5 | 19.4 | 18.7 | 16.7 |
| | F | 15.4 | 15.2 | 14.7 | 14.3 | 13.9 | 13.6 | 13.1 | 12.6 | 13.2 | 12.6 | 13.1 | 14.9 | 12.8 | 11.7 | 11.9 | 12.0 | 12.1 |
| | P | 17.2 | 18.4 | 17.1 | 17.6 | 16.5 | 17.3 | 15.9 | 16.4 | 17.3 | 15.0 | 16.1 | 17.7 | 16.0 | 15.3 | 15.5 | 15.3 | 14.4 |
| C18 COLON | | | | | | | | | | | | | | | | | | |
| Incidence | M | 28.3 | 31.5 | 30.3 | 30.4 | 31.1 | 32.6 | 28.2 | 32.4 | 30.2 | 30.4 | 29.7 | 31.6 | 29.2 | 30.2 | 33.4 | 33.5 | 28.9 |
| | F | 26.3 | 25.1 | 24.0 | 24.4 | 23.3 | 24.6 | 26.0 | 25.7 | 26.6 | 25.3 | 25.1 | 24.1 | 25.6 | 26.5 | 24.8 | 24.0 | 25.3 |
| | P | 27.2 | 28.2 | 27.0 | 27.2 | 27.0 | 28.4 | 27.0 | 28.9 | 28.2 | 27.7 | 27.3 | 27.7 | 27.3 | 28.3 | 28.9 | 28.7 | 27.1 |
| Mortality | M | 13.1 | 14.0 | 12.5 | 14.6 | 13.0 | 13.6 | 11.6 | 11.7 | 13.4 | 10.4 | 12.2 | 13.5 | 11.4 | 12.3 | 11.6 | 11.8 | 11.4 |
| | F | 11.9 | 11.7 | 11.7 | 10.8 | 10.3 | 10.6 | 9.3 | 9.2 | 9.5 | 9.4 | 9.2 | 10.6 | 8.9 | 8.5 | 8.6 | 8.7 | 8.7 |
| | P | 12.4 | 12.8 | 12.1 | 12.5 | 11.6 | 12.1 | 10.4 | 10.4 | 11.3 | 9.8 | 10.6 | 12.0 | 10.1 | 10.3 | 10.0 | 10.3 | 10.1 |
| C19, C20 RECTOSIGMOID JUNCTION AND RECTUM | | | | | | | | | | | | | | | | | | |
| Incidence | M | 14.5 | 15.0 | 14.7 | 15.0 | 16.1 | 16.1 | 17.1 | 18.5 | 18.9 | 19.7 | 20.5 | 19.0 | 18.3 | 18.3 | 19.4 | 19.5 | 18.1 |
| | F | 8.5 | 8.3 | 8.0 | 9.4 | 7.2 | 9.4 | 9.9 | 9.4 | 9.8 | 9.5 | 11.1 | 9.9 | 10.5 | 8.9 | 9.7 | 9.6 | 10.0 |
| | P | 11.3 | 11.5 | 11.1 | 12.0 | 11.4 | 12.5 | 13.4 | 13.7 | 14.1 | 14.4 | 15.7 | 14.4 | 14.3 | 13.5 | 14.5 | 14.4 | 13.9 |
| Mortality | M | 6.3 | 7.7 | 7.2 | 6.8 | 6.5 | 7.6 | 7.5 | 9.0 | 8.3 | 7.5 | 7.2 | 7.2 | 7.7 | 7.1 | 7.6 | 6.9 | 5.3 |
| | F | 3.4 | 3.4 | 3.0 | 3.5 | 3.6 | 3.0 | 3.8 | 3.4 | 3.7 | 3.2 | 3.8 | 4.3 | 3.9 | 3.1 | 3.1 | 3.2 | 3.3 |
| | P | 4.7 | 5.5 | 4.9 | 5.0 | 4.9 | 5.2 | 5.5 | 6.1 | 5.9 | 5.2 | 5.5 | 5.7 | 5.7 | 5.0 | 5.3 | 5.0 | 4.3 |
| C21 ANUS & ANAL CANAL | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.5 | 0.1 | 0.7 | 0.5 | 0.9 | 0.8 | 0.8 | 0.7 | 0.9 | 1.3 | 1.0 | 0.7 | 0.9 | 1.0 | 0.5 | 0.8 | 1.0 |
| | F | 0.6 | 0.9 | 0.9 | 0.9 | 0.6 | 0.7 | 0.6 | 0.7 | 0.9 | 0.7 | 1.0 | 0.6 | 0.7 | 0.9 | 1.0 | 0.8 | 1.0 |
| | P | 0.6 | 0.5 | 0.8 | 0.7 | 0.8 | 0.8 | 0.7 | 0.7 | 0.9 | 1.0 | 1.0 | 0.7 | 0.8 | 1.0 | 0.8 | 0.8 | 1.0 |

Table 3. Cancer Incidence and Mortality (ASR (World)/100,000) by Site and Sex, Queensland, 1982 - 2002

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | |
|---|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| Mortality | M | 0.1 | 0.3 | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.4 | 0.3 | 0.1 | 0.3 | 0.5 | 0.2 | 0.3 | 0.1 | 0.2 | |
| | F | 0.3 | 0.1 | 0.4 | 0.0 | 0.3 | 0.4 | 0.2 | 0.1 | 0.1 | 0.2 | 0.3 | 0.0 | 0.2 | 0.1 | 0.3 | 0.3 | 0.2 | |
| | P | 0.2 | 0.2 | 0.2 | 0.1 | 0.3 | 0.3 | 0.2 | 0.1 | 0.2 | 0.3 | 0.2 | 0.2 | 0.3 | 0.2 | 0.3 | 0.2 | 0.2 | |
| C22 LIVER & INTRAHEPATIC BILE DUCTS | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.9 | 2.6 | 2.5 | 2.9 | 2.8 | 2.1 | 3.2 | 3.0 | 2.7 | 3.3 | 2.9 | 2.9 | 3.7 | 2.8 | 3.9 | 4.3 | 3.2 | |
| | F | 0.7 | 0.9 | 0.8 | 1.3 | 0.7 | 1.2 | 1.1 | 0.9 | 1.2 | 1.1 | 0.9 | 1.1 | 1.0 | 1.2 | 1.8 | 1.6 | 1.3 | |
| | P | 1.3 | 1.7 | 1.5 | 2.0 | 1.7 | 1.6 | 2.1 | 1.9 | 1.9 | 2.2 | 1.8 | 1.9 | 2.3 | 2.0 | 2.8 | 2.9 | 2.2 | |
| Mortality | M | 1.4 | 2.1 | 1.5 | 2.1 | 2.2 | 1.8 | 2.3 | 2.2 | 2.3 | 2.5 | 2.2 | 2.1 | 2.2 | 2.4 | 2.7 | 3.3 | 2.9 | |
| | F | 0.4 | 1.3 | 0.2 | 0.6 | 0.8 | 0.6 | 1.1 | 0.4 | 0.8 | 0.8 | 0.6 | 0.8 | 0.6 | 1.0 | 1.0 | 1.2 | 0.9 | |
| | P | 0.9 | 1.7 | 0.8 | 1.4 | 1.5 | 1.2 | 1.6 | 1.2 | 1.5 | 1.6 | 1.3 | 1.4 | 1.4 | 1.7 | 1.8 | 2.2 | 1.9 | |
| C23,C24 GALLBLADDER AND OTHER & UNSPECIFIED PARTS OF BILIARY TRACT | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.6 | 1.8 | 1.7 | 1.4 | 1.8 | 1.8 | 2.2 | 1.3 | 2.1 | 2.1 | 1.4 | 2.1 | 1.9 | 2.1 | 1.8 | 1.7 | 2.0 | |
| | F | 2.2 | 2.6 | 2.4 | 2.0 | 2.1 | 2.3 | 2.2 | 2.2 | 2.5 | 2.0 | 2.1 | 2.4 | 1.9 | 1.7 | 1.3 | 1.4 | 1.9 | |
| | P | 1.9 | 2.2 | 2.1 | 1.8 | 2.0 | 2.1 | 2.2 | 1.8 | 2.3 | 2.1 | 1.8 | 2.3 | 1.9 | 1.9 | 1.6 | 1.6 | 2.0 | |
| Mortality | M | 1.3 | 1.0 | 1.3 | 1.3 | 1.1 | 1.6 | 1.1 | 0.9 | 0.9 | 1.2 | 1.5 | 1.5 | 1.7 | 1.0 | 1.3 | 1.0 | 1.3 | |
| | F | 1.7 | 2.3 | 2.2 | 1.5 | 1.6 | 1.9 | 2.2 | 1.1 | 1.9 | 1.8 | 1.9 | 1.9 | 1.5 | 1.1 | 1.1 | 1.0 | 1.2 | |
| | P | 1.5 | 1.7 | 1.8 | 1.4 | 1.4 | 1.8 | 1.7 | 1.0 | 1.5 | 1.5 | 1.7 | 1.7 | 1.6 | 1.1 | 1.2 | 1.0 | 1.2 | |
| C25 PANCREAS | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 6.9 | 6.2 | 6.3 | 6.5 | 7.0 | 6.7 | 6.8 | 6.3 | 7.5 | 6.0 | 6.8 | 7.2 | 6.6 | 6.8 | 7.4 | 6.6 | 6.0 | |
| | F | 4.3 | 4.2 | 4.9 | 4.6 | 4.8 | 4.9 | 4.7 | 4.1 | 3.9 | 5.0 | 4.9 | 4.7 | 5.1 | 5.3 | 4.5 | 4.7 | 4.8 | |
| | P | 5.5 | 5.2 | 5.5 | 5.5 | 5.8 | 5.8 | 5.8 | 5.2 | 5.6 | 5.5 | 5.9 | 5.9 | 5.9 | 6.1 | 5.9 | 5.7 | 5.4 | |
| Mortality | M | 6.1 | 5.5 | 4.9 | 6.5 | 5.4 | 6.4 | 5.5 | 6.4 | 6.7 | 6.5 | 5.8 | 5.8 | 6.1 | 5.8 | 5.6 | 6.6 | 5.8 | |
| | F | 3.8 | 4.0 | 3.6 | 4.3 | 3.9 | 3.7 | 4.9 | 4.0 | 3.2 | 4.4 | 4.4 | 4.3 | 4.2 | 3.9 | 4.3 | 4.1 | 4.1 | |
| | P | 4.8 | 4.7 | 4.3 | 5.3 | 4.7 | 5.0 | 5.2 | 5.2 | 4.8 | 5.4 | 5.0 | 5.0 | 5.1 | 4.8 | 5.0 | 5.3 | 5.0 | |
| C30,C31 NASAL CAVITY & MIDDLE EAR AND ACCESSORY SINUSES | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.7 | 0.3 | 0.8 | 0.7 | 0.9 | 0.5 | 0.8 | 0.8 | 0.7 | 0.7 | 0.7 | 0.6 | 0.5 | 0.6 | 0.4 | 0.6 | 0.4 | |
| | F | 0.4 | 0.3 | 0.2 | 0.5 | 0.4 | 0.4 | 0.2 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | |
| | P | 0.5 | 0.3 | 0.5 | 0.6 | 0.7 | 0.4 | 0.4 | 0.6 | 0.6 | 0.5 | 0.5 | 0.4 | 0.4 | 0.4 | 0.3 | 0.4 | 0.3 | |
| Mortality | M | 0.3 | 0.1 | 0.3 | 0.4 | 0.2 | 0.5 | 0.5 | 0.4 | 0.2 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 | 0.4 | 0.2 | 0.3 | |
| | F | 0.1 | 0.1 | 0.3 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | |
| | P | 0.2 | 0.1 | 0.3 | 0.3 | 0.1 | 0.4 | 0.3 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | |
| C32 LARYNX | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 6.2 | 5.5 | 6.3 | 5.5 | 5.8 | 5.4 | 7.1 | 5.9 | 4.9 | 4.2 | 4.4 | 4.9 | 4.8 | 3.9 | 3.7 | 4.3 | 3.8 | |
| | F | 0.5 | 0.4 | 0.8 | 0.4 | 0.4 | 0.8 | 1.1 | 0.3 | 0.8 | 0.6 | 0.4 | 0.4 | 0.5 | 0.3 | 0.3 | 0.2 | 0.4 | |
| | P | 3.2 | 2.9 | 3.5 | 2.9 | 3.0 | 3.0 | 4.0 | 3.1 | 2.8 | 2.3 | 2.4 | 2.6 | 2.6 | 2.1 | 2.0 | 2.2 | 2.1 | |
| Mortality | M | 1.6 | 2.1 | 1.5 | 1.8 | 1.3 | 2.1 | 1.4 | 1.3 | 1.6 | 1.2 | 1.5 | 1.4 | 1.0 | 1.3 | 1.1 | 1.4 | 1.2 | |
| | F | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.3 | 0.2 | 0.1 | 0.1 | 0.1 | 0.3 | 0.1 | 0.1 | 0.0 | 0.1 | 0.0 | 0.3 | |
| | P | 0.9 | 1.1 | 0.9 | 0.9 | 0.7 | 1.1 | 0.8 | 0.7 | 0.8 | 0.6 | 0.8 | 0.7 | 0.5 | 0.6 | 0.6 | 0.7 | 0.7 | |
| C33,C34 TRACHEA AND BRONCHUS & LUNG | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 55.7 | 55.7 | 52.8 | 52.3 | 48.7 | 48.1 | 49.2 | 47.0 | 44.2 | 44.5 | 45.6 | 45.9 | 43.5 | 44.5 | 41.0 | 40.1 | 37.2 | |
| | F | 13.1 | 13.9 | 13.2 | 13.6 | 15.7 | 17.5 | 15.9 | 16.3 | 16.1 | 15.1 | 18.0 | 17.3 | 18.1 | 16.1 | 17.7 | 19.5 | 19.3 | |
| | P | 32.8 | 33.5 | 31.6 | 31.6 | 31.0 | 31.9 | 31.6 | 30.7 | 29.3 | 29.0 | 31.1 | 30.8 | 30.0 | 29.5 | 28.8 | 29.2 | 27.8 | |
| Mortality | M | 45.0 | 45.0 | 46.1 | 43.1 | 39.8 | 36.7 | 41.6 | 39.0 | 38.0 | 36.6 | 39.6 | 36.6 | 35.7 | 36.6 | 34.2 | 32.5 | 31.9 | |
| | F | 9.9 | 9.6 | 8.9 | 10.9 | 10.9 | 12.3 | 11.6 | 13.3 | 12.0 | 11.2 | 13.4 | 14.1 | 13.7 | 13.7 | 13.3 | 14.1 | 15.1 | |
| | P | 26.0 | 26.1 | 26.2 | 25.6 | 24.1 | 23.6 | 25.6 | 25.3 | 24.0 | 23.2 | 25.6 | 24.6 | 23.9 | 24.5 | 23.1 | 22.7 | 23.0 | |
| C37, C38 THYMUS,HEART,MEDIASTINUM & PLEURA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.4 | 0.5 | 0.5 | 0.7 | 0.4 | 0.6 | 0.5 | 0.6 | 0.7 | 0.6 | 0.6 | 0.7 | 0.5 | 0.5 | 0.4 | 0.6 | 0.7 | |
| | F | 0.2 | 0.2 | 0.5 | 0.3 | 0.2 | 0.1 | 0.2 | 0.1 | 0.2 | 0.3 | 0.4 | 0.2 | 0.3 | 0.3 | 0.1 | 0.2 | 0.4 | |
| | P | 0.3 | 0.4 | 0.5 | 0.5 | 0.3 | 0.4 | 0.3 | 0.3 | 0.4 | 0.5 | 0.5 | 0.5 | 0.4 | 0.4 | 0.3 | 0.4 | 0.5 | |
| Mortality | M | 0.3 | 0.0 | 0.4 | 0.2 | 0.1 | 0.3 | 0.3 | 0.0 | 0.3 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 | 0.3 | 0.1 | 0.2 | |
| | F | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 | 0.1 | 0.0 | 0.2 | 0.2 | 0.1 | 0.2 | 0.1 | 0.0 | 0.2 | 0.0 | 0.1 | 0.1 | |
| | P | 0.2 | 0.1 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.3 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.2 | |
| C40,C41 BONES,JOINTS & ARTICULAR CARTILAGES | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.0 | 1.4 | 1.3 | 1.3 | 1.3 | 1.4 | 1.0 | 0.9 | 1.5 | 1.3 | 1.0 | 1.2 | 0.9 | 0.6 | 1.2 | 1.0 | 1.5 | |
| | F | 0.5 | 0.8 | 0.1 | 0.6 | 0.9 | 1.1 | 1.0 | 0.5 | 0.8 | 1.1 | 0.6 | 0.6 | 0.6 | 0.8 | 1.1 | 0.9 | 1.0 | |
| | P | 0.8 | 1.1 | 0.7 | 0.9 | 1.1 | 1.3 | 1.0 | 0.7 | 1.2 | 1.2 | 0.8 | 0.9 | 0.8 | 0.7 | 1.1 | 1.0 | 1.3 | |
| Mortality | M | 0.4 | 0.2 | 1.1 | 0.6 | 0.3 | 0.4 | 0.8 | 0.5 | 0.4 | 0.3 | 0.3 | 0.4 | 0.7 | 0.4 | 0.3 | 0.4 | 0.5 | |
| | F | 0.3 | 0.2 | 0.1 | 0.1 | 0.2 | 0.3 | 0.2 | 0.3 | 0.2 | 0.4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.4 | 0.1 | 0.2 | |

Table 3. Cancer Incidence and Mortality (ASR (World)/100,000) by Site and Sex, Queensland, 1982 - 2002

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | |
|---|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| P | | 0.3 | 0.2 | 0.6 | 0.4 | 0.2 | 0.4 | 0.5 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.5 | 0.3 | 0.3 | 0.3 | 0.3 | |
| C44, M872-M879 MELANOMA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 37.7 | 48.8 | 48.9 | 45.6 | 44.1 | 43.9 | 48.2 | 45.7 | 48.1 | 51.3 | 53.9 | 58.0 | 56.2 | 51.7 | 56.2 | 56.8 | 59.4 | |
| | F | 35.5 | 40.5 | 37.7 | 37.5 | 35.0 | 35.3 | 36.7 | 33.7 | 35.0 | 39.2 | 41.2 | 42.3 | 41.4 | 39.8 | 40.6 | 41.4 | 43.3 | |
| | P | 36.3 | 44.3 | 43.0 | 41.2 | 39.2 | 39.3 | 42.0 | 39.3 | 41.3 | 44.9 | 47.1 | 49.7 | 48.5 | 45.4 | 48.1 | 48.8 | 51.0 | |
| Mortality | M | 4.9 | 6.5 | 5.9 | 5.4 | 4.6 | 5.4 | 5.8 | 5.7 | 7.0 | 6.2 | 5.0 | 5.4 | 5.9 | 6.0 | 5.7 | 6.2 | 4.9 | |
| | F | 2.6 | 2.9 | 2.2 | 2.6 | 2.5 | 2.6 | 2.2 | 2.9 | 2.3 | 2.5 | 2.5 | 2.6 | 3.1 | 2.9 | 2.3 | 2.1 | 2.1 | |
| | P | 3.7 | 4.5 | 4.0 | 3.9 | 3.5 | 3.9 | 3.9 | 4.2 | 4.6 | 4.2 | 3.6 | 3.9 | 4.4 | 4.4 | 3.9 | 4.1 | 3.4 | |
| C44 OTHER SKIN (EXCL BCC/SCC) | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.0 | 1.9 | 1.1 | 1.8 | 2.1 | 1.7 | 2.8 | 2.2 | 2.2 | 2.3 | 2.0 | 1.8 | 2.1 | 2.1 | 2.1 | 2.2 | 2.4 | |
| | F | 0.5 | 0.7 | 0.9 | 0.7 | 1.0 | 0.5 | 0.9 | 1.3 | 0.8 | 0.6 | 0.8 | 1.0 | 1.2 | 1.2 | 1.2 | 0.9 | 1.4 | |
| | P | 0.7 | 1.3 | 1.0 | 1.2 | 1.5 | 1.1 | 1.8 | 1.7 | 1.5 | 1.4 | 1.4 | 1.4 | 1.6 | 1.6 | 1.6 | 1.5 | 1.8 | |
| Mortality | M | 0.1 | 0.3 | 0.1 | 0.2 | 0.3 | 0.3 | 0.2 | 0.7 | 0.3 | 0.3 | 0.2 | 0.5 | 0.3 | 0.4 | 0.5 | 0.4 | 0.4 | |
| | F | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.1 | 0.1 | 0.2 | 0.1 | 0.2 | 0.3 | |
| | P | 0.0 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.4 | 0.2 | 0.2 | 0.1 | 0.3 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | |
| M905 MESOTHELIOMA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.5 | 1.5 | 2.5 | 1.6 | 2.4 | 2.6 | 1.7 | 2.4 | 3.4 | 2.5 | 2.2 | 3.3 | 3.4 | 3.2 | 3.2 | 3.3 | 3.2 | |
| | F | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 | 0.5 | 0.4 | 0.4 | 0.3 | 0.3 | 0.4 | 0.3 | 0.3 | 0.4 | 0.3 | 1.0 | 0.8 | |
| | P | 0.8 | 0.8 | 1.3 | 0.8 | 1.3 | 1.5 | 1.0 | 1.4 | 1.8 | 1.3 | 1.2 | 1.8 | 1.8 | 1.7 | 1.7 | 2.1 | 1.9 | |
| Mortality | M | 1.2 | 1.7 | 1.7 | 1.5 | 1.7 | 2.0 | 2.1 | 1.6 | 2.6 | 2.4 | 2.3 | 2.4 | 2.5 | 2.8 | 2.8 | 3.1 | 2.6 | |
| | F | 0.1 | 0.0 | 0.4 | 0.1 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.4 | 0.1 | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.6 | |
| | P | 0.6 | 0.9 | 1.0 | 0.7 | 0.9 | 1.1 | 1.1 | 0.9 | 1.4 | 1.4 | 1.2 | 1.3 | 1.4 | 1.5 | 1.5 | 1.7 | 1.5 | |
| M914 KAPOSI'S SARCOMA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.1 | 0.4 | 0.6 | 0.7 | 0.4 | 0.7 | 0.9 | 1.0 | 0.5 | 0.6 | 0.3 | 0.2 | 0.3 | 0.3 | 0.4 | 0.1 | 0.3 | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | |
| | P | 0.0 | 0.2 | 0.3 | 0.4 | 0.2 | 0.4 | 0.4 | 0.5 | 0.3 | 0.4 | 0.2 | 0.1 | 0.1 | 0.2 | 0.2 | 0.0 | 0.2 | |
| Mortality | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| C47,C49 CONNECTIVE TISSUE, PERIPHERAL NERVES | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 2.1 | 2.2 | 1.4 | 2.1 | 2.0 | 1.9 | 1.8 | 1.5 | 1.7 | 2.3 | 2.3 | 2.0 | 2.3 | 1.9 | 2.3 | 2.1 | 2.6 | |
| | F | 1.5 | 0.7 | 1.2 | 1.2 | 2.0 | 1.4 | 1.4 | 1.7 | 1.1 | 1.4 | 2.0 | 1.7 | 2.1 | 1.4 | 1.6 | 1.3 | 1.6 | |
| | P | 1.8 | 1.4 | 1.3 | 1.6 | 2.0 | 1.6 | 1.6 | 1.6 | 1.4 | 1.9 | 2.1 | 1.8 | 2.2 | 1.7 | 2.0 | 1.7 | 2.1 | |
| Mortality | M | 0.9 | 0.5 | 0.5 | 0.8 | 0.6 | 0.7 | 0.9 | 0.6 | 0.5 | 0.8 | 0.6 | 0.8 | 0.6 | 0.4 | 0.2 | 0.8 | 0.9 | |
| | F | 0.7 | 0.3 | 0.5 | 0.4 | 0.5 | 0.4 | 0.6 | 0.5 | 0.3 | 0.5 | 0.7 | 0.5 | 0.5 | 0.4 | 0.4 | 0.6 | 0.3 | |
| | P | 0.8 | 0.4 | 0.5 | 0.6 | 0.6 | 0.5 | 0.7 | 0.6 | 0.4 | 0.7 | 0.6 | 0.6 | 0.6 | 0.4 | 0.3 | 0.7 | 0.6 | |
| C48 RETROPERITONEUM & PERITONEUM | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.2 | 0.1 | 0.2 | 0.3 | 0.4 | 0.4 | 0.1 | 0.2 | 0.4 | 0.2 | 0.2 | 0.4 | 0.2 | 0.3 | 0.3 | 0.2 | 0.3 | |
| | F | 0.4 | 0.1 | 0.1 | 0.3 | 0.1 | 0.4 | 0.5 | 0.2 | 0.4 | 0.7 | 0.5 | 0.5 | 0.7 | 1.0 | 1.0 | 1.3 | 0.7 | |
| | P | 0.3 | 0.1 | 0.2 | 0.3 | 0.2 | 0.4 | 0.3 | 0.2 | 0.4 | 0.5 | 0.3 | 0.5 | 0.5 | 0.7 | 0.7 | 0.7 | 0.5 | |
| Mortality | M | 0.2 | 0.0 | 0.2 | 0.2 | 0.4 | 0.3 | 0.2 | 0.1 | 0.1 | 0.0 | 0.1 | 0.0 | 0.4 | 0.1 | 0.3 | 0.1 | 0.2 | |
| | F | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.3 | 0.2 | 0.4 | 0.4 | 0.3 | 0.3 | 0.5 | |
| | P | 0.2 | 0.1 | 0.2 | 0.2 | 0.3 | 0.2 | 0.1 | 0.1 | 0.0 | 0.0 | 0.2 | 0.1 | 0.4 | 0.2 | 0.4 | 0.2 | 0.4 | |
| C50 BREAST | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.7 | 0.7 | 0.5 | 0.5 | 0.5 | 0.6 | 0.1 | 0.4 | 0.5 | 0.6 | 0.9 | 0.7 | 0.5 | 0.6 | 0.7 | 0.7 | 0.6 | |
| | F | 61.0 | 68.5 | 63.5 | 65.3 | 71.1 | 74.6 | 71.4 | 79.3 | 78.6 | 76.8 | 74.3 | 81.6 | 84.2 | 88.0 | 87.7 | 88.5 | 87.8 | |
| | P | 31.6 | 35.4 | 32.7 | 33.7 | 36.4 | 38.3 | 36.3 | 40.4 | 40.1 | 39.3 | 38.0 | 41.6 | 42.8 | 44.6 | 44.6 | 45.1 | 44.6 | |
| Mortality | M | 0.2 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.0 | 0.3 | 0.2 | 0.3 | 0.1 | 0.0 | 0.0 | 0.2 | 0.2 | 0.0 | |
| | F | 18.3 | 19.3 | 17.8 | 18.5 | 18.4 | 19.1 | 18.5 | 19.5 | 18.6 | 18.3 | 18.0 | 17.2 | 16.9 | 15.8 | 15.1 | 16.4 | 14.7 | |
| | P | 9.7 | 10.1 | 9.3 | 9.7 | 9.6 | 9.9 | 9.6 | 10.1 | 9.8 | 9.6 | 9.4 | 8.9 | 8.8 | 8.2 | 7.8 | 8.5 | 7.6 | |
| C51 VULVA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| | F | 1.5 | 1.4 | 1.2 | 1.4 | 0.9 | 1.7 | 1.4 | 1.2 | 1.4 | 1.4 | 1.4 | 1.8 | 1.2 | 1.1 | 1.0 | 1.6 | 1.4 | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| Mortality | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| | F | 0.3 | 0.2 | 0.3 | 0.2 | 0.4 | 0.5 | 0.3 | 0.3 | 0.4 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.2 | 0.1 | 0.3 | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| C53 CERVIX UTERI | | | | | | | | | | | | | | | | | | | |

Table 3. Cancer Incidence and Mortality (ASR (World)/100,000) by Site and Sex, Queensland, 1982 - 2002

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 |
|--|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Incidence | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 12.7 | 11.4 | 11.2 | 11.6 | 11.2 | 11.3 | 10.5 | 10.8 | 10.2 | 8.6 | 9.5 | 8.0 | 7.3 | 8.4 | 7.1 | 6.5 | 6.0 |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Mortality | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 3.1 | 2.6 | 3.0 | 2.9 | 2.8 | 2.7 | 2.4 | 2.7 | 3.1 | 2.1 | 2.5 | 1.9 | 2.4 | 1.7 | 2.4 | 1.9 | 1.2 |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| C54 CORPUS UTERI | | | | | | | | | | | | | | | | | | |
| Incidence | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 9.6 | 9.8 | 9.3 | 8.4 | 9.6 | 8.4 | 10.7 | 9.5 | 11.5 | 10.2 | 9.1 | 10.3 | 10.2 | 10.4 | 12.5 | 11.5 | 11.7 |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Mortality | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 1.7 | 1.7 | 1.6 | 1.7 | 1.1 | 1.6 | 1.7 | 1.6 | 1.9 | 1.5 | 1.6 | 1.8 | 1.2 | 1.7 | 1.7 | 1.8 | 1.9 |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| C56 OVARY | | | | | | | | | | | | | | | | | | |
| Incidence | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 10.8 | 10.8 | 9.3 | 10.2 | 10.4 | 9.7 | 11.0 | 11.1 | 11.0 | 11.4 | 9.6 | 9.3 | 9.5 | 9.8 | 10.2 | 10.6 | 11.2 |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Mortality | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 5.7 | 6.3 | 4.8 | 5.2 | 4.9 | 4.6 | 5.4 | 4.4 | 5.1 | 4.6 | 5.3 | 3.7 | 4.2 | 4.4 | 3.8 | 3.8 | 4.5 |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| C52,C55,C57,C58 OTHER FEMALE GENITAL ORGANS | | | | | | | | | | | | | | | | | | |
| Incidence | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 1.3 | 1.2 | 0.8 | 1.2 | 1.0 | 1.4 | 1.2 | 1.1 | 0.9 | 0.8 | 1.0 | 0.9 | 1.0 | 1.1 | 1.2 | 0.9 | 1.2 |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Mortality | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0.4 | 0.8 | 0.3 | 0.2 | 0.3 | 0.5 | 0.6 | 0.4 | 0.4 | 0.2 | 0.2 | 0.4 | 0.4 | 0.3 | 0.4 | 0.5 | 0.3 |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| C61 PROSTATE GLAND | | | | | | | | | | | | | | | | | | |
| Incidence | M | 47.7 | 46.9 | 47.6 | 53.8 | 59.1 | 63.0 | 70.1 | 92.0 | 97.7 | 80.7 | 72.0 | 68.3 | 70.4 | 69.1 | 70.3 | 72.2 | 80.2 |
| | F | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Mortality | M | 14.7 | 16.0 | 16.7 | 15.7 | 18.4 | 18.2 | 19.3 | 21.1 | 20.2 | 18.9 | 19.0 | 16.9 | 16.7 | 15.3 | 17.3 | 16.3 | 15.8 |
| | F | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| C62 TESTIS | | | | | | | | | | | | | | | | | | |
| Incidence | M | 4.3 | 3.5 | 3.8 | 3.7 | 4.5 | 4.0 | 4.8 | 5.3 | 5.2 | 5.2 | 5.1 | 4.7 | 5.5 | 5.6 | 4.3 | 5.3 | 7.0 |
| | F | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Mortality | M | 0.5 | 0.5 | 0.5 | 0.1 | 0.3 | 0.3 | 0.0 | 0.1 | 0.3 | 0.4 | 0.4 | 0.4 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 |
| | F | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| C60,C63 PENIS AND OTHER & UNSPECIFIED MALE GENITAL ORGANS | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.7 | 0.5 | 0.4 | 0.7 | 0.8 | 0.9 | 0.8 | 0.8 | 0.7 | 1.0 | 0.5 | 0.7 | 0.7 | 0.6 | 0.7 | 0.9 | 0.6 |
| | F | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Mortality | M | 0.1 | 0.4 | 0.2 | 0.1 | 0.2 | 0.0 | 0.3 | 0.1 | 0.1 | 0.1 | 0.2 | 0.0 | 0.2 | 0.1 | 0.2 | 0.2 | 0.1 |
| | F | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| C64-C66,C68 KIDNEY AND OTHER RENAL TRACT | | | | | | | | | | | | | | | | | | |
| Incidence | M | 9.0 | 9.1 | 8.3 | 8.6 | 9.9 | 10.2 | 11.6 | 11.0 | 11.0 | 10.3 | 12.1 | 11.5 | 11.4 | 12.6 | 12.6 | 10.6 | 9.4 |
| | F | 5.2 | 6.1 | 6.6 | 6.2 | 5.3 | 6.8 | 6.1 | 6.5 | 6.5 | 6.9 | 6.4 | 5.9 | 6.4 | 7.4 | 6.2 | 6.4 | 6.3 |
| | P | 7.0 | 7.5 | 7.3 | 7.2 | 7.5 | 8.5 | 8.8 | 8.7 | 8.6 | 8.5 | 9.2 | 8.6 | 8.9 | 10.0 | 9.3 | 8.5 | 7.8 |
| Mortality | M | 3.7 | 4.2 | 3.4 | 3.8 | 3.6 | 3.7 | 4.6 | 4.0 | 4.2 | 3.7 | 4.4 | 3.8 | 3.4 | 4.2 | 3.7 | 3.7 | 3.2 |
| | F | 2.1 | 2.4 | 2.9 | 2.8 | 2.6 | 2.8 | 2.3 | 2.6 | 2.2 | 2.4 | 2.2 | 1.8 | 2.4 | 2.3 | 2.1 | 1.9 | 2.2 |
| | P | 2.8 | 3.3 | 3.0 | 3.2 | 3.0 | 3.2 | 3.4 | 3.3 | 3.2 | 3.0 | 3.2 | 2.8 | 2.9 | 3.2 | 2.8 | 2.8 | 2.7 |
| C67 BLADDER | | | | | | | | | | | | | | | | | | |
| Incidence | M | 19.2 | 20.4 | 20.0 | 17.0 | 18.6 | 18.6 | 18.6 | 18.8 | 21.4 | 20.2 | 19.6 | 20.5 | 21.0 | 18.5 | 19.4 | 19.9 | 18.5 |
| | F | 5.4 | 6.1 | 4.9 | 5.1 | 5.4 | 5.4 | 4.9 | 6.1 | 6.3 | 5.9 | 5.7 | 5.8 | 5.3 | 5.3 | 6.0 | 4.8 | 5.0 |

Table 3. Cancer Incidence and Mortality (ASR (World)/100,000) by Site and Sex, Queensland, 1982 - 2002

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | |
|--|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| Mortality | P | 11.7 | 12.6 | 11.9 | 10.5 | 11.4 | 11.4 | 11.3 | 11.9 | 13.3 | 12.5 | 12.2 | 12.7 | 12.6 | 11.4 | 12.2 | 12.0 | 11.3 | |
| | M | 4.3 | 4.1 | 4.2 | 5.2 | 3.9 | 3.9 | 3.7 | 4.6 | 4.8 | 4.1 | 4.2 | 4.3 | 3.9 | 4.4 | 3.8 | 3.9 | 3.9 | |
| | F | 1.3 | 1.3 | 0.6 | 1.1 | 1.6 | 1.5 | 1.4 | 1.3 | 1.4 | 1.5 | 1.2 | 1.6 | 1.0 | 0.9 | 1.1 | 1.3 | 1.1 | |
| | P | 2.6 | 2.5 | 2.1 | 2.8 | 2.6 | 2.6 | 2.4 | 2.7 | 2.9 | 2.6 | 2.4 | 2.8 | 2.3 | 2.5 | 2.3 | 2.5 | 2.3 | |
| C69 EYE & ADNEXA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.2 | 1.4 | 1.2 | 1.3 | 1.0 | 1.7 | 2.0 | 1.8 | 1.7 | 1.7 | 1.7 | 1.4 | 2.3 | 1.4 | 1.0 | 1.9 | 1.2 | |
| | F | 0.7 | 0.9 | 0.9 | 1.0 | 0.9 | 0.9 | 1.4 | 1.1 | 0.6 | 1.1 | 1.0 | 0.6 | 0.8 | 1.2 | 0.8 | 1.3 | 0.7 | |
| | P | 1.0 | 1.2 | 1.0 | 1.1 | 0.9 | 1.3 | 1.7 | 1.4 | 1.1 | 1.4 | 1.3 | 1.0 | 1.5 | 1.3 | 0.9 | 1.5 | 1.0 | |
| Mortality | M | 0.2 | 0.3 | 0.3 | 0.1 | 0.3 | 0.4 | 0.1 | 0.2 | 0.3 | 0.2 | 0.1 | 0.2 | 0.1 | 0.4 | 0.3 | 0.1 | 0.2 | |
| | F | 0.1 | 0.0 | 0.1 | 0.3 | 0.2 | 0.1 | 0.6 | 0.1 | 0.2 | 0.1 | 0.1 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.0 | |
| | P | 0.2 | 0.1 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.2 | 0.3 | 0.2 | 0.1 | 0.2 | 0.1 | 0.3 | 0.2 | 0.1 | 0.1 | |
| C70, C71, C72 BRAIN, MENINGES AND OTHER CENTRAL NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 6.2 | 8.2 | 6.8 | 6.7 | 6.0 | 6.4 | 6.5 | 6.2 | 7.2 | 7.5 | 7.0 | 7.9 | 6.5 | 6.7 | 7.2 | 7.0 | 6.9 | |
| | F | 5.0 | 4.3 | 5.8 | 5.3 | 4.3 | 5.7 | 4.8 | 5.4 | 5.1 | 4.4 | 5.1 | 5.1 | 4.7 | 5.0 | 5.5 | 5.4 | 4.5 | |
| | P | 5.6 | 6.3 | 6.3 | 6.0 | 5.1 | 6.0 | 5.6 | 5.8 | 6.1 | 6.0 | 6.0 | 6.5 | 5.6 | 5.9 | 6.4 | 6.2 | 5.7 | |
| Mortality | M | 4.7 | 5.9 | 4.4 | 4.1 | 5.3 | 4.7 | 5.0 | 3.8 | 4.8 | 5.0 | 5.0 | 6.0 | 5.2 | 5.1 | 5.1 | 4.2 | 4.7 | |
| | F | 3.2 | 3.4 | 4.3 | 3.4 | 3.6 | 3.3 | 3.8 | 3.7 | 4.0 | 2.6 | 3.7 | 4.0 | 3.2 | 3.3 | 3.7 | 3.0 | 3.8 | |
| | P | 4.0 | 4.7 | 4.3 | 3.8 | 4.4 | 4.0 | 4.4 | 3.7 | 4.3 | 3.8 | 4.3 | 5.0 | 4.2 | 4.3 | 4.4 | 3.6 | 4.3 | |
| C73 THYROID GLAND | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.3 | 1.1 | 1.2 | 1.6 | 1.3 | 1.6 | 1.6 | 1.6 | 1.6 | 1.8 | 2.3 | 2.0 | 2.7 | 2.7 | 2.3 | 2.9 | 3.0 | |
| | F | 3.3 | 3.8 | 3.3 | 3.8 | 4.1 | 3.9 | 5.1 | 5.3 | 4.8 | 6.0 | 6.1 | 6.6 | 6.7 | 7.1 | 8.8 | 7.8 | 8.6 | |
| | P | 2.3 | 2.4 | 2.2 | 2.7 | 2.6 | 2.7 | 3.4 | 3.4 | 3.2 | 3.9 | 4.2 | 4.3 | 4.7 | 4.9 | 5.5 | 5.3 | 5.8 | |
| Mortality | M | 0.2 | 0.3 | 0.3 | 0.2 | 0.6 | 0.4 | 0.4 | 0.2 | 0.2 | 0.4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.4 | |
| | F | 0.2 | 0.1 | 0.2 | 0.2 | 0.4 | 0.2 | 0.3 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 | 0.3 | 0.1 | 0.3 | 0.2 | |
| | P | 0.2 | 0.2 | 0.2 | 0.2 | 0.5 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.3 | 0.3 | |
| C74,C75 ADRENAL AND OTHER ENDOCRINE GLANDS | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.3 | 0.4 | 0.6 | 0.3 | 0.7 | 0.3 | 0.3 | 0.5 | 1.1 | 0.3 | 0.3 | 0.8 | 0.3 | 0.5 | 0.4 | 0.8 | 0.3 | |
| | F | 0.2 | 0.7 | 0.4 | 0.4 | 0.6 | 0.3 | 0.3 | 0.5 | 0.5 | 0.2 | 0.4 | 0.4 | 0.3 | 0.6 | 0.3 | 0.4 | 0.4 | |
| | P | 0.3 | 0.6 | 0.5 | 0.3 | 0.7 | 0.3 | 0.3 | 0.5 | 0.8 | 0.2 | 0.3 | 0.6 | 0.3 | 0.5 | 0.4 | 0.6 | 0.4 | |
| Mortality | M | 0.2 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.5 | 0.1 | 0.2 | 0.1 | 0.2 | 0.4 | 0.2 | 0.2 | |
| | F | 0.1 | 0.2 | 0.2 | 0.5 | 0.3 | 0.1 | 0.2 | 0.3 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.2 | 0.3 | 0.0 | 0.4 | |
| | P | 0.2 | 0.2 | 0.1 | 0.4 | 0.3 | 0.2 | 0.3 | 0.3 | 0.2 | 0.3 | 0.1 | 0.1 | 0.1 | 0.2 | 0.3 | 0.1 | 0.3 | |
| C26, C39,C76,C77,C80 OTHER & ILL-DEFINED SITES AND UNKNOWN PRIMARY SITE | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 12.7 | 11.8 | 11.3 | 13.4 | 12.7 | 12.9 | 12.7 | 12.2 | 12.9 | 12.9 | 13.6 | 11.7 | 12.6 | 10.6 | 10.5 | 10.6 | 11.6 | |
| | F | 8.2 | 6.8 | 7.4 | 8.9 | 9.0 | 8.1 | 8.5 | 9.3 | 7.6 | 10.3 | 8.2 | 7.7 | 8.5 | 8.5 | 8.7 | 6.6 | 7.2 | |
| | P | 10.2 | 9.0 | 9.3 | 10.9 | 10.7 | 10.4 | 10.4 | 10.7 | 10.1 | 11.4 | 10.8 | 9.6 | 10.5 | 9.5 | 9.6 | 8.5 | 9.4 | |
| Mortality | M | 10.0 | 8.6 | 8.6 | 10.9 | 9.7 | 9.3 | 8.5 | 8.6 | 10.6 | 8.9 | 10.9 | 9.1 | 9.6 | 7.2 | 7.6 | 6.8 | 7.8 | |
| | F | 6.4 | 5.0 | 5.6 | 6.9 | 6.5 | 6.3 | 5.4 | 7.3 | 6.2 | 7.5 | 7.0 | 5.3 | 7.0 | 7.0 | 6.5 | 4.9 | 5.5 | |
| | P | 8.1 | 6.6 | 7.1 | 8.6 | 8.0 | 7.8 | 6.8 | 7.8 | 8.3 | 8.1 | 8.9 | 7.1 | 8.2 | 7.1 | 7.0 | 5.8 | 6.7 | |
| M959-M971 ALL LYMPHOMAS | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 12.1 | 12.3 | 11.8 | 12.0 | 14.0 | 13.8 | 13.7 | 15.2 | 12.8 | 14.0 | 14.7 | 15.4 | 15.0 | 14.6 | 15.1 | 15.5 | 15.1 | |
| | F | 8.9 | 9.1 | 8.5 | 10.3 | 9.7 | 10.2 | 9.8 | 10.5 | 10.5 | 9.4 | 11.2 | 10.2 | 11.7 | 12.1 | 10.8 | 12.1 | 10.4 | |
| | P | 10.4 | 10.6 | 10.1 | 11.0 | 11.9 | 11.8 | 11.8 | 12.8 | 11.6 | 11.6 | 12.9 | 12.7 | 13.3 | 13.2 | 12.8 | 13.8 | 12.6 | |
| Mortality | M | 5.5 | 5.5 | 5.4 | 5.7 | 5.1 | 5.8 | 6.1 | 6.2 | 5.5 | 5.5 | 5.4 | 6.7 | 5.9 | 5.5 | 5.7 | 4.4 | 5.1 | |
| | F | 3.5 | 4.1 | 3.1 | 3.2 | 3.8 | 3.4 | 3.8 | 3.4 | 3.4 | 3.3 | 3.8 | 4.5 | 4.1 | 3.4 | 3.2 | 3.1 | 4.1 | |
| | P | 4.4 | 4.8 | 4.3 | 4.4 | 4.5 | 4.5 | 4.9 | 4.8 | 4.4 | 4.4 | 4.6 | 5.5 | 5.0 | 4.4 | 4.4 | 3.7 | 4.5 | |
| M965-M966 HODGKIN'S DISEASE | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 2.2 | 1.5 | 2.1 | 1.9 | 2.7 | 1.8 | 1.8 | 2.0 | 1.7 | 1.4 | 1.9 | 1.9 | 1.9 | 1.9 | 1.7 | 2.1 | 2.1 | |
| | F | 1.1 | 1.3 | 1.5 | 1.5 | 1.5 | 1.3 | 1.7 | 1.7 | 1.4 | 1.3 | 1.7 | 1.7 | 1.9 | 1.8 | 1.1 | 1.7 | 1.6 | |
| | P | 1.6 | 1.4 | 1.8 | 1.7 | 2.1 | 1.5 | 1.7 | 1.8 | 1.6 | 1.3 | 1.8 | 1.8 | 1.9 | 1.8 | 1.4 | 1.9 | 1.8 | |
| Mortality | M | 0.7 | 0.5 | 0.4 | 0.4 | 0.5 | 0.4 | 0.3 | 0.4 | 0.4 | 0.4 | 0.3 | 0.5 | 0.3 | 0.3 | 0.1 | 0.3 | 0.4 | |
| | F | 0.4 | 0.2 | 0.5 | 0.3 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 | 0.3 | 0.1 | 0.4 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | |
| | P | 0.5 | 0.4 | 0.5 | 0.4 | 0.3 | 0.2 | 0.2 | 0.3 | 0.2 | 0.3 | 0.2 | 0.5 | 0.2 | 0.2 | 0.1 | 0.2 | 0.3 | |
| M959,M967-M971 NON-HODGKIN'S LYMPHOMA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 9.9 | 10.8 | 9.7 | 10.1 | 11.3 | 12.0 | 11.9 | 13.2 | 11.1 | 12.6 | 12.8 | 13.5 | 13.1 | 12.7 | 13.4 | 13.5 | 13.0 | |
| | F | 7.7 | 7.9 | 7.0 | 8.8 | 8.2 | 8.9 | 8.1 | 8.8 | 9.1 | 8.1 | 9.5 | 8.5 | 9.9 | 10.3 | 9.6 | 10.4 | 8.8 | |
| | P | 8.8 | 9.2 | 8.3 | 9.3 | 9.8 | 10.3 | 10.0 | 11.0 | 10.1 | 10.3 | 11.1 | 11.0 | 11.4 | 11.4 | 11.4 | 11.9 | 10.8 | |
| Mortality | M | 4.8 | 5.0 | 5.0 | 5.3 | 4.7 | 5.5 | 5.9 | 5.8 | 5.1 | 5.2 | 5.0 | 6.2 | 5.6 | 5.2 | 5.6 | 4.1 | 4.8 | |

Table 3. Cancer Incidence and Mortality (ASR (World)/100,000) by Site and Sex, Queensland, 1982 - 2002

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 |
|---|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | F | 3.1 | 3.9 | 2.6 | 2.9 | 3.7 | 3.2 | 3.6 | 3.2 | 3.3 | 3.1 | 3.7 | 4.1 | 4.0 | 3.3 | 3.1 | 3.1 | 3.8 |
| | P | 3.9 | 4.4 | 3.8 | 4.0 | 4.2 | 4.3 | 4.6 | 4.5 | 4.2 | 4.1 | 4.4 | 5.0 | 4.8 | 4.2 | 4.3 | 3.6 | 4.2 |
| M980-M994 ALL LEUKAEMIAS | | | | | | | | | | | | | | | | | | |
| Incidence | M | 12.3 | 10.6 | 12.2 | 11.0 | 10.9 | 12.3 | 12.2 | 13.9 | 14.0 | 12.3 | 13.9 | 11.7 | 13.3 | 13.9 | 12.4 | 11.4 | 12.8 |
| | F | 7.0 | 7.4 | 5.5 | 7.0 | 9.2 | 7.6 | 8.5 | 8.7 | 7.8 | 9.3 | 8.5 | 8.2 | 8.1 | 8.0 | 7.9 | 9.1 | 8.2 |
| | P | 9.4 | 8.9 | 8.6 | 8.8 | 9.8 | 9.7 | 10.2 | 11.0 | 10.8 | 10.7 | 11.1 | 9.9 | 10.5 | 10.9 | 10.1 | 10.2 | 10.4 |
| Mortality | M | 6.3 | 5.4 | 6.1 | 6.4 | 6.5 | 5.8 | 6.6 | 6.2 | 6.4 | 6.6 | 6.3 | 5.7 | 6.3 | 5.7 | 4.8 | 4.9 | 5.2 |
| | F | 3.6 | 4.0 | 3.2 | 4.5 | 3.1 | 4.0 | 4.2 | 3.9 | 4.1 | 3.2 | 4.0 | 3.4 | 3.6 | 3.9 | 3.2 | 2.9 | 2.7 |
| | P | 4.9 | 4.7 | 4.5 | 5.3 | 4.7 | 4.8 | 5.3 | 4.8 | 5.2 | 4.8 | 5.1 | 4.5 | 4.9 | 4.7 | 4.0 | 3.8 | 3.9 |
| M982,M994 LYMPHOID LEUKAEMIA | | | | | | | | | | | | | | | | | | |
| Incidence | M | 6.5 | 5.5 | 6.6 | 5.7 | 5.7 | 5.4 | 6.2 | 8.1 | 6.9 | 6.4 | 7.4 | 5.7 | 8.2 | 8.1 | 6.6 | 6.2 | 7.0 |
| | F | 3.4 | 3.9 | 2.6 | 2.9 | 4.8 | 3.5 | 4.6 | 4.9 | 4.0 | 5.1 | 4.6 | 3.7 | 4.5 | 4.0 | 5.0 | 5.1 | 4.7 |
| | P | 4.9 | 4.7 | 4.6 | 4.2 | 5.1 | 4.4 | 5.4 | 6.4 | 5.4 | 5.7 | 6.0 | 4.7 | 6.3 | 6.0 | 5.8 | 5.6 | 5.8 |
| Mortality | M | 2.2 | 1.5 | 2.7 | 1.9 | 2.5 | 1.4 | 2.6 | 2.0 | 2.9 | 2.3 | 2.5 | 2.1 | 2.5 | 2.4 | 1.4 | 2.1 | 1.9 |
| | F | 1.0 | 1.1 | 1.4 | 1.6 | 1.0 | 0.8 | 1.5 | 1.4 | 1.4 | 1.2 | 1.3 | 1.0 | 1.6 | 1.1 | 1.3 | 1.0 | 1.0 |
| | P | 1.6 | 1.3 | 2.0 | 1.6 | 1.7 | 1.0 | 2.1 | 1.6 | 2.1 | 1.7 | 1.9 | 1.5 | 2.0 | 1.8 | 1.3 | 1.5 | 1.4 |
| M986,M9930 MYELOID LEUKAEMIA | | | | | | | | | | | | | | | | | | |
| Incidence | M | 4.5 | 3.9 | 4.9 | 4.5 | 4.5 | 6.2 | 5.4 | 5.0 | 6.4 | 5.4 | 5.7 | 5.6 | 4.6 | 5.4 | 5.2 | 4.9 | 5.3 |
| | F | 2.9 | 2.9 | 2.6 | 3.5 | 4.1 | 3.7 | 3.3 | 3.3 | 3.3 | 3.9 | 3.6 | 4.2 | 3.3 | 3.7 | 2.6 | 3.5 | 3.1 |
| | P | 3.6 | 3.3 | 3.6 | 3.9 | 4.2 | 4.8 | 4.2 | 4.0 | 4.8 | 4.6 | 4.6 | 4.8 | 3.8 | 4.4 | 3.9 | 4.1 | 4.1 |
| Mortality | M | 3.3 | 2.5 | 2.7 | 3.6 | 3.4 | 3.9 | 3.7 | 3.8 | 3.0 | 3.9 | 3.6 | 3.1 | 3.6 | 3.1 | 2.9 | 2.4 | 3.1 |
| | F | 2.2 | 2.3 | 1.4 | 2.6 | 1.9 | 3.0 | 2.3 | 2.1 | 2.4 | 1.8 | 2.6 | 2.1 | 1.9 | 2.3 | 1.8 | 1.6 | 1.6 |
| | P | 2.7 | 2.4 | 2.0 | 3.0 | 2.6 | 3.3 | 3.0 | 2.8 | 2.6 | 2.8 | 3.0 | 2.6 | 2.6 | 2.5 | 2.3 | 2.0 | 2.3 |
| M989 MONOCYTIC LEUKAEMIA | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.5 | 0.3 | 0.1 | 0.1 | 0.3 | 0.2 | 0.1 | 0.3 | 0.2 | 0.0 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 |
| | F | 0.3 | 0.2 | 0.0 | 0.2 | 0.1 | 0.0 | 0.2 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.2 | 0.2 |
| | P | 0.4 | 0.3 | 0.0 | 0.1 | 0.2 | 0.1 | 0.1 | 0.2 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 |
| Mortality | M | 0.3 | 0.5 | 0.2 | 0.1 | 0.3 | 0.2 | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 0.0 | 0.2 | 0.2 | 0.1 |
| | F | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 |
| | P | 0.2 | 0.4 | 0.2 | 0.1 | 0.2 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| M9801-M9804,M983-M985,M987-M988,M990-M991,M9931, M9932 OTHER SPECIFIED LEUKAEMIA | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.5 | 0.5 | 0.3 | 0.5 | 0.3 | 0.2 | 0.2 | 0.3 | 0.4 | 0.4 | 0.5 | 0.1 | 0.3 | 0.3 | 0.3 | 0.2 | 0.3 |
| | F | 0.3 | 0.2 | 0.1 | 0.2 | 0.3 | 0.3 | 0.2 | 0.3 | 0.4 | 0.2 | 0.2 | 0.3 | 0.2 | 0.1 | 0.2 | 0.2 | 0.1 |
| | P | 0.4 | 0.4 | 0.2 | 0.3 | 0.3 | 0.3 | 0.2 | 0.3 | 0.4 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 |
| Mortality | M | 0.3 | 0.7 | 0.4 | 0.5 | 0.3 | 0.3 | 0.2 | 0.2 | 0.3 | 0.4 | 0.1 | 0.3 | 0.1 | 0.3 | 0.3 | 0.2 | 0.1 |
| | F | 0.1 | 0.3 | 0.2 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.0 |
| | P | 0.2 | 0.5 | 0.3 | 0.4 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.3 | 0.1 | 0.2 | 0.2 | 0.1 | 0.1 |
| M9800 UNSPECIFIED LEUKAEMIA | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.3 | 0.3 | 0.3 | 0.2 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 |
| | F | 0.1 | 0.2 | 0.1 | 0.2 | 0.0 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 0.1 | 0.0 |
| | P | 0.2 | 0.3 | 0.2 | 0.2 | 0.0 | 0.1 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 |
| Mortality | M | 0.2 | 0.2 | 0.2 | 0.2 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| | F | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 |
| | P | 0.1 | 0.1 | 0.2 | 0.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 |
| M973 MYELOMA | | | | | | | | | | | | | | | | | | |
| Incidence | M | 3.6 | 4.0 | 3.2 | 3.9 | 3.7 | 3.2 | 3.6 | 4.1 | 3.4 | 3.4 | 3.6 | 4.3 | 5.4 | 4.5 | 4.5 | 4.2 | 3.9 |
| | F | 2.5 | 2.4 | 2.0 | 2.3 | 1.9 | 2.0 | 2.7 | 1.9 | 2.0 | 2.6 | 3.2 | 2.7 | 2.9 | 3.1 | 3.4 | 3.2 | 2.2 |
| | P | 3.0 | 3.1 | 2.6 | 3.0 | 2.7 | 2.6 | 3.1 | 2.9 | 2.6 | 2.9 | 3.3 | 3.5 | 4.0 | 3.8 | 3.9 | 3.7 | 3.0 |
| Mortality | M | 1.9 | 2.8 | 2.3 | 2.6 | 2.5 | 2.3 | 2.0 | 1.8 | 2.3 | 2.0 | 1.6 | 2.3 | 2.7 | 2.6 | 2.4 | 2.5 | 2.3 |
| | F | 1.4 | 1.5 | 1.3 | 1.3 | 1.9 | 1.1 | 1.5 | 1.2 | 1.6 | 1.3 | 1.8 | 1.5 | 1.3 | 1.1 | 1.4 | 1.2 | 1.4 |
| | P | 1.6 | 2.1 | 1.7 | 1.9 | 2.1 | 1.7 | 1.8 | 1.5 | 1.9 | 1.6 | 1.7 | 1.8 | 2.0 | 1.8 | 1.9 | 1.8 | 1.8 |
| M972,M974,M976 OTHER NEOPLASMS OF LYMPHATIC & HAEMATOPOIETIC TISSUE | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.3 | 0.0 | 0.1 | 0.2 | 0.2 | 0.1 | 0.3 | 0.2 | 0.2 | 0.1 | 0.3 | 0.4 | 0.1 | 0.2 | 0.6 | 0.4 | 0.6 |
| | F | 0.2 | 0.1 | 0.1 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.4 | 0.0 | 0.3 |
| | P | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 | 0.1 | 0.2 | 0.5 | 0.2 | 0.5 |
| Mortality | M | 0.1 | 0.0 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.1 | 0.1 | 0.0 | 0.2 | 0.0 |
| | F | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.1 |
| | P | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 |

Table 3. Cancer Incidence and Mortality (ASR (World)/100,000) by Site and Sex, Queensland, 1982 - 2002

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | |
|--|-----|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|
| TOTAL MALIGNANT NEOPLASMS (C00-C80) | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 328.0 | 345.0 | 339.1 | 342.2 | 347.7 | 352.8 | 369.0 | 393.7 | 400.0 | 383.5 | 381.8 | 380.4 | 381.8 | 367.0 | 372.4 | 373.0 | 374.4 | |
| | F | 250.7 | 266.3 | 248.8 | 257.9 | 262.4 | 271.6 | 273.7 | 280.5 | 279.0 | 282.3 | 284.3 | 287.2 | 293.3 | 295.5 | 299.2 | 297.5 | 299.6 | |
| | P | 283.1 | 299.8 | 288.1 | 293.7 | 298.5 | 306.1 | 315.2 | 330.4 | 333.7 | 327.4 | 328.2 | 329.7 | 333.0 | 326.9 | 331.9 | 332.1 | 333.9 | |
| Mortality | M | 153.9 | 157.7 | 155.8 | 159.1 | 150.9 | 151.4 | 157.0 | 155.2 | 159.7 | 150.0 | 153.4 | 150.0 | 147.4 | 142.8 | 141.7 | 136.9 | 134.5 | |
| | F | 93.8 | 96.0 | 90.5 | 93.8 | 92.6 | 95.6 | 95.0 | 94.7 | 93.5 | 90.3 | 95.5 | 94.1 | 91.2 | 88.4 | 86.8 | 85.2 | 87.2 | |
| | P | 120.3 | 123.5 | 119.7 | 122.5 | 118.1 | 120.5 | 123.0 | 121.4 | 123.5 | 117.2 | 121.4 | 119.4 | 116.8 | 113.1 | 111.8 | 109.0 | 108.9 | |

**Table 4. Cancer Incidence and Mortality (ASR (Aust 2001)/100,000) by Site and Sex
Queensland, 1982 - 2002**

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | |
|--|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| C00 LIP | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 10.0 | 11.9 | 16.7 | 14.1 | 13.4 | 10.3 | 11.5 | 15.7 | 17.2 | 15.8 | 15.1 | 15.2 | 17.9 | 8.8 | 7.5 | 8.8 | 10.8 | |
| | F | 1.8 | 4.6 | 3.1 | 3.4 | 3.1 | 2.1 | 2.2 | 3.9 | 3.7 | 3.6 | 4.7 | 5.0 | 5.4 | 2.5 | 2.8 | 3.2 | 4.3 | |
| | P | 5.7 | 8.1 | 9.5 | 8.5 | 8.1 | 5.9 | 6.5 | 9.6 | 10.1 | 9.4 | 9.7 | 10.1 | 11.4 | 5.4 | 5.0 | 5.9 | 7.4 | |
| Mortality | M | 0.3 | 0.1 | 0.5 | 0.3 | 0.2 | 0.1 | 0.2 | 0.4 | 0.5 | 0.5 | 0.0 | 0.3 | 0.2 | 0.4 | 0.2 | 0.2 | 0.3 | |
| | F | 0.1 | 0.0 | 0.0 | 0.1 | 0.2 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.0 | |
| | P | 0.1 | 0.0 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.0 | 0.2 | 0.2 | 0.3 | 0.2 | 0.1 | 0.2 | |
| C01,C02 TONGUE | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 4.1 | 4.5 | 4.2 | 3.9 | 4.0 | 5.3 | 5.2 | 4.4 | 3.2 | 4.2 | 4.2 | 3.6 | 3.8 | 4.3 | 3.3 | 4.0 | 4.0 | |
| | F | 1.3 | 1.5 | 1.3 | 1.8 | 2.1 | 2.0 | 1.3 | 1.5 | 1.8 | 1.4 | 2.3 | 2.2 | 1.8 | 2.2 | 1.9 | 1.3 | 1.4 | |
| | P | 2.7 | 2.9 | 2.7 | 2.8 | 3.0 | 3.6 | 3.3 | 2.9 | 2.5 | 2.8 | 3.3 | 2.9 | 2.8 | 3.3 | 2.6 | 2.6 | 2.7 | |
| Mortality | M | 1.7 | 1.6 | 2.2 | 2.0 | 2.2 | 1.8 | 1.7 | 1.9 | 1.4 | 2.4 | 1.2 | 1.9 | 2.3 | 1.4 | 1.6 | 1.4 | 1.8 | |
| | F | 0.4 | 0.7 | 0.9 | 0.8 | 0.6 | 0.7 | 0.4 | 0.4 | 0.7 | 0.8 | 0.5 | 0.4 | 0.6 | 0.7 | 1.0 | 0.8 | 0.7 | |
| | P | 1.0 | 1.1 | 1.5 | 1.4 | 1.3 | 1.2 | 1.1 | 1.1 | 1.1 | 1.6 | 0.8 | 1.1 | 1.4 | 1.1 | 1.3 | 1.1 | 1.2 | |
| C03 GUM | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.3 | 0.4 | 0.3 | 0.1 | 0.4 | 0.1 | 0.7 | 0.7 | 0.9 | 0.4 | 0.4 | 0.4 | 0.2 | 0.6 | 0.5 | 0.3 | 0.2 | |
| | F | 0.3 | 0.4 | 0.3 | 0.3 | 0.1 | 0.1 | 0.4 | 0.3 | 0.3 | 0.2 | 0.3 | 0.1 | 0.4 | 0.3 | 0.3 | 0.4 | 0.3 | |
| | P | 0.3 | 0.4 | 0.3 | 0.2 | 0.2 | 0.1 | 0.5 | 0.5 | 0.6 | 0.3 | 0.3 | 0.2 | 0.3 | 0.4 | 0.4 | 0.4 | 0.2 | |
| Mortality | M | 0.1 | 0.1 | 0.2 | 0.1 | 0.2 | 0.0 | 0.3 | 0.2 | 0.4 | 0.2 | 0.3 | 0.0 | 0.2 | 0.0 | 0.1 | 0.3 | 0.2 | |
| | F | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | |
| | P | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.2 | 0.1 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | |
| C04 FLOOR OF MOUTH | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 2.0 | 1.7 | 1.1 | 2.0 | 1.3 | 1.3 | 1.6 | 1.6 | 1.4 | 1.7 | 1.5 | 1.5 | 1.4 | 1.6 | 1.8 | 1.1 | 0.9 | |
| | F | 0.6 | 0.4 | 0.7 | 0.5 | 0.5 | 0.7 | 0.5 | 0.5 | 0.6 | 0.4 | 0.6 | 0.3 | 0.8 | 0.6 | 0.8 | 0.4 | 0.6 | |
| | P | 1.3 | 1.0 | 0.8 | 1.3 | 0.9 | 1.0 | 1.0 | 1.0 | 1.0 | 1.1 | 1.0 | 0.9 | 1.1 | 1.1 | 1.3 | 0.8 | 0.8 | |
| Mortality | M | 0.7 | 0.5 | 0.6 | 0.7 | 0.6 | 0.3 | 0.7 | 0.6 | 0.5 | 0.7 | 0.8 | 0.6 | 0.6 | 0.7 | 0.7 | 0.4 | 0.3 | |
| | F | 0.2 | 0.2 | 0.0 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.2 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | |
| | P | 0.4 | 0.3 | 0.3 | 0.4 | 0.4 | 0.2 | 0.4 | 0.4 | 0.3 | 0.4 | 0.5 | 0.4 | 0.3 | 0.5 | 0.5 | 0.3 | 0.3 | |
| C05,C06 PALATE AND OTHER & UNSPECIFIED PARTS OF MOUTH | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 2.5 | 2.8 | 2.5 | 1.7 | 1.5 | 1.6 | 2.7 | 1.6 | 1.4 | 1.3 | 1.4 | 1.8 | 2.0 | 1.3 | 1.5 | 1.3 | 1.9 | |
| | F | 0.8 | 1.3 | 0.6 | 1.2 | 1.7 | 1.2 | 1.6 | 1.9 | 0.9 | 1.1 | 0.9 | 1.3 | 0.9 | 0.9 | 1.2 | 0.6 | 0.7 | |
| | P | 1.6 | 2.0 | 1.5 | 1.5 | 1.7 | 1.4 | 2.1 | 1.8 | 1.2 | 1.2 | 1.2 | 1.5 | 1.5 | 1.1 | 1.3 | 1.0 | 1.3 | |
| Mortality | M | 0.9 | 0.9 | 0.8 | 1.1 | 0.5 | 0.4 | 1.1 | 0.4 | 1.0 | 0.9 | 0.7 | 0.7 | 0.6 | 0.4 | 0.4 | 0.5 | 0.4 | |
| | F | 0.3 | 0.3 | 0.2 | 0.5 | 0.3 | 1.1 | 0.4 | 0.4 | 0.5 | 0.2 | 0.5 | 0.2 | 0.1 | 0.5 | 0.4 | 0.4 | 0.3 | |
| | P | 0.6 | 0.6 | 0.5 | 0.8 | 0.4 | 0.8 | 0.8 | 0.4 | 0.7 | 0.5 | 0.6 | 0.4 | 0.3 | 0.5 | 0.4 | 0.5 | 0.4 | |
| C07,C08 PAROTID AND OTHER & UNSPECIFIED MAJOR SALIVARY GLANDS | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.8 | 1.3 | 1.4 | 2.1 | 1.7 | 1.7 | 1.9 | 2.2 | 2.1 | 1.6 | 1.8 | 2.0 | 2.2 | 1.8 | 1.8 | 2.1 | 1.9 | |
| | F | 0.8 | 1.0 | 0.8 | 0.7 | 0.5 | 0.8 | 1.4 | 0.9 | 1.3 | 1.0 | 0.8 | 0.9 | 1.1 | 0.8 | 0.7 | 1.0 | 0.8 | |
| | P | 1.2 | 1.1 | 1.1 | 1.3 | 1.0 | 1.3 | 1.6 | 1.4 | 1.6 | 1.3 | 1.3 | 1.4 | 1.6 | 1.2 | 1.2 | 1.4 | 1.3 | |
| Mortality | M | 0.5 | 0.5 | 1.1 | 0.4 | 0.4 | 0.8 | 0.4 | 0.3 | 0.7 | 0.9 | 0.4 | 0.6 | 0.5 | 0.3 | 0.5 | 0.6 | 0.8 | |
| | F | 0.2 | 0.3 | 0.1 | 0.3 | 0.2 | 0.2 | 0.1 | 0.1 | 0.4 | 0.3 | 0.3 | 0.2 | 0.2 | 0.3 | 0.3 | 0.1 | 0.3 | |
| | P | 0.3 | 0.4 | 0.5 | 0.4 | 0.3 | 0.5 | 0.2 | 0.2 | 0.6 | 0.5 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.3 | 0.6 | |
| C09,C10 TONSIL AND OROPHARYNX | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 2.8 | 2.0 | 2.0 | 2.8 | 1.4 | 2.4 | 2.7 | 3.1 | 2.6 | 2.5 | 2.4 | 2.4 | 3.1 | 2.5 | 2.4 | 2.9 | 2.6 | |
| | F | 0.7 | 0.8 | 0.7 | 0.6 | 1.0 | 0.6 | 0.4 | 0.8 | 0.6 | 0.8 | 0.4 | 0.6 | 0.6 | 0.8 | 0.6 | 0.7 | 0.8 | |
| | P | 1.7 | 1.4 | 1.4 | 1.7 | 1.2 | 1.5 | 1.5 | 1.9 | 1.6 | 1.6 | 1.4 | 1.5 | 1.9 | 1.6 | 1.5 | 1.8 | 1.7 | |
| Mortality | M | 1.4 | 1.6 | 0.9 | 1.2 | 1.1 | 1.1 | 1.1 | 1.4 | 1.3 | 1.5 | 1.2 | 0.8 | 1.3 | 0.9 | 1.1 | 1.2 | 1.2 | |
| | F | 0.4 | 0.5 | 0.4 | 0.1 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.3 | 0.2 | 0.3 | 0.2 | 0.5 | 0.2 | 0.2 | 0.2 | |
| | P | 0.9 | 1.0 | 0.6 | 0.6 | 0.8 | 0.7 | 0.7 | 0.8 | 0.8 | 0.8 | 0.7 | 0.6 | 0.7 | 0.7 | 0.6 | 0.7 | 0.7 | |
| C11 NASOPHARYNX | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.1 | 0.8 | 0.7 | 0.8 | 0.7 | 0.8 | 1.1 | 1.1 | 0.9 | 0.5 | 0.7 | 0.9 | 0.6 | 0.7 | 0.6 | 0.4 | 0.6 | |
| | F | 0.3 | 0.5 | 0.2 | 0.2 | 0.3 | 0.2 | 0.2 | 0.7 | 0.3 | 0.3 | 0.4 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | |
| | P | 0.7 | 0.6 | 0.5 | 0.5 | 0.5 | 0.5 | 0.6 | 0.8 | 0.6 | 0.6 | 0.4 | 0.6 | 0.5 | 0.4 | 0.5 | 0.4 | 0.3 | |
| Mortality | M | 0.7 | 0.5 | 0.4 | 0.6 | 0.5 | 0.5 | 0.7 | 0.8 | 0.7 | 0.3 | 0.5 | 0.7 | 0.4 | 0.6 | 0.2 | 0.1 | 0.1 | |
| | F | 0.2 | 0.1 | 0.3 | 0.1 | 0.2 | 0.0 | 0.2 | 0.1 | 0.2 | 0.3 | 0.1 | 0.2 | 0.2 | 0.2 | 0.3 | 0.1 | 0.1 | |
| | P | 0.4 | 0.3 | 0.4 | 0.3 | 0.3 | 0.2 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 | 0.4 | 0.3 | 0.4 | 0.3 | 0.1 | 0.1 | |
| C12,C13 PYRIFORM SINUS AND HYPOPHARYNX | | | | | | | | | | | | | | | | | | | |

**Table 4. Cancer Incidence and Mortality (ASR (Aust 2001)/100,000) by Site and Sex
Queensland, 1982 - 2002**

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | |
|--|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| Incidence | M | 2.1 | 3.1 | 2.7 | 2.7 | 1.9 | 2.1 | 2.6 | 2.2 | 1.7 | 2.6 | 2.4 | 1.9 | 2.1 | 2.0 | 1.9 | 2.0 | 1.2 | |
| | F | 0.3 | 0.4 | 0.4 | 0.5 | 0.2 | 0.2 | 0.1 | 0.2 | 0.5 | 0.2 | 0.4 | 0.4 | 0.2 | 0.1 | 0.4 | 0.3 | 0.3 | |
| | P | 1.1 | 1.6 | 1.4 | 1.6 | 1.0 | 1.1 | 1.3 | 1.1 | 1.1 | 1.4 | 1.4 | 1.1 | 1.1 | 1.0 | 1.2 | 1.1 | 0.7 | |
| Mortality | M | 1.1 | 1.4 | 1.7 | 1.5 | 2.0 | 1.1 | 1.6 | 1.8 | 1.1 | 0.8 | 1.3 | 1.6 | 1.1 | 1.2 | 1.1 | 1.2 | 1.5 | |
| | F | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.3 | 0.1 | 0.4 | 0.1 | 0.1 | 0.1 | 0.3 | 0.4 | |
| | P | 0.6 | 0.8 | 0.8 | 0.8 | 1.0 | 0.6 | 0.8 | 0.9 | 0.6 | 0.6 | 0.7 | 1.0 | 0.6 | 0.6 | 0.6 | 0.7 | 0.9 | |
| C14 OTHER & ILL-DEFINED SITES IN LIP, ORAL CAVITY & PHARYNX | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.7 | 0.6 | 0.7 | 1.1 | 0.7 | 1.3 | 0.6 | 0.9 | 0.5 | 0.9 | 1.1 | 0.6 | 1.0 | 0.5 | 1.3 | 0.9 | 0.7 | |
| | F | 0.1 | 0.2 | 0.2 | 0.1 | 0.3 | 0.3 | 0.4 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.5 | 0.5 | 0.1 | 0.2 | |
| | P | 0.4 | 0.4 | 0.4 | 0.6 | 0.5 | 0.7 | 0.5 | 0.5 | 0.3 | 0.5 | 0.5 | 0.4 | 0.6 | 0.5 | 0.9 | 0.5 | 0.4 | |
| Mortality | M | 0.3 | 0.5 | 0.3 | 0.6 | 0.6 | 0.8 | 0.7 | 0.6 | 0.5 | 0.1 | 0.4 | 0.5 | 0.6 | 0.2 | 0.5 | 0.6 | 0.3 | |
| | F | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.2 | 0.2 | |
| | P | 0.2 | 0.3 | 0.2 | 0.3 | 0.3 | 0.4 | 0.5 | 0.3 | 0.3 | 0.1 | 0.2 | 0.3 | 0.3 | 0.2 | 0.3 | 0.4 | 0.2 | |
| C15 OESOPHAGUS | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 5.7 | 8.9 | 8.6 | 5.8 | 6.5 | 7.5 | 9.3 | 8.0 | 8.7 | 8.4 | 8.9 | 7.6 | 8.1 | 10.4 | 9.1 | 8.2 | 8.3 | |
| | F | 2.8 | 3.3 | 4.8 | 2.9 | 3.5 | 3.0 | 3.0 | 3.8 | 3.3 | 4.2 | 2.8 | 4.1 | 3.7 | 3.1 | 3.5 | 3.4 | 2.5 | |
| | P | 4.2 | 5.8 | 6.5 | 4.4 | 5.0 | 5.1 | 5.9 | 5.7 | 5.9 | 6.2 | 5.5 | 5.8 | 5.7 | 6.5 | 6.2 | 5.7 | 5.2 | |
| Mortality | M | 4.9 | 5.4 | 7.3 | 5.7 | 4.6 | 5.8 | 7.7 | 6.7 | 6.3 | 6.6 | 7.7 | 5.1 | 6.7 | 6.1 | 6.9 | 6.6 | 6.8 | |
| | F | 2.3 | 2.6 | 2.9 | 2.5 | 2.3 | 2.4 | 2.7 | 2.3 | 2.6 | 2.7 | 2.6 | 2.7 | 2.5 | 2.3 | 2.5 | 2.7 | 2.4 | |
| | P | 3.6 | 3.9 | 4.8 | 4.0 | 3.4 | 4.0 | 5.0 | 4.3 | 4.3 | 4.6 | 4.8 | 4.0 | 4.5 | 4.0 | 4.5 | 4.5 | 4.4 | |
| C16 STOMACH | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 20.9 | 19.7 | 14.9 | 21.2 | 18.4 | 17.8 | 17.0 | 16.7 | 15.6 | 16.1 | 15.9 | 15.0 | 14.4 | 16.9 | 14.6 | 13.5 | 13.4 | |
| | F | 8.8 | 8.5 | 6.0 | 6.1 | 6.2 | 7.1 | 7.2 | 7.7 | 5.7 | 7.7 | 7.7 | 6.8 | 6.0 | 5.4 | 7.0 | 6.1 | 6.6 | |
| | P | 14.1 | 13.4 | 9.8 | 12.4 | 11.6 | 11.9 | 11.6 | 11.7 | 10.4 | 11.3 | 11.5 | 10.4 | 9.7 | 10.4 | 10.5 | 9.5 | 9.7 | |
| Mortality | M | 16.8 | 13.5 | 14.3 | 14.5 | 13.9 | 14.0 | 10.9 | 13.2 | 11.8 | 11.9 | 12.0 | 12.5 | 10.4 | 11.3 | 10.8 | 10.1 | 10.4 | |
| | F | 6.9 | 5.8 | 6.0 | 4.8 | 4.3 | 6.1 | 5.1 | 5.1 | 4.8 | 4.5 | 4.6 | 4.8 | 4.0 | 3.7 | 3.7 | 4.0 | 3.4 | |
| | P | 11.2 | 9.0 | 9.4 | 8.7 | 8.3 | 9.6 | 7.7 | 8.6 | 8.1 | 7.7 | 7.9 | 8.2 | 6.9 | 7.0 | 6.9 | 6.6 | 6.6 | |
| C17 SMALL INTESTINE | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.2 | 1.6 | 0.9 | 1.0 | 1.2 | 1.8 | 1.1 | 1.7 | 0.9 | 1.4 | 1.5 | 1.9 | 2.1 | 2.2 | 2.1 | 1.8 | 2.2 | |
| | F | 0.9 | 1.2 | 0.5 | 0.9 | 1.2 | 1.2 | 0.8 | 0.8 | 1.1 | 0.6 | 1.4 | 0.9 | 1.1 | 1.6 | 1.1 | 1.2 | 1.6 | |
| | P | 1.0 | 1.4 | 0.7 | 1.0 | 1.1 | 1.5 | 1.0 | 1.2 | 1.0 | 1.0 | 1.4 | 1.4 | 1.6 | 1.9 | 1.6 | 1.5 | 1.9 | |
| Mortality | M | 0.6 | 0.7 | 0.7 | 0.7 | 0.7 | 0.6 | 1.1 | 0.6 | 0.3 | 0.6 | 0.7 | 0.8 | 0.9 | 0.8 | 0.9 | 1.0 | 0.6 | |
| | F | 0.5 | 0.4 | 0.7 | 0.4 | 0.4 | 0.8 | 0.6 | 0.8 | 0.6 | 0.3 | 0.4 | 0.7 | 0.3 | 0.4 | 0.7 | 0.5 | 0.6 | |
| | P | 0.5 | 0.5 | 0.7 | 0.6 | 0.5 | 0.7 | 0.8 | 0.7 | 0.5 | 0.4 | 0.5 | 0.7 | 0.6 | 0.6 | 0.8 | 0.7 | 0.6 | |
| C18-C20, C218 COLORECTAL CANCER | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 68.4 | 72.7 | 71.5 | 73.3 | 75.2 | 77.5 | 70.5 | 80.8 | 77.4 | 78.2 | 78.8 | 79.6 | 75.4 | 77.2 | 84.1 | 84.9 | 76.2 | |
| | F | 54.9 | 53.5 | 52.4 | 53.6 | 48.5 | 53.3 | 56.5 | 55.6 | 57.3 | 55.5 | 57.4 | 54.9 | 57.2 | 56.9 | 56.3 | 54.9 | 57.8 | |
| | P | 60.9 | 62.5 | 61.1 | 62.4 | 60.6 | 64.3 | 62.9 | 67.1 | 66.4 | 66.1 | 67.4 | 66.7 | 65.7 | 66.5 | 69.3 | 69.2 | 66.4 | |
| Mortality | M | 32.9 | 35.9 | 32.6 | 37.3 | 33.4 | 36.4 | 33.2 | 34.7 | 36.1 | 32.3 | 32.8 | 34.7 | 32.8 | 34.1 | 32.6 | 31.1 | 28.5 | |
| | F | 25.8 | 26.4 | 25.1 | 25.2 | 22.9 | 23.8 | 22.5 | 21.0 | 22.7 | 21.4 | 22.7 | 24.7 | 22.0 | 20.5 | 20.8 | 20.9 | 21.5 | |
| | P | 29.0 | 30.9 | 28.5 | 30.4 | 27.5 | 29.6 | 27.2 | 27.1 | 28.8 | 25.9 | 27.4 | 29.2 | 27.0 | 26.7 | 26.3 | 25.8 | 24.9 | |
| C18 COLON | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 45.6 | 49.3 | 48.1 | 49.2 | 49.3 | 52.0 | 44.5 | 52.1 | 48.2 | 48.6 | 47.1 | 50.9 | 48.3 | 49.4 | 54.2 | 54.3 | 47.8 | |
| | F | 41.6 | 39.7 | 39.5 | 38.9 | 37.3 | 39.4 | 41.3 | 41.7 | 42.1 | 40.6 | 40.1 | 39.2 | 41.5 | 42.7 | 41.2 | 39.7 | 41.7 | |
| | P | 43.3 | 44.2 | 43.4 | 43.5 | 42.7 | 45.2 | 42.7 | 46.6 | 44.7 | 44.2 | 43.4 | 44.7 | 44.6 | 45.7 | 47.1 | 46.7 | 44.5 | |
| Mortality | M | 22.3 | 23.0 | 20.3 | 25.7 | 22.4 | 23.5 | 20.3 | 20.2 | 23.0 | 18.7 | 21.3 | 22.8 | 20.5 | 22.2 | 20.2 | 20.0 | 19.7 | |
| | F | 20.0 | 20.2 | 19.8 | 19.3 | 17.4 | 18.5 | 16.6 | 15.2 | 16.7 | 16.0 | 16.2 | 18.1 | 15.7 | 15.2 | 15.0 | 15.4 | 15.8 | |
| | P | 21.0 | 21.6 | 20.1 | 22.1 | 19.6 | 20.8 | 18.3 | 17.4 | 19.5 | 17.0 | 18.5 | 20.2 | 17.9 | 18.4 | 17.4 | 17.6 | 17.6 | |
| C19, C20 RECTOSIGMOID JUNCTION AND RECTUM | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 22.6 | 23.3 | 23.1 | 23.9 | 25.5 | 25.4 | 25.9 | 28.5 | 28.9 | 29.5 | 31.4 | 28.5 | 27.0 | 27.4 | 29.5 | 30.2 | 27.9 | |
| | F | 13.2 | 13.5 | 12.8 | 14.3 | 11.1 | 13.9 | 15.1 | 13.8 | 15.0 | 14.5 | 17.0 | 15.6 | 15.6 | 13.9 | 14.7 | 14.8 | 15.3 | |
| | P | 17.4 | 18.2 | 17.4 | 18.6 | 17.6 | 19.1 | 20.1 | 20.4 | 21.4 | 21.5 | 23.8 | 21.8 | 21.0 | 20.4 | 21.7 | 22.1 | 21.2 | |
| Mortality | M | 10.6 | 12.7 | 12.0 | 11.4 | 10.9 | 12.8 | 12.8 | 14.4 | 13.0 | 13.6 | 11.6 | 11.7 | 11.9 | 11.8 | 12.3 | 11.1 | 8.8 | |
| | F | 5.9 | 6.2 | 5.1 | 5.9 | 5.6 | 5.3 | 5.9 | 5.8 | 6.0 | 5.3 | 6.5 | 6.7 | 6.2 | 5.3 | 5.5 | 5.3 | 5.6 | |
| | P | 8.0 | 9.1 | 8.2 | 8.3 | 7.9 | 8.7 | 8.9 | 9.6 | 9.3 | 8.9 | 8.9 | 8.9 | 8.8 | 8.2 | 8.7 | 8.1 | 7.2 | |
| C21 ANUS & ANAL CANAL | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.7 | 0.2 | 0.9 | 0.8 | 1.4 | 1.3 | 1.1 | 1.0 | 1.2 | 1.8 | 1.6 | 0.9 | 1.3 | 1.3 | 0.8 | 1.2 | 1.5 | |

**Table 4. Cancer Incidence and Mortality (ASR (Aust 2001)/100,000) by Site and Sex
Queensland, 1982 - 2002**

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 |
|---|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| Mortality | F | 1.0 | 1.4 | 1.3 | 1.5 | 1.0 | 1.1 | 1.1 | 1.0 | 1.3 | 1.1 | 1.3 | 1.0 | 1.0 | 1.4 | 1.5 | 1.1 | 1.6 |
| | P | 0.9 | 0.8 | 1.1 | 1.2 | 1.2 | 1.2 | 1.2 | 1.0 | 1.3 | 1.5 | 1.4 | 1.0 | 1.2 | 1.3 | 1.2 | 1.1 | 1.5 |
| | M | 0.2 | 0.5 | 0.2 | 0.3 | 0.3 | 0.4 | 0.6 | 0.3 | 0.5 | 0.4 | 0.3 | 0.4 | 0.7 | 0.3 | 0.4 | 0.1 | 0.3 |
| | F | 0.4 | 0.3 | 0.7 | 0.1 | 0.6 | 0.7 | 0.4 | 0.1 | 0.2 | 0.4 | 0.5 | 0.1 | 0.5 | 0.2 | 0.6 | 0.4 | 0.3 |
| | P | 0.3 | 0.5 | 0.5 | 0.2 | 0.5 | 0.5 | 0.5 | 0.5 | 0.2 | 0.4 | 0.4 | 0.4 | 0.2 | 0.6 | 0.2 | 0.5 | 0.3 |
| C22 LIVER & INTRAHEPATIC BILE DUCTS | | | | | | | | | | | | | | | | | | |
| Incidence | M | 2.6 | 3.7 | 4.0 | 4.0 | 3.8 | 3.1 | 5.0 | 4.5 | 4.1 | 5.1 | 4.5 | 4.2 | 5.4 | 4.3 | 6.0 | 6.4 | 4.8 |
| | F | 1.1 | 1.4 | 1.1 | 1.7 | 0.9 | 1.7 | 1.5 | 1.3 | 1.8 | 1.6 | 1.4 | 1.5 | 1.6 | 2.0 | 2.4 | 2.5 | 1.9 |
| | P | 1.8 | 2.5 | 2.4 | 2.8 | 2.3 | 2.3 | 3.1 | 2.7 | 2.9 | 3.2 | 2.8 | 2.8 | 3.4 | 3.1 | 4.1 | 4.4 | 3.2 |
| Mortality | M | 2.1 | 3.1 | 2.5 | 3.1 | 3.5 | 3.0 | 3.4 | 3.3 | 3.9 | 3.9 | 3.6 | 3.3 | 3.4 | 3.9 | 4.1 | 5.1 | 4.9 |
| | F | 0.7 | 1.7 | 0.5 | 1.0 | 1.1 | 1.0 | 1.6 | 0.7 | 1.4 | 1.2 | 1.0 | 1.2 | 1.1 | 1.8 | 1.7 | 2.0 | 1.5 |
| | P | 1.3 | 2.3 | 1.4 | 2.1 | 2.2 | 1.9 | 2.5 | 1.8 | 2.5 | 2.4 | 2.2 | 2.2 | 2.2 | 2.8 | 2.8 | 3.4 | 3.1 |
| C23,C24 GALLBLADDER AND OTHER & UNSPECIFIED PARTS OF BILIARY TRACT | | | | | | | | | | | | | | | | | | |
| Incidence | M | 2.8 | 2.8 | 3.2 | 2.5 | 2.7 | 3.2 | 3.7 | 2.1 | 3.5 | 3.3 | 2.5 | 3.3 | 3.2 | 3.7 | 2.7 | 2.9 | 3.3 |
| | F | 3.8 | 4.1 | 4.3 | 3.6 | 3.9 | 4.4 | 4.0 | 3.4 | 4.1 | 3.5 | 3.8 | 3.9 | 3.5 | 2.9 | 2.7 | 2.6 | 3.4 |
| | P | 3.3 | 3.5 | 3.8 | 3.2 | 3.5 | 3.9 | 3.9 | 2.8 | 3.8 | 3.5 | 3.2 | 3.6 | 3.4 | 3.3 | 2.8 | 2.7 | 3.4 |
| Mortality | M | 2.4 | 1.9 | 2.0 | 2.3 | 1.6 | 2.8 | 1.7 | 1.6 | 1.4 | 2.2 | 2.8 | 2.5 | 2.8 | 1.9 | 2.4 | 1.9 | 2.3 |
| | F | 2.9 | 3.9 | 3.9 | 2.7 | 2.9 | 3.7 | 4.0 | 1.7 | 3.5 | 3.1 | 3.1 | 3.2 | 2.8 | 2.3 | 2.2 | 2.1 | 2.2 |
| | P | 2.6 | 3.0 | 3.1 | 2.5 | 2.4 | 3.4 | 3.0 | 1.6 | 2.6 | 2.7 | 2.9 | 2.9 | 2.9 | 2.1 | 2.3 | 2.0 | 2.2 |
| C25 PANCREAS | | | | | | | | | | | | | | | | | | |
| Incidence | M | 11.6 | 10.5 | 10.5 | 10.4 | 11.3 | 11.3 | 10.8 | 10.3 | 12.1 | 10.3 | 10.8 | 11.7 | 11.3 | 11.3 | 12.3 | 11.0 | 10.3 |
| | F | 7.2 | 7.5 | 8.1 | 7.3 | 7.6 | 8.2 | 8.4 | 7.2 | 6.4 | 9.0 | 8.4 | 7.9 | 9.1 | 9.3 | 8.3 | 8.2 | 8.3 |
| | P | 9.2 | 8.9 | 9.1 | 8.8 | 9.3 | 9.5 | 9.6 | 8.7 | 9.0 | 9.6 | 9.6 | 9.7 | 10.1 | 10.4 | 10.3 | 9.5 | 9.2 |
| Mortality | M | 10.3 | 9.2 | 8.4 | 11.0 | 8.5 | 10.5 | 8.6 | 10.7 | 11.3 | 11.1 | 10.2 | 9.8 | 10.7 | 9.7 | 9.6 | 11.3 | 9.9 |
| | F | 6.5 | 6.7 | 6.7 | 6.9 | 6.5 | 6.5 | 8.5 | 6.9 | 5.6 | 7.8 | 7.9 | 8.0 | 7.3 | 7.2 | 8.1 | 7.3 | 7.3 |
| | P | 8.2 | 7.8 | 7.6 | 8.8 | 7.5 | 8.3 | 8.7 | 8.6 | 8.2 | 9.3 | 8.9 | 8.9 | 8.9 | 8.5 | 8.9 | 9.2 | 8.5 |
| C30,C31 NASAL CAVITY & MIDDLE EAR AND ACCESSORY SINUSES | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.0 | 0.4 | 1.1 | 0.9 | 1.1 | 0.9 | 1.3 | 1.2 | 1.0 | 1.1 | 1.1 | 1.0 | 0.7 | 0.7 | 0.8 | 0.8 | 0.5 |
| | F | 0.5 | 0.4 | 0.4 | 0.7 | 0.7 | 0.6 | 0.3 | 0.5 | 0.6 | 0.5 | 0.4 | 0.5 | 0.5 | 0.2 | 0.3 | 0.3 | 0.3 |
| | P | 0.8 | 0.4 | 0.8 | 0.8 | 0.9 | 0.7 | 0.7 | 0.8 | 0.8 | 0.8 | 0.7 | 0.7 | 0.6 | 0.5 | 0.5 | 0.6 | 0.4 |
| Mortality | M | 0.4 | 0.2 | 0.3 | 0.7 | 0.3 | 0.9 | 0.7 | 0.5 | 0.3 | 0.6 | 0.4 | 0.4 | 0.4 | 0.2 | 0.7 | 0.2 | 0.4 |
| | F | 0.2 | 0.2 | 0.4 | 0.1 | 0.2 | 0.4 | 0.2 | 0.1 | 0.2 | 0.1 | 0.3 | 0.1 | 0.2 | 0.1 | 0.2 | 0.0 | 0.1 |
| | P | 0.3 | 0.2 | 0.4 | 0.4 | 0.3 | 0.6 | 0.5 | 0.3 | 0.3 | 0.4 | 0.3 | 0.2 | 0.3 | 0.1 | 0.4 | 0.1 | 0.3 |
| C32 LARYNX | | | | | | | | | | | | | | | | | | |
| Incidence | M | 8.5 | 8.2 | 8.4 | 7.6 | 8.4 | 7.7 | 9.8 | 7.7 | 6.9 | 6.5 | 6.6 | 6.8 | 7.1 | 5.6 | 5.6 | 6.5 | 5.4 |
| | F | 0.7 | 0.6 | 1.0 | 0.7 | 0.6 | 0.9 | 1.5 | 0.5 | 1.1 | 0.8 | 0.6 | 0.6 | 0.7 | 0.4 | 0.5 | 0.3 | 0.5 |
| | P | 4.4 | 4.1 | 4.5 | 4.0 | 4.3 | 4.1 | 5.4 | 4.0 | 3.8 | 3.4 | 3.4 | 3.6 | 3.7 | 2.9 | 2.9 | 3.2 | 2.9 |
| Mortality | M | 2.5 | 3.1 | 2.1 | 2.8 | 1.9 | 3.5 | 2.0 | 1.8 | 2.6 | 2.2 | 2.1 | 2.3 | 1.8 | 2.2 | 1.9 | 2.2 | 1.8 |
| | F | 0.4 | 0.2 | 0.4 | 0.1 | 0.2 | 0.5 | 0.3 | 0.2 | 0.1 | 0.2 | 0.4 | 0.2 | 0.2 | 0.1 | 0.2 | 0.1 | 0.4 |
| | P | 1.3 | 1.5 | 1.2 | 1.4 | 1.0 | 1.8 | 1.1 | 0.9 | 1.2 | 1.0 | 1.2 | 1.1 | 0.9 | 1.0 | 0.9 | 1.1 | 1.1 |
| C33,C34 TRACHEA AND BRONCHUS & LUNG | | | | | | | | | | | | | | | | | | |
| Incidence | M | 86.6 | 86.1 | 83.8 | 81.8 | 78.0 | 75.6 | 76.2 | 75.2 | 69.8 | 70.9 | 72.6 | 73.6 | 70.3 | 72.4 | 68.4 | 66.4 | 62.0 |
| | F | 18.7 | 20.1 | 19.5 | 19.4 | 22.2 | 26.2 | 22.9 | 24.2 | 23.4 | 23.4 | 26.8 | 26.2 | 27.3 | 24.8 | 27.9 | 29.4 | 29.8 |
| | P | 49.0 | 50.0 | 48.2 | 47.1 | 47.0 | 48.5 | 47.2 | 47.1 | 44.5 | 45.0 | 47.6 | 47.9 | 46.6 | 46.3 | 46.4 | 46.2 | 44.5 |
| Mortality | M | 72.3 | 71.3 | 74.3 | 70.7 | 65.9 | 60.5 | 66.6 | 63.1 | 63.3 | 59.1 | 66.6 | 60.0 | 60.5 | 60.2 | 57.9 | 55.7 | 55.0 |
| | F | 14.5 | 14.1 | 13.7 | 15.5 | 16.0 | 18.9 | 17.2 | 20.4 | 18.0 | 17.9 | 20.6 | 21.8 | 20.5 | 21.4 | 21.3 | 21.8 | 24.1 |
| | P | 40.1 | 39.7 | 40.9 | 39.5 | 37.9 | 37.3 | 39.4 | 39.7 | 38.1 | 36.6 | 41.1 | 38.9 | 38.3 | 39.0 | 37.8 | 37.0 | 38.2 |
| C37, C38 THYMUS,HEART,MEDIASTINUM & PLEURA | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.4 | 0.7 | 0.6 | 0.8 | 0.5 | 0.8 | 0.7 | 0.6 | 1.1 | 0.8 | 0.8 | 0.9 | 0.6 | 0.7 | 0.7 | 0.8 | 0.9 |
| | F | 0.3 | 0.4 | 0.6 | 0.4 | 0.4 | 0.2 | 0.3 | 0.2 | 0.4 | 0.4 | 0.4 | 0.3 | 0.4 | 0.4 | 0.2 | 0.2 | 0.4 |
| | P | 0.3 | 0.6 | 0.6 | 0.6 | 0.5 | 0.5 | 0.5 | 0.4 | 0.7 | 0.6 | 0.6 | 0.6 | 0.5 | 0.5 | 0.4 | 0.5 | 0.6 |
| Mortality | M | 0.4 | 0.1 | 0.6 | 0.3 | 0.2 | 0.5 | 0.5 | 0.0 | 0.5 | 0.6 | 0.5 | 0.4 | 0.4 | 0.3 | 0.5 | 0.2 | 0.4 |
| | F | 0.2 | 0.3 | 0.2 | 0.3 | 0.4 | 0.2 | 0.1 | 0.4 | 0.3 | 0.2 | 0.2 | 0.2 | 0.0 | 0.3 | 0.1 | 0.1 | 0.2 |
| | P | 0.3 | 0.2 | 0.4 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.4 | 0.4 | 0.4 | 0.3 | 0.2 | 0.3 | 0.2 | 0.1 | 0.3 |
| C40,C41 BONES,JOINTS & ARTICULAR CARTILAGES | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.3 | 1.5 | 1.7 | 1.4 | 1.6 | 1.6 | 1.2 | 1.1 | 1.6 | 1.4 | 1.1 | 1.6 | 0.9 | 0.6 | 1.3 | 1.0 | 1.8 |
| | F | 0.6 | 1.0 | 0.1 | 0.7 | 1.0 | 1.3 | 1.1 | 0.5 | 0.8 | 1.3 | 0.6 | 0.8 | 0.6 | 0.9 | 1.0 | 1.2 | 0.9 |

**Table 4. Cancer Incidence and Mortality (ASR (Aust 2001)/100,000) by Site and Sex
Queensland, 1982 - 2002**

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | |
|---|-----|-----------|------|------|------|------|-------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|
| Mortality | P | 0.9 | 1.3 | 0.8 | 1.1 | 1.2 | 1.5 | 1.1 | 0.8 | 1.2 | 1.4 | 0.9 | 1.2 | 0.8 | 0.7 | 1.1 | 1.1 | 1.4 | |
| | M | 0.5 | 0.4 | 1.4 | 0.7 | 0.4 | 0.5 | 0.9 | 0.6 | 0.6 | 0.3 | 0.4 | 0.5 | 0.8 | 0.5 | 0.4 | 0.3 | 0.6 | |
| | F | 0.3 | 0.2 | 0.2 | 0.2 | 0.4 | 0.6 | 0.2 | 0.2 | 0.2 | 0.4 | 0.2 | 0.3 | 0.3 | 0.2 | 0.4 | 0.2 | 0.2 | |
| | P | 0.4 | 0.2 | 0.7 | 0.5 | 0.4 | 0.6 | 0.5 | 0.4 | 0.4 | 0.4 | 0.3 | 0.4 | 0.6 | 0.3 | 0.4 | 0.3 | 0.4 | |
| C44, M872-M879 MELANOMA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 51.6 | 65.4 | 66.1 | 62.5 | 61.2 | 60.1 | 67.9 | 65.0 | 65.9 | 70.9 | 76.3 | 81.3 | 78.6 | 72.5 | 79.7 | 80.9 | 84.9 | |
| | F | 45.1 | 51.2 | 48.5 | 48.9 | 45.7 | 45.9 | 47.6 | 44.7 | 45.7 | 49.8 | 53.5 | 54.2 | 53.9 | 52.1 | 53.3 | 54.1 | 57.5 | |
| | P | 47.6 | 57.4 | 56.5 | 54.8 | 52.5 | 52.2 | 56.5 | 53.8 | 55.1 | 59.4 | 63.6 | 66.6 | 65.4 | 61.4 | 65.5 | 66.4 | 70.2 | |
| Mortality | M | 7.4 | 9.9 | 8.7 | 8.6 | 7.1 | 8.4 | 9.3 | 8.9 | 11.2 | 9.7 | 8.3 | 8.0 | 9.5 | 9.7 | 9.4 | 9.2 | 8.3 | |
| | F | 3.8 | 4.0 | 3.2 | 4.2 | 3.7 | 3.9 | 3.2 | 4.4 | 3.6 | 3.8 | 3.9 | 3.7 | 4.8 | 4.6 | 3.5 | 3.4 | 3.4 | |
| | P | 5.4 | 6.6 | 5.8 | 6.2 | 5.3 | 5.9 | 5.9 | 6.4 | 7.1 | 6.5 | 5.8 | 5.7 | 6.9 | 6.9 | 6.1 | 6.1 | 5.6 | |
| C44 OTHER SKIN (EXCL BCC/SCC) | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.6 | 3.1 | 1.8 | 3.0 | 3.7 | 3.2 | 4.3 | 3.3 | 3.7 | 3.7 | 3.6 | 3.1 | 4.0 | 3.6 | 3.9 | 4.0 | 4.5 | |
| | F | 0.7 | 1.2 | 1.4 | 1.1 | 1.5 | 0.9 | 1.5 | 1.8 | 1.4 | 1.0 | 1.4 | 1.8 | 2.0 | 1.9 | 1.8 | 1.7 | 2.1 | |
| | P | 1.1 | 2.0 | 1.6 | 2.0 | 2.5 | 1.8 | 2.8 | 2.5 | 2.4 | 2.2 | 2.3 | 2.3 | 2.8 | 2.7 | 2.7 | 2.7 | 3.1 | |
| Mortality | M | 0.2 | 0.6 | 0.3 | 0.4 | 0.7 | 0.5 | 0.5 | 1.2 | 0.4 | 0.6 | 0.5 | 1.0 | 0.4 | 0.7 | 1.1 | 0.8 | 0.9 | |
| | F | 0.0 | 0.1 | 0.2 | 0.2 | 0.1 | 0.0 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.3 | 0.3 | 0.4 | 0.4 | 0.4 | 0.5 | |
| | P | 0.1 | 0.3 | 0.2 | 0.3 | 0.3 | 0.2 | 0.3 | 0.7 | 0.3 | 0.3 | 0.2 | 0.5 | 0.4 | 0.6 | 0.7 | 0.5 | 0.7 | |
| M905 MESOTHELIOMA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 2.3 | 2.3 | 4.1 | 2.7 | 3.5 | 4.0 | 2.5 | 3.6 | 5.1 | 4.0 | 3.7 | 4.8 | 5.3 | 5.3 | 5.2 | 5.6 | 5.6 | |
| | F | 0.2 | 0.3 | 0.3 | 0.3 | 0.4 | 0.7 | 0.6 | 0.6 | 0.4 | 0.4 | 0.5 | 0.5 | 0.5 | 0.8 | 0.6 | 1.5 | 1.3 | |
| | P | 1.1 | 1.2 | 2.0 | 1.3 | 1.8 | 2.2 | 1.5 | 2.0 | 2.6 | 2.0 | 1.9 | 2.5 | 2.7 | 2.8 | 2.7 | 3.3 | 3.3 | |
| Mortality | M | 1.9 | 2.5 | 3.1 | 2.6 | 2.7 | 3.0 | 3.5 | 2.3 | 3.8 | 3.7 | 3.8 | 3.8 | 4.1 | 4.8 | 4.9 | 4.9 | 4.3 | |
| | F | 0.1 | 0.1 | 0.5 | 0.2 | 0.3 | 0.3 | 0.4 | 0.5 | 0.4 | 0.6 | 0.2 | 0.4 | 0.4 | 0.6 | 0.7 | 0.6 | 1.1 | |
| | P | 0.9 | 1.2 | 1.6 | 1.2 | 1.3 | 1.6 | 1.8 | 1.3 | 2.0 | 2.0 | 1.8 | 2.0 | 2.1 | 2.5 | 2.6 | 2.5 | 2.6 | |
| M914 KAPOSI'S SARCOMA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.1 | 0.5 | 0.7 | 0.9 | 0.4 | 0.8 | 1.1 | 1.2 | 0.6 | 0.7 | 0.4 | 0.2 | 0.4 | 0.5 | 0.5 | 0.1 | 0.4 | |
| | F | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 | 0.2 | 0.0 | 0.0 | 0.0 | |
| | P | 0.1 | 0.2 | 0.4 | 0.4 | 0.2 | 0.5 | 0.6 | 0.7 | 0.3 | 0.4 | 0.2 | 0.1 | 0.2 | 0.3 | 0.2 | 0.1 | 0.2 | |
| Mortality | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | |
| C47,C49 CONNECTIVE TISSUE, PERIPHERAL NERVES | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 2.8 | 2.8 | 1.9 | 3.1 | 3.0 | 2.9 | 2.4 | 2.3 | 2.2 | 3.1 | 3.2 | 2.7 | 2.9 | 2.4 | 3.0 | 2.6 | 3.3 | |
| | F | 2.0 | 1.2 | 1.5 | 1.3 | 2.4 | 1.9 | 2.3 | 2.3 | 1.6 | 1.8 | 2.4 | 2.3 | 2.7 | 1.7 | 2.2 | 1.7 | 2.0 | |
| | P | 2.4 | 2.0 | 1.6 | 2.1 | 2.6 | 2.3 | 2.4 | 2.2 | 1.9 | 2.4 | 2.7 | 2.4 | 2.9 | 2.1 | 2.6 | 2.2 | 2.6 | |
| Mortality | M | 1.2 | 0.7 | 0.7 | 1.3 | 0.9 | 1.3 | 1.3 | 0.9 | 0.7 | 1.1 | 0.9 | 1.1 | 0.9 | 0.7 | 0.3 | 1.1 | 1.3 | |
| | F | 0.9 | 0.4 | 0.7 | 0.6 | 0.7 | 0.6 | 0.8 | 0.8 | 0.6 | 0.8 | 0.9 | 0.7 | 0.9 | 0.7 | 0.6 | 1.0 | 0.4 | |
| | P | 1.0 | 0.5 | 0.7 | 0.9 | 0.7 | 0.9 | 1.0 | 0.8 | 0.7 | 0.9 | 0.9 | 0.9 | 0.9 | 0.7 | 0.5 | 1.0 | 0.8 | |
| C48 RETROPERITONEUM & PERITONEUM | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.4 | 0.1 | 0.4 | 0.3 | 0.4 | 0.5 | 0.1 | 0.4 | 0.5 | 0.4 | 0.3 | 0.6 | 0.3 | 0.5 | 0.4 | 0.2 | 0.4 | |
| | F | 0.6 | 0.1 | 0.2 | 0.4 | 0.2 | 0.6 | 0.6 | 0.2 | 0.6 | 0.9 | 0.6 | 0.8 | 1.0 | 1.4 | 1.6 | 1.8 | 1.1 | |
| | P | 0.5 | 0.1 | 0.3 | 0.4 | 0.3 | 0.6 | 0.4 | 0.3 | 0.5 | 0.7 | 0.4 | 0.7 | 0.7 | 1.0 | 1.1 | 1.1 | 0.8 | |
| Mortality | M | 0.3 | 0.0 | 0.3 | 0.2 | 0.4 | 0.4 | 0.2 | 0.2 | 0.1 | 0.0 | 0.1 | 0.1 | 0.6 | 0.3 | 0.5 | 0.2 | 0.3 | |
| | F | 0.3 | 0.2 | 0.5 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.5 | 0.3 | 0.6 | 0.6 | 0.7 | 0.6 | 0.9 | |
| | P | 0.3 | 0.1 | 0.4 | 0.3 | 0.4 | 0.3 | 0.2 | 0.2 | 0.1 | 0.1 | 0.3 | 0.2 | 0.6 | 0.4 | 0.6 | 0.4 | 0.6 | |
| C50 BREAST | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.0 | 0.9 | 0.7 | 0.7 | 1.0 | 0.9 | 0.2 | 0.6 | 0.8 | 1.0 | 1.4 | 1.2 | 0.8 | 0.9 | 1.1 | 1.2 | 0.8 | |
| | F | 86.7 | 96.2 | 89.5 | 91.9 | 99.0 | 105.6 | 99.5 | 110.4 | 109.1 | 107.5 | 103.4 | 113.1 | 116.5 | 120.2 | 120.5 | 120.4 | 118.4 | |
| | P | 46.2 | 50.9 | 47.1 | 48.6 | 51.9 | 55.6 | 51.7 | 57.5 | 56.9 | 56.2 | 54.0 | 58.8 | 60.4 | 62.0 | 62.3 | 62.4 | 61.0 | |
| Mortality | M | 0.4 | 0.3 | 0.3 | 0.5 | 0.1 | 0.1 | 0.2 | 0.1 | 0.4 | 0.3 | 0.6 | 0.2 | 0.1 | 0.1 | 0.3 | 0.3 | 0.0 | |
| | F | 27.4 | 28.9 | 26.4 | 28.0 | 27.5 | 28.3 | 28.1 | 29.5 | 28.6 | 27.8 | 27.4 | 26.0 | 26.1 | 24.0 | 23.0 | 25.1 | 22.4 | |
| | P | 15.0 | 15.6 | 14.3 | 15.3 | 14.8 | 15.2 | 15.2 | 15.8 | 15.7 | 15.1 | 14.9 | 13.9 | 14.0 | 12.8 | 12.3 | 13.5 | 11.9 | |
| C51 VULVA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| | F | 2.5 | 2.4 | 2.1 | 2.4 | 1.2 | 2.9 | 2.1 | 1.9 | 2.4 | 2.4 | 2.4 | 2.9 | 1.8 | 1.7 | 1.8 | 2.3 | 2.2 | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |

**Table 4. Cancer Incidence and Mortality (ASR (Aust 2001)/100,000) by Site and Sex
Queensland, 1982 - 2002**

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 |
|--|-----|-----------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Mortality | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0.5 | 0.5 | 0.7 | 0.4 | 0.8 | 0.9 | 0.6 | 0.5 | 0.6 | 0.5 | 0.5 | 0.6 | 0.7 | 0.4 | 0.3 | 0.3 | 0.6 |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| C53 CERVIX UTERI | | | | | | | | | | | | | | | | | | |
| Incidence | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 16.2 | 14.9 | 14.7 | 15.2 | 14.3 | 14.7 | 13.6 | 14.0 | 13.3 | 11.3 | 12.2 | 10.4 | 9.3 | 10.6 | 9.1 | 8.3 | 7.9 |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Mortality | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 4.4 | 4.0 | 4.5 | 4.4 | 4.0 | 4.2 | 3.6 | 3.9 | 4.1 | 3.1 | 3.9 | 2.9 | 3.4 | 2.5 | 3.3 | 2.7 | 1.9 |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| C54 CORPUS UTERI | | | | | | | | | | | | | | | | | | |
| Incidence | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 13.3 | 13.7 | 12.9 | 11.7 | 13.7 | 12.2 | 14.7 | 14.1 | 16.2 | 15.3 | 13.3 | 14.6 | 14.5 | 15.5 | 17.9 | 16.1 | 16.5 |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Mortality | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 2.6 | 2.6 | 2.7 | 2.8 | 1.8 | 2.8 | 2.5 | 2.8 | 3.0 | 2.8 | 2.8 | 3.2 | 2.1 | 2.9 | 2.9 | 2.8 | 3.1 |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| C56 OVARY | | | | | | | | | | | | | | | | | | |
| Incidence | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 14.9 | 14.5 | 13.0 | 13.9 | 14.1 | 13.9 | 15.2 | 15.2 | 15.1 | 15.8 | 13.0 | 13.0 | 13.7 | 13.5 | 14.3 | 14.6 | 15.4 |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Mortality | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 8.4 | 9.0 | 7.0 | 7.6 | 7.1 | 7.0 | 8.3 | 6.8 | 7.7 | 6.8 | 8.0 | 6.1 | 6.4 | 7.1 | 6.1 | 6.3 | 7.0 |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| C52,C55,C57,C58 OTHER FEMALE GENITAL ORGANS | | | | | | | | | | | | | | | | | | |
| Incidence | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 2.0 | 1.5 | 1.2 | 1.7 | 1.5 | 2.3 | 1.7 | 1.5 | 1.2 | 1.1 | 1.5 | 1.3 | 1.6 | 1.8 | 1.9 | 1.4 | 1.7 |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Mortality | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0.8 | 1.3 | 0.6 | 0.3 | 0.5 | 0.8 | 1.1 | 0.6 | 0.7 | 0.4 | 0.3 | 0.7 | 0.7 | 0.5 | 0.7 | 1.0 | 0.4 |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| C61 PROSTATE GLAND | | | | | | | | | | | | | | | | | | |
| Incidence | M | 93.3 | 91.7 | 91.8 | 103.7 | 111.8 | 119.6 | 130.7 | 166.8 | 169.8 | 142.7 | 126.1 | 117.9 | 121.8 | 119.7 | 120.2 | 121.3 | 130.3 |
| | F | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Mortality | M | 32.3 | 36.0 | 35.2 | 34.2 | 40.7 | 39.5 | 41.5 | 46.3 | 44.8 | 40.9 | 41.8 | 36.7 | 37.7 | 35.3 | 38.5 | 36.1 | 34.8 |
| | F | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| C62 TESTIS | | | | | | | | | | | | | | | | | | |
| Incidence | M | 4.8 | 3.9 | 4.2 | 4.1 | 4.9 | 4.4 | 5.4 | 5.8 | 5.7 | 5.8 | 5.6 | 5.2 | 6.1 | 6.1 | 4.6 | 5.8 | 7.4 |
| | F | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Mortality | M | 0.7 | 0.6 | 0.5 | 0.2 | 0.4 | 0.4 | 0.1 | 0.1 | 0.3 | 0.5 | 0.7 | 0.4 | 0.2 | 0.1 | 0.2 | 0.2 | 0.1 |
| | F | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| C60,C63 PENIS AND OTHER & UNSPECIFIED MALE GENITAL ORGANS | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.2 | 0.7 | 0.7 | 1.0 | 1.2 | 1.7 | 1.3 | 1.2 | 1.1 | 1.5 | 0.8 | 1.1 | 1.3 | 0.9 | 1.2 | 1.4 | 1.0 |
| | F | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Mortality | M | 0.2 | 0.6 | 0.3 | 0.1 | 0.3 | 0.1 | 0.5 | 0.2 | 0.1 | 0.3 | 0.2 | 0.0 | 0.2 | 0.2 | 0.5 | 0.3 | 0.2 |
| | F | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| C64-C66,C68 KIDNEY AND OTHER RENAL TRACT | | | | | | | | | | | | | | | | | | |
| Incidence | M | 13.3 | 13.2 | 12.7 | 13.7 | 15.1 | 14.9 | 17.1 | 16.4 | 16.1 | 16.1 | 18.2 | 17.2 | 17.2 | 18.4 | 19.7 | 15.9 | 14.4 |
| | F | 7.4 | 8.6 | 8.8 | 9.2 | 8.0 | 9.7 | 9.5 | 9.6 | 9.2 | 10.3 | 10.0 | 9.3 | 9.8 | 11.0 | 9.7 | 9.8 | 9.8 |
| | P | 10.1 | 10.7 | 10.4 | 11.0 | 11.2 | 12.2 | 13.1 | 12.8 | 12.3 | 12.9 | 13.9 | 13.1 | 13.4 | 14.6 | 14.4 | 12.7 | 12.0 |
| Mortality | M | 5.8 | 6.4 | 5.5 | 6.3 | 6.2 | 6.4 | 7.5 | 6.2 | 6.5 | 6.4 | 7.0 | 6.3 | 5.6 | 6.8 | 6.8 | 6.1 | 5.6 |

**Table 4. Cancer Incidence and Mortality (ASR (Aust 2001)/100,000) by Site and Sex
Queensland, 1982 - 2002**

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | |
|--|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| | F | 3.3 | 3.9 | 4.1 | 4.4 | 4.2 | 4.5 | 4.0 | 4.4 | 3.7 | 4.3 | 3.8 | 3.7 | 4.2 | 4.1 | 3.5 | 3.6 | 3.8 | |
| | P | 4.4 | 5.1 | 4.6 | 5.1 | 5.0 | 5.3 | 5.6 | 5.3 | 5.0 | 5.2 | 5.3 | 4.9 | 4.9 | 5.4 | 4.9 | 4.8 | 4.6 | |
| C67 BLADDER | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 32.2 | 33.7 | 32.9 | 28.9 | 31.6 | 32.1 | 30.7 | 31.6 | 35.9 | 32.9 | 32.8 | 33.9 | 37.1 | 32.5 | 34.5 | 34.1 | 31.9 | |
| | F | 8.7 | 9.6 | 7.7 | 7.7 | 8.5 | 8.9 | 7.7 | 9.7 | 10.2 | 8.9 | 9.4 | 9.5 | 9.2 | 8.9 | 9.8 | 8.1 | 8.9 | |
| | P | 19.0 | 20.0 | 18.9 | 16.8 | 18.5 | 18.9 | 17.8 | 19.4 | 21.7 | 19.7 | 19.9 | 20.5 | 21.6 | 19.4 | 20.8 | 20.0 | 19.3 | |
| Mortality | M | 8.6 | 8.0 | 8.6 | 10.9 | 7.7 | 8.0 | 7.5 | 9.3 | 9.9 | 8.2 | 9.4 | 8.3 | 7.7 | 9.0 | 7.9 | 7.9 | 8.5 | |
| | F | 2.4 | 2.5 | 1.1 | 2.0 | 3.1 | 3.3 | 2.3 | 2.7 | 2.7 | 3.1 | 2.4 | 3.3 | 2.2 | 1.9 | 2.3 | 2.7 | 2.2 | |
| | P | 5.0 | 4.8 | 4.1 | 5.4 | 4.9 | 5.3 | 4.3 | 5.4 | 5.6 | 5.2 | 5.2 | 5.4 | 4.5 | 4.9 | 4.6 | 4.9 | 4.8 | |
| C69 EYE & ADNEXA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.5 | 1.8 | 1.6 | 2.0 | 1.4 | 2.5 | 2.4 | 2.5 | 2.5 | 2.4 | 2.6 | 1.8 | 3.1 | 1.9 | 1.3 | 2.2 | 1.8 | |
| | F | 0.8 | 1.3 | 1.1 | 1.2 | 1.3 | 1.2 | 1.6 | 1.4 | 0.7 | 1.5 | 1.3 | 0.9 | 1.0 | 1.3 | 0.8 | 1.4 | 0.9 | |
| | P | 1.2 | 1.5 | 1.4 | 1.6 | 1.3 | 1.8 | 2.0 | 1.9 | 1.6 | 1.9 | 1.9 | 1.4 | 2.0 | 1.6 | 1.0 | 1.8 | 1.3 | |
| Mortality | M | 0.3 | 0.4 | 0.4 | 0.2 | 0.5 | 0.7 | 0.2 | 0.5 | 0.3 | 0.3 | 0.1 | 0.3 | 0.2 | 0.6 | 0.5 | 0.1 | 0.4 | |
| | F | 0.2 | 0.1 | 0.1 | 0.5 | 0.3 | 0.1 | 0.8 | 0.2 | 0.3 | 0.3 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | |
| | P | 0.2 | 0.2 | 0.2 | 0.3 | 0.4 | 0.4 | 0.5 | 0.3 | 0.4 | 0.3 | 0.1 | 0.2 | 0.2 | 0.4 | 0.4 | 0.2 | 0.2 | |
| C70, C71, C72 BRAIN, MENINGES AND OTHER CENTRAL NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 7.5 | 10.1 | 8.2 | 8.1 | 8.1 | 8.0 | 7.9 | 7.8 | 8.9 | 8.7 | 9.1 | 10.1 | 8.6 | 8.3 | 8.7 | 8.7 | 8.4 | |
| | F | 5.9 | 5.3 | 7.1 | 6.3 | 5.1 | 6.3 | 6.3 | 6.3 | 6.2 | 5.3 | 6.4 | 6.3 | 5.8 | 6.4 | 6.7 | 6.8 | 5.4 | |
| | P | 6.6 | 7.7 | 7.7 | 7.1 | 6.5 | 7.1 | 7.1 | 6.9 | 7.5 | 7.1 | 7.7 | 8.1 | 7.1 | 7.4 | 7.7 | 7.7 | 6.9 | |
| Mortality | M | 5.9 | 7.8 | 6.2 | 5.0 | 7.2 | 6.3 | 6.4 | 5.4 | 6.9 | 6.2 | 6.7 | 8.5 | 7.5 | 6.7 | 7.1 | 5.5 | 6.5 | |
| | F | 4.1 | 4.4 | 5.6 | 4.5 | 4.5 | 4.4 | 5.2 | 4.7 | 5.4 | 3.6 | 5.0 | 5.2 | 4.2 | 5.2 | 5.1 | 4.3 | 5.2 | |
| | P | 5.0 | 6.1 | 5.8 | 4.7 | 5.7 | 5.3 | 5.8 | 4.9 | 6.0 | 5.0 | 5.8 | 6.7 | 5.7 | 6.0 | 6.0 | 4.9 | 5.9 | |
| C73 THYROID GLAND | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1.7 | 1.4 | 1.6 | 2.1 | 2.0 | 2.2 | 2.1 | 2.2 | 2.1 | 2.6 | 3.0 | 2.5 | 3.7 | 3.5 | 3.2 | 3.8 | 3.7 | |
| | F | 4.0 | 4.4 | 4.1 | 4.8 | 4.6 | 4.9 | 6.5 | 6.5 | 6.0 | 7.3 | 7.5 | 8.2 | 8.1 | 8.9 | 10.5 | 9.7 | 10.9 | |
| | P | 2.9 | 2.9 | 2.8 | 3.5 | 3.2 | 3.5 | 4.3 | 4.3 | 4.1 | 4.9 | 5.2 | 5.4 | 5.8 | 6.2 | 6.8 | 6.7 | 7.4 | |
| Mortality | M | 0.4 | 0.3 | 0.7 | 0.4 | 1.0 | 0.8 | 0.5 | 0.3 | 0.2 | 0.8 | 0.4 | 0.4 | 0.3 | 0.4 | 0.4 | 0.7 | 0.6 | |
| | F | 0.4 | 0.2 | 0.2 | 0.4 | 0.7 | 0.4 | 0.6 | 0.2 | 0.3 | 0.2 | 0.5 | 0.4 | 0.2 | 0.5 | 0.2 | 0.4 | 0.3 | |
| | P | 0.4 | 0.2 | 0.4 | 0.4 | 0.8 | 0.6 | 0.6 | 0.2 | 0.3 | 0.5 | 0.5 | 0.4 | 0.3 | 0.4 | 0.2 | 0.5 | 0.4 | |
| C74,C75 ADRENAL AND OTHER ENDOCRINE GLANDS | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.3 | 0.3 | 0.5 | 0.3 | 0.7 | 0.3 | 0.3 | 0.5 | 0.8 | 0.3 | 0.3 | 0.6 | 0.2 | 0.5 | 0.4 | 0.7 | 0.3 | |
| | F | 0.2 | 0.6 | 0.3 | 0.4 | 0.5 | 0.3 | 0.2 | 0.4 | 0.5 | 0.3 | 0.5 | 0.4 | 0.2 | 0.5 | 0.3 | 0.3 | 0.4 | |
| | P | 0.3 | 0.5 | 0.4 | 0.3 | 0.6 | 0.3 | 0.3 | 0.5 | 0.7 | 0.3 | 0.4 | 0.5 | 0.2 | 0.5 | 0.4 | 0.5 | 0.3 | |
| Mortality | M | 0.3 | 0.1 | 0.1 | 0.3 | 0.2 | 0.1 | 0.3 | 0.3 | 0.2 | 0.4 | 0.1 | 0.1 | 0.1 | 0.2 | 0.3 | 0.3 | 0.2 | |
| | F | 0.1 | 0.3 | 0.2 | 0.3 | 0.3 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.2 | 0.3 | 0.0 | 0.4 | |
| | P | 0.2 | 0.2 | 0.1 | 0.3 | 0.2 | 0.1 | 0.3 | 0.2 | 0.2 | 0.3 | 0.1 | 0.1 | 0.1 | 0.2 | 0.3 | 0.1 | 0.3 | |
| C26, C39,C76,C77,C80 OTHER & ILL-DEFINED SITES AND UNKNOWN PRIMARY SITE | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 21.6 | 20.3 | 18.9 | 22.7 | 21.6 | 21.3 | 21.4 | 20.7 | 21.7 | 22.2 | 22.5 | 20.0 | 21.5 | 18.6 | 18.7 | 18.1 | 19.6 | |
| | F | 13.9 | 11.4 | 12.9 | 14.5 | 15.1 | 14.4 | 14.2 | 15.8 | 13.0 | 16.9 | 14.1 | 13.5 | 14.9 | 14.8 | 15.1 | 12.0 | 13.0 | |
| | P | 17.2 | 15.2 | 15.8 | 17.9 | 18.0 | 17.6 | 17.3 | 18.1 | 17.1 | 19.1 | 18.1 | 16.5 | 18.0 | 16.5 | 16.8 | 14.9 | 16.2 | |
| Mortality | M | 17.3 | 15.7 | 14.2 | 19.1 | 16.4 | 15.8 | 14.9 | 15.5 | 18.0 | 15.7 | 18.5 | 16.2 | 16.5 | 13.7 | 14.0 | 12.4 | 13.8 | |
| | F | 11.0 | 8.9 | 10.0 | 11.3 | 11.3 | 11.6 | 9.5 | 12.2 | 10.7 | 13.0 | 12.5 | 9.8 | 12.4 | 12.6 | 11.7 | 9.1 | 10.8 | |
| | P | 13.7 | 11.8 | 12.1 | 14.5 | 13.5 | 13.7 | 11.9 | 13.5 | 14.1 | 14.2 | 15.4 | 12.7 | 14.3 | 13.0 | 12.8 | 10.6 | 12.3 | |
| M959-M971 ALL LYMPHOMAS | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 16.9 | 17.8 | 16.3 | 18.1 | 19.7 | 21.2 | 19.9 | 20.8 | 18.5 | 20.0 | 21.0 | 21.6 | 22.0 | 22.4 | 22.5 | 21.6 | 22.6 | |
| | F | 12.7 | 13.4 | 11.6 | 14.5 | 14.9 | 14.7 | 14.6 | 15.1 | 15.0 | 13.4 | 15.9 | 14.9 | 16.8 | 17.4 | 15.4 | 17.4 | 14.6 | |
| | P | 14.7 | 15.3 | 13.8 | 16.0 | 17.3 | 17.3 | 17.1 | 17.8 | 16.6 | 16.5 | 18.2 | 18.1 | 19.2 | 19.5 | 18.6 | 19.5 | 18.2 | |
| Mortality | M | 8.4 | 8.6 | 8.1 | 9.5 | 8.2 | 9.6 | 10.4 | 10.2 | 8.4 | 9.2 | 8.8 | 10.8 | 9.9 | 9.3 | 10.3 | 7.7 | 9.1 | |
| | F | 5.6 | 7.1 | 5.2 | 5.7 | 6.5 | 5.6 | 6.7 | 6.4 | 6.0 | 5.8 | 6.7 | 7.4 | 7.5 | 5.6 | 5.9 | 5.3 | 6.9 | |
| | P | 6.8 | 7.9 | 6.6 | 7.4 | 7.3 | 7.4 | 8.2 | 8.1 | 7.1 | 7.3 | 7.7 | 8.9 | 8.6 | 7.3 | 7.9 | 6.4 | 7.8 | |
| M965-M966 HODGKIN'S DISEASE | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 2.5 | 1.9 | 2.6 | 2.2 | 3.0 | 1.9 | 2.1 | 2.1 | 2.1 | 1.7 | 2.1 | 1.9 | 2.1 | 2.2 | 1.7 | 2.2 | 2.3 | |
| | F | 1.3 | 1.5 | 1.6 | 1.7 | 1.7 | 1.4 | 1.8 | 1.8 | 1.6 | 1.3 | 1.7 | 1.7 | 2.0 | 1.8 | 1.3 | 1.8 | 1.6 | |
| | P | 1.9 | 1.7 | 2.1 | 2.0 | 2.4 | 1.6 | 2.0 | 2.0 | 1.9 | 1.4 | 1.8 | 1.8 | 2.1 | 2.0 | 1.5 | 2.0 | 1.9 | |
| Mortality | M | 1.1 | 0.7 | 0.7 | 0.7 | 0.7 | 0.7 | 0.4 | 0.5 | 0.4 | 0.5 | 0.4 | 0.7 | 0.5 | 0.5 | 0.3 | 0.4 | 0.4 | |
| | F | 0.5 | 0.4 | 0.7 | 0.6 | 0.2 | 0.2 | 0.4 | 0.3 | 0.2 | 0.4 | 0.1 | 0.6 | 0.2 | 0.1 | 0.2 | 0.2 | 0.4 | |

**Table 4. Cancer Incidence and Mortality (ASR (Aust 2001)/100,000) by Site and Sex
Queensland, 1982 - 2002**

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | |
|---|-----|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| | P | 0.8 | 0.6 | 0.7 | 0.7 | 0.4 | 0.4 | 0.4 | 0.5 | 0.3 | 0.4 | 0.3 | 0.6 | 0.3 | 0.2 | 0.2 | 0.3 | 0.4 | |
| M959,M967-M971 NON-HODGKIN'S LYMPHOMA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 14.3 | 16.0 | 13.7 | 15.8 | 16.7 | 19.2 | 17.7 | 18.6 | 16.3 | 18.3 | 19.0 | 19.7 | 19.9 | 20.2 | 20.7 | 19.4 | 20.4 | |
| | F | 11.4 | 11.9 | 10.0 | 12.8 | 13.2 | 13.3 | 12.8 | 13.3 | 13.4 | 12.1 | 14.2 | 13.2 | 14.8 | 15.5 | 14.1 | 15.6 | 13.0 | |
| | P | 12.8 | 13.6 | 11.7 | 14.0 | 14.9 | 15.7 | 15.2 | 15.8 | 14.8 | 15.1 | 16.3 | 16.3 | 17.1 | 17.6 | 17.0 | 17.5 | 16.3 | |
| Mortality | M | 7.3 | 7.9 | 7.3 | 8.8 | 7.5 | 8.9 | 10.0 | 9.6 | 8.0 | 8.7 | 8.4 | 10.1 | 9.4 | 8.8 | 10.0 | 7.3 | 8.6 | |
| | F | 5.1 | 6.7 | 4.5 | 5.1 | 6.3 | 5.4 | 6.3 | 6.1 | 5.8 | 5.4 | 6.6 | 6.9 | 7.3 | 5.5 | 5.7 | 5.1 | 6.5 | |
| | P | 6.1 | 7.4 | 5.9 | 6.8 | 6.9 | 7.0 | 7.8 | 7.7 | 6.8 | 6.9 | 7.4 | 8.3 | 8.3 | 7.0 | 7.6 | 6.1 | 7.4 | |
| M980-M994 ALL LEUKAEMIAS | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 18.2 | 15.5 | 17.4 | 16.9 | 16.8 | 19.1 | 18.4 | 20.4 | 19.9 | 17.9 | 20.1 | 16.5 | 19.7 | 20.1 | 18.0 | 15.7 | 19.2 | |
| | F | 10.0 | 10.1 | 8.0 | 10.0 | 11.5 | 10.3 | 12.2 | 11.4 | 10.9 | 12.8 | 12.0 | 11.0 | 11.2 | 11.6 | 10.7 | 12.3 | 11.2 | |
| | P | 13.6 | 12.5 | 12.2 | 12.9 | 13.5 | 14.0 | 14.9 | 15.3 | 15.2 | 15.1 | 15.8 | 13.6 | 15.0 | 15.5 | 14.1 | 13.9 | 14.7 | |
| Mortality | M | 10.1 | 8.2 | 9.9 | 10.5 | 10.9 | 9.9 | 10.4 | 11.8 | 10.2 | 10.0 | 10.0 | 9.7 | 10.9 | 9.9 | 8.4 | 7.9 | 8.9 | |
| | F | 5.6 | 6.2 | 5.2 | 6.3 | 4.8 | 6.1 | 7.0 | 5.9 | 6.9 | 5.1 | 6.6 | 5.5 | 5.9 | 5.9 | 5.4 | 4.8 | 4.6 | |
| | P | 7.5 | 7.1 | 7.2 | 8.1 | 7.4 | 7.6 | 8.6 | 8.2 | 8.4 | 7.3 | 8.1 | 7.4 | 8.0 | 7.6 | 6.8 | 6.2 | 6.5 | |
| M982,M994 LYMPHOID LEUKAEMIA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 8.8 | 7.6 | 8.3 | 7.6 | 8.2 | 7.4 | 8.7 | 10.8 | 9.2 | 8.7 | 10.0 | 7.4 | 11.0 | 10.9 | 8.9 | 7.8 | 9.7 | |
| | F | 4.4 | 4.7 | 3.8 | 4.2 | 5.4 | 4.2 | 5.7 | 6.0 | 4.9 | 6.4 | 5.9 | 4.8 | 5.8 | 5.8 | 6.4 | 6.7 | 6.1 | |
| | P | 6.4 | 6.0 | 5.9 | 5.7 | 6.5 | 5.6 | 7.1 | 8.1 | 6.9 | 7.4 | 7.8 | 6.1 | 8.3 | 8.2 | 7.6 | 7.3 | 7.7 | |
| Mortality | M | 3.1 | 2.2 | 3.8 | 3.0 | 3.8 | 2.3 | 3.9 | 3.9 | 4.3 | 3.5 | 3.8 | 4.0 | 3.6 | 3.5 | 2.3 | 3.2 | 3.0 | |
| | F | 1.5 | 1.7 | 2.2 | 2.0 | 1.4 | 1.2 | 2.4 | 1.8 | 2.1 | 1.8 | 1.9 | 1.5 | 2.3 | 1.9 | 2.2 | 1.7 | 1.7 | |
| | P | 2.2 | 2.0 | 3.0 | 2.3 | 2.4 | 1.7 | 3.1 | 2.6 | 3.0 | 2.5 | 2.8 | 2.5 | 3.0 | 2.7 | 2.3 | 2.4 | 2.3 | |
| M986,M9930 MYELOID LEUKAEMIA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 7.1 | 6.3 | 7.4 | 7.8 | 7.4 | 10.6 | 8.7 | 8.4 | 9.2 | 8.1 | 8.9 | 8.7 | 7.9 | 8.4 | 8.3 | 7.4 | 8.8 | |
| | F | 4.3 | 4.3 | 3.5 | 4.8 | 5.6 | 5.3 | 5.4 | 4.6 | 5.2 | 5.7 | 5.6 | 5.6 | 4.7 | 5.3 | 3.9 | 4.9 | 4.7 | |
| | P | 5.5 | 5.1 | 5.1 | 6.0 | 6.2 | 7.5 | 6.8 | 6.2 | 7.2 | 6.8 | 7.2 | 6.9 | 6.0 | 6.6 | 5.9 | 6.0 | 6.4 | |
| Mortality | M | 5.4 | 4.2 | 4.6 | 6.0 | 6.0 | 6.6 | 5.9 | 7.3 | 5.0 | 5.6 | 5.7 | 5.0 | 6.7 | 6.0 | 5.4 | 4.1 | 5.5 | |
| | F | 3.3 | 3.7 | 2.1 | 3.8 | 3.0 | 4.5 | 4.0 | 3.4 | 4.2 | 2.9 | 4.3 | 3.6 | 3.3 | 3.3 | 2.9 | 2.6 | 2.7 | |
| | P | 4.2 | 3.9 | 3.1 | 4.7 | 4.2 | 5.3 | 4.9 | 4.9 | 4.5 | 4.2 | 4.9 | 4.3 | 4.7 | 4.3 | 4.0 | 3.3 | 3.9 | |
| M989 MONOCYTIC LEUKAEMIA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.9 | 0.4 | 0.3 | 0.3 | 0.4 | 0.3 | 0.1 | 0.4 | 0.2 | 0.0 | 0.2 | 0.1 | 0.2 | 0.1 | 0.2 | 0.2 | 0.1 | |
| | F | 0.5 | 0.3 | 0.1 | 0.2 | 0.1 | 0.0 | 0.2 | 0.1 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.0 | 0.3 | |
| | P | 0.6 | 0.4 | 0.2 | 0.3 | 0.2 | 0.1 | 0.2 | 0.2 | 0.1 | 0.1 | 0.2 | 0.1 | 0.2 | 0.2 | 0.1 | 0.3 | 0.2 | |
| Mortality | M | 0.6 | 0.5 | 0.3 | 0.2 | 0.6 | 0.2 | 0.1 | 0.3 | 0.2 | 0.1 | 0.0 | 0.2 | 0.2 | 0.0 | 0.2 | 0.2 | 0.1 | |
| | F | 0.3 | 0.1 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.0 | 0.2 | 0.1 | |
| | P | 0.4 | 0.3 | 0.2 | 0.2 | 0.3 | 0.2 | 0.1 | 0.2 | 0.2 | 0.1 | 0.0 | 0.1 | 0.2 | 0.1 | 0.1 | 0.2 | 0.1 | |
| M9801-M9804,M983-M985,M987-M988,M990-M991,M9931, M9932 OTHER SPECIFIED LEUKAEMIA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.9 | 0.8 | 0.9 | 0.7 | 0.6 | 0.4 | 0.4 | 0.5 | 0.7 | 0.7 | 0.6 | 0.2 | 0.4 | 0.5 | 0.4 | 0.3 | 0.4 | |
| | F | 0.5 | 0.5 | 0.3 | 0.3 | 0.4 | 0.5 | 0.4 | 0.4 | 0.6 | 0.4 | 0.3 | 0.4 | 0.4 | 0.3 | 0.3 | 0.3 | 0.2 | |
| | P | 0.7 | 0.7 | 0.6 | 0.5 | 0.5 | 0.5 | 0.4 | 0.5 | 0.6 | 0.5 | 0.5 | 0.3 | 0.4 | 0.4 | 0.3 | 0.3 | 0.3 | |
| Mortality | M | 0.6 | 0.9 | 0.8 | 1.0 | 0.5 | 0.8 | 0.2 | 0.4 | 0.6 | 0.7 | 0.1 | 0.5 | 0.3 | 0.4 | 0.4 | 0.3 | 0.2 | |
| | F | 0.3 | 0.7 | 0.4 | 0.3 | 0.2 | 0.2 | 0.4 | 0.4 | 0.3 | 0.2 | 0.2 | 0.4 | 0.2 | 0.4 | 0.3 | 0.2 | 0.1 | |
| | P | 0.4 | 0.8 | 0.6 | 0.6 | 0.3 | 0.4 | 0.3 | 0.4 | 0.4 | 0.4 | 0.2 | 0.4 | 0.2 | 0.4 | 0.4 | 0.2 | 0.1 | |
| M9800 UNSPECIFIED LEUKAEMIA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.5 | 0.4 | 0.6 | 0.4 | 0.2 | 0.4 | 0.5 | 0.4 | 0.5 | 0.4 | 0.4 | 0.2 | 0.1 | 0.2 | 0.2 | 0.0 | 0.1 | |
| | F | 0.3 | 0.3 | 0.2 | 0.4 | 0.0 | 0.3 | 0.4 | 0.3 | 0.3 | 0.2 | 0.1 | 0.0 | 0.1 | 0.1 | 0.2 | 0.1 | 0.0 | |
| | P | 0.4 | 0.3 | 0.4 | 0.4 | 0.1 | 0.3 | 0.4 | 0.4 | 0.4 | 0.3 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | |
| Mortality | M | 0.4 | 0.3 | 0.3 | 0.3 | 0.0 | 0.0 | 0.3 | 0.0 | 0.1 | 0.2 | 0.3 | 0.1 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | |
| | F | 0.2 | 0.0 | 0.3 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.3 | 0.1 | 0.1 | 0.0 | 0.1 | 0.2 | 0.0 | 0.1 | 0.1 | |
| | P | 0.3 | 0.1 | 0.3 | 0.2 | 0.1 | 0.0 | 0.2 | 0.1 | 0.2 | 0.2 | 0.2 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.1 | |
| M973 MYELOMA | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 6.1 | 6.3 | 5.3 | 6.5 | 6.0 | 5.5 | 6.6 | 6.7 | 6.1 | 6.1 | 6.3 | 6.9 | 9.5 | 6.8 | 7.7 | 6.9 | 6.9 | |
| | F | 4.1 | 3.7 | 3.4 | 3.7 | 3.1 | 3.7 | 4.5 | 3.2 | 3.5 | 4.3 | 5.1 | 4.0 | 4.6 | 4.7 | 5.5 | 5.2 | 3.8 | |
| | P | 4.9 | 4.8 | 4.2 | 4.9 | 4.4 | 4.4 | 5.3 | 4.8 | 4.6 | 4.9 | 5.6 | 5.4 | 6.7 | 5.7 | 6.5 | 6.0 | 5.1 | |
| Mortality | M | 3.3 | 5.3 | 3.9 | 4.5 | 4.6 | 4.1 | 3.8 | 3.5 | 4.4 | 4.1 | 3.3 | 4.2 | 4.6 | 4.9 | 4.5 | 4.6 | 4.5 | |
| | F | 2.4 | 2.4 | 2.2 | 2.5 | 3.2 | 2.0 | 2.8 | 2.3 | 2.7 | 2.7 | 3.2 | 2.6 | 2.3 | 2.1 | 2.8 | 2.3 | 2.4 | |
| | P | 2.8 | 3.5 | 2.9 | 3.4 | 3.7 | 2.9 | 3.2 | 2.8 | 3.4 | 3.2 | 3.2 | 3.2 | 3.4 | 3.4 | 3.6 | 3.3 | 3.3 | |

Table 4. Cancer Incidence and Mortality (ASR (Aust 2001)/100,000) by Site and Sex Queensland, 1982 - 2002

| ICD0-2/SITE | Sex | 1982-1986 | 1987 | 1988 | 1989 | 1990 | 1991 | 1992 | 1993 | 1994 | 1995 | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | |
|--|-----|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
| M972,M974,M976 OTHER NEOPLASMS OF LYMPHATIC & HAEMATOPOIETIC TISSUE | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0.3 | 0.1 | 0.3 | 0.4 | 0.2 | 0.1 | 0.4 | 0.2 | 0.3 | 0.1 | 0.6 | 0.5 | 0.2 | 0.5 | 1.0 | 0.7 | 0.7 | |
| | F | 0.2 | 0.1 | 0.1 | 0.0 | 0.0 | 0.1 | 0.1 | 0.1 | 0.2 | 0.3 | 0.1 | 0.2 | 0.1 | 0.3 | 0.5 | 0.1 | 0.5 | |
| | P | 0.2 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.2 | 0.3 | 0.3 | 0.1 | 0.4 | 0.7 | 0.4 | 0.6 |
| Mortality | M | 0.1 | 0.1 | 0.2 | 0.3 | 0.1 | 0.1 | 0.2 | 0.1 | 0.0 | 0.0 | 0.0 | 0.4 | 0.2 | 0.3 | 0.1 | 0.2 | 0.1 | |
| | F | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.2 | 0.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.0 | 0.1 | 0.0 | 0.1 | 0.0 | 0.1 | |
| | P | 0.1 | 0.1 | 0.1 | 0.1 | 0.0 | 0.2 | 0.1 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | |
| TOTAL MALIGNANT NEOPLASMS (C00-C80) | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 517.6 | 538.1 | 530.1 | 544.2 | 551.1 | 562.0 | 581.1 | 624.2 | 623.7 | 599.8 | 595.4 | 588.0 | 599.2 | 577.0 | 586.1 | 580.4 | 583.1 | |
| | F | 360.4 | 380.0 | 358.7 | 369.8 | 374.1 | 393.3 | 393.6 | 403.8 | 399.8 | 407.4 | 410.1 | 413.3 | 423.1 | 425.2 | 431.9 | 426.5 | 429.7 | |
| | P | 424.0 | 445.0 | 430.0 | 440.7 | 446.2 | 462.2 | 471.5 | 496.8 | 496.9 | 489.3 | 489.7 | 489.7 | 499.1 | 489.4 | 498.1 | 494.2 | 497.1 | |
| Mortality | M | 259.0 | 265.0 | 262.4 | 273.6 | 260.0 | 261.7 | 265.4 | 268.6 | 273.5 | 258.5 | 268.0 | 256.7 | 257.1 | 251.0 | 251.2 | 238.7 | 237.4 | |
| | F | 148.1 | 152.1 | 144.3 | 149.0 | 145.9 | 155.7 | 153.3 | 151.1 | 151.3 | 147.9 | 155.9 | 153.0 | 149.3 | 146.0 | 144.4 | 141.1 | 145.0 | |
| | P | 194.8 | 200.1 | 194.4 | 200.9 | 193.2 | 200.8 | 201.3 | 200.3 | 204.0 | 195.1 | 203.6 | 197.7 | 196.2 | 191.3 | 190.8 | 184.1 | 185.5 | |

Table 5: Cancer Incidence and Mortality by Site, Sex and Age Group, Queensland, 2002

| ICD0-2/SITE | Sex | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Total | Percent | Cum Rate | Cum Risk (1 in x) | ASR (World)/100,000 | Lower Limit | Upper Limit | |
|---------------------------|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|---------|----------|-------------------|---------------------|-------------|-------------|--|
| C00 LIP | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 1 | 7 | 8 | 21 | 12 | 15 | 17 | 17 | 17 | 19 | 20 | 16 | 12 | 5 | 187 | 1.9 | 0.8 | 121 | 7.6 | 6.5 | 8.8 | |
| | F | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 5 | 4 | 5 | 5 | 8 | 8 | 11 | 15 | 5 | 5 | 9 | 81 | 1.0 | 0.4 | 261 | 3.0 | 2.4 | 3.7 | |
| | P | 0 | 0 | 0 | 0 | 1 | 8 | 8 | 26 | 16 | 20 | 22 | 25 | 25 | 30 | 35 | 21 | 17 | 14 | 268 | 1.5 | 0.6 | 166 | 5.2 | 4.6 | 5.9 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 5.5 | 5.9 | 15.6 | 8.6 | 11.7 | 13.6 | 16.0 | 20.8 | 30.0 | 37.1 | 38.9 | 48.7 | 32.1 | 10.1 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 3.6 | 2.8 | 3.8 | 4.1 | 7.8 | 10.3 | 17.6 | 26.2 | 10.1 | 13.8 | 28.1 | 4.3 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 3.1 | 2.9 | 9.5 | 5.7 | 7.8 | 8.9 | 12.0 | 15.7 | 23.8 | 31.4 | 23.2 | 28.0 | 29.4 | 7.2 | | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 1 | 6 | 0.2 | 0.0 | 3971 | 0.2 | 0.1 | 0.5 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0.0 | 0.0 | . | 0.0 | 0.0 | 0.1 | |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 2 | 7 | 0.1 | 0.0 | 7805 | 0.1 | 0.1 | 0.3 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 1.9 | 2.4 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 0.3 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.1 | 0.1 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 1.0 | 1.3 | 0.0 | 0.0 | 0.0 | 0.0 | 4.2 | 0.2 | | | | | | | |
| C01,C02 TONGUE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 6 | 5 | 12 | 11 | 6 | 7 | 8 | 4 | 4 | 2 | 71 | 0.7 | 0.3 | 304 | 2.8 | 2.2 | 3.6 | |
| | F | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 3 | 3 | 3 | 5 | 1 | 3 | 3 | 3 | 0 | 26 | 0.3 | 0.1 | 893 | 1.0 | 0.6 | 1.5 | |
| | P | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 6 | 6 | 8 | 15 | 14 | 11 | 8 | 11 | 7 | 7 | 2 | 97 | 0.5 | 0.2 | 455 | 1.9 | 1.5 | 2.3 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 3.7 | 4.3 | 3.9 | 9.6 | 10.3 | 7.3 | 11.1 | 14.8 | 9.7 | 16.2 | 12.8 | 3.9 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.7 | 0.0 | 2.3 | 2.4 | 2.9 | 6.4 | 1.6 | 5.2 | 6.1 | 8.3 | 0.0 | 1.4 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.4 | 2.2 | 2.1 | 3.1 | 6.1 | 6.7 | 6.9 | 6.4 | 9.9 | 7.7 | 11.5 | 4.2 | 2.6 | | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 2 | 3 | 2 | 9 | 3 | 2 | 1 | 5 | 1 | 32 | 0.8 | 0.1 | 707 | 1.3 | 0.9 | 1.8 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 2 | 2 | 0 | 3 | 1 | 2 | 13 | 0.5 | 0.0 | 2466 | 0.4 | 0.2 | 0.7 | |
| | P | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 4 | 4 | 2 | 11 | 5 | 2 | 4 | 6 | 3 | 45 | 0.7 | 0.1 | 1096 | 0.9 | 0.6 | 1.2 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 2.2 | 0.0 | 1.6 | 2.4 | 1.9 | 11.0 | 4.7 | 3.7 | 2.4 | 20.3 | 6.4 | 1.7 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.5 | 0.8 | 0.0 | 2.6 | 3.2 | 0.0 | 6.1 | 2.8 | 6.3 | 0.7 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 1.1 | 0.0 | 1.6 | 1.6 | 1.0 | 6.9 | 4.0 | 1.8 | 4.4 | 9.9 | 6.3 | 1.2 | | | | | | | |
| C03 GUM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 0.0 | 0.0 | 7658 | 0.1 | 0.0 | 0.4 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 0 | 1 | 0 | 0 | 5 | 0.1 | 0.0 | 4013 | 0.2 | 0.1 | 0.5 | |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 3 | 0 | 2 | 0 | 1 | 1 | 9 | 0.1 | 0.0 | 5280 | 0.2 | 0.1 | 0.3 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 0.0 | 0.2 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 1.0 | 0.0 | 3.2 | 0.0 | 2.0 | 0.0 | 0.0 | 0.3 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.4 | 1.4 | 0.0 | 1.6 | 0.0 | 1.1 | 1.6 | 0.0 | 0.2 | | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 4 | 0.1 | 0.0 | 5349 | 0.2 | 0.0 | 0.4 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 3 | 0.1 | 0.0 | 12514 | 0.1 | 0.0 | 0.2 | |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 2 | 0 | 1 | 7 | 0.1 | 0.0 | 7427 | 0.1 | 0.1 | 0.3 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.9 | 1.2 | 1.6 | 0.0 | 2.4 | 0.0 | 0.0 | 0.2 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 2.0 | 0.0 | 3.1 | 0.2 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.6 | 1.6 | 0.0 | 2.2 | 0.0 | 2.1 | 0.2 | | | | | | | |
| C04 FLOOR OF MOUTH | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 8 | 4 | 3 | 0 | 0 | 0 | 0 | 0 | 18 | 0.2 | 0.1 | 1241 | 0.8 | 0.4 | 1.2 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 3 | 1 | 0 | 2 | 2 | 0 | 11 | 0.1 | 0.0 | 2464 | 0.4 | 0.2 | 0.7 | |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 8 | 6 | 6 | 1 | 0 | 2 | 2 | 0 | 29 | 0.2 | 0.1 | 1647 | 0.6 | 0.4 | 0.8 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 1.6 | 6.4 | 3.8 | 3.7 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 0.0 | 2.0 | 3.9 | 1.6 | 0.0 | 4.0 | 5.5 | 0.0 | 0.6 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.4 | 0.8 | 3.2 | 2.9 | 3.8 | 0.8 | 0.0 | 2.2 | 3.3 | 0.0 | 0.8 | | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 1 | 0 | 1 | 0 | 6 | 0.2 | 0.0 | 2789 | 0.2 | 0.1 | 0.5 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 4 | 0.1 | 0.0 | 6511 | 0.2 | 0.0 | 0.4 | |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 0 | 10 | 0.2 | 0.0 | 3922 | 0.2 | 0.1 | 0.4 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.9 | 1.2 | 3.2 | 1.9 | 0.0 | 4.1 | 0.0 | 0.3 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 1.0 | 1.3 | 0.0 | 0.0 | 2.0 | 0.0 | 0.2 | | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 1.0 | 1.3 | 1.6 | 0.9 | 1.1 | 1.6 | 0.0 | 0.3 | | | | | | | |

Table 5: Cancer Incidence and Mortality by Site, Sex and Age Group, Queensland, 2002

| ICD0-2/SITE | Sex | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Total | Percent | Cum Rate | Cum Risk (1 in x) | ASR (World)/100,000 | Lower Limit | Upper Limit |
|--|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|---------|----------|-------------------|---------------------|-------------|-------------|
| C05,C06 PALATE AND OTHER & UNSPECIFIED PARTS OF MOUTH | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 4 | 8 | 8 | 4 | 4 | 2 | 2 | 0 | 34 | 0.3 | 0.2 | 560 | 1.4 | 0.9 | 1.9 |
| | F | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 3 | 1 | 1 | 0 | 1 | 4 | 1 | 14 | 0.2 | 0.0 | 2503 | 0.5 | 0.3 | 0.8 |
| | P | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 4 | 11 | 9 | 5 | 4 | 3 | 6 | 1 | 48 | 0.3 | 0.1 | 913 | 0.9 | 0.7 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.8 | 3.2 | 7.5 | 9.8 | 6.3 | 7.4 | 4.9 | 8.1 | 0.0 | 1.8 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.7 | 0.7 | 0.0 | 0.0 | 2.9 | 1.3 | 1.6 | 0.0 | 2.0 | 11.1 | 3.1 | 0.8 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.7 | 0.4 | 0.4 | 1.6 | 5.3 | 5.6 | 4.0 | 3.6 | 3.3 | 9.9 | 2.1 | 1.3 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 3 | 1 | 0 | 0 | 0 | 8 | 0.2 | 0.1 | 1860 | 0.4 | 0.2 | 0.7 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 2 | 6 | 0.2 | 0.0 | 5734 | 0.1 | 0.1 | 0.3 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 3 | 2 | 0 | 2 | 14 | 0.2 | 0.0 | 2780 | 0.3 | 0.1 | 0.4 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.9 | 2.4 | 4.7 | 1.9 | 0.0 | 0.0 | 0.0 | 0.4 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.5 | 4.0 | 0.0 | 6.3 | 0.3 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.5 | 1.3 | 2.4 | 2.7 | 2.2 | 0.0 | 4.2 | 0.4 | | | | | | |
| C07,C08 PAROTID AND OTHER & UNSPECIFIED MAJOR SALIVARY GLANDS | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 5 | 1 | 6 | 2 | 3 | 3 | 5 | 3 | 31 | 0.3 | 0.1 | 861 | 1.1 | 0.8 | 1.6 |
| | F | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 2 | 2 | 1 | 1 | 2 | 3 | 0 | 16 | 0.2 | 0.1 | 1704 | 0.6 | 0.4 | 1.0 |
| | P | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 6 | 3 | 8 | 3 | 4 | 5 | 8 | 3 | 47 | 0.3 | 0.1 | 1145 | 0.9 | 0.6 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.7 | 0.8 | 4.0 | 0.9 | 7.3 | 3.2 | 5.6 | 7.3 | 20.3 | 19.2 | 1.7 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 1.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.5 | 0.8 | 2.0 | 2.6 | 1.6 | 1.7 | 4.0 | 8.3 | 0.0 | 0.9 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 0.4 | 0.0 | 0.4 | 1.2 | 2.4 | 1.4 | 5.0 | 2.4 | 3.6 | 5.5 | 13.2 | 6.3 | 1.3 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 2 | 0 | 1 | 2 | 3 | 2 | 13 | 0.3 | 0.0 | 3010 | 0.4 | 0.2 | 0.8 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 4 | 1 | 7 | 0.2 | 0.0 | 9547 | 0.2 | 0.1 | 0.3 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 0 | 3 | 0 | 1 | 2 | 7 | 3 | 20 | 0.3 | 0.0 | 4605 | 0.3 | 0.2 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.3 | 0.0 | 0.0 | 2.4 | 0.0 | 1.9 | 4.9 | 12.2 | 12.8 | 0.7 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 1.3 | 0.0 | 0.0 | 0.0 | 11.1 | 3.1 | 0.4 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.2 | 0.4 | 0.0 | 1.9 | 0.0 | 0.9 | 2.2 | 11.5 | 6.3 | 0.5 | | | | | |
| C09,C10 TONSIL AND OROPHARYNX | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 3 | 9 | 9 | 6 | 6 | 3 | 5 | 1 | 0 | 47 | 0.5 | 0.2 | 455 | 1.9 | 1.4 | 2.5 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 2 | 1 | 2 | 2 | 1 | 2 | 1 | 0 | 15 | 0.2 | 0.1 | 1526 | 0.6 | 0.3 | 1.0 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 6 | 11 | 10 | 8 | 8 | 4 | 7 | 2 | 0 | 62 | 0.3 | 0.1 | 699 | 1.2 | 0.9 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.6 | 2.3 | 7.2 | 8.4 | 7.3 | 9.5 | 5.6 | 12.2 | 4.1 | 0.0 | 2.6 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 2.3 | 1.6 | 1.0 | 2.6 | 3.2 | 1.7 | 4.0 | 2.8 | 0.0 | 0.8 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 2.3 | 4.4 | 4.8 | 5.0 | 6.4 | 3.6 | 7.7 | 3.3 | 0.0 | 1.7 | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 9 | 6 | 1 | 2 | 0 | 0 | 23 | 0.6 | 0.1 | 745 | 1.0 | 0.6 | 1.5 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 4 | 0.1 | 0.0 | 5416 | 0.2 | 0.0 | 0.4 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 10 | 7 | 1 | 3 | 0 | 0 | 27 | 0.4 | 0.1 | 1297 | 0.6 | 0.4 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 3.8 | 11.0 | 9.5 | 1.9 | 4.9 | 0.0 | 0.0 | 1.2 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 1.3 | 1.6 | 0.0 | 2.0 | 0.0 | 0.0 | 0.2 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.4 | 1.9 | 6.3 | 5.6 | 0.9 | 3.3 | 0.0 | 0.7 | | | | | | |
| C11 NASOPHARYNX | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 2 | 1 | 0 | 0 | 3 | 0 | 0 | 0 | 0 | 10 | 0.1 | 0.1 | 1999 | 0.5 | 0.2 | 0.8 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 3 | 0.0 | 0.0 | 28703 | 0.1 | 0.0 | 0.2 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 3 | 2 | 1 | 0 | 0 | 3 | 0 | 1 | 1 | 0 | 13 | 0.1 | 0.0 | 3744 | 0.3 | 0.1 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.5 | 0.0 | 1.4 | 1.6 | 0.8 | 0.0 | 0.0 | 4.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 2.8 | 0.0 | 0.2 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 1.1 | 0.8 | 0.4 | 0.0 | 0.0 | 2.4 | 0.0 | 1.1 | 1.6 | 0.0 | 0.4 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0.1 | 0.0 | 11616 | 0.1 | 0.0 | 0.3 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0.0 | 0.0 | 12514 | 0.0 | 0.0 | 0.3 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 3 | 0.0 | 0.0 | 12043 | 0.1 | 0.0 | 0.2 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.5 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.1 | | | | | | |

Table 5: Cancer Incidence and Mortality by Site, Sex and Age Group, Queensland, 2002

| ICD0-2/SITE | Sex | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Total | Percent | Cum Rate | Cum Risk (1 in x) | ASR (World)/100,000 | Lower Limit | Upper Limit |
|--|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|---------|----------|-------------------|---------------------|-------------|-------------|
| C12,C13 PYRIFORM SINUS AND HYPOPHARYNX | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 6 | 3 | 4 | 2 | 4 | 1 | 0 | 22 | 0.2 | 0.1 | 956 | 0.8 | 0.5 | 1.3 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 5 | 0.1 | 0.0 | 3615 | 0.2 | 0.1 | 0.5 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 8 | 4 | 5 | 2 | 4 | 1 | 0 | 27 | 0.2 | 0.1 | 1509 | 0.5 | 0.3 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 5.6 | 3.7 | 6.3 | 3.7 | 9.7 | 4.1 | 0.0 | 1.2 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 2.0 | 1.3 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.8 | 3.8 | 2.5 | 4.0 | 1.8 | 4.4 | 1.6 | 0.7 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 3 | 2 | 3 | 7 | 4 | 1 | 1 | 25 | 0.7 | 0.1 | 765 | 0.9 | 0.6 | 1.4 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 0 | 1 | 1 | 0 | 0 | 0 | 7 | 0.2 | 0.0 | 2481 | 0.3 | 0.1 | 0.6 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 7 | 2 | 4 | 8 | 4 | 1 | 1 | 32 | 0.5 | 0.1 | 1179 | 0.6 | 0.4 | 0.8 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 2.4 | 2.8 | 2.4 | 4.7 | 13.0 | 9.7 | 4.1 | 6.4 | 1.4 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 3.9 | 0.0 | 1.6 | 1.7 | 0.0 | 0.0 | 0.0 | 0.4 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 1.6 | 3.4 | 1.3 | 3.2 | 7.2 | 4.4 | 1.6 | 2.1 | 0.9 | | | | | | |
| C14 OTHER & ILL-DEFINED SITES IN LIP, ORAL CAVITY & PHARYNX | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 3 | 2 | 1 | 1 | 1 | 1 | 0 | 12 | 0.1 | 0.1 | 1820 | 0.5 | 0.2 | 0.8 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 | 0 | 0 | 4 | 0.0 | 0.0 | 4639 | 0.2 | 0.0 | 0.4 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 3 | 4 | 1 | 2 | 2 | 1 | 0 | 16 | 0.1 | 0.0 | 2606 | 0.3 | 0.2 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.8 | 0.8 | 2.8 | 2.4 | 1.6 | 1.9 | 2.4 | 4.1 | 0.0 | 0.7 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.6 | 0.0 | 1.7 | 2.0 | 0.0 | 0.0 | 0.2 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.4 | 1.4 | 2.5 | 0.8 | 1.8 | 2.2 | 1.6 | 0.0 | 0.4 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 5 | 0.1 | 0.0 | 3032 | 0.2 | 0.1 | 0.5 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 3 | 0.1 | 0.0 | 9547 | 0.1 | 0.0 | 0.3 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 1 | 2 | 1 | 0 | 1 | 0 | 8 | 0.1 | 0.0 | 4643 | 0.2 | 0.1 | 0.3 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.8 | 0.0 | 0.0 | 3.2 | 1.9 | 0.0 | 0.0 | 0.0 | 0.3 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 1.3 | 0.0 | 0.0 | 0.0 | 2.8 | 0.0 | 0.2 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.8 | 0.0 | 0.6 | 1.6 | 0.9 | 0.0 | 1.6 | 0.0 | 0.2 | | | | | | |
| C15 OESOPHAGUS | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 7 | 13 | 20 | 27 | 21 | 18 | 16 | 10 | 138 | 1.4 | 0.6 | 156 | 5.2 | 4.3 | 6.1 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 5 | 5 | 4 | 8 | 6 | 8 | 7 | 49 | 0.6 | 0.2 | 548 | 1.5 | 1.1 | 2.0 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 13 | 18 | 25 | 31 | 29 | 24 | 24 | 17 | 187 | 1.0 | 0.4 | 243 | 3.3 | 2.8 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.7 | 3.1 | 5.6 | 12.2 | 24.4 | 42.6 | 38.9 | 43.8 | 64.9 | 64.2 | 7.5 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | 4.9 | 6.4 | 6.4 | 14.0 | 12.1 | 22.1 | 21.9 | 2.6 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.4 | 1.6 | 5.2 | 8.6 | 15.7 | 24.6 | 26.1 | 26.5 | 39.5 | 35.7 | 5.0 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 4 | 9 | 7 | 27 | 14 | 15 | 14 | 14 | 109 | 2.9 | 0.5 | 216 | 4.0 | 3.3 | 4.8 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 1 | 11 | 7 | 14 | 10 | 47 | 1.7 | 0.1 | 781 | 1.1 | 0.8 | 1.5 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 4 | 10 | 10 | 28 | 25 | 22 | 28 | 24 | 156 | 2.4 | 0.3 | 338 | 2.5 | 2.1 | 2.9 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.9 | 3.2 | 8.4 | 8.6 | 42.6 | 25.9 | 36.5 | 56.8 | 89.8 | 5.9 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 3.9 | 1.6 | 19.2 | 14.1 | 38.8 | 31.3 | 2.5 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 1.6 | 4.8 | 6.3 | 22.2 | 22.5 | 24.3 | 46.1 | 50.4 | 4.2 | | | | | | |
| C16 STOMACH | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 6 | 6 | 8 | 25 | 23 | 34 | 33 | 32 | 38 | 14 | 220 | 2.2 | 0.9 | 110 | 7.8 | 6.8 | 8.9 |
| | F | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 4 | 1 | 3 | 14 | 13 | 15 | 14 | 16 | 26 | 19 | 128 | 1.6 | 0.4 | 231 | 3.9 | 3.2 | 4.6 |
| | P | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 1 | 10 | 7 | 11 | 39 | 36 | 49 | 47 | 48 | 64 | 33 | 348 | 1.9 | 0.7 | 149 | 5.8 | 5.2 | 6.4 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 4.3 | 4.7 | 6.4 | 23.5 | 28.1 | 53.7 | 61.2 | 77.9 | 154.2 | 89.8 | 11.9 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.7 | 0.7 | 2.8 | 0.8 | 2.4 | 13.7 | 16.7 | 24.0 | 24.4 | 32.3 | 72.0 | 59.4 | 6.9 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.4 | 0.4 | 3.5 | 2.7 | 4.4 | 18.7 | 22.5 | 38.9 | 42.2 | 53.0 | 105.3 | 69.4 | 9.4 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 6 | 7 | 15 | 20 | 22 | 27 | 30 | 29 | 10 | 170 | 4.5 | 0.7 | 147 | 6.0 | 5.1 | 6.9 |
| | F | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 2 | 5 | 6 | 6 | 5 | 12 | 14 | 14 | 67 | 2.4 | 0.2 | 575 | 1.9 | 1.4 | 2.4 |
| | P | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 2 | 8 | 9 | 20 | 26 | 28 | 32 | 42 | 43 | 24 | 237 | 3.6 | 0.4 | 235 | 3.8 | 3.4 | 4.4 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.5 | 1.4 | 4.7 | 5.6 | 14.1 | 24.4 | 34.7 | 50.0 | 73.0 | 117.7 | 64.2 | 9.2 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 1.5 | 1.6 | 4.9 | 7.7 | 9.6 | 8.7 | 24.2 | 38.8 | 43.8 | 3.6 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.7 | 0.7 | 3.1 | 3.6 | 9.6 | 16.3 | 22.2 | 28.8 | 46.3 | 70.8 | 50.4 | 6.4 | | | | | | |

Table 5: Cancer Incidence and Mortality by Site, Sex and Age Group, Queensland, 2002

| ICD0-2/SITE | Sex | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Total | Percent | Cum Rate | Cum Risk (1 in x) | ASR (World)/100,000 | Lower Limit | Upper Limit |
|---|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------|----------|-------------------|---------------------|-------------|-------------|
| C17 SMALL INTESTINE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 7 | 3 | 6 | 0 | 6 | 3 | 3 | 3 | 37 | 0.4 | 0.2 | 637 | 1.4 | 1.0 | 1.9 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 1 | 2 | 5 | 2 | 3 | 1 | 7 | 3 | 3 | 30 | 0.4 | 0.1 | 1083 | 1.0 | 0.6 | 1.4 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 4 | 9 | 8 | 8 | 3 | 7 | 10 | 6 | 67 | 0.4 | 0.1 | 806 | 1.2 | 0.9 | 1.5 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 1.4 | 2.3 | 5.6 | 2.8 | 7.3 | 0.0 | 11.1 | 7.3 | 12.2 | 19.2 | 2.0 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 1.4 | 0.8 | 1.6 | 4.9 | 2.6 | 4.8 | 1.7 | 14.1 | 8.3 | 9.4 | 1.6 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.4 | 1.4 | 1.6 | 3.6 | 3.8 | 5.0 | 2.4 | 6.3 | 11.0 | 9.9 | 12.6 | 1.8 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 1 | 2 | 0 | 2 | 1 | 0 | 1 | 11 | 0.3 | 0.1 | 1970 | 0.4 | 0.2 | 0.8 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 1 | 1 | 2 | 1 | 2 | 11 | 0.4 | 0.0 | 2841 | 0.3 | 0.2 | 0.6 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 4 | 2 | 1 | 3 | 3 | 1 | 3 | 22 | 0.3 | 0.0 | 2334 | 0.4 | 0.2 | 0.6 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.7 | 0.0 | 1.6 | 0.9 | 2.4 | 0.0 | 3.7 | 2.4 | 0.0 | 6.4 | 0.6 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 2.9 | 0.0 | 1.6 | 1.7 | 4.0 | 2.8 | 6.3 | 0.6 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.4 | 0.4 | 0.8 | 1.9 | 1.3 | 0.8 | 2.7 | 3.3 | 1.6 | 6.3 | 0.6 | | | | | | |
| C18-C20,C218 COLORECTAL CANCER | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 1 | 1 | 4 | 8 | 12 | 11 | 44 | 92 | 128 | 174 | 194 | 197 | 201 | 125 | 81 | 1273 | 13.0 | 5.7 | 18 | 47.3 | 44.8 | 50.0 |
| | F | 0 | 0 | 0 | 1 | 0 | 2 | 7 | 8 | 30 | 36 | 65 | 103 | 109 | 137 | 162 | 173 | 137 | 136 | 1106 | 13.6 | 4.3 | 24 | 35.7 | 33.7 | 37.9 |
| | P | 0 | 0 | 0 | 2 | 1 | 6 | 15 | 20 | 41 | 80 | 157 | 231 | 283 | 331 | 359 | 374 | 262 | 217 | 2379 | 13.3 | 5.0 | 21 | 41.4 | 39.7 | 43.1 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.7 | 0.8 | 3.1 | 5.9 | 8.9 | 7.9 | 34.5 | 73.8 | 120.2 | 212.6 | 306.3 | 365.1 | 489.0 | 507.2 | 519.7 | 69.1 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 1.5 | 5.0 | 5.7 | 20.9 | 27.7 | 52.7 | 100.6 | 140.0 | 219.0 | 282.5 | 349.3 | 379.3 | 425.1 | 59.3 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.7 | 0.4 | 2.3 | 5.4 | 7.3 | 14.5 | 31.0 | 63.3 | 110.6 | 177.2 | 262.9 | 322.6 | 412.7 | 431.1 | 456.1 | 64.2 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 2 | 5 | 20 | 41 | 67 | 69 | 79 | 86 | 52 | 41 | 465 | 12.2 | 2.0 | 51 | 16.7 | 15.3 | 18.3 |
| | F | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 4 | 13 | 18 | 28 | 27 | 48 | 56 | 70 | 76 | 77 | 420 | 15.0 | 1.3 | 76 | 12.1 | 10.9 | 13.3 |
| | P | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 3 | 6 | 18 | 38 | 69 | 94 | 117 | 135 | 156 | 128 | 118 | 885 | 13.4 | 1.7 | 61 | 14.4 | 13.4 | 15.3 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 1.5 | 1.4 | 3.9 | 16.0 | 38.5 | 81.9 | 108.9 | 146.4 | 209.2 | 211.0 | 263.0 | 25.2 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.7 | 0.7 | 2.8 | 10.0 | 14.6 | 27.4 | 34.7 | 76.7 | 97.7 | 141.4 | 210.4 | 240.7 | 22.5 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.4 | 0.4 | 0.0 | 0.4 | 1.1 | 2.1 | 7.0 | 15.3 | 33.0 | 58.8 | 92.9 | 121.3 | 172.1 | 210.6 | 248.0 | 23.9 | | | | | | |
| C18 COLON | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 1 | 1 | 4 | 8 | 7 | 25 | 46 | 85 | 99 | 114 | 130 | 130 | 86 | 56 | 792 | 8.1 | 3.5 | 29 | 28.9 | 27.0 | 31.0 |
| | F | 0 | 0 | 0 | 0 | 0 | 2 | 5 | 5 | 20 | 22 | 40 | 63 | 80 | 100 | 116 | 143 | 97 | 106 | 799 | 9.8 | 3.0 | 34 | 25.3 | 23.6 | 27.1 |
| | P | 0 | 0 | 0 | 0 | 1 | 3 | 9 | 13 | 27 | 47 | 86 | 148 | 179 | 214 | 246 | 273 | 183 | 162 | 1591 | 8.9 | 3.2 | 31 | 27.1 | 25.7 | 28.4 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.8 | 2.9 | 6.0 | 5.0 | 19.6 | 36.9 | 79.8 | 120.9 | 180.0 | 240.9 | 316.3 | 348.9 | 359.3 | 43.0 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.5 | 3.5 | 3.6 | 13.9 | 16.9 | 32.4 | 61.5 | 102.7 | 159.8 | 202.3 | 288.8 | 268.5 | 331.3 | 42.9 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 1.2 | 3.2 | 4.7 | 9.5 | 18.2 | 34.7 | 70.9 | 112.1 | 170.0 | 221.0 | 301.2 | 301.1 | 340.5 | 42.9 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 1 | 3 | 12 | 25 | 45 | 49 | 56 | 50 | 42 | 32 | 318 | 8.4 | 1.4 | 73 | 11.4 | 10.2 | 12.8 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 6 | 10 | 22 | 20 | 36 | 40 | 58 | 54 | 57 | 308 | 11.0 | 1.0 | 105 | 8.7 | 7.8 | 9.7 |
| | P | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 4 | 9 | 22 | 47 | 65 | 85 | 96 | 108 | 96 | 89 | 626 | 9.5 | 1.2 | 86 | 10.1 | 9.3 | 10.9 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 1.5 | 0.7 | 2.3 | 9.6 | 23.5 | 55.0 | 77.4 | 103.8 | 121.6 | 170.4 | 205.3 | 17.3 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.7 | 2.1 | 4.6 | 8.1 | 21.5 | 25.7 | 57.5 | 69.8 | 117.1 | 149.5 | 178.2 | 16.5 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.4 | 1.1 | 1.4 | 3.5 | 8.9 | 22.5 | 40.7 | 67.5 | 86.3 | 119.2 | 158.0 | 187.0 | 16.9 | | | | | | |
| C19,C20 RECTOSIGMOID JUNCTION AND RECTUM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 1 | 0 | 3 | 4 | 4 | 4 | 18 | 46 | 43 | 74 | 78 | 64 | 71 | 39 | 24 | 473 | 4.8 | 2.2 | 46 | 18.1 | 16.5 | 19.8 |
| | F | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 3 | 10 | 12 | 24 | 38 | 29 | 35 | 45 | 29 | 37 | 27 | 292 | 3.6 | 1.2 | 81 | 10.0 | 8.9 | 11.2 |
| | P | 0 | 0 | 0 | 2 | 0 | 3 | 6 | 7 | 14 | 30 | 70 | 81 | 103 | 113 | 109 | 100 | 76 | 51 | 765 | 4.3 | 1.7 | 59 | 13.9 | 12.9 | 14.9 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 2.3 | 2.9 | 3.0 | 2.9 | 14.1 | 36.9 | 40.4 | 90.4 | 123.1 | 118.6 | 172.7 | 158.2 | 154.0 | 25.7 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 1.4 | 2.1 | 7.0 | 9.2 | 19.5 | 37.1 | 37.2 | 55.9 | 78.5 | 58.6 | 102.4 | 84.4 | 15.7 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 1.2 | 2.2 | 2.6 | 4.9 | 11.6 | 28.2 | 38.8 | 64.5 | 89.7 | 97.9 | 110.3 | 125.1 | 107.2 | 20.6 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 8 | 16 | 22 | 20 | 23 | 35 | 10 | 9 | 146 | 3.8 | 0.6 | 161 | 5.3 | 4.5 | 6.2 |
| | F | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 7 | 8 | 6 | 7 | 11 | 16 | 12 | 21 | 20 | 110 | 3.9 | 0.4 | 272 | 3.3 | 2.7 | 4.0 |
| | P | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 9 | 16 | 22 | 29 | 31 | 39 | 47 | 31 | 29 | 256 | 3.9 | 0.5 | 202 | 4.3 | 3.8 | 4.8 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 1.6 | 6.4 | 15.0 | 26.9 | 31.6 | 42.6 | 85.1 | 40.6 | 57.7 | 7.9 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 5.4 | 6.5 | 5.9 | 9.0 | 17.6 | 27.9 | 24.2 | 58.1 | 62.5 | 5.9 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 3.5 | 6.5 | 10.5 | 18.2 | 24.6 | 35.0 | 51.9 | 51.0 | 60.9 | 6.9 | | | | | | |

Table 5: Cancer Incidence and Mortality by Site, Sex and Age Group, Queensland, 2002

| ICD0-2/SITE | Sex | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Total | Percent | Cum Rate | Cum Risk (1 in x) | ASR (World)/100,000 | Lower Limit | Upper Limit |
|---|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------|----------|-------------------|---------------------|-------------|-------------|
| C21 ANUS & ANAL CANAL | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 3 | 1 | 4 | 4 | 7 | 2 | 0 | 2 | 25 | 0.3 | 0.1 | 689 | 1.0 | 0.7 | 1.5 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 2 | 1 | 5 | 0 | 7 | 1 | 4 | 3 | 4 | 30 | 0.4 | 0.1 | 897 | 1.0 | 0.7 | 1.4 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 3 | 4 | 6 | 4 | 11 | 8 | 6 | 3 | 6 | 55 | 0.3 | 0.1 | 784 | 1.0 | 0.8 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 0.8 | 2.4 | 0.9 | 4.9 | 6.3 | 13.0 | 4.9 | 0.0 | 12.8 | 1.4 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 0.0 | 1.5 | 0.8 | 4.9 | 0.0 | 11.2 | 1.7 | 8.1 | 8.3 | 12.5 | 1.6 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 1.1 | 0.0 | 1.2 | 1.6 | 2.9 | 2.5 | 8.7 | 7.2 | 6.6 | 4.9 | 12.6 | 1.5 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 0 | 5 | 0.1 | 0.0 | 8468 | 0.2 | 0.1 | 0.4 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 2 | 1 | 1 | 6 | 0.2 | 0.0 | 8301 | 0.2 | 0.1 | 0.3 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 2 | 0 | 5 | 1 | 1 | 11 | 0.2 | 0.0 | 8405 | 0.2 | 0.1 | 0.3 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 7.3 | 0.0 | 0.3 | 0.3 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 1.6 | 0.0 | 4.0 | 2.8 | 3.1 | 0.3 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.4 | 0.0 | 0.0 | 1.6 | 0.0 | 5.5 | 1.6 | 2.1 | 0.3 | | | | | | |
| C22 LIVER & INTRAHEPATIC BILE DUCTS | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 4 | 5 | 11 | 11 | 14 | 11 | 15 | 3 | 3 | 82 | 0.8 | 0.4 | 260 | 3.2 | 2.5 | 3.9 |
| | F | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 2 | 1 | 3 | 2 | 1 | 4 | 6 | 5 | 2 | 4 | 3 | 35 | 0.4 | 0.2 | 626 | 1.3 | 0.9 | 1.8 |
| | P | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 3 | 4 | 7 | 7 | 12 | 15 | 20 | 16 | 17 | 7 | 6 | 117 | 0.7 | 0.3 | 367 | 2.2 | 1.8 | 2.7 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.7 | 2.1 | 3.1 | 4.0 | 10.3 | 13.4 | 22.1 | 20.4 | 36.5 | 12.2 | 19.2 | 4.4 | | | | | | |
| | F | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.7 | 1.4 | 0.7 | 2.3 | 1.6 | 1.0 | 5.1 | 9.6 | 8.7 | 4.0 | 11.1 | 9.4 | 1.9 | | | | | | |
| | P | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.4 | 0.4 | 1.1 | 1.4 | 2.7 | 2.8 | 5.7 | 9.4 | 15.9 | 14.4 | 18.8 | 11.5 | 12.6 | 3.2 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 4 | 11 | 9 | 10 | 14 | 17 | 6 | 5 | 81 | 2.1 | 0.4 | 286 | 2.9 | 2.3 | 3.6 |
| | F | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 3 | 1 | 2 | 3 | 3 | 6 | 4 | 3 | 29 | 1.0 | 0.1 | 1015 | 0.9 | 0.6 | 1.4 | |
| | P | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 6 | 5 | 13 | 12 | 13 | 17 | 23 | 10 | 8 | 110 | 1.7 | 0.2 | 447 | 1.9 | 1.6 | 2.3 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.7 | 2.3 | 3.2 | 10.3 | 11.0 | 15.8 | 25.9 | 41.4 | 24.3 | 32.1 | 4.4 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 2.3 | 0.8 | 2.0 | 3.9 | 4.8 | 5.2 | 12.1 | 11.1 | 9.4 | 1.6 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.4 | 0.0 | 0.4 | 2.3 | 2.0 | 6.2 | 7.5 | 10.3 | 15.3 | 25.4 | 16.5 | 16.8 | 3.0 | | | | | | |
| C23,C24 GALLBLADDER AND OTHER & UNSPECIFIED PARTS OF BILIARY TRACT | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 4 | 5 | 7 | 6 | 6 | 9 | 6 | 5 | 54 | 0.6 | 0.2 | 482 | 2.0 | 1.5 | 2.6 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 3 | 8 | 2 | 7 | 11 | 6 | 11 | 14 | 66 | 0.8 | 0.2 | 434 | 1.9 | 1.5 | 2.4 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 5 | 7 | 13 | 9 | 13 | 17 | 15 | 17 | 19 | 120 | 0.7 | 0.2 | 455 | 2.0 | 1.6 | 2.3 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 1.4 | 2.3 | 3.2 | 4.7 | 8.6 | 9.5 | 11.1 | 21.9 | 24.3 | 32.1 | 2.9 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.7 | 1.5 | 2.4 | 7.8 | 2.6 | 11.2 | 19.2 | 12.1 | 30.5 | 43.8 | 3.5 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 1.1 | 1.9 | 2.8 | 6.2 | 5.6 | 10.3 | 15.3 | 16.6 | 28.0 | 39.9 | 3.2 | | | | | | | |
| Mortality | M | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 5 | 3 | 7 | 6 | 4 | 6 | 36 | 0.9 | 0.1 | 706 | 1.3 | 0.9 | 1.8 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 6 | 2 | 4 | 5 | 4 | 10 | 11 | 44 | 1.6 | 0.1 | 798 | 1.2 | 0.9 | 1.6 |
| | P | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 10 | 7 | 7 | 12 | 10 | 14 | 17 | 80 | 1.2 | 0.1 | 750 | 1.2 | 1.0 | 1.5 |
| Rate Per 100,000 | M | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.8 | 6.1 | 4.7 | 13.0 | 14.6 | 16.2 | 38.5 | 2.0 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 0.8 | 5.9 | 2.6 | 6.4 | 8.7 | 8.1 | 27.7 | 34.4 | 2.4 | | | | | | |
| | P | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.4 | 4.8 | 4.4 | 5.6 | 10.8 | 11.0 | 23.0 | 35.7 | 2.2 | | | | | | |
| C25 PANCREAS | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 5 | 13 | 21 | 20 | 19 | 22 | 34 | 19 | 14 | 170 | 1.7 | 0.7 | 153 | 6.0 | 5.2 | 7.0 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 4 | 0 | 4 | 19 | 12 | 22 | 16 | 35 | 20 | 24 | 160 | 2.0 | 0.5 | 189 | 4.8 | 4.1 | 5.6 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 6 | 5 | 17 | 40 | 32 | 41 | 38 | 69 | 39 | 38 | 330 | 1.8 | 0.6 | 169 | 5.4 | 4.8 | 6.0 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 1.4 | 3.9 | 10.4 | 19.7 | 24.4 | 30.0 | 40.8 | 82.7 | 77.1 | 89.8 | 9.2 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 2.1 | 2.8 | 0.0 | 3.2 | 18.6 | 15.4 | 35.2 | 27.9 | 70.7 | 55.4 | 75.0 | 8.6 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 1.1 | 2.1 | 1.9 | 6.9 | 19.1 | 20.0 | 32.6 | 34.1 | 76.1 | 64.2 | 79.9 | 8.9 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 8 | 8 | 20 | 19 | 18 | 29 | 27 | 17 | 15 | 162 | 4.3 | 0.7 | 146 | 5.8 | 5.0 | 6.8 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 3 | 14 | 17 | 15 | 12 | 29 | 18 | 33 | 143 | 5.1 | 0.4 | 238 | 4.1 | 3.5 | 4.8 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 8 | 11 | 34 | 36 | 33 | 41 | 56 | 35 | 48 | 305 | 4.6 | 0.6 | 182 | 5.0 | 4.4 | 5.5 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 6.3 | 6.4 | 18.8 | 23.2 | 28.4 | 53.7 | 65.7 | 69.0 | 96.2 | 8.8 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.7 | 0.0 | 2.4 | 13.7 | 21.8 | 24.0 | 20.9 | 58.6 | 49.8 | 103.1 | 7.7 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.7 | 3.1 | 4.4 | 16.3 | 22.5 | 26.2 | 36.8 | 61.8 | 57.6 | 100.9 | 8.2 | | | | | | |

Table 5: Cancer Incidence and Mortality by Site, Sex and Age Group, Queensland, 2002

| ICD0-2/SITE | Sex | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Total | Percent | Cum Rate | Cum Risk (1 in x) | ASR (World)/100,000 | Lower Limit | Upper Limit |
|--|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------|----------|-------------------|---------------------|-------------|-------------|
| C30,C31 NASAL CAVITY & MIDDLE EAR AND ACCESSORY SINUSES | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 1 | 1 | 3 | 0 | 0 | 0 | 0 | 9 | 0.1 | 0.0 | 2028 | 0.4 | 0.2 | 0.8 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 1 | 2 | 0 | 0 | 6 | 0.1 | 0.0 | 4436 | 0.2 | 0.1 | 0.4 |
| | P | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 3 | 1 | 3 | 1 | 2 | 0 | 0 | 15 | 0.1 | 0.0 | 2769 | 0.3 | 0.2 | 0.5 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 0.7 | 0.0 | 0.7 | 0.8 | 0.0 | 0.9 | 1.2 | 4.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 2.0 | 0.0 | 0.0 | 1.7 | 4.0 | 0.0 | 0.0 | 0.3 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.4 | 0.0 | 0.4 | 0.4 | 0.4 | 1.4 | 0.6 | 2.4 | 0.9 | 2.2 | 0.0 | 0.0 | 0.4 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 6 | 0.2 | 0.0 | 4269 | 0.3 | 0.1 | 0.5 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 3 | 0.1 | 0.0 | . | 0.1 | 0.0 | 0.2 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 4 | 9 | 0.1 | 0.0 | 8542 | 0.1 | 0.1 | 0.3 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 3.2 | 0.0 | 0.0 | 0.0 | 12.8 | 0.3 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 6.3 | 0.2 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 1.1 | 0.0 | 8.4 | 0.2 | | | | | | |
| C32 LARYNX | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 2 | 11 | 19 | 18 | 11 | 19 | 10 | 3 | 1 | 97 | 1.0 | 0.5 | 191 | 3.8 | 3.1 | 4.7 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 0 | 1 | 0 | 1 | 10 | 0.1 | 0.0 | 2611 | 0.4 | 0.2 | 0.7 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 3 | 13 | 20 | 19 | 12 | 19 | 11 | 3 | 2 | 107 | 0.6 | 0.3 | 356 | 2.1 | 1.7 | 2.5 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 1.6 | 8.8 | 17.8 | 22.0 | 17.4 | 35.2 | 24.3 | 12.2 | 6.4 | 5.3 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.7 | 0.8 | 1.6 | 1.0 | 1.3 | 1.6 | 0.0 | 2.0 | 0.0 | 3.1 | 0.5 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 1.4 | 1.2 | 5.2 | 9.6 | 11.9 | 9.5 | 17.1 | 12.1 | 4.9 | 4.2 | 2.9 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 6 | 6 | 6 | 5 | 2 | 2 | 31 | 0.8 | 0.2 | 635 | 1.2 | 0.8 | 1.7 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 2 | 1 | 0 | 1 | 0 | 7 | 0.2 | 0.0 | 2577 | 0.3 | 0.1 | 0.6 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 3 | 7 | 8 | 7 | 5 | 3 | 2 | 38 | 0.6 | 0.1 | 1019 | 0.7 | 0.5 | 1.0 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 2.8 | 7.3 | 9.5 | 11.1 | 12.2 | 8.1 | 12.8 | 1.7 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.5 | 0.0 | 0.0 | 1.3 | 3.2 | 1.7 | 0.0 | 2.8 | 0.0 | 0.4 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.4 | 1.4 | 4.4 | 6.4 | 6.3 | 5.5 | 4.9 | 4.2 | 1.0 | | | | | | |
| C33,C34 TRACHEA AND BRONCHUS & LUNG | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 1 | 2 | 1 | 2 | 2 | 12 | 20 | 49 | 100 | 125 | 157 | 196 | 208 | 105 | 50 | 1030 | 10.5 | 4.6 | 22 | 37.2 | 35.0 | 39.6 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 12 | 21 | 43 | 62 | 69 | 73 | 91 | 92 | 52 | 40 | 561 | 6.9 | 2.4 | 41 | 19.3 | 17.7 | 21.0 |
| | P | 0 | 0 | 0 | 1 | 2 | 1 | 3 | 7 | 24 | 41 | 92 | 162 | 194 | 230 | 287 | 300 | 157 | 90 | 1591 | 8.9 | 3.5 | 29 | 27.8 | 26.5 | 29.2 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.7 | 1.5 | 0.8 | 1.5 | 1.5 | 8.6 | 15.7 | 39.3 | 93.9 | 152.7 | 247.9 | 363.2 | 506.0 | 426.0 | 320.8 | 55.9 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 3.6 | 8.4 | 16.1 | 34.9 | 60.6 | 88.6 | 116.7 | 158.7 | 185.8 | 144.0 | 125.0 | 30.1 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.4 | 0.8 | 0.4 | 1.1 | 2.6 | 8.5 | 15.9 | 37.1 | 77.6 | 121.4 | 182.7 | 257.9 | 331.0 | 258.4 | 189.1 | 42.9 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 7 | 19 | 51 | 72 | 93 | 130 | 182 | 187 | 104 | 53 | 901 | 23.7 | 3.9 | 26 | 31.9 | 29.8 | 34.0 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 11 | 35 | 43 | 56 | 51 | 94 | 69 | 57 | 36 | 456 | 16.3 | 2.0 | 51 | 15.1 | 13.8 | 16.6 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 11 | 30 | 86 | 115 | 149 | 181 | 276 | 256 | 161 | 89 | 1357 | 20.5 | 3.0 | 34 | 23.0 | 21.8 | 24.3 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 5.0 | 14.9 | 40.9 | 67.6 | 113.6 | 205.2 | 337.3 | 454.9 | 422.0 | 340.0 | 48.9 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.8 | 8.5 | 28.4 | 42.0 | 71.9 | 81.5 | 163.9 | 139.3 | 157.8 | 112.5 | 24.5 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 3.9 | 11.6 | 34.7 | 55.1 | 93.3 | 143.8 | 248.0 | 282.5 | 264.9 | 187.0 | 36.6 | | | | | | |
| C37, C38 THYMUS, HEART, MEDIASTINUM & PLEURA | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 2 | 3 | 0 | 1 | 0 | 0 | 2 | 4 | 1 | 0 | 0 | 15 | 0.2 | 0.1 | 1208 | 0.7 | 0.4 | 1.1 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 8 | 0.1 | 0.0 | 2472 | 0.4 | 0.2 | 0.7 |
| | P | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 4 | 2 | 1 | 2 | 0 | 4 | 4 | 1 | 0 | 0 | 23 | 0.1 | 0.1 | 1642 | 0.5 | 0.3 | 0.7 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.8 | 0.0 | 1.5 | 2.1 | 0.0 | 0.8 | 0.0 | 0.0 | 3.2 | 7.4 | 2.4 | 0.0 | 0.0 | 0.8 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.7 | 1.5 | 0.0 | 2.0 | 0.0 | 3.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.4 | 0.4 | 0.7 | 1.4 | 0.8 | 0.4 | 1.0 | 0.0 | 3.2 | 3.6 | 1.1 | 0.0 | 0.0 | 0.6 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 2 | 0 | 0 | 1 | 6 | 0.2 | 0.0 | 3210 | 0.2 | 0.1 | 0.5 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 3 | 0.1 | 0.0 | 8451 | 0.1 | 0.0 | 0.3 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 0 | 1 | 2 | 0 | 0 | 2 | 9 | 0.1 | 0.0 | 4707 | 0.2 | 0.1 | 0.3 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.8 | 0.9 | 0.0 | 0.0 | 3.7 | 0.0 | 0.0 | 6.4 | 0.3 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 3.1 | 0.2 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.4 | 0.5 | 0.0 | 0.8 | 1.8 | 0.0 | 0.0 | 4.2 | 0.2 | | | | | | |

Table 5: Cancer Incidence and Mortality by Site, Sex and Age Group, Queensland, 2002

| ICD0-2/SITE | Sex | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Total | Percent | Cum Rate | Cum Risk (1 in x) | ASR (World)/100,000 | Lower Limit | Upper Limit | |
|--|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------|----------|-------------------|---------------------|-------------|-------------|-----|
| C40,C41 BONES,JOINTS & ARTICULAR CARTILAGES | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 5 | 3 | 0 | 1 | 1 | 1 | 1 | 3 | 1 | 2 | 2 | 4 | 4 | 4 | 1 | 0 | 33 | 0.3 | 0.2 | 667 | 1.5 | 1.1 | 2.1 | |
| | F | 0 | 2 | 2 | 2 | 5 | 1 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 17 | 0.2 | 0.1 | 1538 | 1.0 | 0.6 | 1.6 | |
| | P | 0 | 2 | 7 | 5 | 5 | 2 | 1 | 2 | 3 | 3 | 1 | 2 | 2 | 5 | 4 | 4 | 1 | 1 | 50 | 0.3 | 0.1 | 933 | 1.3 | 0.9 | 1.7 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 3.6 | 2.2 | 0.0 | 0.8 | 0.7 | 0.7 | 0.7 | 2.3 | 0.8 | 1.9 | 2.4 | 6.3 | 7.4 | 9.7 | 4.1 | 0.0 | 1.8 | | | | | | | |
| | F | 0.0 | 1.6 | 1.5 | 1.5 | 3.9 | 0.8 | 0.0 | 0.7 | 1.4 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.9 | | | | | | | |
| | P | 0.0 | 0.8 | 2.6 | 1.9 | 1.9 | 0.8 | 0.4 | 0.7 | 1.1 | 1.2 | 0.4 | 1.0 | 1.3 | 4.0 | 3.6 | 4.4 | 1.6 | 2.1 | 1.3 | | | | | | | |
| Mortality | M | 0 | 0 | 0 | 1 | 0 | 3 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 2 | 1 | 0 | 10 | 0.3 | 0.0 | 3229 | 0.5 | 0.2 | 0.8 | |
| | F | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 4 | 0.1 | 0.0 | 8634 | 0.2 | 0.1 | 0.5 | |
| | P | 0 | 0 | 1 | 1 | 1 | 3 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 0 | 3 | 1 | 0 | 14 | 0.2 | 0.0 | 4714 | 0.3 | 0.2 | 0.5 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 2.3 | 0.7 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 1.6 | 0.0 | 4.9 | 4.1 | 0.0 | 0.5 | | | | | | | |
| | F | 0.0 | 0.0 | 0.8 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.2 | | | | | | | |
| | P | 0.0 | 0.0 | 0.4 | 0.4 | 0.4 | 1.2 | 0.4 | 0.0 | 0.0 | 0.4 | 0.4 | 0.0 | 0.0 | 0.8 | 0.0 | 3.3 | 1.6 | 0.0 | 0.4 | | | | | | | |
| C44, M872-M879 MELANOMA | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 1 | 7 | 20 | 32 | 52 | 69 | 107 | 131 | 146 | 153 | 158 | 144 | 176 | 128 | 91 | 57 | 1472 | 15.0 | 6.6 | 16 | 59.4 | 56.4 | 62.5 | |
| | F | 0 | 0 | 3 | 13 | 28 | 38 | 50 | 88 | 103 | 99 | 112 | 103 | 100 | 81 | 72 | 82 | 55 | 54 | 1081 | 13.3 | 4.4 | 23 | 43.3 | 40.8 | 46.0 | |
| | P | 0 | 0 | 4 | 20 | 48 | 70 | 102 | 157 | 210 | 230 | 258 | 256 | 258 | 225 | 248 | 210 | 146 | 111 | 2553 | 14.2 | 5.5 | 19 | 51.0 | 49.0 | 53.0 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.7 | 5.1 | 15.5 | 25.0 | 38.2 | 51.4 | 76.6 | 102.6 | 117.2 | 143.6 | 193.0 | 227.3 | 326.2 | 311.4 | 369.2 | 365.7 | 79.9 | | | | | | | |
| | F | 0.0 | 0.0 | 2.3 | 10.0 | 21.9 | 29.1 | 35.4 | 63.0 | 71.8 | 76.1 | 90.8 | 100.6 | 128.4 | 129.5 | 125.6 | 165.6 | 152.3 | 168.8 | 58.0 | | | | | | | |
| | P | 0.0 | 0.0 | 1.5 | 7.5 | 18.7 | 27.1 | 36.8 | 57.3 | 74.2 | 89.2 | 104.1 | 122.6 | 161.5 | 178.7 | 222.8 | 231.7 | 240.3 | 233.3 | 68.9 | | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 2 | 11 | 9 | 9 | 9 | 9 | 15 | 16 | 12 | 19 | 18 | 134 | 3.5 | 0.5 | 200 | 4.9 | 4.1 | 5.8 | |
| | F | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 2 | 2 | 5 | 4 | 5 | 4 | 4 | 10 | 8 | 9 | 8 | 65 | 2.3 | 0.2 | 429 | 2.1 | 1.6 | 2.7 | |
| | P | 0 | 0 | 0 | 0 | 1 | 3 | 5 | 4 | 13 | 14 | 13 | 14 | 13 | 19 | 26 | 20 | 28 | 26 | 199 | 3.0 | 0.4 | 273 | 3.4 | 3.0 | 3.9 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.8 | 2.2 | 1.5 | 7.9 | 7.0 | 7.2 | 8.4 | 11.0 | 23.7 | 29.7 | 29.2 | 77.1 | 115.5 | 7.3 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.5 | 1.4 | 1.4 | 1.4 | 3.8 | 3.2 | 4.9 | 5.1 | 6.4 | 17.4 | 16.2 | 24.9 | 25.0 | 3.5 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 1.2 | 1.8 | 1.5 | 4.6 | 5.4 | 5.2 | 6.7 | 8.1 | 15.1 | 23.4 | 22.1 | 46.1 | 54.6 | 5.4 | | | | | | | |
| C44 OTHER SKIN (EXCL BCC/SCC) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 2 | 0 | 1 | 2 | 1 | 0 | 3 | 3 | 1 | 3 | 7 | 10 | 19 | 7 | 10 | 69 | 0.7 | 0.2 | 461 | 2.4 | 1.9 | 3.0 | |
| | F | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 3 | 2 | 3 | 5 | 3 | 4 | 6 | 2 | 9 | 41 | 0.5 | 0.1 | 716 | 1.4 | 1.0 | 1.8 | |
| | P | 0 | 0 | 0 | 2 | 1 | 1 | 3 | 1 | 2 | 6 | 5 | 4 | 8 | 10 | 14 | 25 | 9 | 19 | 110 | 0.6 | 0.2 | 564 | 1.8 | 1.5 | 2.2 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 1.5 | 0.0 | 0.8 | 1.5 | 0.7 | 0.0 | 2.3 | 2.4 | 0.9 | 3.7 | 11.1 | 18.5 | 46.2 | 28.4 | 64.2 | 3.7 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.7 | 0.0 | 1.4 | 2.3 | 1.6 | 2.9 | 6.4 | 4.8 | 7.0 | 12.1 | 5.5 | 28.1 | 2.2 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.7 | 0.4 | 0.4 | 1.1 | 0.4 | 0.7 | 2.3 | 2.0 | 1.9 | 5.0 | 7.9 | 12.6 | 27.6 | 14.8 | 39.9 | 3.0 | | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 3 | 2 | 2 | 4 | 13 | 0.3 | 0.0 | 2591 | 0.4 | 0.2 | 0.7 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 3 | 1 | 2 | 10 | 0.4 | 0.0 | 3059 | 0.3 | 0.1 | 0.5 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 4 | 5 | 3 | 6 | 23 | 0.3 | 0.0 | 2825 | 0.3 | 0.2 | 0.5 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.9 | 1.2 | 0.0 | 5.6 | 4.9 | 8.1 | 25.7 | 0.7 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.8 | 1.7 | 6.1 | 2.8 | 6.3 | 0.5 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.5 | 0.6 | 2.4 | 3.6 | 5.5 | 4.9 | 12.6 | 0.6 | | | | | | | |
| M905 MESOTHELIOMA | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 15 | 8 | 13 | 14 | 21 | 10 | 8 | 92 | 0.9 | 0.4 | 276 | 3.2 | 2.6 | 3.9 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 4 | 3 | 1 | 5 | 3 | 5 | 2 | 25 | 0.3 | 0.1 | 1022 | 0.8 | 0.5 | 1.1 | |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 3 | 19 | 11 | 14 | 19 | 24 | 15 | 10 | 117 | 0.7 | 0.2 | 434 | 1.9 | 1.6 | 2.3 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 1.6 | 14.1 | 9.8 | 20.5 | 25.9 | 51.1 | 40.6 | 51.3 | 5.0 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.8 | 3.9 | 3.9 | 1.6 | 8.7 | 6.1 | 13.8 | 6.3 | 1.3 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 1.2 | 9.1 | 6.9 | 11.1 | 17.1 | 26.5 | 24.7 | 21.0 | 3.2 | | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 9 | 6 | 14 | 11 | 17 | 3 | 6 | 71 | 1.9 | 0.3 | 322 | 2.6 | 2.0 | 3.2 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 1 | 6 | 3 | 5 | 1 | 20 | 0.7 | 0.1 | 1219 | 0.6 | 0.4 | 0.9 | |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 10 | 8 | 15 | 17 | 20 | 8 | 7 | 91 | 1.4 | 0.2 | 508 | 1.5 | 1.2 | 1.9 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 3.2 | 8.4 | 7.3 | 22.1 | 20.4 | 41.4 | 12.2 | 38.5 | 3.9 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 1.0 | 2.6 | 1.6 | 10.5 | 6.1 | 13.8 | 3.1 | 1.1 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 2.0 | 4.8 | 5.0 | 11.9 | 15.3 | 22.1 | 13.2 | 14.7 | 2.5 | | | | | | | |

Table 5: Cancer Incidence and Mortality by Site, Sex and Age Group, Queensland, 2002

| ICD0-2/SITE | Sex | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Total | Percent | Cum Rate | Cum Risk (1 in x) | ASR (World)/100,000 | Lower Limit | Upper Limit | |
|---|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------|----------|-------------------|---------------------|-------------|-------------|-----|
| M914 KAPOSI'S SARCOMA | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 7 | 0.1 | 0.0 | 3614 | 0.3 | 0.1 | 0.6 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | . | 0.0 | 0.0 | 0.0 |
| | P | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 7 | 0.0 | 0.0 | 7260 | 0.2 | 0.1 | 0.3 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 2.2 | 0.0 | 0.0 | 0.0 | 0.9 | 0.0 | 1.6 | 0.0 | 2.4 | 0.0 | 0.0 | 0.4 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 1.1 | 0.0 | 0.0 | 0.0 | 0.5 | 0.0 | 0.8 | 0.0 | 1.1 | 0.0 | 0.0 | 0.2 | | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | . | 0.0 | 0.0 | 0.0 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | . | 0.0 | 0.0 | 0.0 | |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | . | 0.0 | 0.0 | 0.0 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | | | | | | |
| C47,C49 CONNECTIVE TISSUE, PERIPHERAL NERVES | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1 | 0 | 1 | 2 | 1 | 1 | 4 | 2 | 4 | 5 | 6 | 10 | 9 | 3 | 3 | 4 | 2 | 2 | 60 | 0.6 | 0.3 | 391 | 2.6 | 2.0 | 3.3 | |
| | F | 1 | 0 | 0 | 2 | 2 | 1 | 1 | 4 | 3 | 1 | 2 | 2 | 3 | 5 | 3 | 3 | 1 | 3 | 37 | 0.5 | 0.2 | 630 | 1.6 | 1.1 | 2.2 | |
| | P | 2 | 0 | 1 | 4 | 3 | 2 | 5 | 6 | 7 | 6 | 8 | 12 | 12 | 8 | 6 | 7 | 3 | 5 | 97 | 0.5 | 0.2 | 481 | 2.1 | 1.7 | 2.6 | |
| Rate Per 100,000 | M | 0.8 | 0.0 | 0.7 | 1.5 | 0.8 | 0.8 | 2.9 | 1.5 | 2.9 | 3.9 | 4.8 | 9.4 | 11.0 | 4.7 | 5.6 | 9.7 | 8.1 | 12.8 | 3.3 | | | | | | | |
| | F | 0.8 | 0.0 | 0.0 | 1.5 | 1.6 | 0.8 | 0.7 | 2.9 | 2.1 | 0.8 | 1.6 | 2.0 | 3.9 | 8.0 | 5.2 | 6.1 | 2.8 | 9.4 | 2.0 | | | | | | | |
| | P | 0.8 | 0.0 | 0.4 | 1.5 | 1.2 | 0.8 | 1.8 | 2.2 | 2.5 | 2.3 | 3.2 | 5.7 | 7.5 | 6.4 | 5.4 | 7.7 | 4.9 | 10.5 | 2.6 | | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 1 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 22 | 0.6 | 0.1 | 1007 | 0.9 | 0.5 | 1.3 | |
| | F | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 3 | 8 | 0.3 | 0.0 | 3454 | 0.3 | 0.1 | 0.6 | |
| | P | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 1 | 1 | 1 | 3 | 5 | 3 | 4 | 3 | 0 | 6 | 30 | 0.5 | 0.1 | 1560 | 0.6 | 0.4 | 0.8 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.7 | 0.0 | 0.0 | 0.8 | 0.8 | 2.8 | 3.7 | 4.7 | 5.6 | 7.3 | 0.0 | 19.2 | 1.2 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 0.0 | 2.6 | 0.0 | 1.7 | 0.0 | 0.0 | 9.4 | 0.4 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.4 | 0.0 | 0.4 | 0.4 | 0.4 | 1.4 | 3.1 | 2.4 | 3.6 | 3.3 | 0.0 | 12.6 | 0.8 | | | | | | | |
| C48 RETROPERITONEUM & PERITONEUM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 7 | 0.1 | 0.0 | 3235 | 0.3 | 0.1 | 0.6 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 2 | 4 | 2 | 4 | 3 | 2 | 1 | 21 | 0.3 | 0.1 | 1022 | 0.7 | 0.5 | 1.1 | |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 3 | 4 | 5 | 2 | 4 | 3 | 2 | 1 | 28 | 0.2 | 0.1 | 1549 | 0.5 | 0.4 | 0.8 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 1.6 | 0.8 | 1.9 | 1.2 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.4 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 1.6 | 2.0 | 5.1 | 3.2 | 7.0 | 6.1 | 5.5 | 3.1 | 1.1 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.8 | 1.2 | 1.9 | 3.1 | 1.6 | 3.6 | 3.3 | 3.3 | 2.1 | 0.8 | | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 5 | 0.1 | 0.0 | 8203 | 0.2 | 0.1 | 0.4 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 2 | 1 | 2 | 2 | 3 | 4 | 1 | 17 | 0.6 | 0.1 | 1754 | 0.5 | 0.3 | 0.8 | |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 3 | 1 | 2 | 2 | 4 | 5 | 1 | 22 | 0.3 | 0.0 | 2882 | 0.4 | 0.2 | 0.5 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.8 | 0.0 | 0.9 | 0.0 | 0.0 | 0.0 | 2.4 | 4.1 | 0.0 | 0.3 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.8 | 0.0 | 2.0 | 1.3 | 3.2 | 3.5 | 6.1 | 11.1 | 3.1 | 0.9 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.4 | 0.8 | 0.0 | 1.4 | 0.6 | 1.6 | 1.8 | 4.4 | 8.2 | 2.1 | 0.6 | | | | | | | |
| C50 BREAST | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 4 | 2 | 1 | 0 | 3 | 0 | 15 | 0.2 | 0.1 | 1406 | 0.6 | 0.3 | 1.0 | |
| | F | 0 | 0 | 0 | 0 | 1 | 9 | 30 | 83 | 172 | 271 | 299 | 328 | 269 | 241 | 196 | 131 | 91 | 101 | 2222 | 27.3 | 10.3 | 10 | 87.8 | 84.2 | 91.5 | |
| | P | 0 | 0 | 0 | 0 | 1 | 9 | 30 | 83 | 173 | 271 | 300 | 331 | 273 | 243 | 197 | 131 | 94 | 101 | 2237 | 12.5 | 5.2 | 20 | 44.6 | 42.8 | 46.5 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.8 | 2.8 | 4.9 | 3.2 | 1.9 | 0.0 | 12.2 | 0.0 | 0.8 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 6.9 | 21.2 | 59.4 | 119.9 | 208.2 | 242.5 | 320.5 | 345.4 | 385.2 | 341.8 | 264.5 | 251.9 | 315.7 | 119.2 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 3.5 | 10.8 | 30.3 | 61.1 | 105.1 | 121.0 | 158.5 | 170.9 | 193.0 | 177.0 | 144.6 | 154.7 | 212.3 | 60.3 | | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | . | 0.0 | 0.0 | 0.0 | |
| | F | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 9 | 23 | 35 | 54 | 48 | 36 | 40 | 40 | 41 | 46 | 57 | 432 | 15.4 | 1.6 | 63 | 14.7 | 13.3 | 16.1 | |
| | P | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 9 | 23 | 35 | 54 | 48 | 36 | 40 | 40 | 41 | 46 | 57 | 432 | 6.5 | 0.8 | 125 | 7.6 | 6.9 | 8.3 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 1.4 | 6.4 | 16.0 | 26.9 | 43.8 | 46.9 | 46.2 | 63.9 | 69.8 | 82.8 | 127.3 | 178.2 | 23.2 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.7 | 3.3 | 8.1 | 13.6 | 21.8 | 23.0 | 22.5 | 31.8 | 35.9 | 45.2 | 75.7 | 119.8 | 11.7 | | | | | | | |

Table 5: Cancer Incidence and Mortality by Site, Sex and Age Group, Queensland, 2002

| ICD0-2/SITE | Sex | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Total | Percent | Cum Rate | Cum Risk (1 in x) | ASR (World)/100,000 | Lower Limit | Upper Limit | |
|-------------------------|-----|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|---------|----------|-------------------|---------------------|-------------|-------------|------|
| C51 VULVA | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 3 | 4 | 4 | 4 | 2 | 5 | 7 | 6 | 2 | 42 | 0.5 | 0.2 | 666 | 1.4 | 1.0 | 1.9 | |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 3 | 4 | 4 | 4 | 2 | 5 | 7 | 6 | 2 | 42 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Rate Per 100,000 | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 2.1 | 2.3 | 3.2 | 3.9 | 5.1 | 3.2 | 8.7 | 14.1 | 16.6 | 6.3 | 2.3 | 2.3 | | | | | | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 4 | 2 | 0 | 2 | 11 | 0.4 | 0.1 | 1900 | 0.3 | 0.2 | 0.6 | |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 4 | 2 | 0 | 2 | 11 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Rate Per 100,000 | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 1.6 | 7.0 | 4.0 | 0.0 | 6.3 | 0.6 | | | | | | | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| C53 CERVIX UTERI | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0 | 0 | 0 | 0 | 5 | 9 | 22 | 21 | 17 | 16 | 15 | 5 | 5 | 5 | 6 | 7 | 9 | 6 | 148 | 1.8 | 0.5 | 187 | 6.0 | 5.1 | 7.1 | |
| | P | 0 | 0 | 0 | 0 | 5 | 9 | 22 | 21 | 17 | 16 | 15 | 5 | 5 | 5 | 6 | 7 | 9 | 6 | 148 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Rate Per 100,000 | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 3.9 | 6.9 | 15.6 | 15.0 | 11.8 | 12.3 | 12.2 | 4.9 | 6.4 | 8.0 | 10.5 | 14.1 | 24.9 | 18.8 | 7.9 | | | | | | | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 5 | 4 | 2 | 1 | 3 | 3 | 2 | 6 | 7 | 1 | 36 | 1.3 | 0.1 | 881 | 1.2 | 0.8 | 1.7 | |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 5 | 4 | 2 | 1 | 3 | 3 | 2 | 6 | 7 | 1 | 36 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Rate Per 100,000 | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 0.0 | 3.5 | 3.1 | 1.6 | 1.0 | 3.9 | 4.8 | 3.5 | 12.1 | 19.4 | 3.1 | 1.9 | | | | | | | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| C54 CORPUS UTERI | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 4 | 15 | 20 | 36 | 38 | 45 | 44 | 35 | 28 | 24 | 15 | 309 | 3.8 | 1.4 | 70 | 11.7 | 10.4 | 13.1 | |
| | P | 0 | 0 | 0 | 0 | 0 | 2 | 3 | 4 | 15 | 20 | 36 | 38 | 45 | 44 | 35 | 28 | 24 | 15 | 309 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Rate Per 100,000 | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.5 | 2.1 | 2.9 | 10.5 | 15.4 | 29.2 | 37.1 | 57.8 | 70.3 | 61.0 | 56.5 | 66.4 | 46.9 | 16.6 | | | | | | | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 3 | 2 | 4 | 6 | 10 | 6 | 7 | 14 | 5 | 60 | 2.1 | 0.2 | 454 | 1.9 | 1.5 | 2.5 | |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 3 | 2 | 4 | 6 | 10 | 6 | 7 | 14 | 5 | 60 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Rate Per 100,000 | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 0.7 | 2.3 | 1.6 | 3.9 | 7.7 | 16.0 | 10.5 | 14.1 | 38.8 | 15.6 | 3.2 | | | | | | | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| C56 OVARY | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0 | 0 | 0 | 4 | 5 | 9 | 8 | 11 | 17 | 21 | 33 | 33 | 36 | 23 | 28 | 25 | 24 | 12 | 289 | 3.6 | 1.2 | 82 | 11.2 | 10.0 | 12.6 | |
| | P | 0 | 0 | 0 | 4 | 5 | 9 | 8 | 11 | 17 | 21 | 33 | 33 | 36 | 23 | 28 | 25 | 24 | 12 | 289 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Rate Per 100,000 | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0.0 | 0.0 | 0.0 | 3.1 | 3.9 | 6.9 | 5.7 | 7.9 | 11.8 | 16.1 | 26.8 | 32.2 | 46.2 | 36.8 | 48.8 | 50.5 | 66.4 | 37.5 | 15.5 | | | | | | | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 3 | 6 | 12 | 18 | 12 | 15 | 17 | 15 | 18 | 14 | 134 | 4.8 | 0.5 | 189 | 4.5 | 3.8 | 5.3 | |
| | P | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 3 | 6 | 12 | 18 | 12 | 15 | 17 | 15 | 18 | 14 | 134 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| Rate Per 100,000 | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.5 | 0.7 | 0.7 | 2.1 | 4.6 | 9.7 | 17.6 | 15.4 | 24.0 | 29.6 | 30.3 | 49.8 | 43.8 | 7.2 | | | | | | | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |

Table 5: Cancer Incidence and Mortality by Site, Sex and Age Group, Queensland, 2002

| ICD0-2/SITE | Sex | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Total | Percent | Cum Rate | Cum Risk (1 in x) | ASR (World)/100,000 | Lower Limit | Upper Limit | |
|--|-----|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|---------|----------|-------------------|---------------------|-------------|-------------|------|
| C52,C55,C57,C58 OTHER FEMALE GENITAL ORGANS | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0 | 1 | 0 | 0 | 0 | 0 | 3 | 1 | 0 | 3 | 5 | 3 | 4 | 1 | 3 | 3 | 3 | 2 | 32 | 0.4 | 0.1 | 804 | 1.2 | 0.8 | 1.7 | |
| | P | 0 | 1 | 0 | 0 | 0 | 0 | 3 | 1 | 0 | 3 | 5 | 3 | 4 | 1 | 3 | 3 | 3 | 2 | 32 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| Rate Per 100,000 | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| | F | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 0.7 | 0.0 | 2.3 | 4.1 | 2.9 | 5.1 | 1.6 | 5.2 | 6.1 | 8.3 | 6.3 | 1.7 | 0.4 | 0.1 | 804 | 1.2 | 0.8 | 1.7 | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 1 | 0 | 0 | 1 | 2 | 0 | 8 | 0.3 | 0.0 | 4340 | 0.3 | 0.1 | 0.5 | |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 1 | 0 | 0 | 1 | 2 | 0 | 8 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| Rate Per 100,000 | M | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.5 | 0.8 | 1.0 | 1.3 | 0.0 | 0.0 | 2.0 | 5.5 | 0.0 | 0.4 | 0.3 | 0.0 | 4340 | 0.3 | 0.1 | 0.5 | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| C61 PROSTATE GLAND | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 27 | 97 | 228 | 321 | 396 | 391 | 329 | 214 | 157 | 2163 | 22.1 | 10.3 | 10 | 80.2 | 76.8 | 83.6 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | n.a. | n.a. | n.a. | n.a. | n.a. | |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 27 | 97 | 228 | 321 | 396 | 391 | 329 | 214 | 157 | 2163 | n.a. | n.a. | n.a. | n.a. | n.a. | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.1 | 21.1 | 77.8 | 214.0 | 392.2 | 625.2 | 724.6 | 800.4 | 868.3 | 1007.2 | 117.4 | 22.1 | 10.3 | 10 | 80.2 | 76.8 | 83.6 | |
| | F | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 2 | 10 | 27 | 56 | 66 | 112 | 119 | 114 | 509 | 13.4 | 1.3 | 78 | 15.8 | 14.5 | 17.3 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| | P | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 2 | 10 | 27 | 56 | 66 | 112 | 119 | 114 | 509 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 1.6 | 1.6 | 9.4 | 33.0 | 88.4 | 122.3 | 272.5 | 482.8 | 731.4 | 27.6 | 13.4 | 1.3 | 78 | 15.8 | 14.5 | 17.3 | |
| | F | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| C62 TESTIS | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 8 | 16 | 31 | 23 | 13 | 19 | 8 | 6 | 4 | 4 | 2 | 1 | 0 | 0 | 0 | 135 | 1.4 | 0.5 | 187 | 7.0 | 5.8 | 8.2 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| | P | 0 | 0 | 0 | 8 | 16 | 31 | 23 | 13 | 19 | 8 | 6 | 4 | 4 | 2 | 1 | 0 | 0 | 0 | 135 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 5.9 | 12.4 | 24.3 | 16.9 | 9.7 | 13.6 | 6.3 | 4.8 | 3.8 | 4.9 | 3.2 | 1.9 | 0.0 | 0.0 | 0.0 | 7.3 | 1.4 | 0.5 | 187 | 7.0 | 5.8 | 8.2 | |
| | F | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0.1 | 0.0 | 26849 | 0.1 | 0.0 | 0.2 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 0.0 | 0.0 | 0.1 | 0.1 | 0.0 | 26849 | 0.1 | 0.0 | 0.2 | |
| | F | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| C60,C63 PENIS AND OTHER & UNSPECIFIED MALE GENITAL ORGANS | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 4 | 1 | 1 | 4 | 0 | 1 | 2 | 16 | 0.2 | 0.1 | 1233 | 0.6 | 0.4 | 1.0 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| | P | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 4 | 1 | 1 | 4 | 0 | 1 | 2 | 16 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.8 | 0.0 | 3.8 | 1.2 | 1.6 | 7.4 | 0.0 | 4.1 | 12.8 | 0.9 | 0.2 | 0.1 | 1233 | 0.6 | 0.4 | 1.0 | |
| | F | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 3 | 0.1 | 0.0 | 5397 | 0.1 | 0.0 | 0.3 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 3 | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.7 | 0.0 | 0.0 | 6.4 | 0.2 | 0.1 | 0.0 | 5397 | 0.1 | 0.0 | 0.3 | |
| | F | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |
| | P | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | |

Table 5: Cancer Incidence and Mortality by Site, Sex and Age Group, Queensland, 2002

| ICD0-2/SITE | Sex | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Total | Percent | Cum Rate | Cum Risk (1 in x) | ASR (World)/100,000 | Lower Limit | Upper Limit |
|---|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------|----------|-------------------|---------------------|-------------|-------------|
| C64-C66,C68 KIDNEY AND OTHER RENAL TRACT | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 13 | 14 | 29 | 28 | 31 | 35 | 25 | 37 | 20 | 11 | 247 | 2.5 | 1.1 | 95 | 9.4 | 8.3 | 10.6 |
| | F | 1 | 1 | 0 | 0 | 1 | 0 | 0 | 2 | 6 | 9 | 13 | 15 | 20 | 22 | 28 | 31 | 23 | 13 | 185 | 2.3 | 0.7 | 134 | 6.3 | 5.4 | 7.3 |
| | P | 1 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 5 | 19 | 23 | 42 | 43 | 51 | 57 | 53 | 68 | 43 | 24 | 432 | 2.4 | 0.9 | 111 | 7.8 | 7.1 |
| Rate Per 100,000 | M | 0.0 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 9.3 | 11.0 | 23.3 | 26.3 | 37.9 | 55.3 | 46.3 | 90.0 | 81.1 | 70.6 | 13.4 | | | | | | |
| | F | 0.8 | 0.8 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 1.4 | 4.2 | 6.9 | 10.5 | 14.7 | 25.7 | 35.2 | 48.8 | 62.6 | 63.7 | 40.6 | 9.9 | | | | | | |
| | P | 0.4 | 0.8 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 1.8 | 6.7 | 8.9 | 16.9 | 20.6 | 31.9 | 45.3 | 47.6 | 75.0 | 70.8 | 50.4 | 11.7 | | | | | | |
| Mortality | M | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 4 | 7 | 5 | 5 | 14 | 11 | 17 | 14 | 8 | 91 | 2.4 | 0.3 | 302 | 3.2 | 2.6 | 4.0 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 7 | 5 | 9 | 13 | 13 | 14 | 8 | 73 | 2.6 | 0.3 | 375 | 2.2 | 1.7 | 2.7 |
| | P | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 4 | 10 | 12 | 10 | 23 | 24 | 30 | 28 | 16 | 164 | 2.5 | 0.3 | 334 | 2.7 | 2.3 |
| Rate Per 100,000 | M | 0.0 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 1.5 | 1.4 | 3.1 | 5.6 | 4.7 | 6.1 | 22.1 | 20.4 | 41.4 | 56.8 | 51.3 | 4.9 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 2.4 | 6.8 | 6.4 | 14.4 | 22.7 | 26.3 | 38.8 | 25.0 | 3.9 | | | | | | |
| | P | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.7 | 1.1 | 1.6 | 4.0 | 5.7 | 6.3 | 18.3 | 21.6 | 33.1 | 46.1 | 33.6 | 4.4 | | | | | | |
| C67 BLADDER | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 4 | 6 | 10 | 19 | 33 | 64 | 75 | 94 | 82 | 65 | 56 | 513 | 5.2 | 2.2 | 46 | 18.5 | 16.9 | 20.1 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 4 | 5 | 3 | 8 | 15 | 14 | 32 | 40 | 26 | 21 | 171 | 2.1 | 0.6 | 172 | 5.0 | 4.3 | 5.8 |
| | P | 0 | 0 | 0 | 1 | 1 | 1 | 3 | 6 | 10 | 15 | 22 | 41 | 79 | 89 | 126 | 122 | 91 | 77 | 684 | 3.8 | 1.4 | 73 | 11.3 | 10.5 | 12.2 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.7 | 0.8 | 0.8 | 1.5 | 3.0 | 4.3 | 7.8 | 15.2 | 31.0 | 78.2 | 118.4 | 174.2 | 199.5 | 263.7 | 359.3 | 27.8 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 1.4 | 2.8 | 3.8 | 2.4 | 7.8 | 19.3 | 22.4 | 55.8 | 80.8 | 72.0 | 65.6 | 9.2 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.4 | 0.4 | 0.4 | 1.1 | 2.2 | 3.5 | 5.8 | 8.9 | 19.6 | 49.5 | 70.7 | 113.2 | 134.6 | 149.7 | 161.8 | 18.5 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 2 | 6 | 10 | 7 | 14 | 26 | 28 | 28 | 125 | 3.3 | 0.3 | 336 | 3.9 | 3.3 | 4.7 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 1 | 6 | 5 | 12 | 15 | 46 | 1.6 | 0.1 | 1061 | 1.1 | 0.8 | 1.4 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 3 | 8 | 12 | 8 | 20 | 31 | 40 | 43 | 171 | 2.6 | 0.2 | 511 | 2.3 | 2.0 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 3.1 | 1.6 | 5.6 | 12.2 | 11.1 | 25.9 | 63.3 | 113.6 | 179.6 | 6.8 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.8 | 0.8 | 2.0 | 2.6 | 1.6 | 10.5 | 10.1 | 33.2 | 46.9 | 2.5 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 1.9 | 1.2 | 3.8 | 7.5 | 6.4 | 18.0 | 34.2 | 65.8 | 90.4 | 4.6 | | | | | | |
| C69 EYE & ADNEXA | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 3 | 4 | 2 | 5 | 1 | 6 | 3 | 2 | 31 | 0.3 | 0.1 | 902 | 1.2 | 0.8 | 1.8 |
| | F | 0 | 0 | 0 | 2 | 0 | 0 | 1 | 1 | 1 | 2 | 1 | 2 | 0 | 2 | 2 | 3 | 0 | 0 | 17 | 0.2 | 0.1 | 1367 | 0.7 | 0.4 | 1.1 |
| | P | 2 | 0 | 0 | 2 | 0 | 0 | 2 | 2 | 2 | 1 | 3 | 4 | 6 | 2 | 7 | 3 | 9 | 3 | 2 | 48 | 0.3 | 0.1 | 1081 | 1.0 | 0.7 |
| Rate Per 100,000 | M | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.7 | 0.0 | 0.8 | 2.4 | 3.8 | 2.4 | 7.9 | 1.9 | 14.6 | 12.2 | 12.8 | 1.7 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 1.5 | 0.0 | 0.0 | 0.7 | 0.7 | 0.7 | 1.5 | 0.8 | 2.0 | 0.0 | 3.2 | 3.5 | 6.1 | 0.0 | 0.0 | 0.9 | | | | | | |
| | P | 0.8 | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 0.7 | 0.7 | 0.4 | 1.2 | 1.6 | 2.9 | 1.3 | 5.6 | 2.7 | 9.9 | 4.9 | 4.2 | 1.3 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 4 | 0 | 0 | 7 | 0.2 | 0.0 | 4724 | 0.2 | 0.1 | 0.5 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.0 | 0.0 | 20472 | 0.0 | 0.0 | 0.2 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 1 | 4 | 0 | 0 | 8 | 0.1 | 0.0 | 7768 | 0.1 | 0.1 | 0.2 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 1.6 | 1.9 | 9.7 | 0.0 | 0.0 | 0.4 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.5 | 0.0 | 0.8 | 0.9 | 4.4 | 0.0 | 0.0 | 0.2 | | | | | | |
| C70-C72 BRAIN, MENINGES AND OTHER CENTRAL NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 3 | 5 | 4 | 1 | 2 | 9 | 7 | 6 | 10 | 12 | 10 | 17 | 20 | 16 | 11 | 9 | 6 | 3 | 151 | 1.5 | 0.7 | 145 | 6.9 | 5.8 | 8.0 |
| | F | 8 | 4 | 3 | 0 | 2 | 4 | 5 | 3 | 5 | 5 | 6 | 8 | 11 | 3 | 12 | 13 | 5 | 4 | 101 | 1.2 | 0.4 | 244 | 4.5 | 3.7 | 5.5 |
| | P | 11 | 9 | 7 | 1 | 4 | 13 | 12 | 9 | 15 | 17 | 16 | 25 | 31 | 19 | 23 | 22 | 11 | 7 | 252 | 1.4 | 0.6 | 181 | 5.7 | 5.0 | 6.4 |
| Rate Per 100,000 | M | 2.4 | 3.7 | 2.9 | 0.7 | 1.5 | 7.0 | 5.1 | 4.5 | 7.2 | 9.4 | 8.0 | 16.0 | 24.4 | 25.3 | 20.4 | 21.9 | 24.3 | 19.2 | 8.2 | | | | | | |
| | F | 6.6 | 3.1 | 2.3 | 0.0 | 1.6 | 3.1 | 3.5 | 2.1 | 3.5 | 3.8 | 4.9 | 7.8 | 14.1 | 4.8 | 20.9 | 26.3 | 13.8 | 12.5 | 5.4 | | | | | | |
| | P | 4.4 | 3.4 | 2.6 | 0.4 | 1.6 | 5.0 | 4.3 | 3.3 | 5.3 | 6.6 | 6.5 | 12.0 | 19.4 | 15.1 | 20.7 | 24.3 | 18.1 | 14.7 | 6.8 | | | | | | |
| Mortality | M | 0 | 1 | 1 | 1 | 0 | 2 | 4 | 3 | 2 | 8 | 9 | 12 | 25 | 17 | 6 | 12 | 9 | 3 | 115 | 3.0 | 0.5 | 194 | 4.7 | 3.9 | 5.7 |
| | F | 3 | 2 | 2 | 0 | 0 | 1 | 2 | 1 | 2 | 9 | 6 | 9 | 9 | 9 | 15 | 14 | 9 | 5 | 98 | 3.5 | 0.4 | 243 | 3.8 | 3.1 | 4.6 |
| | P | 3 | 3 | 3 | 1 | 0 | 3 | 6 | 4 | 4 | 17 | 15 | 21 | 34 | 26 | 21 | 26 | 18 | 8 | 213 | 3.2 | 0.5 | 214 | 4.3 | 3.7 | 4.9 |
| Rate Per 100,000 | M | 0.0 | 0.7 | 0.7 | 0.7 | 0.0 | 1.6 | 2.9 | 2.2 | 1.4 | 6.3 | 7.2 | 11.3 | 30.5 | 26.8 | 11.1 | 29.2 | 36.5 | 19.2 | 6.2 | | | | | | |
| | F | 2.5 | 1.6 | 1.5 | 0.0 | 0.0 | 0.8 | 1.4 | 0.7 | 1.4 | 6.9 | 4.9 | 8.8 | 11.6 | 14.4 | 26.2 | 28.3 | 24.9 | 15.6 | 5.3 | | | | | | |
| | P | 1.2 | 1.1 | 1.1 | 0.4 | 0.0 | 1.2 | 2.2 | 1.5 | 1.4 | 6.6 | 6.1 | 10.1 | 21.3 | 20.7 | 18.9 | 28.7 | 29.6 | 16.8 | 5.7 | | | | | | |

Table 5: Cancer Incidence and Mortality by Site, Sex and Age Group, Queensland, 2002

| ICD0-2/SITE | Sex | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Total | Percent | Cum Rate | Cum Risk (1 in x) | ASR (World)/100,000 | Lower Limit | Upper Limit |
|---|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------|----------|-------------------|---------------------|-------------|-------------|
| C73 THYROID GLAND | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 2 | 0 | 2 | 6 | 10 | 1 | 9 | 5 | 9 | 11 | 4 | 4 | 5 | 0 | 0 | 68 | 0.7 | 0.3 | 322 | 3.0 | 2.3 | 3.8 |
| | F | 0 | 0 | 1 | 2 | 4 | 11 | 23 | 29 | 23 | 26 | 18 | 23 | 11 | 8 | 8 | 7 | 5 | 4 | 203 | 2.5 | 0.8 | 122 | 8.6 | 7.5 | 9.9 |
| | P | 0 | 0 | 1 | 4 | 4 | 13 | 29 | 39 | 24 | 35 | 23 | 32 | 22 | 12 | 12 | 12 | 5 | 4 | 271 | 1.5 | 0.6 | 176 | 5.8 | 5.2 | 6.6 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 1.5 | 0.0 | 1.6 | 4.4 | 7.4 | 0.7 | 7.0 | 4.0 | 8.4 | 13.4 | 6.3 | 7.4 | 12.2 | 0.0 | 0.0 | 3.7 | | | | | | |
| | F | 0.0 | 0.0 | 0.8 | 1.5 | 3.1 | 8.4 | 16.3 | 20.8 | 16.0 | 20.0 | 14.6 | 22.5 | 14.1 | 12.8 | 14.0 | 14.1 | 13.8 | 12.5 | 10.9 | | | | | | |
| | P | 0.0 | 0.0 | 0.4 | 1.5 | 1.6 | 5.0 | 10.5 | 14.2 | 8.5 | 13.6 | 9.3 | 15.3 | 13.8 | 9.5 | 10.8 | 13.2 | 8.2 | 8.4 | 7.3 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 2 | 2 | 3 | 0 | 1 | 10 | 0.3 | 0.0 | 2256 | 0.4 | 0.2 | 0.7 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 0 | 0 | 1 | 5 | 0.2 | 0.0 | 3299 | 0.2 | 0.1 | 0.4 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 3 | 4 | 3 | 0 | 2 | 15 | 0.2 | 0.0 | 2678 | 0.3 | 0.1 | 0.4 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 1.2 | 3.2 | 3.7 | 7.3 | 0.0 | 6.4 | 0.5 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 1.6 | 3.5 | 0.0 | 0.0 | 3.1 | 0.3 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.5 | 0.6 | 2.4 | 3.6 | 3.3 | 0.0 | 4.2 | 0.4 | | | | | | |
| C74,C75 ADRENAL AND OTHER ENDOCRINE GLANDS | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 5 | 0.1 | 0.0 | 4108 | 0.3 | 0.1 | 0.7 |
| | F | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 8 | 0.1 | 0.0 | 2664 | 0.4 | 0.2 | 0.9 |
| | P | 2 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 1 | 2 | 1 | 1 | 2 | 0 | 0 | 0 | 0 | 13 | 0.1 | 0.0 | 3243 | 0.4 | 0.2 | 0.6 |
| Rate Per 100,000 | M | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.9 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | | | | | | |
| | F | 0.8 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.4 | 0.0 | 1.6 | 0.0 | 1.3 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | | | | | | |
| | P | 0.8 | 0.4 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.7 | 0.4 | 0.8 | 0.5 | 0.6 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | | | | | | |
| Mortality | M | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0.1 | 0.0 | 6141 | 0.2 | 0.1 | 0.6 |
| | F | 2 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 0.2 | 0.0 | 4164 | 0.4 | 0.2 | 0.9 |
| | P | 3 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 11 | 0.2 | 0.0 | 4968 | 0.3 | 0.2 | 0.6 |
| Rate Per 100,000 | M | 0.8 | 0.0 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | | | | | | |
| | F | 1.7 | 0.8 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | | | | | | |
| | P | 1.2 | 0.4 | 0.4 | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.8 | 0.5 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.3 | | | | | | |
| C26,C39,C76,C77,C80 OTHER & ILL-DEFINED SITES AND UNKNOWN PRIMARY SITE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 1 | 0 | 0 | 2 | 2 | 6 | 3 | 9 | 24 | 27 | 43 | 38 | 43 | 52 | 41 | 29 | 320 | 3.3 | 1.3 | 79 | 11.6 | 10.4 | 12.9 |
| | F | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 2 | 4 | 10 | 11 | 22 | 16 | 19 | 24 | 47 | 36 | 66 | 259 | 3.2 | 0.7 | 147 | 7.2 | 6.3 | 8.1 |
| | P | 0 | 0 | 2 | 0 | 0 | 2 | 3 | 8 | 7 | 19 | 35 | 49 | 59 | 57 | 67 | 99 | 77 | 95 | 579 | 3.2 | 1.0 | 103 | 9.4 | 8.6 | 10.2 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 1.6 | 1.5 | 4.5 | 2.1 | 7.0 | 19.3 | 25.3 | 52.5 | 60.0 | 79.7 | 126.5 | 166.3 | 186.1 | 17.4 | | | | | | |
| | F | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.7 | 1.4 | 2.8 | 7.7 | 8.9 | 21.5 | 20.5 | 30.4 | 41.9 | 94.9 | 99.7 | 206.3 | 13.9 | | | | | | |
| | P | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 0.8 | 1.1 | 2.9 | 2.5 | 7.4 | 14.1 | 23.5 | 36.9 | 45.3 | 60.2 | 109.2 | 126.7 | 199.7 | 15.6 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 2 | 3 | 12 | 15 | 28 | 28 | 30 | 40 | 30 | 27 | 220 | 5.8 | 0.8 | 121 | 7.8 | 6.8 | 8.9 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 12 | 5 | 11 | 13 | 10 | 24 | 36 | 34 | 70 | 217 | 7.7 | 0.5 | 201 | 5.5 | 4.8 | 6.3 |
| | P | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 2 | 3 | 15 | 17 | 26 | 41 | 38 | 54 | 76 | 64 | 97 | 437 | 6.6 | 0.7 | 151 | 6.7 | 6.1 | 7.4 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 1.6 | 0.7 | 0.7 | 1.4 | 2.3 | 9.6 | 14.1 | 34.2 | 44.2 | 55.6 | 97.3 | 121.7 | 173.2 | 11.9 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.7 | 9.2 | 4.1 | 10.7 | 16.7 | 16.0 | 41.9 | 72.7 | 94.1 | 218.8 | 11.6 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.8 | 0.4 | 0.7 | 1.1 | 5.8 | 6.9 | 12.4 | 25.7 | 30.2 | 48.5 | 83.9 | 105.3 | 203.9 | 11.8 | | | | | | |
| M959-M971 ALL LYMPHOMAS | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1 | 4 | 4 | 10 | 4 | 9 | 12 | 12 | 19 | 30 | 23 | 42 | 33 | 26 | 46 | 36 | 44 | 26 | 381 | 3.9 | 1.5 | 66 | 15.1 | 13.6 | 16.7 |
| | F | 0 | 0 | 0 | 10 | 6 | 8 | 8 | 9 | 13 | 18 | 23 | 19 | 28 | 29 | 25 | 29 | 24 | 29 | 278 | 3.4 | 1.1 | 93 | 10.4 | 9.2 | 11.7 |
| | P | 1 | 4 | 4 | 20 | 10 | 17 | 20 | 21 | 32 | 48 | 46 | 61 | 61 | 55 | 71 | 65 | 68 | 55 | 659 | 3.7 | 1.3 | 78 | 12.6 | 11.7 | 13.6 |
| Rate Per 100,000 | M | 0.8 | 2.9 | 2.9 | 7.3 | 3.1 | 7.0 | 8.8 | 8.9 | 13.6 | 23.5 | 18.5 | 39.4 | 40.3 | 41.0 | 85.2 | 87.6 | 178.5 | 166.8 | 20.7 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 7.7 | 4.7 | 6.1 | 5.7 | 6.4 | 9.1 | 13.8 | 18.7 | 18.6 | 36.0 | 46.4 | 43.6 | 58.6 | 66.4 | 90.6 | 14.9 | | | | | | |
| | P | 0.4 | 1.5 | 1.5 | 7.5 | 3.9 | 6.6 | 7.2 | 7.7 | 11.3 | 18.6 | 18.6 | 29.2 | 38.2 | 43.7 | 63.8 | 71.7 | 111.9 | 115.6 | 17.8 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 3 | 1 | 3 | 1 | 0 | 3 | 6 | 4 | 8 | 14 | 15 | 20 | 21 | 28 | 17 | 144 | 3.8 | 0.5 | 198 | 5.1 | 4.3 | 6.0 |
| | F | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 2 | 1 | 2 | 6 | 10 | 9 | 19 | 15 | 26 | 21 | 19 | 133 | 4.7 | 0.4 | 226 | 4.1 | 3.4 | 4.8 |
| | P | 1 | 0 | 0 | 3 | 2 | 3 | 2 | 2 | 4 | 8 | 10 | 18 | 23 | 34 | 35 | 47 | 49 | 36 | 277 | 4.2 | 0.5 | 211 | 4.5 | 4.0 | 5.1 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 2.2 | 0.8 | 2.3 | 0.7 | 0.0 | 2.1 | 4.7 | 3.2 | 7.5 | 17.1 | 23.7 | 37.1 | 51.1 | 113.6 | 109.1 | 7.8 | | | | | | |
| | F | 0.8 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.7 | 1.4 | 0.7 | 1.5 | 4.9 | 9.8 | 11.6 | 30.4 | 26.2 | 52.5 | 58.1 | 59.4 | 7.1 | | | | | | |
| | P | 0.4 | 0.0 | 0.0 | 1.1 | 0.8 | 1.2 | 0.7 | 0.7 | 1.4 | 3.1 | 4.0 | 8.6 | 14.4 | 27.0 | 31.4 | 51.9 | 80.6 | 75.7 | 7.5 | | | | | | |

Table 5: Cancer Incidence and Mortality by Site, Sex and Age Group, Queensland, 2002

| ICD0-2/SITE | Sex | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Total | Percent | Cum Rate | Cum Risk (1 in x) | ASR (World)/100,000 | Lower Limit | Upper Limit | |
|--|-----|------|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------|----------|-------------------|---------------------|-------------|-------------|-----|
| M965-M966 HODGKIN'S DISEASE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 4 | 1 | 4 | 2 | 5 | 6 | 2 | 0 | 1 | 4 | 1 | 4 | 1 | 2 | 3 | 1 | 0 | 41 | 0.4 | 0.2 | 605 | 2.1 | 1.5 | 2.8 | |
| | F | 0 | 0 | 0 | 9 | 4 | 4 | 4 | 2 | 1 | 1 | 2 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 29 | 0.4 | 0.1 | 908 | 1.6 | 1.1 | 2.3 | |
| | P | 0 | 4 | 1 | 13 | 6 | 9 | 10 | 4 | 1 | 2 | 6 | 1 | 4 | 2 | 2 | 4 | 1 | 0 | 70 | 0.4 | 0.1 | 726 | 1.8 | 1.4 | 2.3 | |
| Rate Per 100,000 | M | 0.0 | 2.9 | 0.7 | 2.9 | 1.5 | 3.9 | 4.4 | 1.5 | 0.0 | 0.8 | 3.2 | 0.9 | 4.9 | 1.6 | 3.7 | 7.3 | 4.1 | 0.0 | 2.2 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 6.9 | 3.1 | 3.1 | 2.8 | 1.4 | 0.7 | 0.8 | 1.6 | 0.0 | 0.0 | 1.6 | 0.0 | 2.0 | 0.0 | 0.0 | 1.6 | | | | | | | |
| | P | 0.0 | 1.5 | 0.4 | 4.9 | 2.3 | 3.5 | 3.6 | 1.5 | 0.4 | 0.8 | 2.4 | 0.5 | 2.5 | 1.6 | 1.8 | 4.4 | 1.6 | 0.0 | 1.9 | | | | | | | |
| Mortality | M | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 2 | 1 | 0 | 0 | 8 | 0.2 | 0.0 | 2325 | 0.4 | 0.2 | 0.7 | |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 2 | 0 | 1 | 7 | 0.2 | 0.0 | 4108 | 0.2 | 0.1 | 0.5 | |
| | P | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 1 | 2 | 1 | 3 | 3 | 0 | 1 | 15 | 0.2 | 0.0 | 2963 | 0.3 | 0.2 | 0.5 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.9 | 2.4 | 0.0 | 3.7 | 2.4 | 0.0 | 0.0 | 0.4 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 1.6 | 1.7 | 4.0 | 0.0 | 3.1 | 0.4 | | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.4 | 0.0 | 0.4 | 0.0 | 0.0 | 0.4 | 0.5 | 1.3 | 0.8 | 2.7 | 3.3 | 0.0 | 2.1 | 0.4 | | | | | | | |
| M959,M967-M971 NON-HODGKIN'S LYMPHOMA | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1 | 0 | 3 | 6 | 2 | 4 | 6 | 10 | 19 | 29 | 19 | 41 | 29 | 25 | 44 | 33 | 43 | 26 | 340 | 3.5 | 1.4 | 74 | 13.0 | 11.7 | 14.5 | |
| | F | 0 | 0 | 0 | 1 | 2 | 4 | 4 | 7 | 12 | 17 | 21 | 19 | 28 | 28 | 25 | 28 | 24 | 29 | 249 | 3.1 | 1.0 | 103 | 8.8 | 7.7 | 10.0 | |
| | P | 1 | 0 | 3 | 7 | 4 | 8 | 10 | 17 | 31 | 46 | 40 | 60 | 57 | 53 | 69 | 61 | 67 | 55 | 589 | 3.3 | 1.2 | 87 | 10.8 | 9.9 | 11.7 | |
| Rate Per 100,000 | M | 0.8 | 0.0 | 2.2 | 4.4 | 1.5 | 3.1 | 4.4 | 7.4 | 13.6 | 22.7 | 15.2 | 38.5 | 35.4 | 39.5 | 81.5 | 80.3 | 174.5 | 166.8 | 18.4 | | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.8 | 1.6 | 3.1 | 2.8 | 5.0 | 8.4 | 13.1 | 17.0 | 18.6 | 36.0 | 44.8 | 43.6 | 56.5 | 66.4 | 90.6 | 13.4 | | | | | | | |
| | P | 0.4 | 0.0 | 1.1 | 2.6 | 1.6 | 3.1 | 3.6 | 6.2 | 10.9 | 17.8 | 16.1 | 28.7 | 35.7 | 42.1 | 62.0 | 67.3 | 110.3 | 115.6 | 15.9 | | | | | | | |
| Mortality | M | 0 | 0 | 0 | 2 | 1 | 2 | 1 | 0 | 3 | 6 | 4 | 7 | 12 | 15 | 18 | 20 | 28 | 17 | 136 | 3.6 | 0.5 | 216 | 4.8 | 4.0 | 5.6 | |
| | F | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 2 | 5 | 10 | 9 | 18 | 14 | 24 | 21 | 18 | 126 | 4.5 | 0.4 | 239 | 3.8 | 3.2 | 4.6 | |
| | P | 1 | 0 | 0 | 2 | 2 | 2 | 2 | 1 | 4 | 8 | 9 | 17 | 21 | 33 | 32 | 44 | 49 | 35 | 262 | 4.0 | 0.4 | 227 | 4.2 | 3.7 | 4.8 | |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 1.5 | 0.8 | 1.6 | 0.7 | 0.0 | 2.1 | 4.7 | 3.2 | 6.6 | 14.7 | 23.7 | 33.4 | 48.7 | 113.6 | 109.1 | 7.4 | | | | | | | |
| | F | 0.8 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.7 | 0.7 | 0.7 | 1.5 | 4.1 | 9.8 | 11.6 | 28.8 | 24.4 | 48.5 | 58.1 | 56.3 | 6.8 | | | | | | | |
| | P | 0.4 | 0.0 | 0.0 | 0.7 | 0.8 | 0.8 | 0.7 | 0.4 | 1.4 | 3.1 | 3.6 | 8.1 | 13.1 | 26.2 | 28.8 | 48.6 | 80.6 | 73.6 | 7.1 | | | | | | | |
| M980-M994 ALL LEUKAEMIAS | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 10 | 7 | 7 | 3 | 4 | 2 | 5 | 9 | 6 | 8 | 29 | 25 | 36 | 30 | 31 | 40 | 40 | 27 | 319 | 3.3 | 1.2 | 83 | 12.8 | 11.5 | 14.3 | |
| | F | 12 | 5 | 5 | 3 | 1 | 2 | 2 | 4 | 2 | 6 | 10 | 15 | 15 | 26 | 24 | 37 | 23 | 20 | 212 | 2.6 | 0.8 | 127 | 8.2 | 7.1 | 9.3 | |
| | P | 22 | 12 | 12 | 6 | 5 | 4 | 7 | 13 | 8 | 14 | 39 | 40 | 51 | 56 | 55 | 77 | 63 | 47 | 531 | 3.0 | 1.0 | 101 | 10.4 | 9.5 | 11.3 | |
| Rate Per 100,000 | M | 7.9 | 5.1 | 5.1 | 2.2 | 3.1 | 1.6 | 3.7 | 6.7 | 4.3 | 6.3 | 23.3 | 23.5 | 44.0 | 47.4 | 57.4 | 97.3 | 162.3 | 173.2 | 17.3 | | | | | | | |
| | F | 10.0 | 3.9 | 3.8 | 2.3 | 0.8 | 1.5 | 1.4 | 2.9 | 1.4 | 4.6 | 8.1 | 14.7 | 19.3 | 41.6 | 41.9 | 74.7 | 63.7 | 62.5 | 11.4 | | | | | | | |
| | P | 8.9 | 4.5 | 4.5 | 2.2 | 1.9 | 1.5 | 2.5 | 4.7 | 2.8 | 5.4 | 15.7 | 19.1 | 31.9 | 44.5 | 49.4 | 85.0 | 103.7 | 98.8 | 14.3 | | | | | | | |
| Mortality | M | 2 | 0 | 2 | 4 | 1 | 2 | 2 | 0 | 4 | 4 | 9 | 9 | 13 | 9 | 17 | 33 | 17 | 15 | 143 | 3.8 | 0.5 | 215 | 5.2 | 4.4 | 6.2 | |
| | F | 0 | 1 | 1 | 1 | 1 | 0 | 0 | 1 | 1 | 2 | 4 | 7 | 2 | 12 | 11 | 16 | 17 | 13 | 90 | 3.2 | 0.3 | 351 | 2.7 | 2.2 | 3.3 | |
| | P | 2 | 1 | 3 | 5 | 2 | 2 | 2 | 1 | 5 | 6 | 13 | 16 | 15 | 21 | 28 | 49 | 34 | 28 | 233 | 3.5 | 0.4 | 267 | 3.9 | 3.4 | 4.4 | |
| Rate Per 100,000 | M | 1.6 | 0.0 | 1.5 | 2.9 | 0.8 | 1.6 | 1.5 | 0.0 | 2.9 | 3.1 | 7.2 | 8.4 | 15.9 | 14.2 | 31.5 | 80.3 | 69.0 | 96.2 | 7.8 | | | | | | | |
| | F | 0.0 | 0.8 | 0.8 | 0.8 | 0.8 | 0.0 | 0.0 | 0.7 | 0.7 | 1.5 | 3.2 | 6.8 | 2.6 | 19.2 | 19.2 | 32.3 | 47.1 | 40.6 | 4.8 | | | | | | | |
| | P | 0.8 | 0.4 | 1.1 | 1.9 | 0.8 | 0.8 | 0.7 | 0.4 | 1.8 | 2.3 | 5.2 | 7.7 | 9.4 | 16.7 | 25.2 | 54.1 | 55.9 | 58.8 | 6.3 | | | | | | | |
| M982,M994 LYMPHOID LEUKAEMIA | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 8 | 6 | 6 | 1 | 1 | 0 | 0 | 3 | 3 | 5 | 13 | 14 | 22 | 18 | 17 | 21 | 18 | 9 | 165 | 1.7 | 0.7 | 148 | 7.0 | 6.0 | 8.1 | |
| | F | 9 | 5 | 4 | 1 | 0 | 1 | 1 | 1 | 1 | 0 | 2 | 2 | 11 | 12 | 11 | 13 | 21 | 10 | 11 | 115 | 1.4 | 0.4 | 230 | 4.7 | 3.9 | 5.7 |
| | P | 17 | 11 | 10 | 2 | 1 | 1 | 1 | 1 | 4 | 3 | 7 | 15 | 25 | 34 | 29 | 30 | 42 | 28 | 20 | 280 | 1.6 | 0.6 | 180 | 5.8 | 5.1 | 6.5 |
| Rate Per 100,000 | M | 6.3 | 4.4 | 4.4 | 0.7 | 0.8 | 0.0 | 0.0 | 2.2 | 2.1 | 3.9 | 10.4 | 13.1 | 26.9 | 28.4 | 31.5 | 51.1 | 73.0 | 57.7 | 9.0 | | | | | | | |
| | F | 7.5 | 3.9 | 3.1 | 0.8 | 0.0 | 0.8 | 0.7 | 0.7 | 0.0 | 1.5 | 1.6 | 10.7 | 15.4 | 17.6 | 22.7 | 42.4 | 27.7 | 34.4 | 6.2 | | | | | | | |
| | P | 6.9 | 4.2 | 3.7 | 0.7 | 0.4 | 0.4 | 0.4 | 1.5 | 1.1 | 2.7 | 6.1 | 12.0 | 21.3 | 23.0 | 27.0 | 46.3 | 46.1 | 42.0 | 7.6 | | | | | | | |
| Mortality | M | 1 | 0 | 2 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 2 | 7 | 5 | 4 | 14 | 4 | 4 | 49 | 1.3 | 0.2 | 616 | 1.9 | 1.4 | 2.5 | |
| | F | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 3 | 1 | 2 | 5 | 8 | 6 | 5 | 34 | 1.2 | 0.1 | 1039 | 1.0 | 0.7 | 1.4 | |
| | P | 1 | 1 | 3 | 3 | 0 | 0 | 1 | 0 | 0 | 1 | 3 | 5 | 8 | 7 | 9 | 22 | 10 | 9 | 83 | 1.3 | 0.1 | 769 | 1.4 | 1.1 | 1.8 | |
| Rate Per 100,000 | M | 0.8 | 0.0 | 1.5 | 2.2 | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 0.0 | 1.6 | 1.9 | 8.6 | 7.9 | 7.4 | 34.1 | 16.2 | 25.7 | 2.7 | | | | | | | |
| | F | 0.0 | 0.8 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.8 | 2.9 | 1.3 | 3.2 | 8.7 | 16.2 | 16.6 | 15.6 | 1.8 | | | | | | | |
| | P | 0.4 | 0.4 | 1.1 | 1.1 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.4 | 1.2 | 2.4 | 5.0 | 5.6 | 8.1 | 24.3 | 16.5 | 18.9 | 2.2 | | | | | | | |

Table 5: Cancer Incidence and Mortality by Site, Sex and Age Group, Queensland, 2002

| ICD0-2/SITE | Sex | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Total | Percent | Cum Rate | Cum Risk (1 in x) | ASR (World)/100,000 | Lower Limit | Upper Limit |
|---|-----|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------|----------|-------------------|---------------------|-------------|-------------|
| M986,M9930 MYELOID LEUKAEMIA | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1 | 1 | 1 | 2 | 2 | 1 | 5 | 6 | 3 | 3 | 15 | 9 | 14 | 12 | 12 | 17 | 20 | 18 | 142 | 1.4 | 0.5 | 206 | 5.3 | 4.5 | 6.3 |
| | F | 2 | 0 | 1 | 2 | 0 | 1 | 1 | 3 | 2 | 4 | 7 | 4 | 3 | 15 | 11 | 13 | 12 | 7 | 88 | 1.1 | 0.3 | 292 | 3.1 | 2.5 | 3.9 |
| | P | 3 | 1 | 2 | 4 | 2 | 2 | 6 | 9 | 5 | 7 | 22 | 13 | 17 | 27 | 23 | 30 | 32 | 25 | 230 | 1.3 | 0.4 | 241 | 4.1 | 3.6 | 4.7 |
| Rate Per 100,000 | M | 0.8 | 0.7 | 0.7 | 1.5 | 1.5 | 0.8 | 3.7 | 4.5 | 2.1 | 2.3 | 12.0 | 8.4 | 17.1 | 18.9 | 22.2 | 41.4 | 81.1 | 115.5 | 7.7 | | | | | | |
| | F | 1.7 | 0.0 | 0.8 | 1.5 | 0.0 | 0.8 | 0.7 | 2.1 | 1.4 | 3.1 | 5.7 | 3.9 | 3.9 | 24.0 | 19.2 | 26.3 | 33.2 | 21.9 | 4.7 | | | | | | |
| | P | 1.2 | 0.4 | 0.7 | 1.5 | 0.8 | 0.8 | 2.2 | 3.3 | 1.8 | 2.7 | 8.9 | 6.2 | 10.6 | 21.4 | 20.7 | 33.1 | 52.7 | 52.5 | 6.2 | | | | | | |
| Mortality | M | 1 | 0 | 0 | 1 | 0 | 2 | 1 | 0 | 4 | 4 | 5 | 7 | 6 | 4 | 13 | 18 | 12 | 10 | 88 | 2.3 | 0.3 | 345 | 3.1 | 2.5 | 3.8 |
| | F | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 1 | 3 | 4 | 1 | 10 | 4 | 7 | 11 | 8 | 52 | 1.9 | 0.2 | 597 | 1.6 | 1.2 | 2.1 |
| | P | 1 | 0 | 0 | 2 | 0 | 2 | 1 | 1 | 5 | 5 | 8 | 11 | 7 | 14 | 17 | 25 | 23 | 18 | 140 | 2.1 | 0.2 | 439 | 2.3 | 1.9 | 2.7 |
| Rate Per 100,000 | M | 0.8 | 0.0 | 0.0 | 0.7 | 0.0 | 1.6 | 0.7 | 0.0 | 2.9 | 3.1 | 4.0 | 6.6 | 7.3 | 6.3 | 24.1 | 43.8 | 48.7 | 64.2 | 4.8 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.7 | 0.7 | 0.8 | 2.4 | 3.9 | 1.3 | 16.0 | 7.0 | 14.1 | 30.5 | 25.0 | 2.8 | | | | | | |
| | P | 0.4 | 0.0 | 0.0 | 0.7 | 0.0 | 0.8 | 0.4 | 0.4 | 1.8 | 1.9 | 3.2 | 5.3 | 4.4 | 11.1 | 15.3 | 27.6 | 37.8 | 37.8 | 3.8 | | | | | | |
| M989 MONOCYTTIC LEUKAEMIA | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0.0 | 0.0 | 7544 | 0.1 | 0.0 | 0.4 |
| | F | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 4 | 0.0 | 0.0 | 12396 | 0.2 | 0.1 | 0.5 |
| | P | 1 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 0 | 0 | 7 | 0.0 | 0.0 | 9347 | 0.2 | 0.1 | 0.4 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.9 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.2 | | | | | | |
| | F | 0.8 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.0 | 0.0 | 0.0 | 0.2 | | | | | | |
| | P | 0.4 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 2.2 | 0.0 | 0.0 | 0.2 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.0 | 0.0 | 25842 | 0.1 | 0.0 | 0.3 |
| | F | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0.1 | 0.0 | 25556 | 0.1 | 0.0 | 0.3 |
| | P | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 3 | 0.0 | 0.0 | 25699 | 0.1 | 0.0 | 0.2 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.1 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.1 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.1 | 0.0 | 0.0 | 0.1 | | | | | | |
| M9801-M9804,M983-M985,M987-M988,M990-M991,M9931, M9932 OTHER SPECIFIED LEUKAEMIA | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0 | 2 | 0 | 7 | 0.1 | 0.0 | 3291 | 0.3 | 0.1 | 0.6 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 4 | 0.0 | 0.0 | 24658 | 0.1 | 0.0 | 0.2 |
| | P | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 2 | 1 | 2 | 2 | 11 | 0.1 | 0.0 | 5893 | 0.2 | 0.1 | 0.4 |
| Rate Per 100,000 | M | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 3.7 | 0.0 | 8.1 | 0.0 | 0.4 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 2.0 | 0.0 | 6.3 | 0.2 | | | | | | |
| | P | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 1.8 | 1.1 | 3.3 | 4.2 | 0.3 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 4 | 0.1 | 0.0 | 12463 | 0.1 | 0.0 | 0.3 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.0 | 0.0 | 11468 | 0.0 | 0.0 | 0.2 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 5 | 0.1 | 0.0 | 11729 | 0.1 | 0.0 | 0.2 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 2.4 | 4.1 | 0.0 | 0.2 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 0.0 | 0.0 | 0.0 | 0.1 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.0 | 0.0 | 0.0 | 0.9 | 1.1 | 1.6 | 0.0 | 0.1 | | | | | | |
| M9800 UNSPECIFIED LEUKAEMIA | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 | 0.0 | 0.0 | . | 0.0 | 0.0 | 0.2 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0.0 | 0.0 | . | 0.0 | 0.0 | 0.1 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 3 | 0.0 | 0.0 | . | 0.0 | 0.0 | 0.1 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.9 | 0.0 | 0.0 | 0.1 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.8 | 0.0 | 0.1 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.2 | 1.6 | 0.0 | 0.1 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0.0 | 0.0 | . | 0.0 | 0.0 | 0.2 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0.0 | 0.0 | 11468 | 0.0 | 0.0 | 0.2 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 2 | 0.0 | 0.0 | 22260 | 0.0 | 0.0 | 0.1 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 6.4 | 0.1 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 0.0 | 0.0 | 0.0 | 0.1 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.9 | 0.0 | 0.0 | 2.1 | 0.1 | | | | | | |

Table 5: Cancer Incidence and Mortality by Site, Sex and Age Group, Queensland, 2002

| ICD0-2/SITE | Sex | 0-4 | 5-9 | 10-14 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50-54 | 55-59 | 60-64 | 65-69 | 70-74 | 75-79 | 80-84 | 85+ | Total | Percent | Cum Rate | Cum Risk (1 in x) | ASR (World)/100,000 | Lower Limit | Upper Limit |
|--|-----|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|-------|---------|----------|-------------------|---------------------|-------------|-------------|
| M973 MYELOMA | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 9 | 10 | 9 | 13 | 21 | 14 | 14 | 14 | 110 | 1.1 | 0.5 | 219 | 3.9 | 3.2 | 4.7 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 7 | 4 | 10 | 10 | 16 | 11 | 8 | 72 | 0.9 | 0.3 | 399 | 2.2 | 1.7 | 2.7 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 6 | 12 | 17 | 13 | 23 | 31 | 30 | 25 | 22 | 182 | 1.0 | 0.4 | 284 | 3.0 | 2.6 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 1.4 | 2.3 | 7.2 | 9.4 | 11.0 | 20.5 | 38.9 | 34.1 | 56.8 | 89.8 | 6.0 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.3 | 2.4 | 6.8 | 5.1 | 16.0 | 17.4 | 32.3 | 30.5 | 25.0 | 3.9 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.7 | 2.3 | 4.8 | 8.1 | 8.1 | 18.3 | 27.9 | 33.1 | 41.1 | 46.2 | 4.9 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 3 | 2 | 5 | 7 | 13 | 12 | 14 | 9 | 69 | 1.8 | 0.2 | 413 | 2.3 | 1.8 | 2.9 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 6 | 13 | 9 | 7 | 5 | 46 | 1.6 | 0.2 | 522 | 1.4 | 1.0 | 1.8 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 1 | 4 | 4 | 7 | 13 | 26 | 21 | 21 | 14 | 115 | 1.7 | 0.2 | 461 | 1.8 | 1.5 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 2.1 | 0.0 | 2.4 | 1.9 | 6.1 | 11.1 | 24.1 | 29.2 | 56.8 | 57.7 | 3.7 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 0.8 | 2.0 | 2.6 | 9.6 | 22.7 | 18.2 | 19.4 | 15.6 | 2.5 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 1.1 | 0.4 | 1.6 | 1.9 | 4.4 | 10.3 | 23.4 | 23.2 | 34.6 | 29.4 | 3.1 | | | | | | |
| M972,M974,M976 OTHER NEOPLASMS OF LYMPHATIC & HAEMATOPOIETIC TISSUE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 1 | 2 | 2 | 1 | 0 | 0 | 12 | 0.1 | 0.1 | 1541 | 0.6 | 0.3 | 1.0 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 10 | 0.1 | 0.0 | 2318 | 0.3 | 0.2 | 0.6 |
| | P | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 2 | 3 | 3 | 4 | 2 | 2 | 1 | 22 | 0.1 | 0.1 | 1850 | 0.5 | 0.3 |
| Rate Per 100,000 | M | 1.6 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.8 | 1.6 | 0.9 | 1.2 | 3.2 | 3.7 | 2.4 | 0.0 | 0.0 | 0.7 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 2.6 | 1.6 | 3.5 | 2.0 | 5.5 | 3.1 | 0.5 | | | | | | |
| | P | 0.8 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.8 | 1.0 | 1.9 | 2.4 | 3.6 | 2.2 | 3.3 | 2.1 | 0.6 | | | | | | |
| Mortality | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0.0 | 0.0 | | 0.0 | 0.0 | 0.1 |
| | F | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 0.1 | 0.0 | 8157 | 0.1 | 0.0 | 0.3 |
| | P | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 3 | 0.0 | 0.0 | 15886 | 0.0 | 0.0 | 0.1 |
| Rate Per 100,000 | M | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 4.1 | 0.0 | 0.1 | | | | | | |
| | F | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.7 | 0.0 | 0.0 | 0.0 | 0.1 | | | | | | |
| | P | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.4 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.9 | 0.0 | 1.6 | 0.0 | 0.1 | | | | | | |
| TOTAL MALIGNANT NEOPLASMS (C00-C80) | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Incidence | M | 20 | 17 | 23 | 43 | 54 | 107 | 143 | 189 | 271 | 400 | 675 | 1008 | 1220 | 1333 | 1442 | 1356 | 907 | 596 | 9804 | 100.0 | 43.6 | 3 | 374.4 | 367.0 | 381.8 |
| | F | 23 | 14 | 16 | 42 | 63 | 97 | 172 | 299 | 460 | 601 | 744 | 892 | 842 | 839 | 858 | 883 | 657 | 632 | 8134 | 100.0 | 33.5 | 4 | 299.6 | 293.1 | 306.2 |
| | P | 43 | 31 | 39 | 85 | 117 | 204 | 315 | 488 | 731 | 1001 | 1419 | 1900 | 2062 | 2172 | 2300 | 2239 | 1564 | 1228 | 17938 | 100.0 | 38.5 | 3 | 333.9 | 329.0 | 338.8 |
| Rate Per 100,000 | M | 15.7 | 12.5 | 16.8 | 31.5 | 41.8 | 83.7 | 105.0 | 140.8 | 194.1 | 313.3 | 541.6 | 946.2 | 1490.4 | 2104.5 | 2672.3 | 3298.9 | 3680.0 | 3823.7 | 531.9 | | | | | | |
| | F | 19.1 | 10.9 | 12.2 | 32.2 | 49.3 | 74.2 | 121.8 | 214.1 | 320.5 | 461.8 | 603.5 | 871.5 | 1081.1 | 1341.0 | 1496.4 | 1783.0 | 1818.8 | 1975.3 | 436.4 | | | | | | |
| | P | 17.4 | 11.7 | 14.6 | 31.8 | 45.5 | 78.9 | 113.6 | 178.2 | 258.2 | 388.2 | 572.4 | 909.6 | 1290.8 | 1725.1 | 2066.5 | 2470.6 | 2573.6 | 2580.8 | 483.9 | | | | | | |
| Mortality | M | 4 | 2 | 4 | 9 | 6 | 15 | 15 | 22 | 43 | 103 | 170 | 283 | 403 | 497 | 591 | 704 | 524 | 409 | 3804 | 100.0 | 14.7 | 7 | 134.5 | 130.2 | 138.8 |
| | F | 6 | 4 | 4 | 2 | 5 | 8 | 12 | 23 | 51 | 120 | 170 | 239 | 230 | 284 | 380 | 419 | 421 | 428 | 2806 | 100.0 | 9.8 | 11 | 87.2 | 84.0 | 90.5 |
| | P | 10 | 6 | 8 | 11 | 11 | 23 | 27 | 45 | 94 | 223 | 340 | 522 | 633 | 781 | 971 | 1123 | 945 | 837 | 6610 | 100.0 | 12.2 | 9 | 108.9 | 106.3 | 111.5 |
| Rate Per 100,000 | M | 3.1 | 1.5 | 2.9 | 6.6 | 4.6 | 11.7 | 11.0 | 16.4 | 30.8 | 80.7 | 136.4 | 265.7 | 492.3 | 784.7 | 1095.2 | 1712.7 | 2126.0 | 2624.0 | 206.4 | | | | | | |
| | F | 5.0 | 3.1 | 3.1 | 1.5 | 3.9 | 6.1 | 8.5 | 16.5 | 35.5 | 92.2 | 137.9 | 233.5 | 295.3 | 453.9 | 662.7 | 846.1 | 1165.5 | 1337.7 | 150.5 | | | | | | |
| | P | 4.0 | 2.3 | 3.0 | 4.1 | 4.3 | 8.9 | 9.7 | 16.4 | 33.2 | 86.5 | 137.1 | 249.9 | 396.3 | 620.3 | 872.4 | 1239.2 | 1555.0 | 1759.1 | 178.3 | | | | | | |

APPENDIX 1: GUIDELINES FOR RELEASE OF INFORMATION QUEENSLAND CANCER REGISTRY

The *Health Act 1937*, provides the following:

100E.(1) This section applies to -

- (a) the chief executive; and
 - (b) a person involved in administering this Act, including, for example, a delegate of the chief executive; and
 - (c) a person who in any way helps in the administration of this Act, including, for example, a contractor and employees of a contractor.
- (2) A person to whom this section applies must not, whether directly or indirectly, disclose or make use of information gained by the person under this division unless the person discloses or makes use of the information -
- (a) under this Act; or
 - (b) when specifically authorised under another Act.
- (3) That the Chief Executive Officer may disclose information from the register if the disclosure is made -
- a) in a form that the chief executive reasonably believes does not identify any person; or
 - b) to a contractor, or an employee of a contractor, for maintaining the register; or
 - c) to a person when the chief executive is asking or requiring the person to give information under section 100DC; or
 - d) to a person authorised to conduct scientific research and studies under section 154M; or
 - e) to the Commonwealth, another State or an entity of the Commonwealth, or other State and the disclosure -
 - (i) is decided by the chief executive to be in the public interest; and
 - (ii) is required to be made, or may be made, under an agreement that -
 - (A) is between the State and the Commonwealth, the other State or the entity; and
 - (B) is prescribed under a regulation for this subsection.
- (4) Also a contractor may disclose information from the register if the disclosure is made -
- (a) in a form the contractor reasonably believes does not identify any person; or
 - (b) to the chief executive, at the written request of the chief executive stating the chief executive considers the disclosure is necessary for ensuring the proper administration of this division; or
 - (c) to a person when the contractor is asking the person to give information under section 100DC(1); or
 - (d) to a person or entity to which the chief executive may make the disclosure under subsection 3(d) or (e), if the chief executive authorises the contractor, in writing, to disclose the information.
- (5) The Commonwealth, another State or entity, that receives information under subsection (3)(e) or (4)(d) -
- (a) must not disclose it to anyone else; and
 - (b) must ensure the information is used only for the purpose for which it was given under the agreement.

Statistical information in an aggregate form may be obtained by contacting the Queensland Cancer Registry.

Medical researchers wishing to obtain information on individual patients from the Cancer Registry should submit to the Cancer Registry Advisory Committee an application, which has received ethical approval and sets out the aims and methods of the research. If the application is approved by the Cancer Registry Advisory Committee and the Chief Executive, gazettal may then be granted which would allow the researcher access to Cancer Registry data.

Before information concerning a live patient is released to any researcher, the latter must sign a declaration that any such information will not be used to contact patients, other than the researcher's own patients, without first obtaining permission from each patient's own medical practitioner.

The data set collected for each cancer consists of:-

- name(s)
- usual residential address (at diagnosis and at last contact)
- date of birth/age
- occupation
- country of birth
- sex
- indigenous status
- marital status
- date of last contact
- institution of last contact
- treating doctor
- date of diagnosis
- site of cancer
- differentiation
- cancer histology
- basis of diagnosis
- date of death
- cause of death

APPENDIX 3: RELATED PUBLICATIONS

Coory M, Dinh M. Mortality and incidence trends for adenocarcinoma of the oesophagus in Queensland, 1982 to 2001. Information Circular 66. Health Information Centre, Queensland Health. 2004.

Youlden D, Coory M. Mortality and incidence trends for leading cancers in Queensland, 1982 to 2001. Information Circular 65. Health Information Centre, Queensland Health. 2003.

Queensland Cancer Registry 2003. Cancer in Queensland. Incidence and Mortality 1982–2001. Brisbane: Queensland Cancer Fund, Queensland Health.

The Health Outcomes Plan - Cancer Control 2002-2007 Health Systems Strategy Branch, Queensland Health. 2002.

Coory M, Fagan P, Muller M, Dunn N. Participation in cervical cancer screening by women in rural and remote Aboriginal and Torres Strait Islander Communities in Queensland. Med J Aust 2002;177:544-547.

Coory M, Baade P. Mortality from prostate cancer is decreasing. [Letter] Medical Journal of Australia. 176(7):354-5; discussion 355, 2002 April 1.

Coory M, Ganguly I, Thompson A. Cancer among people living in rural and remote indigenous communities in Queensland. Information Circular 54. Health Information Centre, Queensland Health. 2000.

Coory M, Thompson A, Ganguly I. Cancer among people living in rural and remote Indigenous communities in Queensland. Med J Aust 2000;173:301-304.

Coory M 2000. Lung cancer: Still a significant problem among Queensland men and an increasing problem among Queensland women. Information Circular No. 53. Brisbane: Health Information Centre, Queensland Health.

Baade P, Coory M, Ring I 2000. Cancer Survival in Queensland, 1982 to 1995. Brisbane, Health Information Centre, Queensland Health.

Baade P, Coory M, Ring I 2000. National Health Priority Cancers in Queensland (1982 to 1997). Brisbane, Health Information Centre, Queensland Health.

Baade P, Coory M & Ring I 2000. Cancer in Queensland: trends in incidence and mortality for selected cancer sites 1982 to 1996. Brisbane: Health Information Centre, Queensland Health.

Baade P, Coory M. 2000. Cancer in Queensland. Information Circular No. 52. Brisbane: Health Information Centre, Queensland Health.

Coory M & Tong S 1999. An update on screening for colorectal cancer. Information Circular No. 47. Brisbane: Health Information Centre, Queensland Health.

Coory M & Byrne D 1999. Breast Cancer and BreastScreen Queensland. Information Circular No. 48. Brisbane: Health Information Centre, Queensland Health.

Coory M, Thompson A & Muller J 1999. Cervical cancer and the Queensland Cervical Screening Program. Information Circular No. 49. Brisbane: Health Information Centre, Queensland Health.

Health Information Centre 1996. Health of Queenslanders, status report. Brisbane: Queensland Health.

APPENDIX 4: CALCULATION OF RATES AND RATIOS

Rates per 100,000 are calculated by dividing the number of cases in each five year age and sex stratum by the Australian Bureau of Statistics estimated resident population for that stratum and multiplying the product by 100,000.

Age-standardised rates are calculated by summing the products of the age-specific rates with either the World Standard Population strata (1960) or the Australian age-specific population distribution in 2001 (see Appendix 5). They provide a rate that is independent of the age structure of the population of interest and are therefore useful in making comparisons between different populations, time periods etc. Whereas previous publications have reported rates standardised to the Australian 1991 standard population, this publication reports rates standardised to the Australian 2001 standard population, therefore differences between publications will be apparent. (Doll R, Smith PG 1982. *Comparison between registries: age-standardised rates*. In: Waterhouse J, Shanmugaratnam K, Muir C, (eds). Cancer incidence in five continents. Volume IV, Scientific Publications no. 42. Lyon: International Agency for Research on Cancer, chapter 11.)

Cumulative rates are calculated for ages 0-74 in this report. The cumulative rate is used as an estimate of the risk of developing or dying of cancer up to the age of 75, and is expressed as a percentage (i.e., rate per 100 population).

$$\text{Cumulative Rate (0-74)} = 5 * [\text{sum of age-specific rates for ages 0-74}] * 100 / 100,000$$

Cumulative risk is another measure of risk derived from the cumulative rate. It is more precise, as it takes into account the removal of persons from the population of interest who have already been diagnosed or died from cancer. Expressed as a '1 in n' proportion, it is calculated as follows:

$$n = 1 / (1 - e^{-\text{cumulative rate}/100})$$

This report calculates the cumulative risk up to the age of 75 years as an approximation of lifetime risk. The calculation assumes that the person experiences the current age-specific risk rates up to the age of 75, and is unable to factor in individual risk factors such as smoking etc.

APPENDIX 5: AGE DISTRIBUTION OF STANDARD POPULATIONS

| Age group | 'Australia 2001' | Population structure – Total 100,000 | |
|-----------|------------------|--------------------------------------|---------|
| | | 'Aust 2001' | 'World' |
| 0-4 | 1,282,357 | 6600 | 12,000 |
| 5-9 | 1,351,664 | 7000 | 10,000 |
| 10-14 | 1,353,177 | 7000 | 9,000 |
| 15-19 | 1,352,745 | 7000 | 9,000 |
| 20-24 | 1,302,412 | 6700 | 8,000 |
| 25-29 | 1,407,081 | 7200 | 8,000 |
| 30-34 | 1,466,615 | 7500 | 6,000 |
| 35-39 | 1,492,204 | 7700 | 6,000 |
| 40-44 | 1,479,257 | 7600 | 6,000 |
| 45-49 | 1,358,594 | 7000 | 6,000 |
| 50-54 | 1,300,777 | 6700 | 5,000 |
| 55-59 | 1,008,799 | 5200 | 4,000 |
| 60-64 | 822,024 | 4200 | 4,000 |
| 65-69 | 682,513 | 3500 | 3,000 |
| 70-74 | 638,380 | 3300 | 2,000 |
| 75-79 | 519,356 | 2700 | 1,000 |
| 80-84 | 330,050 | 1700 | 500 |
| 85+ | 265,235 | 1400 | 500 |
| | | | |
| All ages | 19,413,240 | 100,000 | 100,000 |

APPENDIX 6: INDICES OF DATA QUALITY, QUEENSLAND, 2001 AND 2002

Three commonly used indices of data quality are tabulated on the following page. These are defined in *Cancer Incidence in Five Continents Vol V*¹ as follows:

- **Histological Verification (HV%)** – the proportion of cases registered which had histological verification of diagnosis.
- **Death Certificate Only (DCO%)**– the proportion of cases registered for which no information was available other than a statement on the death certificate that the deceased died from or with cancer.
- **Mortality to Incidence Ratio (M/I%)** – the comparison of the number of deaths attributed to a specific cancer in a defined population with the number of cases of the same cancer registered during the same period in the same population.

¹ Muir C, Waterhouse J, Mack T, et al. *Cancer Incidence in Five Continents Vol V*, IARC Scientific Publication No 88. Lyon: International Agency for Research on Cancer, 1987 (p45).