


Monitoring Indicator: Aboriginal and Torres Strait Islander Median Age at Death^{1,2,3,4,5,6}

Median Age at Death, Queensland, 2009-10 to 2011-12, to 2014-15 to 2016-17 p.

	09-10 to 11-12	10-11 to 12-13	11-12 to 13-14	12-13 to 14-15	13-14 to 15-16	14-15 to 16-17
Female Aboriginal and Torres Strait Islander						
Number of deaths	802	870	916	982	1,032	1,057
Median age at death (non-Indigenous median age at death)	61 (84)	62 (84)	63 (84)	62 (84)	62 (84)	63 (84)
Modal age at death (non-Indigenous modal age at death)	0 (87)	0 (87)	0 (88)	0 (89)	0 (89)	0 (89)
Age difference between Indigenous and Queensland non-Indigenous	23	22	21	22	22	21
Male Aboriginal and Torres Strait Islander						
Number of deaths	997	1,054	1,136	1,203	1,230	1,262
Median age at death (non-Indigenous median age at death)	55 (77)	55 (77)	56 (77)	56 (77)	58 (77)	58 (77)
Modal age at death (non-Indigenous modal age at death)	0 (84)	0 (84)	0 (84)	0 (84)	0 (86)	63 (86)
Age difference between Indigenous and Queensland non-Indigenous	22	22	21	21	19	19

Median Age at Death Difference between Indigenous and Qld non-Indigenous, Queensland, baseline and trajectory to close the gap, 2002-03 to 2032-33



Median Age at Death, Queensland, baseline and required age difference to close the gap, 2002-03 to 2032-33

	Baseline	Required age difference to close the gap					
	2002-03 to 2007-08 (Annual average)	14-15 to 16-17	15-16 to 17-18	16-17 to 18-19	17-18 to 19-20	18-19 to 20-21	30-31 to 32-33
Queensland							
Difference between Indigenous median age and Queensland non-Indigenous median age	23.0	16.0	15.0	14.0	13.0	12.0	0.0
Required age point decrease per year		1.0	1.0	1.0	1.0	1.0	1.0

Notes:

1. Death counts were restricted to Queensland residents whose deaths were registered in Queensland. Records which could not be assigned to HHS by suburb and/or postcode were removed.
 2. Years are three-year rolling averages.
 3. Year has been based on year of death. The number of deaths may change due to late death registrations.
 4. Median age is suppressed for groups with fewer than 10 deaths.
 5. Deaths with unknown age at death were excluded.
 6. Indigenous status 'not stated' are included within the non-Indigenous counts.
- p. Data is preliminary and subject to change. Numbers of deaths and median ages at death may differ from other publications due to late death registrations.

Cautions:

Marginal variations may be evident in stated numbers due to rounding.

Definition:

Indicator definitions are available on the Queensland Health Aboriginal and Torres Strait Islander Health Information web page:
<https://www.health.qld.gov.au/hsu/atsihi.asp>

Data Source: Death Registrations, Registry of Births, Deaths, and Marriages, Queensland, 2002-03 to 2016-17.

Prepared by: Statistical Analysis and Linkage Unit, Statistical Services Branch, (07) 3708 5712

Date Extracted: 04 May 2018

Date Prepared: 10 May 2018

Indicator: Estimated level of completion of Indigenous status in Queensland acute public hospitals¹

Number and estimated level of completion of Indigenous status in Queensland acute public hospitals, Queensland, 2016-17

Hospital and Health Service	Hospital Name	Number of recorded Indigenous separations	Estimated level of completion of Indigenous status
<i>Queensland</i>	<i>Total</i>	<i>73,870</i>	<i>88.0%</i>

Notes:

1. Excludes admissions for Renal Dialysis (DRG L61Z), boarders, posthumous organ procurement, unqualified neonates and interstate residents.

Definition:

Indicator definitions are available on the Queensland Health Aboriginal and Torres Strait Islander Health Information web page:
<https://www.health.qld.gov.au/hsu/atsihi.asp>

Data Source: Queensland Hospital Admitted Patient Data Collection (QHAPDC), Queensland Health 2016-17; & Queensland Government Statistician's Office: Synthetic Estimated Resident Population by Indigenous Status, 2016.

Prepared by: Statistical Analysis and Linkage Unit, Statistical Services Branch, (07) 3708 5712

Date Extracted: 04 May 2018


Date Prepared: 10 May 2018

Indicator: Aboriginal and Torres Strait Islander women who attended 5 or more antenatal visits during pregnancy¹

Women who gave birth and attended 5 or more antenatal visits, Queensland, 2011-12 to 2016-17 p.

	2011-12	2012-13	2013-14	2014-15	2015-16	2016-17
Aboriginal and Torres Strait Islander women						
Number of women who attended at least 5 antenatal visits	3,147	3,149	3,057	3,325	3,457	3,571
Total number of women who gave birth	3,694	3,639	3,572	3,890	3,932	3,991
Proportion of Indigenous women who attended 5 or more antenatal visits during pregnancy (%)	85.2	86.5	85.6	85.5	87.9	89.5
Expected number ² based on Queensland non-Indigenous rate	3,553	3,481	3,410	3,739	3,789	3,845
Indigenous women who attended an antenatal visit during the first trimester³	1,822	1,970	1,951	2,204	2,418	2,529
Proportion of Indigenous women who attended an antenatal visit during the first trimester (%)	49.1	53.9	54.5	56.7	60.8	62.5
Proportion of non-Indigenous women who attended an antenatal visit during the first trimester (%)	67.3	65.9	67.3	71.3	76.9	79.2

Proportion of women who gave birth and attended 5 or more antenatal visits, Queensland, baseline and trajectory to close the gap, 2002-03 to 2017-18



Women who gave birth and attended 5 or more antenatal visits, baseline and trajectory targets, 2002-03 to 2017-18

	Baseline	Trajectory targets	
	2002-03 to 2006-07 (Annual average)	2016-17	2017-18
Queensland			
Number of Indigenous women who attended at least 5 antenatal visits	2,115		
Total number of Indigenous women who gave birth	2,794		
Proportion of Indigenous women who attended 5 or more antenatal visits during pregnancy (%)	75.7	92.0	93.8
Ratio of Queensland Indigenous to Qld non-Indigenous proportions	0.8	1.0	1.0
Proportion of Qld non-Indigenous who attended 5 or more antenatal visits during pregnancy (%)	93.8	93.8	93.8
Required percentage point increase per year		1.8	1.8

- Notes:**
- Excludes interstate women who gave birth in Queensland, births with a gestational age less than 32 weeks and antenatal visits 'not stated'. Indigenous status of mother 'not stated' are included within the non-Indigenous counts.
 - Expected number derived by applying the non-Indigenous Queensland proportion of at least 5 antenatal visits to the total number of Aboriginal and Torres Strait Islander women who gave birth.
 - Excludes gestation weeks of first antenatal visit 'not stated'.
- p. 2016-17 data are preliminary and subject to change.

Cautions:
Marginal variations may be evident in stated numbers due to rounding.

Definition:
Indicator definitions are available on the Queensland Health Aboriginal and Torres Strait Islander Health Information web page:
<https://www.health.qld.gov.au/hsu/atsihi.asp>


Data Source: Perinatal Data Collection (PDC), Queensland Health, 2002-03 to 2016-17.
Prepared by: Statistical Analysis and Linkage Unit, Statistical Services Branch, (07) 3708 5712
Date Extracted: 04 May 2018
Date Prepared: 10 May 2018

Indicator: Aboriginal and Torres Strait Islander separations for discharge against medical advice (DAMA)¹

Separations for discharge against medical advice, Queensland, 2011-12 to 2016-17

	2011-12	2012-13	2013-14	2014-15	2015-16	2016-17
Aboriginal and Torres Strait Islander separations						
Number of separations for discharge against medical advice	1,832	1,840	1,979	2,140	2,231	2,274
Total number of separations	50,774	54,731	58,428	63,515	69,801	77,755
Proportion of Indigenous separations for discharge against medical advice (%)	3.6	3.4	3.4	3.4	3.2	2.9
Expected number ² based on Queensland non-Indigenous rate	500	574	608	634	709	755

Proportion of separations for discharge against medical advice, Queensland, baseline and trajectory to close the gap, 2002-03 to 2017-18



Separations for discharge against medical advice, baseline and trajectory targets, 2002-03 to 2017-18

	Baseline	Trajectory targets	
	2002-03 to 2006-07 (Annual average)	2016-17	2017-18
Queensland			
Number of Indigenous separations for discharge against medical advice	1,069		
Total number of Indigenous separations	34,752		
Proportion of Indigenous separations for discharge against medical advice (%)	3.1	1.0	0.8
Ratio of Queensland Indigenous to Qld non-Indigenous proportions	3.9	1.3	1.0
Proportion of Qld non-Indigenous separations for discharge against medical advice (%)	0.8	0.8	0.8
Required percentage point decrease per year		0.2	0.2

Notes:

- Excludes discharge status of 'died' and 'episode change'. Excludes Renal Dialysis (DRG L61Z), unqualified newborns, posthumous organ procurement and boarders. Includes acute public hospitals only and interstate residents. Indigenous status 'not stated' are included within the non-Indigenous counts.
- Expected number derived by applying the non-Indigenous Queensland proportion for discharge against medical advice to the total number of Aboriginal and Torres Strait Islander separations.

Cautions:

Marginal variations may be evident in stated numbers due to rounding.

Definition:

Indicator definitions are available on the Queensland Health Aboriginal and Torres Strait Islander Health Information web page:
<https://www.health.qld.gov.au/hsu/atsihi.asp>

Data Source: Queensland Hospital Admitted Patient Data Collection (QHAPDC), Queensland Health, 2002-03 to 2016-17.

Prepared by: Statistical Analysis and Linkage Unit, Statistical Services Branch, (07) 3708 5712

Date Extracted: 04 May 2018


Date Prepared: 10 May 2018

Indicator: Proportion of babies born of low birthweight to Aboriginal and Torres Strait Islander women (<2500g at birth)¹

Low birthweight babies, Queensland, 2011-12 to 2016-17 p.

	2011-12	2012-13	2013-14	2014-15	2015-16	2016-17
Babies born to Aboriginal and Torres Strait Islander women^{1,2}						
Number of low birthweight babies born	370	351	356	370	339	412
Total number of babies born	3,720	3,665	3,619	3,908	3,950	4,017
Proportion of Indigenous low birthweight babies^{1,2} (%)	9.9	9.6	9.8	9.5	8.6	10.3
Expected number ⁴ based on Queensland non-Indigenous rate	169	167	163	184	186	202
Indigenous low birthweight babies born at 37+ weeks of gestation^{1,2,3}	122	123	111	138	111	150
Proportion of Indigenous low birthweight babies born at 37+ weeks of gestation (%)	3.7	3.8	3.4	3.9	3.1	4.2
Ratio of Queensland Indigenous rate to Qld non-Indigenous rate	2.5	2.5	2.3	2.5	2.0	2.4
Indigenous babies born less than 37 weeks of gestation^{1,3}	395	398	402	404	416	454
Proportion of Indigenous babies (%)	10.6	10.9	11.1	10.3	10.5	11.3
Ratio of Queensland Indigenous rate to Qld non-Indigenous rate	1.7	1.7	1.7	1.6	1.6	1.7

Proportion of low birthweight babies (<2500g), Queensland, baseline and trajectory to close the gap, 2002-03 to 2032-33



Low birthweight babies (<2500g), baseline and trajectory targets, 2002-03 to 2032-33

	Baseline	Trajectory targets					
	2002-03 to 2006-07 (Annual average)	2016-17	2017-18	2018-19	2019-20	2020-21	2032-33
Queensland							
Number of low birthweight babies born	292						
Total number of babies born to Indigenous women	2,826						
Proportion of low birthweight babies born (%)	10.3	7.8	7.5	7.3	7.1	6.9	4.6
Ratio of Queensland Indigenous to Qld non-Indigenous proportions	2.2	1.7	1.6	1.6	1.5	1.5	1.0
Proportion of Qld non-Indigenous low birthweight babies born (%)	4.6	4.6	4.6	4.6	4.6	4.6	4.6
Required percentage point decrease per year		0.3	0.3	0.2	0.2	0.2	0.2

Notes:

- Excludes interstate women who gave birth in Queensland. Indigenous status of mother 'not stated' are included within the non-Indigenous counts. Includes liveborn singleton babies only.
- Babies of unknown birthweight are excluded.
- Babies of unknown gestation are excluded.
- Expected number derived by applying the non-Indigenous Queensland proportion of low birthweight babies born to the total number of babies born to Aboriginal and Torres Strait Islander women. p. 2016-17 data are preliminary and subject to change.

Cautions:

Marginal variations may be evident in stated numbers due to rounding.

Definition:

Indicator definitions are available on the Queensland Health Aboriginal and Torres Strait Islander Health Information web page:
<https://www.health.qld.gov.au/hsu/atsihi.asp>

Data Source: Perinatal Data Collection (PDC), Queensland Health, 2002-03 to 2016-17.

Prepared by: Statistical Analysis and Linkage Unit, Statistical Services Branch, (07) 3708 5712

Date Extracted: 04 May 2018


Date Prepared: 10 May 2018

Indicator: Aboriginal and Torres Strait Islander women who smoked at any stage during pregnancy¹

Women who smoked at any stage during pregnancy, Queensland, 2011-12 to 2016-17 p.

	2011-12	2012-13	2013-14	2014-15	2015-16	2016-17
Aboriginal and Torres Strait Islander women						
Number of women who smoked at any stage during pregnancy	1,879	1,775	1,716	1,766	1,731	1,771
Total number of women who gave birth	3,797	3,725	3,652	3,961	4,008	4,078
Proportion of Indigenous women who smoked at any stage during pregnancy (%)	49.5	47.7	47.0	44.6	43.2	43.4
Expected number ² based on Queensland non-Indigenous rate	517	461	428	423	404	390

Proportion of women who smoked at any stage during pregnancy, Queensland, baseline and trajectory to close the gap, 2002-03 to 2032-33



Women who smoked at any stage during pregnancy, baseline and trajectory targets, 2005-06 to 2032-33

	Baseline	Trajectory targets					
	2005-06 to 2007-08 (Annual average)	2016-17	2017-18	2018-19	2019-20	2020-21	2032-33
Queensland							
Number of Indigenous women who smoked at any stage during pregnancy	1,623						
Total number of Indigenous women who gave birth	3,030						
Proportion of Indigenous women who smoked at any stage during pregnancy (%)	53.6	37.8	35.9	34.7	33.5	32.3	18.2
Ratio of Queensland Indigenous to Qld non-Indigenous proportions	2.9	2.1	2.0	1.9	1.8	1.8	1.0
Proportion of Qld non-Indigenous women who smoked at any time during pregnancy (%)	18.2	18.2	18.2	18.2	18.2	18.2	18.2
Required percentage point decrease per year		2.0	2.0	1.2	1.2	1.2	1.2

Notes:
1. Excludes interstate women who gave birth in Queensland, and smoking status 'not stated'. Indigenous status of mother 'not stated' are included within the non-Indigenous counts. Includes live births, still births and multiple births.
2. Expected number derived by applying the non-Indigenous Queensland proportion of women who smoked during pregnancy to the total number of Aboriginal and Torres Strait Islander women who gave birth.
p. 2016-17 data are preliminary and subject to change.

Cautions:
Marginal variations may be evident in stated numbers due to rounding.

Definition:
Indicator definitions are available on the Queensland Health Aboriginal and Torres Strait Islander Health Information web page:
<https://www.health.qld.gov.au/hsu/atsihi.asp>


Data Source: Perinatal Data Collection (PDC), Queensland Health, 2002-03 to 2016-17.
Prepared by: Statistical Analysis and Linkage Unit, Statistical Services Branch, (07) 3708 5712
Date Extracted: 04 May 2018
Date Prepared: 10 May 2018

Indicator: Aboriginal and Torres Strait Islander women who were smoking after 20 weeks gestation¹

Proportion of women who were smoking after 20 weeks gestation, Queensland, 2011-12 to 2016-17 p.

	2011-12	2012-13	2013-14	2014-15	2015-16	2016-17
Aboriginal and Torres Strait Islander women						
Number of women who were smoking after 20 weeks gestation	1,699	1,580	1,517	1,528	1,498	1,593
Total number of women who gave birth	3,794	3,720	3,624	3,933	3,985	4,059
Proportion of Indigenous women who were smoking after 20 weeks gestation (%)	44.8	42.5	41.9	38.9	37.6	39.2
Expected number ² based on Queensland non-Indigenous rate	425	371	338	332	315	308

Proportion of women who were smoking after 20 weeks gestation, Queensland, baseline and trajectory to close the gap, 2002-03 to 2032-33



Women who were smoking after 20 weeks gestation, baseline and trajectory targets, 2005-06 to 2032-33

	Baseline	Trajectory targets					
	2005-06 to 2007-08 (Annual average)	2016-17	2017-18	2018-19	2019-20	2020-21	2032-33
Queensland							
Number of women who were smoking after 20 weeks gestation	1,477						
Total number of Indigenous women who gave birth	2,958						
Proportion of Indigenous women who were smoking after 20 weeks gestation (%)	49.9	34.9	33.0	31.9	30.8	29.6	16.1
Ratio of Queensland Indigenous to Qld non-Indigenous proportions	3.1	2.2	2.0	2.0	1.9	1.8	1.0
Proportion of Qld non-Indigenous women who smoked after 20 weeks gestation (%)	16.1	16.1	16.1	16.1	16.1	16.1	16.1
Required percentage point decrease per year		1.9	1.9	1.1	1.1	1.1	1.1

Notes:

- Excludes interstate women who gave birth in Queensland, and smoking status after 20 weeks 'not stated'. Indigenous status of mother 'not stated' are included within the non-Indigenous counts. Includes live births, still births and multiple births.
 - Expected number derived by applying the non-Indigenous Queensland ratio of women who smoked after 20 weeks gestation to the total number of Aboriginal and Torres Strait Islander women who gave birth.
- p. 2016-17 data are preliminary and subject to change.

Cautions:

Marginal variations may be evident in stated numbers due to rounding.

Definition:

Indicator definitions are available on the Queensland Health Aboriginal and Torres Strait Islander Health Information web page: <https://www.health.qld.gov.au/hsu/atsihi.asp>

Data Source: Perinatal Data Collection (PDC), Queensland Health, 2005-06 to 2016-17.

Prepared by: Statistical Analysis and Linkage Unit, Statistical Services Branch, (07) 3708 5712

Date Extracted: 04 May 2018


Date Prepared: 10 May 2018

Indicator: Aboriginal and Torres Strait Islander Potentially Preventable Hospitalisations (PPH)

Hospital separations for Potentially Preventable Hospitalisations - All conditions, Queensland, 2016-17

	Total	Chronic	Acute	Vaccine
Aboriginal and Torres Strait Islander separations				
Number of separations - PPH conditions	13,181	6,303	6,237	963
Median age at hospitalisation (non-Indigenous median age)	45 (65)	55 (70)	26 (46)	48 (62)
Rate Ratio of Queensland Indigenous rate to Queensland non-Indigenous rate	2.6	3.0	2.2	3.4
Indigenous Queensland Proportion of Total PPH (%)		47.8	47.3	7.3

Age-standardised Potentially Preventable Hospitalisations Rate Ratios - All conditions, Queensland, baseline and trajectory to close the gap, 2002-03 to 2032-33



Potentially Preventable Hospitalisations - All conditions, baseline and trajectory targets, 2002-03 to 2032-33

	Baseline	Trajectory targets					
	2002-03 to 2006-07 (Annual average)	2016-17	2017-18	2018-19	2019-20	2020-21	2032-33
Queensland							
Rate Ratio of Queensland Indigenous rate to Qld non-Indigenous rate	2.67	1.9	1.8	1.7	1.7	1.6	1.0

Potentially Preventable Hospitalisations - Queensland, 2016-17

Condition	PPH type	Number of separations	Indigenous crude rate (1 in population)	Per cent of PPH type	Median age at hospitalisation
Diabetes complications	Chronic	3,248	1 in 66	51.5	57
Cellulitis	Acute	1,522	1 in 140	24.4	34
Convulsions and epilepsy	Acute	1,121	1 in 190	18.0	33
Ear, nose and throat infections	Acute	1,113	1 in 192	17.8	4
Urinary tract infections	Acute	1,109	1 in 192	17.8	40
COPD	Chronic	1,084	1 in 197	17.2	60
Dental conditions	Acute	954	1 in 223	15.3	9
Asthma	Chronic	622	1 in 343	9.9	20
Other vaccine-preventable conditions	Vaccine	527	1 in 404	54.7	50
Congestive cardiac failure	Chronic	513	1 in 416	8.1	62
Angina	Chronic	450	1 in 474	7.1	56
Influenza and pneumonia (vaccine-preventable)	Vaccine	442	1 in 482	45.9	46
Iron deficiency anaemia	Chronic	429	1 in 497	6.8	48
Gangrene	Acute	214	1 in 996	3.4	47
Rheumatic heart disease	Chronic	161	1 in 1,324	2.6	15
Bronchiectasis	Chronic	147	1 in 1,450	2.3	44
Pelvic inflammatory disease	Acute	131	1 in 1,627	2.1	27
Hypertension	Chronic	122	1 in 1,747	1.9	52
Pneumonia (not vaccine-preventable)	Acute	45	1 in 4,737	0.7	28
Perforated/bleeding ulcer	Acute	32	1 in 6,661	0.5	52

Caveats and definitions: Indicator definitions are available on the Queensland Health Aboriginal and Torres Strait Islander Health Information web page: <https://www.health.qld.gov.au/hsu/atsihi.asp>

Prepared by: Statistical Analysis and Linkage Unit, Statistical Services Branch, (07) 3708 5712

Date Extracted: 04 May 2018

Date Prepared: 10 May 2018

Indicator: Improving identification of Aboriginal and Torres Strait Islander origin in Queensland public hospital inpatient records

Number and proportion of inpatient admission records with Indigenous status marked as "Not Stated", Queensland, 2016-17

Hospital and Health Service	Hospital Name	Number of separations where Indigenous Status recorded as 'Not Stated'	'Not Stated' as proportion of total separations
<i>Queensland</i>	<i>Total</i>	<i>5,788</i>	<i>0.4%</i>

Definition:

- Indicator definitions are available on the Queensland Health Aboriginal and Torres Strait Islander Health Information web page: <https://www.health.qld.gov.au/hsu/atsihi.asp>

Data Source: Queensland Hospital Admitted Patient Data Collection (QHAPDC), Queensland Health, 2016-17.

Prepared by: Statistical Analysis and Linkage Unit, Statistical Services Branch, (07) 3708 5712

Date Extracted: 04 May 2018

Date Prepared: 10 May 2018