

PLEASE DISTRIBUTE TO OTHER HEALTHCARE PROFESSIONALS IN YOUR FACILITY



Pfizer Australia Pty Ltd  
 ABN: 50 008 422 348  
 38 - 42 Wharf Road  
 West Ryde NSW 2114  
 Australia

06 October 2017

Dear Hospital Pharmacist,

**URGENT MEDICINE RECALL**  
**Gentamicin Injection BP 80 mg in 2 mL Steriluer®**  
**AUST R 11376**

Presentation	Product Code	Batches/ Expiry
Gentamicin 80mg/2mL (as sulfate) injection BP ampoule, 10 and 50 packs	08060080 (10 pack)	<b>A115</b> 30.11.2017
		<b>A115A</b> 30.11.2017
	08060180 (50 pack)	<b>A115B</b> 30.11.2017
		<b>A129</b> 31.12.2017
		<b>A297</b> 31.05.2018
		<b>A316</b> 31.08.2018
		<b>A318</b> 31.05.2018
		<b>A342</b> 31.07.2018
		<b>A394</b> 31.10.2018
		<b>A448</b> 31.12.2018

TGA Reference: RC-2017-RN-01281-1

Pfizer advises that, following an internal investigation, the above batches of **Gentamicin Injection BP 80 mg in 2 mL Steriluer®** are being recalled as they may contain a higher than expected intrinsic constituent (histamine) in the finished product.

Histamine administered intravenously or intramuscularly could potentially lead to signs and symptoms of hypersensitivity reactions including anaphylaxis. Following consultation with the Therapeutic Goods Administration (TGA), and in the interest of patient safety, Pfizer Australia is initiating a recall for the above mentioned batches only.

**ACTION REQUIRED:**

Please inspect your stock and quarantine all units of Gentamicin Injection BP 80 mg in 2 mL Steriluer® (10 and 50 pack) with batch numbers mentioned above only.

If you have stock from the above batches, then:

- Please return this affected stock to your wholesaler or point of sale to issue you with a credit.

**This action must be completed by 17 November 2017.**

When affected batches of Gentamicin Injection BP 80 mg in 2 mL Steriluer® are received, the wholesaler will process your credit.

If any of the recalled stock could have been transferred from your hospital to another, please immediately let that hospital know of the urgent recall. Otherwise, please contact your wholesaler and they will contact them directly.

Please display this letter in a prominent position in your pharmacy that is easily accessible to your staff and keep this letter for 1 month in case stock is still in transit.

Reporting any suspected adverse event is important for the continued monitoring of the safety of all medicines.

Please direct any adverse event reports or medical enquiries regarding **Gentamicin Injection BP 80 mg in 2 mL Steriluer®** to Pfizer Medical Information on 1800 675 229.

Adverse events may also be reported direct to the TGA  
(<http://www.tga.gov.au/reporting-problems>)

Pfizer apologises for any inconvenience caused by this recall.

Should you have any questions regarding this recall, please call Pfizer Trade Operations on 1800 629 921, 8am-5pm AEST, Mon-Fri for assistance.

Yours sincerely,



Wayne Lee | Associate Medical Director | Pfizer Essential Health

**Robert Burton**

**From:** CP\_CustomerService  
**Sent:** Tuesday, 10 October 2017 4:03 PM  
**To:** CP\_CustomerService  
**Subject:** Recall Procedure - URGENT RECALL - Pfizer Gentamicin 80mg/2ml (10 Packs and 50 Packs) - Patient level  
**Attachments:** Product Recall Fax Back Form - Gentamicin 80mg 2ml.pdf; PRODUCT RECALL Gentamicin 80mg 2ml Hospital Pharmacy Letter AU .pdf  
**Importance:** High

Dear colleagues,

Please follow the procedure below to comply with the recent recall of Pfizer Gentamicin 80mg/2ml Steriluer Injections (Pack of 10 and Pack of 50):

**RECALL PROCEDURE:**

- 1) Read the attached recall letter carefully and identify any affected stock subject to the recall in your facility.
- 2) Check all stock locations including pharmacy, clinics, treatment rooms, wards and theatres for whole **and part packs**.
- 3) If any stock of the recalled batches is identified, please quarantine immediately.
- 4) Print and complete the attached **Product Recall Fax Back Form – Gentamicin 80mg 2ml.pdf** and fax to Pfizer **(02) 9850 3397** or email to **[CustomerService.Australia@Pfizer.com](mailto:CustomerService.Australia@Pfizer.com)**
- 5) Consolidate all recalled stock and package for return to Central Pharmacy.
- 6) **Enclose a printed copy of the “recall fax back form” in the return carton/s.**
- 7) Create a store transfer in IPharmacy back to Central Pharmacy for the correct number of packs/injections of Gentamicin being returned of each pack size.  
(For sites that do not have IPharmacy please ignore this step)
- 8) Once the carton/s have been packaged and are ready for collection – **Forward this email to [CP\\_Despatch@health.qld.gov.au](mailto:CP_Despatch@health.qld.gov.au) to trigger a pickup**

Ensure you complete the following information before emailing CP Despatch:

Pickup Request Details	
Site Name (Pharmacy/Hospital/Clinic):	
Contact Name for Pickup:	
Contact Phone for pickup:	
Pickup Address:	
Number of parcels:	
Dimensions of each parcel (Approx):	

Weight of each parcel (Approx):

9) Please address each carton with the following destination address in large block letters:

Authorised Return - Gentamicin Recall  
Central Pharmacy - Returns Officer  
Loading Dock 1  
794 Boundary Road  
RICHLANDS QLD 4077

10) Credit for any recalled stock will be supplied in due course as stock is received to Central Pharmacy.

11) Deadline for returning stock to Central Pharmacy is 17/11/17. After this date no credit will be supplied for returned stock.

Should you have any queries about the recall in general, please call Pfizer Australia on **1800 675 229**.

Should you have any queries about the return of recalled stock to Central Pharmacy please feel free to contact me on my direct number below.

Many thanks for your cooperation in this matter.



## Rohan Brennan

Customer Service Manager  
Central Pharmacy and Central Dental Supplies  
Health Support Queensland, Department of Health

p | [Redacted]  
a | 794 Boundary Rd, Richlands, QLD 4077  
w | [www.health.qld.gov.au](http://www.health.qld.gov.au) e | [CP\\_CustomerService@health.qld.gov.au](mailto:CP_CustomerService@health.qld.gov.au)

**HSQ's vision** | Delivering the best health support services and solutions for a safer and healthier Queensland.

*Queensland Health acknowledges the Traditional Owners of the land, and pays respect to Elders past, present and future.*

**From:** CP\_CustomerService

**Sent:** Friday, 6 October 2017 6:11 PM

**To:** CP\_CustomerService

**Subject:** URGENT RECALL - Pfizer Gentamicin 80mg/2ml (10 Packs and 50 Packs) - Patient level

**Importance:** High

**TGA RECALL NOTIFICATION - RC-2017-RN-01281-1**

<http://www.tga.gov.au/alert/gentamicin-injection-bp-80-mg-2-ml-steriluer>

**PRODUCT:** Gentamicin 80mg/2ml (Pfizer) Steriluer (10 Pack and 50 Pack)

**QUICK CODES:** 216208 & 2162081

**BATCHES:**

A115	Expiry 30/11/17
A115A	Expiry 30/11/17
A115B	Expiry 30/11/17
A129	Expiry 31/12/17
A297	Expiry 31/5/18
A316	Expiry 31/8/18
A318	Expiry 31/5/18
A342	Expiry 31/7/18
A394	Expiry 31/10/18
A448	Expiry 31/12/18

**RECALL CLASS:** 1 - potentially life-threatening or could cause a serious risk to health

**RECALL ACTION LEVEL:** Patient level – Please consult website <http://www.tga.gov.au/alert/gentamicin-injection-bp-80-mg-2-ml-steriluer>

**REASON/ISSUE:** It has been identified that the affected batches of Gentamicin Injection (listed above) may contain higher than expected amounts of histamine.

.....

All stock at Central Pharmacy has been quarantined as a result of this recall. Central Pharmacy distributed allocations of the affected batches during the past year. Please check all ward imprests, clinics, theatres, pharmacy and quarantine any affected batches you may find. We will provide credit for any recalled stock returned to Central Pharmacy.

If this recall is likely to affect significant amount of stock in your hospital, we strongly recommend you conduct a local risk assessment and consult with relevant clinical expertise (e.g. infectious diseases) in relation to treatment options.

**METHOD OF RECALL:** TBA – further communication will follow on Tuesday 10/10/17.

For further information about this recall, please contact Pfizer Australia on 1800 999 543

Many thanks for your cooperation in this matter.



### Rohan Brennan

Customer Service Manager  
Central Pharmacy and Central Dental Supplies  
Health Support Queensland, Department of Health

p | [Redacted]  
a | 794 Boundary Rd, Richlands, QLD 4077  
w | [www.health.qld.gov.au](http://www.health.qld.gov.au) e | [CP\\_CustomerService@health.qld.gov.au](mailto:CP_CustomerService@health.qld.gov.au)

**HSQ's vision** | Delivering the best health support services and solutions for a safer and healthier Queensland.

*Queensland Health acknowledges the Traditional Owners of the land, and pays respect to Elders past, present and future.*

Pfizer Australia Limited  
38-42 Wharf Road  
West Ryde NSW 2114  
Australia  
Tel: 1800 629 921  
Fax: 02 9850 3397  
[www.pfizer.com.au](http://www.pfizer.com.au)



## PRODUCT RECALL FAX BACK FORM – WHOLESALER

TO: Pfizer Trade Operations Department  
FAX No: 02 9850 3397  
EMAIL: CustomerService.Australia@pfizer.com  
SUBJECT: Recall of  
Gentamicin Injection BP 80 mg in 2 mL Steriluer, 10 pack (Pfizer Item Code: 08060080)  
Gentamicin Injection BP 80 mg in 2 mL Steriluer, 50 pack (Pfizer Item Code: 08060180)  
Batches: A115, A115A, A115B, A129, A297, A316, A318, A342, A394, A448

CUSTOMER NAME:

CENTRAL PHARMACY

ADDRESS:

794 BOUNDARY Rd.

CONTACT PERSON:

ROHAN BRENNAN

TELEPHONE No.:

[REDACTED]

EMAIL / FAX No.:

CP\_CUSTOMER SERVICE@HEALTH.QLD.GOV.AU

We ☒ do / ☐ do not have stock which is subject to this recall.

Unused stock subject to recall:

Pfizer Item Code:	08060080	Batch:	A 448	Qty:	156 FULL PACKS
Pfizer Item Code:	08060180	Batch:	A 394	Qty:	341 FULL PACKS
Pfizer Item Code:	08060180	Batch:	A 316	Qty:	35 VIALS (0.7 OF A PACK)
Pfizer Item Code:		Batch:		Qty:	

If you have affected stock on hand, Pfizer Trade Operations will contact you to organise the return of stock and subsequent credit.

Signed:

[Signature]

Date:

10/10/17

Name:

ROHAN BRENNAN

Position:

CUSTOMER SERVICE MANAGER

Please fax back to Trade Operations Department on 02 9850 3397 or email to  
[CustomerService.Australia@Pfizer.com](mailto:CustomerService.Australia@Pfizer.com)

Pfizer Australia Limited  
38-42 Wharf Road  
West Ryde NSW 2114  
Australia  
Tel: 1800 629 921  
Fax: 02 9850 3397  
[www.pfizer.com.au](http://www.pfizer.com.au)



## PRODUCT RECALL FAX BACK FORM – WHOLESALER

TO: Pfizer Trade Operations Department  
FAX No: 02 9850 3397  
EMAIL: CustomerService.Australia@pfizer.com  
SUBJECT: Recall of

Gentamicin Injection BP 80 mg in 2 mL Steriluer, 10 pack (Pfizer Item Code: 08060080)

Gentamicin Injection BP 80 mg in 2 mL Steriluer, 50 pack (Pfizer Item Code: 08060180)

Batches: A115, A115A, A115B, A129, A297, A316, A318, A342, A394, A448

CUSTOMER NAME: CENTRAL PHARMACY – QLD HEALTH.  
ADDRESS: 794 BOUNDARY RD RICHMOND QLD  
CONTACT PERSON: ROHAN BRENNAN 4077  
TELEPHONE No.: Irrelevant information  
EMAIL / FAX No.: CP – CUSTOMER SERVICE @ HEALTH. QLD. GOV.  
AU

We ☒ do / ☐ do not have stock which is subject to this recall.

Unused stock subject to recall :

51244 VIALS.  
PLEASE SEE ATTACHMENT 1  
(CONSOLIDATED FROM THE PUBLIC  
HOSPITALS OF QUEENSLAND)

Pfizer Item Code:	Batch:	Qty:
Pfizer Item Code:	Batch:	Qty:
Pfizer Item Code:	Batch:	Qty:
Pfizer Item Code:	Batch:	Qty:

If you have affected stock on hand, Pfizer Trade Operations will contact you to organise the return of stock and subsequent credit.

Signed: Rohan Brennan  
Name: ROHAN BRENNAN

Date: 20/4/18  
Position: CUSTOMER SERVICE MANAGER

Please fax back to Trade Operations Department on 02 9850 3397 or email to  
[CustomerService.Australia@Pfizer.com](mailto:CustomerService.Australia@Pfizer.com)

## Attachment 1

### Central Pharmacy - Recall Stock Reconciliation

#### Gentamicin (Pfizer) 80mg/2mL Inj (Packs of 10 and 50) Recalled Stock

Batch#	Batch#	Batch#	Batch#	Batch#	Batch#	Batch#	Batch#	Batch#	Batch#	Batch#	Total QTY Returned
A115	A115A	A115B	A178	A129	A297	A316	A318	A342	A394	A448	vials
257	469	0	2	370	7326	16158	1830	211	21350	3271	51244

Status: Wrapped and ready for pickup

Consignment: 2 pallets

Pallet 1: 180kg dimensions 1m x 1.24m x 1.25m

Pallet 2: 285kg dimensions 1m x 1.24m x 1.5m

Client: Central Pharmacy - Queensland Health

Address for pickup: Loading Dock 1, 794 Boundary Rd, Richlands, QLD 4077

Contact for pickup : Matt Jutila

Phone: Relevant information

Email: CP\_Despatch@health.qld.gov.au

Pfizer Australia Limited  
38-42 Wharf Road  
West Ryde NSW 2114  
Australia  
Tel: 1800 629 921  
Fax: 02 9850 3397  
[www.pfizer.com.au](http://www.pfizer.com.au)



### PRODUCT RECALL FAX BACK FORM

TO: Pfizer Trade Operations Department  
FAX No: 02 9850 3397  
EMAIL: CustomerService.Australia@pfizer.com  
SUBJECT: Recall of

Gentamicin Injection BP 80 mg in 2 mL Steriluer, 10 pack (Pfizer Item Code: 08060080)

Gentamicin Injection BP 80 mg in 2 mL Steriluer, 50 pack (Pfizer Item Code: 08060180)

Batches: A115, A115A, A115B, A129, A297, A316, A318, A342, A394, A448

CUSTOMER NAME: Royal Brisbane and Women's Hospital  
ADDRESS: Level 1, Ned Hanlon Building, Butterfield St  
CONTACT PERSON: Michelle Williams Herston Q 4029  
TELEPHONE No.: [Redacted]  
EMAIL / FAX No.: [Redacted]

We ☒ do / ☐ do not have stock which is subject to this recall.

TOTAL: 40.96 amps

Unused stock subject to recall:

Pfizer Item Code:	<u>08060180</u>	Batch:	<u>A115</u>	Qty:	<u>153 amps</u>	<u>154</u>
Pfizer Item Code:	<u>08060180</u>	Batch:	<u>A297</u>	Qty:	<u>1257 amps</u>	<u>1359</u>
Pfizer Item Code:	<u>08060180</u>	Batch:	<u>A316</u>	Qty:	<u>854 amps</u>	<u>849</u>
Pfizer Item Code:	<u>08060180</u>	Batch:	<u>A318</u>	Qty:	<u>232. amps</u>	<u>239</u>
	<u>08060180</u>		<u>A394</u>		<u>1600 amps</u>	<u>✓</u>

If you have affected stock on hand, Pfizer Trade Operations will contact you to organise the return of stock and subsequent credit.

Signed: Michelle Williams  
Name: Michelle Williams

Date: 20/10/2017  
Position: Senior Pharmacist - Inventory & Purchasing

Please fax back to Trade Operations Department on 02 9850 3397 or email to [CustomerService.Australia@Pfizer.com](mailto:CustomerService.Australia@Pfizer.com)

## Central Pharmacy - Class 1 Recall - Gentamicin 80mg - 10 Pack and 50

Site	Number of Vials (Eaches) since 1/1/17	Actual Quantities Received - Vials (Eaches)										
		Total Vials (Eaches)	Batch A115	Batch A115A	Batch A115B	Batch A129	Batch A297	Batch A316	Batch A318	Batch A342	Batch A394	Batch A448
Mundubbera Hospital Pharmacy	1050											
Nambour	4900											
Nanango Hospital Pharmacy	60											
Napranum PHCC Pharmacy	10											
Normanton Hospital Pharmacy ✓	300	207 ✓						207				
Oakey Hospital Pharmacy	100											
PAH	9850											
Proserpine Hospital Pharmacy ✓	1350	261						63			198	
QEII ✓	9750	2203	7			25	462	297			1412	
Qld University of Tech - MERF	50											
Queensland Institute of Medical Research	100											
RBH Pathology Department	250											
RBWH Pharmacy Level 1 ✓	11900	4201	154				1359	849	239		1600	
RBWH Satellite - Level 6 (RWH)	600											
Redcliffe Hospital	8550											

NORTH LAKE3 ✓

DOH-DL 20/21-033

20

20

**i.Pharmacy**  
**Store Transfer Picking Slip (Supplying Store)**

Date: 24/10/17  
Time: 15:15:50  
User Id: williaml

Receiving Site: CP Central Pharmacy  
Supplying Site: RBWH Royal Brisbane and Women's Hosp  
**Bolded** products have been substituted by the Supplying Store.

Receiving ABN: 66 329 169 412  
Supplying ABN: 66 329 169 412  
Receiving Store: Central Pharmacy  
Supplying Store: RBWH Pharmacy Level 1

Number: 87104  
Date: 24/10/2017  
Status: Sent

Product Description	Brand	Quantity UOM	Supplying Location	Cost with Tax	Total Cost	Total Tax	Total Cost with Tax	Warnings
Gentamicin 80mg/2mL Injection 50	Pfizer	4,096 Steriluer	Purchasing - Awaiting Disposal	irrelevant information				
*** End of Report ***								

REPORT  
AS 10/17  
+ CLAIM

#

RECEIVED

RB  
20/10/17

**Robert Burton**

---

**From:** Robin Lee  
**Sent:** Monday, 16 October 2017 8:43 AM  
**To:** Robert Burton  
**Cc:** CP\_CustomerService; Graham Cook; Geordie Atkinson; Leanne Miller; Sam De Beer  
**Subject:** Gentamicin recalled stock

Hi Robert

At last week's meeting of the Chief Health Officer's Panel meeting on Pipertaz/Gentamicin recall, the CHO instructed that all recalled stocks returned from HHSs quarantined at CP should NOT be returned to Pfizer yet until the current shortage resulting from the recall has been eased. A decision on when to return the consolidated quarantined stock to Pfizer will be made upon a review of the shortage situation.

Please advise me of the stipulated return date (if any) that is on Pfizer's official recall notice so that we can contact them to discuss the matter.

Regards

**Robin Lee**  
Assistant Director Quality Systems & Operations

Central Pharmacy, Strategic Procurement & Supply  
Health Support Queensland, **Department of Health**

p | irrelevant information  
a | 794 Boundary Road, Richlands, QLD 4077  
w | Queensland Health e | [robin.lee@health.qld.gov.au](mailto:robin.lee@health.qld.gov.au)

**Robert Burton**

**From:** CP\_CustomerService  
**Sent:** Wednesday, 11 October 2017 5:01 PM  
**To:** Michelle Williams; Darryl Alford; Cameron Tessier; Christopher Benbow; Erin Capocchi; Dion Hutchins; Mark Walker; Jennie O'Hare; Celia Anich; David Benson; SC-SCUH-Pharmacy-Materials; CBH-Pharmacy; Tanya Dumaresq; Julie Corbett; Niechole Robinson; David Saywell; Anne Reibelt; GCUH Pharmacy Purchasing; Glen Tapley; Leeza Hielscher; Aleena J Williams; Liz Hassett; LCCH Pharmacy Inventory  
**Cc:** Robin Lee; Graham Cook; Jennifer Gudgeon; Courtney Monaghan; Soo Luong; Anthony Hucknall; Elke Morgan; Olga Basson; Cheryl Carlton; Emma Hollett; Nicholas Adam Cambridge; Donna Easton; Sam De Beer; Lukasz Ostrowski; Yakub Musa; Robert Burton; CP\_Despatch; Matthew Jelic; Geordie Atkinson; Leanne Miller; CP\_Procurement; CP\_CustomerService; CentralPharmacy; CentralPharmacy\_Returns; InfoMSQ; MRQ; Josie Quin; MedicationSafety  
**Subject:** URGENT RECALL - Gentamicin (QH-CP) 1.5% Eye Drops (Pack of 1) - Hospital/Retail Level  
**Importance:** High

**RECALL NOTIFICATION - CENTRAL PHARMACY**

**PRODUCT:** Gentamicin (QH-CP) 1.5% Eye Drops (Pack of 1)  
**QUICK CODE:** 611790  
**BATCH & EXPIRY:** J200217    Expiry 06/2018  
**RECALL CLASS:** Class 1 - potentially life-threatening or could cause a serious risk to health  
**RECALL ACTION LEVEL:** Retail/Hospital level  
**REASON/ISSUE:** Recalled Gentamicin was used in the manufacture of one batch of QH-CP Gentamicin 1.5% Eye Drops.

.....

Central Pharmacy distributed manufactured Gentamicin 1.5% Eye Drops containing recalled Gentamicin since 18/4/17. Central Pharmacy has quarantined all stock affected by the recall.

**Replacement stock is not expected to available until mid-November.**

Please check all ward imprests, clinics, theatres, pharmacy and quarantine any stock of the affected batch you may find. We will provide credit for any recalled stock returned to Central Pharmacy.

**RECALL PROCEDURE:**

- 1) Read this email thoroughly and identify any stock with the batch number above in your facility.
- 2) If any stock of the notified batch is identified, please quarantine immediately.
- 3) Consolidate all recalled stock and package for return to Central Pharmacy.

- 4) Create a store transfer in IPharmacy back to Central Pharmacy for the correct number of bottles of eye drops being returned to Central Pharmacy.  
(For sites that do not have IPharmacy please ignore this step)
- 5) Complete all the fields in the Pickup Request Box below:

Pickup Request Box	
Site Name (Pharmacy/Hospital/Clinic):	
Contact name for pickup:	
Contact phone for pickup:	
Quantity of Gentamicin 1.5% Eye Drops Batch J200217 (Number of bottles for pickup)	
Pickup Address:	
Number of parcels:	
Dimensions of each parcel (Approx):	
Weight of each parcel (Approx):	

- 6) Forward this email including your responses in the box above to [CP\\_Despatch@health.qld.gov.au](mailto:CP_Despatch@health.qld.gov.au) to trigger a pickup.
- 7) Print a copy of your **"SENT"** email containing the completed box details and include in the package to be sent to Central Pharmacy.
- 8) Please address the carton with the following destination address in large block letters:

Authorised Return – Gentamicin Eye Drops Recall Central Pharmacy - Returns Officer Loading Dock 1 794 Boundary Road RICHLANDS QLD 4077
--

- 9) Credit for any recalled stock will be supplied in due course as stock is received to Central Pharmacy.
- 10) **Deadline for returning stock to Central Pharmacy is 31/10/17.** After this date no credit will be supplied for returned stock.

Should you have any queries about this recall, feel free to contact me on my direct number below.

Many thanks for your cooperation in this matter.

**Rohan Brennan**

A/Assist Director  
Central Pharmacy and Central Dental Supplies  
Health Support Queensland, **Department of Health**

p | [redacted]  
a | 794 Boundary Rd, Richlands, QLD 4077  
w | [www.health.qld.gov.au](http://www.health.qld.gov.au) e | [CP\\_CustomerService@health.qld.gov.au](mailto:CP_CustomerService@health.qld.gov.au)

**HSQ's vision** | Delivering the best health support services and solutions for a safer and healthier Queensland.

*Queensland Health acknowledges the Traditional Owners of the land, and pays respect to Elders past, present and future.*

RTI Release

Central Pharmacy - Class 1 Recall - Gentamicin 80mg - 10 Pack and 50		
Site	Number of Eye Drop Bottles Distributed (Eaches) since 1/1/17	Actual Quantity Received - Bottles of Eye Drops (Batch J200217)
Cairns ✓	24	15
CPMU ✓	165	68
DFW - PAH - Ward 5B	6	
GCUH ✓	2	TWO
Hervey Bay ✓	1	ONE
Julia Creek Hospital Pharmacy ✓	1	ONE
LCCH Level 2 Main Pharmacy ✓	4	TWO
Mater Misericordiae Public	4	
PAH ✓	11	SIX
RBWH Pharmacy Level 1 ✓	20	TWO
Robina Hospital Pharmacy ✓	1	ONE
Rockhampton Hospital ✓	8	ONE
SCUH Main Pharmacy ✓	6	SIX
Toowoomba ✓	1	ONE
Townsville ✓	8	THREE

# i.Pharmacy Stock Movement Report

Date: 11/10/17  
Time: 11:00:45  
User Id: burtonr

Store: Location: Batch: Product: Gentamicin (QH-CP) 1.5%, 10mL Eye drops 1  
Start Date: 15/08/2017 End Date: Expiry date:

Transaction Type	Number Source	Date	Qty UOM	Inven Qty	Cost	Price Batch	Expiry	Balance
Store:	Central Pharmacy	Location:	MAIN, A/Universal	Product:	Gentamicin (QH-CP) 1.5%, 10mL Eye Drop 1			
Min Qty:	75.00	Max Qty:	200.00	Inventory UOM:	Bottle	Opening Balance:		irrelevant information
Store Transfer - Send	861757 RBWH Pharmacy Level 1	15/08/2017	-4.0000 Bottle	-4.0000				
Store Transfer - Send	864952 Rockhampton Hospital	25/08/2017	-1.0000 Bottle	-1.0000				
Store Transfer - Send	865670 Rockhampton Hospital	29/08/2017	-1.0000 Bottle	-1.0000				
Value Adjustment - Positive		4/09/2017	0.0000 Bottle	0.0000				
Store Transfer - Send	868343 Main Pharmacy - PAH	7/09/2017	-1.0000 Bottle	-1.0000				
Store Transfer - Send	871161 TTH Distribution Centre	18/09/2017	-1.0000 Bottle	-1.0000				
Store Transfer - Send	871857 MAIN Store - Cairns Hospital	20/09/2017	-6.0000 Bottle	-6.0000				
Store Transfer - Send	872835 Main Pharmacy - PAH	25/09/2017	-2.0000 Bottle	-2.0000				
Store Transfer - Send	873484 Main Pharmacy - PAH	27/09/2017	-1.0000 Bottle	-1.0000				
Store Transfer - Send	874195 Main Pharmacy - PAH	29/09/2017	-1.0000 Bottle	-1.0000				
Disposal	6746	11/10/2017	-68.0000 Bottle	-68.0000				
Total Inventory Qty:				-86.0000		Closing Balance:		
*** End of Report ***								

i.Pharmacy  
Store Transfer Picking Slip (Supplying Store)

Date: 16/10/17  
Time: 11:04:15  
User Id: williaml

Receiving Site: CP Central Pharmacy

Receiving ABN: 66 329 169 412

Receiving Store: Central Pharmacy

Number: 86968

Supplying Site: RBWH Royal Brisbane and Women's Hosp

Supplying ABN: 66 329 169 412

Supplying Store: RBWH Pharmacy Level 1

Date: 16/10/2017

**Bolded** products have been substituted by the Supplying Store.

Status: Sent

Product Description	Brand	Quantity UOM	Supplying Location	Cost with Tax	Total Cost	Total Tax	Total Cost with Tax	Warnings
Gentamicin 1.5%, 10mL Eye drops 1	QH-CP	2 Bottle	Ear Eye Nose Products	Relevant information				
*** End of Report ***								

790  
RECEIVED  
132177  
Attn: Robert Burton. RECALL + W/10/17  
Recalled stock from RBWH  
# 7101 30320  
# 6756.