

**TABLE 10.01 PERINATAL DEATHS, QUEENSLAND, 2012
TYPE OF PERINATAL DEATH BY SEX**

Type of perinatal death		Sex		Total ^(a)
		Male	Female	
Stillbirth	No.	225	219	460
	Rate ^(b)	6.9	7.2	7.3
Neonatal death	No.	101	92	195
	Rate ^(c)	3.1	3.0	3.1
Perinatal death	No.	326	311	655
	Rate ^(b)	10.1	10.2	10.4

(a) Includes stillbirths and neonatal deaths of indeterminate sex.

(b) Per 1,000 births of specified sex.

(c) Per 1,000 livebirths of specified sex.

TABLE 10.02**STILLBIRTHS, QUEENSLAND, 2012
TIME OF DEATH BY SEX**

Time of death	Sex					
	Male		Female		Total ^(a)	
	No.	%	No.	%	No.	%
Before labour commenced	170	75.6	164	74.9	348	75.7
During labour but before delivery	34	15.1	33	15.1	68	14.8
Before delivery but not known if before or during labour	21	9.3	22	10.1	44	9.6
Total	225	100.0	219	100.0	460	100.0

(a) Includes stillbirths of indeterminate sex.

**TABLE 10.03 NEONATAL DEATHS, QUEENSLAND, 2012
AGE AT NEONATAL DEATH BY SEX**

Age (days)	Sex					
	Male		Female		Total ^(a)	
	No.	%	No.	%	No.	%
0	72	71.3	56	60.9	130	66.7
1	8	7.9	5	5.4	13	6.7
2	5	5.0	3	3.3	8	4.1
3	1	1.0	5	5.4	6	3.1
4	4	4.0	2	2.2	6	3.1
5	1	1.0	4	4.4	5	2.6
6	1	1.0	3	3.3	4	2.1
7	1	1.0	2	2.2	3	1.5
8 - 14	4	4.0	7	7.6	11	5.6
15 - 21	3	3.0	3	3.3	6	3.1
22 - 28	1	1.0	2	2.2	3	1.5
Total	101	100.0	92	100.0	195	100.0

(a) Includes neonatal deaths of indeterminate sex.

**TABLE 10.04 PERINATAL DEATHS, QUEENSLAND, 2012
AGE OF MOTHER BY TYPE OF PERINATAL DEATH**

Age of mother (years)	Type of perinatal death						Total births No.
	Stillbirth		Neonatal death		Total		
	No.	Rate ^(a)	No.	Rate ^(b)	No.	Rate ^(a)	
Under 20	26	8.2	12	3.8	38	11.9	3,183
20 - 24	74	7.0	27	2.6	101	9.6	10,522
25 - 29	120	6.5	54	2.9	174	9.4	18,542
30 - 34	136	7.1	49	2.6	185	9.7	19,115
35 - 39	73	7.3	42	4.2	115	11.4	10,058
40 - 44	27	12.4	11	5.1	38	17.4	2,186
45 and over	4	34.2	-	-	4	34.2	117
Total	460	7.2	195	3.1	655	10.3	63,723

(a) Per 1,000 births of specified age.

(b) Per 1,000 livebirths of specified age.

TABLE 10.05

PERINATAL DEATHS, QUEENSLAND, 2012
INDIGENOUS STATUS OF MOTHER BY TYPE OF PERINATAL DEATH

Indigenous status of mother	Type of perinatal death						Total births No.
	Stillbirth		Neonatal death		Total		
	No.	Rate ^(a)	No.	Rate ^(b)	No.	Rate ^(a)	
Aboriginal	26	8.7	12	4.1	38	12.7	2,986
Torres Strait Islander	4	7.4	5	9.3	9	16.6	542
Aboriginal & Torres Strait Islander	2	5.5	1	2.8	3	8.2	365
Neither Aboriginal nor Torres Strait Islander	428	7.2	176	3.0	604	10.1	59,824
Total^(c)	460	7.2	195	3.1	655	10.3	63,723

(a) Per 1,000 births of specified Indigenous status of mother.

(b) Per 1,000 livebirths of specified Indigenous status of mother.

(c) Includes perinatal deaths with not stated Indigenous status of mother.

**TABLE 10.06 PERINATAL DEATHS, QUEENSLAND, 2012
MARITAL STATUS OF MOTHER BY TYPE OF PERINATAL DEATH**

Marital status of mother	Type of perinatal death						Total births
	Stillbirth		Neonatal death		Total		
	No.	Rate ^(a)	No.	Rate ^(b)	No.	Rate ^(a)	No.
Single	62	8.3	31	4.2	93	12.4	7,483
Married/defacto	385	7.0	160	2.9	545	9.9	55,277
Other	13	13.8	4	4.3	17	18.0	945
Total^(c)	460	7.2	195	3.1	655	10.3	63,723

(a) Per 1,000 births of specified marital status of mother.

(b) Per 1,000 livebirths of specified marital status of mother.

(c) Includes not stated marital status of mother.

**TABLE 10.07 PERINATAL DEATHS, QUEENSLAND, 2012
PLURALITY OF PREGNANCY BY TYPE OF PERINATAL DEATH**

Plurality of pregnancy	Type of perinatal death						Total births No.
	Stillbirth		Neonatal death		Total		
	No.	Rate ^(a)	No.	Rate ^(b)	No.	Rate ^(a)	
Singleton	388	6.3	166	2.7	554	9.0	61,624
Multiple	72	34.3	29	14.3	101	48.1	2,099
Total	460	7.2	195	3.1	655	10.3	63,723

(a) Per 1,000 births of specified plurality.

(b) Per 1,000 livebirths of specified plurality.

**TABLE 10.08 PERINATAL DEATHS, QUEENSLAND, 2012
BIRTHWEIGHT BY TYPE OF PERINATAL DEATH**

Birthweight (grams)	Type of perinatal death								
	Stillbirth			Neonatal death			Total		
	No.	%	Rate ^(a)	No.	%	Rate ^(b)	No.	%	Rate ^(a)
Less than 500	175	38.0	720.2	65	33.3	955.9	240	36.6	987.7
500 - 749	58	12.6	379.1	40	20.5	421.1	98	15.0	640.5
750 - 999	29	6.3	171.6	12	6.2	85.7	41	6.3	242.6
1,000 - 1,249	17	3.7	91.4	6	3.1	35.5	23	3.5	123.7
1,250 - 1,499	22	4.8	88.4	10	5.1	44.1	32	4.9	128.5
1,500 - 1,749	14	3.0	39.3	8	4.1	23.4	22	3.4	61.8
1,750 - 1,999	11	2.4	21.0	10	5.1	19.5	21	3.2	40.1
2,000 - 2,249	14	3.0	14.2	3	1.5	3.1	17	2.6	17.2
2,250 - 2,499	14	3.0	8.5	6	3.1	3.7	20	3.1	12.1
2,500 - 2,999	41	8.9	4.5	9	4.6	1.0	50	7.6	5.4
3,000 - 3,499	30	6.5	1.4	16	8.2	0.7	46	7.0	2.1
3,500 - 3,999	21	4.6	1.1	8	4.1	0.4	29	4.4	1.5
4,000 - 4,499	3	0.7	0.5	-	-	-	3	0.5	0.5
4,500 and over	-	-	-	1	0.5	0.8	1	0.2	0.8
Total^(c)	460	100.0	7.2	195	100.0	3.1	655	100.0	10.3

(a) Per 1,000 births of specified birthweight.

(b) Per 1,000 livebirths of specified birthweight.

(c) Includes perinatal deaths with not stated birthweight.

**TABLE 10.09 PERINATAL DEATHS, QUEENSLAND, 2012
GESTATION BY TYPE OF PERINATAL DEATH**

Gestation (weeks)	Type of perinatal death								
	Stillbirth			Neonatal death			Total		
	No.	%	Rate ^(a)	No.	%	Rate ^(b)	No.	%	Rate ^(a)
Less than 22	117	25.4	668.6	58	29.7	1,000.0	175	26.7	1,000.0
22 - 24	83	18.0	542.5	37	19.0	528.6	120	18.3	784.3
25 - 27	44	9.6	197.3	24	12.3	134.1	68	10.4	304.9
28 - 31	47	10.2	83.8	13	6.7	25.3	60	9.2	107.0
32 - 36	80	17.4	16.6	26	13.3	5.5	106	16.2	22.1
37 - 41	85	18.5	1.5	35	18.0	0.6	120	18.3	2.1
42 and over	3	0.7	8.9	2	1.0	6.0	5	0.8	14.8
Total ^(c)	460	100.0	7.2	195	100.0	3.1	655	100.0	10.3

(a) Per 1,000 births of specified gestation.

(b) Per 1,000 livebirths of specified gestation.

(c) Includes perinatal deaths with not stated gestation.

TABLE 10.10

PERINATAL DEATHS, QUEENSLAND, 2012
HOSPITAL AND HEALTH SERVICE OF USUAL RESIDENCE OF MOTHER BY TYPE OF PERINATAL DEATH

Hospital and Health Service of Usual Residence of Mother	Type of perinatal death										
	Stillbirth			Neonatal death			Perinatal death			Total births	
	No.	%	Rate ^(a)	No.	%	Rate ^(b)	No.	%	Rate ^(a)	No.	%
Cairns and Hinterland	24	5.2	6.9	12	6.2	3.5	36	5.5	10.4	3,473	5.5
Cape York	5	1.1	20.8	1	0.5	4.3	6	0.9	25.0	240	0.4
Central Queensland	19	4.1	5.6	18	9.2	5.4	37	5.7	10.9	3,386	5.3
Central West	2	0.4	9.8	-	-	-	2	0.3	9.8	204	0.3
Darling Downs	27	5.9	7.1	6	3.1	1.6	33	5.0	8.6	3,822	6.0
Gold Coast	35	7.6	5.8	15	7.7	2.5	50	7.6	8.3	6,054	9.5
Mackay	26	5.7	9.3	4	2.1	1.5	30	4.6	10.7	2,794	4.4
Metro North	86	18.7	7.1	34	17.4	2.8	120	18.3	9.9	12,150	19.1
Metro South	119	25.9	7.6	55	28.2	3.5	174	26.6	11.1	15,651	24.6
North West	6	1.3	9.3	1	0.5	1.6	7	1.1	10.9	645	1.0
South West	5	1.1	11.6	-	-	-	5	0.8	11.6	433	0.7
Sunshine Coast	17	3.7	4.3	15	7.7	3.8	32	4.9	8.0	3,996	6.3
Torres Strait-Northern Peninsula	4	0.9	15.3	4	2.1	15.6	8	1.2	30.7	261	0.4
Townsville	28	6.1	8.1	10	5.1	2.9	38	5.8	11.0	3,471	5.5
West Moreton	34	7.4	8.1	6	3.1	1.4	40	6.1	9.5	4,194	6.6
Wide Bay	19	4.1	8.0	10	5.1	4.2	29	4.4	12.1	2,390	3.8
Interstate Overseas	4	0.9	7.2	4	2.1	7.3	8	1.2	14.4	554	0.9
Total^(c)	460	100.0	7.2	195	100.0	3.1	655	100.0	10.3	63,723	100.0

(a) Per 1,000 births of specified Hospital and Health Service of usual residence of mother.

(b) Per 1,000 livebirths of specified Hospital and Health Service of usual residence of mother.

(c) Includes perinatal deaths with not stated Hospital and Health Service of usual residence of mother.

TABLE 10.11 NEONATAL DEATHS, QUEENSLAND, 2012 BIRTHWEIGHT BY GESTATION

Birthweight (grams)	Gestation (weeks)														Total	
	Less than 22		22-24		25-27		28-31		32-36		37-41		42 and over		No.	%
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 500	50	86.2	10	27.0	5	20.8	-	-	-	-	-	-	-	-	65	33.3
500 - 749	8	13.8	25	67.6	6	25.0	1	7.7	-	-	-	-	-	-	40	20.5
750 - 999	-	-	2	5.4	8	33.3	1	7.7	1	3.9	-	-	-	-	12	6.2
1,000 - 1,249	-	-	-	-	3	12.5	1	7.7	2	7.7	-	-	-	-	6	3.1
1,250 - 1,499	-	-	-	-	2	8.3	5	38.5	3	11.5	-	-	-	-	10	5.1
1,500 - 1,749	-	-	-	-	-	-	3	23.1	4	15.4	1	2.9	-	-	8	4.1
1,750 - 1,999	-	-	-	-	-	-	2	15.4	6	23.1	2	5.7	-	-	10	5.1
2,000 - 2,249	-	-	-	-	-	-	-	-	2	7.7	1	2.9	-	-	3	1.5
2,250 - 2,499	-	-	-	-	-	-	-	-	3	11.5	3	8.6	-	-	6	3.1
2,500 - 2,999	-	-	-	-	-	-	-	-	1	3.9	7	20.0	1.0	50.0	9	4.6
3,000 - 3,499	-	-	-	-	-	-	-	-	3	11.5	12	34.3	1.0	50.0	16	8.2
3,500 - 3,999	-	-	-	-	-	-	-	-	-	-	8	22.9	-	-	8	4.1
4,000 - 4,499	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 and over	-	-	-	-	-	-	-	-	-	-	1.0	2.9	-	-	1.0	0.5
Total^(a)	58	100.0	37	100.0	24	100.0	13	100.0	26	100.0	35	100.0	2	100.0	195	100.0

(a) Includes perinatal deaths with not stated birthweight.

TABLE 10.12 STILLBIRTHS, QUEENSLAND, 2012 BIRTHWEIGHT BY GESTATION

Birthweight (grams)	Gestation (weeks)															
	Less than 22		22-24		25-27		28-31		32-36		37-41		42 and over		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 500	108	92.3	42	50.6	7	15.9	3	6.4	5	6.3	10	11.8	-	-	175	38.0
500 - 749	7	6.0	34	41.0	17	38.6	-	-	-	-	-	-	-	-	58	12.6
750 - 999	-	-	4	4.8	13	29.6	11	23.4	1	1.3	-	-	-	-	29	6.3
1,000 - 1,249	-	-	1	1.2	3	6.8	9	19.2	3	3.8	1	1.2	-	-	17	3.7
1,250 - 1,499	-	-	-	-	2	4.6	9	19.2	10	12.5	1	1.2	-	-	22	4.8
1,500 - 1,749	-	-	-	-	2	4.6	8	17.0	4	5.0	-	-	-	-	14	3.0
1,750 - 1,999	-	-	-	-	-	-	3	6.4	7	8.8	1	1.2	-	-	11	2.4
2,000 - 2,249	-	-	-	-	-	-	2	4.3	10	12.5	2	2.4	-	-	14	3.0
2,250 - 2,499	-	-	-	-	-	-	-	-	9	11.3	5	5.9	-	-	14	3.0
2,500 - 2,999	-	-	-	-	-	-	-	-	23	28.8	18	21.2	-	-	41	8.9
3,000 - 3,499	-	-	-	-	-	-	-	-	4	5.0	25	29.4	1	33.3	30	6.5
3,500 - 3,999	-	-	-	-	-	-	-	-	3	3.8	16	18.8	2	66.7	21	4.6
4,000 - 4,499	-	-	-	-	-	-	-	-	-	-	3	3.5	-	-	3	0.7
4,500 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total ^(a)	117	100.0	83	100.0	44	100.0	47	100.0	80	100.0	85	100.0	3	100.0	460	100.0

(a) Includes babies with a not stated birthweight.

(b) Includes babies with a not stated gestation.

TABLE 10.13 PERINATAL DEATHS, QUEENSLAND, 2012
MAIN CONDITION IN FETUS/NEONATE BY TYPE OF PERINATAL DEATH

Main condition in fetus/neonate ^(a)	Type of perinatal death					
	Stillbirth		Neonatal		Perinatal	
	No.	%	No.	%	No.	%
Perinatal death of unspecified cause	219	47.6	13	6.7	232	35.4
Fetus/newborn affected by placenta,cord/memb comp	213	46.3	82	42.1	295	45.0
Termination of pregnancy, fetus and newborn	83	18.0	21	10.8	104	15.9
Fetal malnutrition and immaturity	59	12.8	61	31.3	120	18.3
Congenital anomalies	38	8.3	46	23.6	84	12.8
Hypoxia, birth asphyxia & other respiratory conditions	18	3.9	13	6.7	31	4.7
Infection	4	0.9	8	4.1	12	1.8
Total perinatal deaths	460	-	195	-	655	-

(a) Reporting of multiple conditions was permitted, so numbers cannot be cumulated.

**TABLE 10.14 PERINATAL DEATHS CAUSED BY CONGENITAL ANOMALIES, QUEENSLAND, 2012
NATURE/SITE OF CONGENITAL ANOMALY BY TYPE OF PERINATAL DEATH**

Nature/site of congenital anomaly ^(a)	Type of perinatal death		
	Stillbirth No.	Neonatal No.	Perinatal No.
Chromosomal anomalies	10	8	18
Other congenital anomalies of heart	8	9	17
Other congenital anomalies of nervous system	4	7	11
Other congenital musculoskeletal anomalies	2	5	7
Anencephalus and similar anomalies	2	4	6
Congenital anomalies of respiratory system	2	3	5
Bulbus cordis anomalies and anomalies of cardiac septal closure	1	3	4
Other and unspecified congenital anomalies	4	-	4
Congenital anomalies of urinary system	1	2	3
Other congenital anomalies of circulatory system	-	3	3
Other congenital anomalies of digestive system	1	1	2
Spina Bifida	2	-	2
Other congenital anomalies of limbs	1	-	1
Total	38	45	83

(a) The ICD-10 AM (International Classification of Diseases) was used for coding the congenital anomalies.

**TABLE 10.15 PERINATAL DEATHS, QUEENSLAND, 2012
POSTMORTEM STATUS BY TYPE OF PERINATAL DEATH**

Postmortem status	Type of perinatal death					
	Stillbirth		Neonatal		Perinatal	
	No.	%	No.	%	No.	%
Postmortem performed	145	31.5	38	19.5	183	27.9
Postmortem not performed	298	64.8	155	79.5	453	69.2
Total ^(a)	460	-	195	-	655	-

(a) Includes those with postmortem under investigation and not stated postmortem status.

**TABLE 10.16 PERINATAL DEATHS, QUEENSLAND, 2012
SELECTED WEIGHT & GESTATION GROUPED BY TYPE OF PERINATAL DEATH**

Type of Perinatal Death	Gestation (weeks)	Birthweight (grams)									
		Less than 500		500-999		1,000-1,499		1,500+		Total ^(c)	
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Stillbirth ^(a)	21 and less	108	683.5	7	466.7	-	-	-	-	117	668.6
	22-26	46	766.7	60	517.2	3	375.0	1	1,000.0	112	598.9
	27-31	6	857.1	19	575.8	21	146.9	14	112.0	62	200.0
	32-36	5	1,000.0	1	200.0	13	197.0	60	13.3	80	17.4
	37 and above	10	1,000.0	-	-	2	666.7	73	1.3	88	1.5
	Total ^(d)	175	729.2	87	514.8	39	177.3	148	2.4	460	7.3
Neonatal death ^(b)	21 and less	50	1,000.0	8	1,000.0	-	-	-	-	58	1,000.0
	22-26	14	1,000.0	40	714.3	2	400.0	-	-	56	746.7
	27-31	1	1,000.0	3	214.3	9	73.8	5	45.1	18	72.6
	32-36	-	-	1	250.0	5	94.3	19	4.3	26	5.8
	37 and above	-	-	-	-	-	-	37	0.6	37	0.6
	Total	65	1,000.0	52	634.2	16	88.4	61	1.0	195	3.1

(a) Includes stillbirths and neonatal deaths with not stated birthweight.

(b) Stillbirth rate per 1,000 total births of specified group.

(c) Neonatal death rate per 1,000 livebirths of specified group.

(d) Includes stillborn deaths with not stated gestation.