

TABLE 5.01**MOTHERS BIRTHING IN QUEENSLAND, 2012
NUMBER OF ANTENATAL VISITS BY INDIGENOUS STATUS OF MOTHER**

Number of antenatal visits	Indigenous status of mother					
	Indigenous		Non-Indigenous		Total ^(a)	
	No.	%	No.	%	No.	%
Less than 2	112	2.9	314	0.5	428	0.7
2 - 4	483	12.6	2,432	4.1	2,916	4.7
5 - 7	1,005	26.2	9,353	15.9	10,358	16.5
8 or more	2,237	58.2	46,682	79.4	48,919	78.1
Total^(b)	3,841	100.0	58,817	100.0	62,663	100.0

(a) Includes mothers with not stated Indigenous status.

(b) Includes mothers with not stated number of antenatal visits.

TABLE 5.02 MOTHERS BIRTHING IN QUEENSLAND, 2012
NUMBER OF PREVIOUS PREGNANCIES^(a) BY AGE OF MOTHER

Number of previous births	Age of mother (years)							
	Under 20		20 - 34		35 and over		Total	
	No.	%	No.	%	No.	%	No.	%
0	2,608	82.4	20,073	42.3	3,000	24.9	25,681	41.0
1	490	15.5	16,132	34.0	4,193	34.8	20,815	33.2
2	63	2.0	6,911	14.6	2,525	20.9	9,499	15.2
3	4	0.1	2,564	5.4	1,182	9.8	3,750	6.0
4	-	-	1,012	2.1	502	4.2	1,514	2.4
5 or more	-	-	748	1.6	656	5.4	1,404	2.2
Total	3,165	100.0	47,440	100.0	12,058	100.0	62,663	100.0

(a) Includes pregnancies with an outcome after 20 weeks and/or 400grams.

TABLE 5.03 MOTHERS BIRTHING IN QUEENSLAND, 2012
SELECTED MEDICAL CONDITIONS OF MOTHER

Condition ^(a)	Mothers	
	No.	%
Asthma	1,411	2.3
Depressive disorder	1,228	2.0
Disorder of thyroid	1,134	1.8
Streptococcal infection (including carrier of streptococcal an	738	1.2
Viral Hepatitis (including carrier status)	637	1.0
Anaemia	636	1.0
Pre-existing Hypertension	400	0.6
Pre-existing Diabetes mellitus	388	0.6
Substance abuse	378	0.6
Active Genital Herpes	299	0.5
Epilepsy	243	0.4
Urinary tract infection (unspecified)	164	0.3
Migraine	163	0.3
Heart Murmur	116	0.2
Influenza	42	0.1
All mothers	62,663	-

(a) Reporting of multiple conditions was permitted, so numbers cannot be cumulated.

TABLE 5.04 **MOTHERS BIRTHING IN QUEENSLAND, 2012**
SELECTED PREGNANCY COMPLICATIONS

Complication ^(a)	Mothers	
	No.	%
Previous uterine scar	10,955	17.5
Rupture of membranes >4 hours before onset of labour (<24 hours before labour)	9,138	14.6
Preterm labour	5,337	8.5
Prolonged pregnancy	4,254	6.8
Gestational diabetes	4,218	6.7
Hypertension complicating pregnancy (includes pre- eclampsia and eclampsia)	3,136	5.0
Breech presentation	2,598	4.2
Rupture of membranes >24 hours before labour	2,431	3.9
Poor fetal growth	1,688	2.7
Placenta previa with or without haemorrhage, abruptio placentae and other antepartum haemorrhage	1,682	2.7
Haemorrhage in early pregnancy	945	1.5
Threatened premature labour	710	1.1
Previous poor obstetric history	612	1.0
All mothers	62,663	-

(a) Reporting of multiple complications was permitted, so numbers cannot be cumulated.

TABLE 5.05

MOTHERS BIRTHING IN QUEENSLAND, 2012
ANTENATAL TRANSFER STATUS BY INDIGENOUS STATUS OF MOTHER

Antenatal Transfer Status	Indigenous Status of Mother									
	Aboriginal		Torres Strait Islander		Aboriginal and Torres Strait Islander		Neither Aboriginal nor Torres Strait Islander		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%
Not transferred	2,489	84.5	408	76.1	309	86.1	56,782	96.5	59,992	95.7
Transferred ^(b)	457	15.5	128	23.9	50	13.9	2,035	3.5	2,671	4.3
<i>Transferred - before labour</i>	397	13.5	124	23.1	46	12.8	1,531	2.6	2,099	3.3
<i>Transferred - during labour</i>	60	2.0	4	0.7	4	1.1	504	0.9	572	0.9
Total	2,946	100.0	536	100.0	359	100.0	58,817	100.0	62,663	100.0

(a) Includes mothers with not stated Indigenous status.

(b) Includes mothers with not stated time of antenatal transfer.

TABLE 5.06 MOTHERS BIRTHING IN QUEENSLAND, 2012
SELECTED REASON FOR ANTENATAL TRANSFER BY INDIGENOUS STATUS OF MOTHER

Reason ^(a)	Indigenous status of mother					
	Indigenous		Non-Indigenous		Total ^(b)	
	No.	%	No.	%	No.	%
Administrative & social reasons	507	79.8	779	38.3	1,287	48.2
Premature rupture of membranes	26	4.1	197	9.7	223	8.4
Hypertension	16	2.5	125	6.1	141	5.3
Abnormality of forces of labour (including prolonged labour)	4	0.6	111	5.5	115	4.3
Placenta praevia with or without haemorrhage, abruptio placentae an	9	1.4	95	4.7	104	3.9
Suspected fetal anomaly	8	1.3	84	4.1	92	3.4
Premature labour and delivery (including threatened)	12	1.9	69	3.4	81	3.0
Gestational diabetes	19	3.0	44	2.2	63	2.4
Poor fetal growth	9	1.4	52	2.6	61	2.3
Multiple pregnancy (including complications of multiple pregnancy)	7	1.1	28	1.4	35	1.3
Malpresentation of fetus before onset of labour	1	0.2	29	1.4	30	1.1
Previous uterine scar	13	2.1	16	0.8	29	1.1
Obstructed labour	1	0.2	15	0.7	16	0.6
Total Mothers transferred antenatally	635	-	2,035	-	2,671	-

(a) Reporting of multiple reasons was permitted, so numbers cannot be cumulated.

(b) Includes mothers with not stated Indigenous status.

(c) Where the membranes rupture prior to the onset of labour regardless of gestation.

TABLE 5.07

**MOTHERS BIRTHING IN QUEENSLAND, 2012
SMOKING STATUS BY NUMBER OF CIGARETTES AFTER 20 WEEKS GESTATION**

Tobacco smoking status during entire pregnancy	Average number of Cigarettes after 20 weeks gestation	Indigenous status of mother					
		Indigenous		Non-Indigenous		Total ^(a)	
		No.	%	No.	%	No.	%
Did not smoke during pregnancy		1,958	51.0	50,918	86.6	52,878	84.4
Smoked during pregnancy ^(b)		1,861	48.5	7,645	13.0	9,507	15.2
	<i>Did not smoke after 20 weeks</i>	210	11.3	1,428	18.7	1,638	17.2
	<i>10 or less per day</i>	1,222	65.7	4,541	59.4	5,763	60.6
	<i>More than 10 per day</i>	342	18.4	1,305	17.1	1,647	17.3
Total Mothers ^(c)		3,841	100.0	58,817	100.0	62,663	100.0

(a) Includes mothers with not stated Indigenous status.

(b) Includes mothers with not stated number of tobacco cigarettes after 20 weeks.

(c) Includes mothers with not stated smoking status before 20 weeks.

TABLE 5.08**MOTHERS BIRTHING IN QUEENSLAND, 2012
SMOKING ADVICE DURING THE FIRST 20 WEEKS OF PREGNANCY
TO MOTHERS WHO SMOKED**

Smoking Advice	Indigenous status of mother				Total ^(a)	
	Indigenous		Non-Indigenous		No.	%
	No.	%	No.	%		
Advice not offered	192	10.3	675	8.8	868	9.1
Advice offered	1,614	86.7	6,626	86.7	8,240	86.7
Not stated	55	3.0	344	4.5	399	4.2
Total Mothers who Smoked	1,861	100.0	7,645	100.0	9,507	100.0

(a) Includes mothers with not stated Indigenous status.

**TABLE 5.09 MOTHERS BY ANTENATAL CARE TYPE
QUEENSLAND, 2012**

Antenatal Care Type	Mothers	
	No.	%
Private Medical Practitioner	18,041	28.8
Public Hospital/Clinic Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	10,328	16.5
Public Hospital/Clinic Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practitioner	10,052	16.0
Public Hospital/Clinic Midwifery Practitioner	9,061	14.5
Public Hospital/Clinic Medical Practitioner	7,141	11.4
Public Hospital/Clinic Medical Practitioner and General Practitioner	3,390	5.4
Public Hospital/Clinic Midwifery Practitioner and General Practitioner	1,849	3.0
General Practitioner	1,483	2.4
Private Medical Practitioner and General Practitioner	370	0.6
No Antenatal Care	235	0.4
Private Medical Practitioner and Public Hospital/Clinic Midwifery Practitioner	126	0.2
Private Medical Practitioner, Public Hospital/Clinic Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	120	0.2
Private Midwifery Practitioner	97	0.2
Private Medical Practitioner, Public Hospital/Clinic Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practitioner	81	0.1
Private Medical Practitioner and Public Hospital/Clinic Medical Practitioner	68	0.1
Private Medical Practitioner, Public Hospital/Clinic Midwifery Practitioner and General Practitioner	34	0.1
Private Medical Practitioner, Public Hospital/Clinic Medical Practitioner and General Practitioner	33	0.1
Private Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	28	0.0
Private Midwifery Practitioner, Public Hospital/Clinic Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	24	0.0
Private Midwifery Practitioner and Public Hospital/Clinic Midwifery Practitioner	20	0.0
Private Midwifery Practitioner and General Practitioner	20	0.0
Private Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practitioner	14	0.0
Private Midwifery Practitioner, Public Hospital/Clinic Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practitioner	12	0.0
Private Medical Practitioner and Private Midwifery Practitioner	9	0.0
Private Midwifery Practitioner, Public Hospital/Clinic Midwifery Practitioner and General Practitioner	6	0.0
Private Medical Practitioner, Private Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	4	0.0
Private Medical Practitioner, Private Midwifery Practitioner and General Practitioner	4	0.0
Private Medical Practitioner, Private Midwifery Practitioner, Public Hospital/Clinic Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practitioner	2	-
Private Medical Practitioner, Private Midwifery Practitioner, Public Hospital/Clinic Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	2	-
Not Stated	9	0.0
Total Mothers	62,663	100.0

TABLE 5.10

MOTHERS BIRTHING IN QUEENSLAND, 2012
GESTATION AT FIRST ANTENATAL VISIT BY FACILITY TYPE

Gestation at First Antenatal Visit	Facility Type									
	Public Hospital		Private Hospital		Homebirth		Born Before Arrival		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%
No Antenatal Care	207	0.5	-	-	-	-	28	6.2	235	0.4
First Trimester (Less than 14 weeks)	24,112	54.6	16,227	90.5	45	53.6	219	48.6	40,603	64.8
Second Trimester (14-28 weeks)	18,278	41.4	1,663	9.3	32	38.1	182	40.4	20,155	32.2
Third Trimester (29 or more weeks)	1,059	2.4	26	0.2	5	6.0	19	4.2	1,109	1.8
Not stated	546	1.2	9	0.1	2	2.4	3	0.7	561	0.9
Total Mothers	44,202	100.0	17,925	100.0	84	100.0	451	100.0	62,663	100.0

(a) Includes mothers with a not stated facility type.