

## Mark Crossman

---

**From:** Bauer.MatthewR@police.qld.gov.au  
**Sent:** Wednesday, 22 July 2015 3:33 PM  
**To:** Mark Crossman  
**Subject:** RE: QAS Evidence 29 August 2013

Hi Mark,

I'm sorry I can't find any record so far of who I contacted at QAS. It would likely have been someone at the Assistant Commissioners Office.

My recollection is that as the ampoules had been tested by a government lab, it was decided that there was no reason to keep them. I did not require them for evidentiary reasons and I recall explaining this to the QAS.

The option of keeping the ampoules would have and in the future would be an option for the QAS. Police dispose of exhibits (evidence) as soon as is possible given the large number of exhibits on hand at any one time in the Labs and police property points. It is rare for police to return property such as this which does not have any financial value or use however it is the case that these items could have been returned to the QAS should have the capacity and reason to keep them.

Regards,

Matt

**From:** Mark Crossman [mailto:Mark.Crossman@ambulance.qld.gov.au]  
**Sent:** Wednesday, 22 July 2015 2:37 PM  
**To:** Bauer.MatthewR[BR]  
**Subject:** RE: QAS Evidence 29 August 2013

Afternoon Matt.

I've been requested to gain further information from you regarding the destruction of the ampoules.

Do you recall, or have records to indicate who was contacted within the QAS prior to the ampoules being destroyed ?

Are you able to provide any detail regarding this contact such as what was discussed, was the decision made solely by that QAS representative without further consultation ?

Could options have been posed that these ampoules remain stored as evidence or in fact be returned to the QAS ?

Again, thank you for your assistance with this.

Kind regards

**Mark Crossman**  
**A/ Executive Manager, Clinical Standards & Quality**  
**Clinical Quality and Patient Safety Unit**  
Queensland Ambulance Service | Department of Health  
Kedron Park Complex | GPO Box 1425, Brisbane QLD 4001  
07 3635 3334 | [Mark.Crossman@ambulance.qld.gov.au](mailto:Mark.Crossman@ambulance.qld.gov.au)



**From:** [Bauer.MatthewR@police.qld.gov.au](mailto:Bauer.MatthewR@police.qld.gov.au) [mailto:[Bauer.MatthewR@police.qld.gov.au](mailto:Bauer.MatthewR@police.qld.gov.au)]  
**Sent:** Friday, 3 July 2015 12:52 PM  
**To:** Mark Crossman  
**Subject:** RE: QAS Evidence 29 August 2013

Hi Mark,

Unfortunately the ampoules were destroyed at the conclusion of court proceedings. I did touch base with the QAS prior to having these destroyed.

I have attached a copy of the forensic analysis and statement relating to analysis we had done on the ampoules in the case of further issues such as audit/review as you have been tasked to complete. This information should be helpful.

This information has not been released other than for disclosure in criminal proceedings and I would appreciate the information being treated as confidential for internal Government department review.

Let me know if I can assist further.

Regards,

Matt Bauer  
Hendra Criminal Investigation Branch

**From:** Mark Crossman [mailto:[Mark.Crossman@ambulance.qld.gov.au](mailto:Mark.Crossman@ambulance.qld.gov.au)]  
**Sent:** Friday, 3 July 2015 11:51 AM  
**To:** Bauer.MatthewR[BR]  
**Subject:** QAS Evidence 29 August 2013

Good morning Detective Bauer.

I am an A/Superintendent – Executive Manager within the Queensland Ambulance Service, Clinical Quality and Patient Safety Unit and have been tasked by our Deputy Commissioner to review processes which occurred relating to the discovery of suspect drug ampoules within QAS stock in August 2013.

I was provided your contact details by QAS Metro North Assistant Commissioner Mr Gavin Trembath's office as I am aware you met with AC Trembath on the 29<sup>th</sup> August 2013 and subsequent dates investigating this matter.

I understand on the 29<sup>th</sup> August 2013 the Queensland Police Service secured a quantity of drug ampoules: Field Property Receipt #778142. I hope you may be able to assist me in determining the following regarding this evidence:

- Does the Queensland Police Service remain in possession of the drug ampoules secured under Field Property Receipt #778142 ?
- If so, and should the QAS Deputy Commissioner wish to action, is it possible to have any of these ampoules made available for laboratory testing of the contents ?

Thank you for your time in considering this enquiry. I would be more than happy to discuss this further on the contact details below or in person should you wish.



Kind regards

**Mark Crossman**  
**A/ Executive Manager, Clinical Standards & Quality**  
**Clinical Quality and Patient Safety Unit**

Queensland Ambulance Service | Department of Health

Kedron Park Complex | GPO Box 1425, Brisbane QLD 4001

07 3635 3334 |  | [Mark.Crossman@ambulance.qld.gov.au](mailto:Mark.Crossman@ambulance.qld.gov.au)



The content presented in this publication is distributed by the Queensland Government as an information source only. The State of Queensland makes no statements, representations or warranties about the accuracy, completeness or reliability of any information contained in this publication. The State of Queensland disclaims all responsibility and all liability (including without limitation for liability in negligence) for all expenses, losses, damages and costs you might incur as a result of the information being inaccurate or incomplete in any way, and for any reason reliance was placed on such information.

\*\*\*\*\*  
CONFIDENTIALITY: The information contained in this electronic mail message and any electronic files attached to it may be confidential information, and may also be the subject of legal professional privilege and/or public interest immunity. If you are not the intended recipient you are required to delete it. Any use, disclosure or copying of this message and any attachments is unauthorised. If you have received this electronic message in error, please inform the sender or contact [securityscanner@police.qld.gov.au](mailto:securityscanner@police.qld.gov.au). This footnote also confirms that this email message has been checked for the presence of computer viruses.  
\*\*\*\*\*

The content presented in this publication is distributed by the Queensland Government as an information source only. The State of Queensland makes no statements, representations or warranties about the accuracy, completeness or reliability of any information contained in this publication. The State of Queensland disclaims all responsibility and all liability (including without limitation for liability in negligence) for all expenses, losses, damages and costs you might incur as a result of the information being inaccurate or incomplete in any way, and for any reason reliance was placed on such information.

RTI Release

**Mark Crossman**

---

**From:** David Eeles  
**Sent:** Friday, 3 July 2015 4:09 PM  
**To:** Mark Crossman  
**Subject:** RE: QAS Evidence 29 August 2013

Mark

Unfortunate but that question is now answered which is very good.

Well done

David

Deputy Commissioner David Eeles ASM

Queensland Ambulance Service | Department of Health | Emergency Service Complex |  
Cnr Park & Kedron Park Roads Kedron Qld 4031 | GPO Box 1425 Brisbane Qld 4001 |  
B: 07 3635 37321 M: [redacted] E: [David.Eeles@ambulance.qld.gov.au](mailto:David.Eeles@ambulance.qld.gov.au) |



**From:** Mark Crossman  
**Sent:** Friday, July 3, 2015 1:05 PM  
**To:** David Eeles  
**Cc:** Rachel Latimer  
**Subject:** FW: QAS Evidence 29 August 2013

Afternoon David.

Unfortunately the drug ampoules were destroyed following court proceedings.

The attached information is consistent with the report we already have for 9 ampoules tested.

Kind regards

**Mark Crossman**  
**A/ Executive Manager, Clinical Standards & Quality**  
**Clinical Quality and Patient Safety Unit**  
Queensland Ambulance Service | Department of Health  
Kedron Park Complex | GPO Box 1425, Brisbane QLD 4001  
07 3635 3334 | [redacted] | [Mark.Crossman@ambulance.qld.gov.au](mailto:Mark.Crossman@ambulance.qld.gov.au)





**From:** Bauer.MatthewR@police.qld.gov.au [mailto:Bauer.MatthewR@police.qld.gov.au]  
**Sent:** Friday, 3 July 2015 12:52 PM  
**To:** Mark Crossman  
**Subject:** RE: QAS Evidence 29 August 2013

Hi Mark,

Unfortunately the ampoules were destroyed at the conclusion of court proceedings. I did touch base with the QAS prior to having these destroyed.

I have attached a copy of the forensic analysis and statement relating to analysis we had done on the ampoules in the case of further issues such as audit/review as you have been tasked to complete. This information should be helpful.

This information has not been released other than for disclosure in criminal proceedings and I would appreciate the information being treated as confidential for internal Government department review.

Let me know if I can assist further.

Regards,

Matt Bauer  
Hendra Criminal Investigation Branch

**From:** Mark Crossman [mailto:Mark.Crossman@ambulance.qld.gov.au]  
**Sent:** Friday, 3 July 2015 11:51 AM  
**To:** Bauer.MatthewR[BR]  
**Subject:** QAS Evidence 29 August 2013

Good morning Detective Bauer.

I am an A/Superintendent – Executive Manager within the Queensland Ambulance Service, Clinical Quality and Patient Safety Unit and have been tasked by our Deputy Commissioner to review processes which occurred relating to the discovery of suspect drug ampoules within QAS stock in August 2013.

I was provided your contact details by QAS Metro North Assistant Commissioner Mr Gavin Trembath's office as I am aware you met with AC Trembath on the 29<sup>th</sup> August 2013 and subsequent dates investigating this matter.

I understand on the 29<sup>th</sup> August 2013 the Queensland Police Service secured a quantity of drug ampoules: Field Property Receipt #778142. I hope you may be able to assist me in determining the following regarding this evidence:

- Does the Queensland Police Service remain in possession of the drug ampoules secured under Field Property Receipt #778142 ?
- If so, and should the QAS Deputy Commissioner wish to action, is it possible to have any of these ampoules made available for laboratory testing of the contents ?

Thank you for your time in considering this enquiry. I would be more than happy to discuss this further on the contact details below or in person should you wish.

Kind regards

**Mark Crossman**  
A/ Executive Manager, Clinical Standards & Quality  
Clinical Quality and Patient Safety Unit



The content presented in this publication is distributed by the Queensland Government as an information source only. The State of Queensland makes no statements, representations or warranties about the accuracy, completeness or reliability of any information contained in this publication. The State of Queensland disclaims all responsibility and all liability (including without limitation for liability in negligence) for all expenses, losses, damages and costs you might incur as a result of the information being inaccurate or incomplete in any way, and for any reason reliance was placed on such information.

\*\*\*\*\*  
CONFIDENTIALITY: The information contained in this electronic mail message and any electronic files attached to it may be confidential information, and may also be the subject of legal professional privilege and/or public interest immunity. If you are not the intended recipient you are required to delete it. Any use, disclosure or copying of this message and any attachments is unauthorised. If you have received this electronic message in error, please inform the sender or contact [securityscanner@police.qld.gov.au](mailto:securityscanner@police.qld.gov.au). This footnote also confirms that this email message has been checked for the presence of computer viruses.  
\*\*\*\*\*

RTI Release

## Mark Crossman

---

**From:** Desley Dore  
**Sent:** Friday, 3 July 2015 8:26 AM  
**To:** Mark Crossman  
**Cc:** Rachel Latimer  
**Subject:** RE: QPS contact information - [redacted] matter  
**Attachments:** Matt Bauer

Hi Mark

Matt's details as requested.

**Executive Officer Desley Dore**  
**Metro North Local Ambulance Service Network**

Office of the Assistant Commissioner | Queensland Ambulance Service | Department of Health |  
2/219 Boundary Street, Spring Hill | GPO Box 625 Brisbane QLD 4001 |  
07 3635 1848 | [Desley.Dore@ambulance.qld.gov.au](mailto:Desley.Dore@ambulance.qld.gov.au) |



**From:** Mark Crossman  
**Sent:** Thursday, 2 July 2015 5:27 PM  
**To:** Desley Dore  
**Cc:** Rachel Latimer  
**Subject:** RE: QPS contact information - [redacted] matter  
**Importance:** High

Arrr sorry found it....

Given AC Trembath's dealings with Detective Senior Constable Matt Bauer on this day would you happen to have any contact details/emails.

Seems he is/was based at Hendra so I could locate a general station number if you don't have anything for DSC Bauer.

Kind regards

**Mark Crossman**  
**A/ Executive Manager, Clinical Standards & Quality**  
**Clinical Quality and Patient Safety Unit**  
Queensland Ambulance Service | Department of Health  
Kedron Park Complex | GPO Box 1425, Brisbane QLD 4001  
07 3635 3334 | [redacted] | [Mark.Crossman@ambulance.qld.gov.au](mailto:Mark.Crossman@ambulance.qld.gov.au)





**From:** Mark Crossman  
**Sent:** Thursday, 2 July 2015 5:14 PM  
**To:** Desley Dore  
**Cc:** Rachel Latimer  
**Subject:** QPS contact information - [redacted] matter  
**Importance:** High

Afternoon Desley.

The information I have at hand indicates that on 29 August 2013, AC Trembath met with QPS CIB officers who took possession of all suspect drug ampoules located as part of the Metro North review.

As part of additional work being done relating to the [redacted] matter it would be very beneficial if any names or contact details are available for these officers who met with AC Trembath and took possession of the ampoules. I understand AC Trembath met with an Inspector Paul Reynolds the previous day – I could use this person as a point of contact should any details of the CIB officers not be available.

Are you able to assist with this in any way ?

Thanks again Desley.

**Mark Crossman**  
**A/ Executive Manager, Clinical Standards & Quality**  
**Clinical Quality and Patient Safety Unit**  
Queensland Ambulance Service | Department of Health  
Kedron Park Complex | GPO Box 1425, Brisbane QLD 4001  
07 3635 3334 | [redacted] | [Mark.Crossman@ambulance.qld.gov.au](mailto:Mark.Crossman@ambulance.qld.gov.au)



RTI Release



STATEMENT OF WITNESS

Client Reference: QP1301035095  
Laboratory Number/s: 13FP71  
Laboratory Reference: 59495-9154  
Date Received: 28-Aug-2013

QUEENSLAND)  
TO WIT)

I, Tony Paul PETER, of Brisbane in the State of Queensland, do solemnly and sincerely declare that:-

1. I am employed by Queensland Health Forensic and Scientific Services (QHFSS) at Coopers Plains, Brisbane.
2. I hold the position of Senior Chemist in the Forensic Chemistry Laboratory of QHFSS.
3. I am the holder of a Bachelor of Science Degree from the University of New England.  
I am the holder of a Master of Science Degree in Forensic Science from Griffith University.
4. I am duly appointed as an Analyst under and for the purposes of the Drugs Misuse Act 1986.  
I am a duly appointed State Analyst under and for the purposes of the Health Act 1937.
5. Laboratory records show that on 28 August, 2013, S/Const. J. CASSON of Hendra Police Station delivered an exhibit to Queensland Health Forensic and Scientific Services (QHFSS) in relation to Queensland Police Service Occurrence Number QP1301035095. The exhibit was registered under laboratory reference number 13FP71 (receipt number 59495-9154). The exhibit consisted of one heat sealed plastic bag sealed with tamper tape seals 111-1141653 and 111-1141654 with one QP127 form attached, which contained, inter alia, the following:  
  
Queensland Police Service Property Receipt bearing Tag No's # P1300292789, P1300292790, P1300292791 and P1300292792  
  
One heat sealed plastic bag bearing Queensland Police Service Illicit Drug Exhibit barcode "...55023-7535..." holding:  
  
Item SH1: One empty open amber glass ampoule of approximately 1 millilitre in volume and bearing manufacturer's labelling "...DBL™ MORPHINE SULFATE Injection BP 10mg in 1mL...".  
  
Item SH2: One empty open amber glass ampoule of approximately 1 millilitre in volume and bearing manufacturer's labelling "...DBL™ MORPHINE SULFATE Injection BP 10mg in 1mL...".

NATA Accredited Laboratory 41

Tony Peter 

Date 19.09.13

The results relate solely to the item(s) and/or sample(s) as received.

39 Kessels Road  
Coopers Plains QLD 4109  
AUSTRALIA

P.O. Box 694  
Archerfield QLD 4108  
AUSTRALIA

Phone (61 7) 3274 6003  
Fax (+61 7) 3060 9528  
Email FSS@health.qld.gov.au

STATEMENT OF WITNESS

Client Reference : QP1301035095  
Laboratory Number/s : 13FP71

Item SH3: One amber glass ampoule of approximately 1 millilitre in volume, bearing manufacturer's labelling "...DBL™ MORPHINE SULFATE Injection BP 10mg in 1mL...", which contained 0.097 grams of a clear colourless mobile liquid.

Item SH4: One amber glass ampoule of approximately 1 millilitre in volume, bearing manufacturer's labelling "...DBL™ MORPHINE SULFATE Injection BP 10mg in 1mL...", which contained 0.980 grams of a clear colourless mobile liquid.

All of items SH1 to SH4 inclusive were contained within a small plastic tray labelled "SPRING HILL".

Item M1: One amber glass ampoule of approximately 1 millilitre in volume, bearing manufacturer's labelling "...DBL™ MORPHINE SULFATE Injection BP 10mg in 1mL...", which contained 0.997 grams of a clear colourless mobile liquid.

Item M2: One amber glass ampoule of approximately 1 millilitre in volume, bearing manufacturer's labelling "...DBL™ MORPHINE SULFATE Injection BP 10mg in 1mL...", which contained 0.978 grams of a clear colourless mobile liquid.

Item M3: One amber glass ampoule of approximately 1 millilitre in volume, bearing manufacturer's labelling "...DBL™ MORPHINE SULFATE Injection BP 10mg in 1mL...", which contained 0.989 grams of a clear colourless mobile liquid.


Item M4: One amber glass ampoule of approximately 1 millilitre in volume, bearing manufacturer's labelling "...DBL™ MORPHINE SULFATE Injection BP 10mg in 1mL...", which contained 0.862 grams of a clear colourless mobile liquid.

Item M5: One amber glass ampoule of approximately 1 millilitre in volume, bearing manufacturer's labelling "...DBL™ MORPHINE SULFATE Injection BP 10mg in 1mL...", which contained 0.992 grams of a clear colourless mobile liquid.

All of items M1 to M5 inclusive were contained within a small plastic tray labelled "MITCHELTON".

- 6. The abovementioned items were submitted in relation to Gavin Trembath (complainant).
- 7. I understand that the ampoules in each of items SH1 to SH4 inclusive and M1 to M5 inclusive are to be examined for signs of tampering. I also understand that the ampoules are to be screened for the presence of morphine, and where possible, the amount of morphine present be determined.
- 8. Laboratory examinations and chemical testing were conducted on the abovementioned items. The results of the analysis are outlined below:
  - 8.1 The ampoules in each of items SH1 to SH4 inclusive and M1 to M5 inclusive were microscopically examined and compared with a control ampoule of DBL™ MORPHINE SULFATE.
    - The open ampoule in item SH1 revealed the presence of a white translucent resin material adhering to the edges of the ampoule where it had been cracked open.
    - The open ampoules in item SH2 and all of the "intact" ampoules (items SH3, SH4 and items M1 to M5 inclusive) revealed visible signs of tampering when compared to a control sample of DBL™ MORPHINE SULFATE. The examinations revealed that the open ampoule in item SH2 and all of the "intact" ampoules have been previously cracked open then physically fitted together and resealed with a white translucent resin. The white translucent resin observed on each items SH3, SH4 and items M1 to M5 inclusive was visually similar in appearance to one another as well as to the material observed on items SH1.
  - 8.2 The white translucent resin observed on each of items SH1 to SH4 inclusive and M1 to M5 inclusive was analysed using the technique of Fourier Transform Infrared Microscopy. This testing revealed that the white translucent resin observed on each of items SH1 to SH4 inclusive and M1 to M5 inclusive was consistent with epoxy resin. According to literature available in this laboratory, epoxy resin can be used as an adhesive for wood, metal, glass, stone and some plastics.

NATA Accredited Laboratory 41

Tony Peter 

Date 19.09.13

The results relate solely to the item(s) and/or sample(s) as received.

39 Fitzroes Road  
Coopers Plains QLD 4108  
AUSTRALIA

PO Box 594  
Archerfield QLD 4108  
AUSTRALIA

Phone (61 7) 3274 9600  
Fax (61 7) 3000 9520  
Email FSS@health.qld.gov.au



STATEMENT OF WITNESS

Client Reference : QP1301035095  
Laboratory Number/s : 13FP71

- 8.3 The liquids in each of items SH3, SH4 and M1 to M5 inclusive were pH tested using Universal Indicator strips. The pH of the liquids in each of these liquids was found to be 6-7, which is neutral.
- 8.4 Literature available in this laboratory indicated that DBL™ MORPHINE SULFATE Injection BP ampoules are said to contain saline solution (a 0.9 % (W/V) solution of sodium chloride salt (table salt) in water). Presumptive chloride ion testing of the liquids in each items SH3, SH4 and M1 to M5 inclusive failed to reveal the presence of any significant levels of chloride in any of these items. This finding indicates to me that the liquids in each of items SH3, SH4 and M1 to M5 inclusive do not contain saline solution. Further testing of the liquids in each of these items using the technique of Fourier Transform Infrared Spectroscopy (FTIR) revealed them all to contain water.
- 8.5 The empty vials in each of items SH1 and SH2 and the liquids in each of items SH3, SH4 and M1 to M5 inclusive were screened for the presence of morphine using Gas Chromatography with Mass Spectrometric Detection (GC-MS). The results of this testing are as follows:
  - Morphine was detected in the empty vial in item SH1 and the colourless liquids in each of items SH4 and M1 to M5 inclusive.
  - No morphine was detected in either of items SH2 (empty vial) or SH3 (colourless liquid).
- 8.6 The liquids in each of items SH4 and M1 to M5 inclusive were analysed to determine the amount of morphine base present in each of these items. The amount of morphine base found in each of items SH4 and M1 to M5 inclusive is tabulated below:

Item	Weight of Morphine base in sample (milligrams)
SH4	< 1.0
M1	< 1.0
M2	< 1.0
M3	< 1.0
M4	< 1.0
M5	< 1.0

- 8.7 According to the labelling on the ampoules submitted for testing, the quantity of morphine sulphate that should be present in the liquids in each of items SH3, SH4 and M1 to M5 inclusive is 10 milligrams (which is equivalent to 3.760 milligrams of morphine base). As can be seen from the results outlined in each of paragraphs 8.5 and 8.6 above, there is no detectable morphine in the liquid in item SH3 and the level of morphine base in each of items SH4 and M1 to M5 inclusive, is well below that which is stated to be present in each of the ampoules.
- 9. I am of the opinion that all of the ampoules submitted for analysis (items SH1 to SH4 inclusive and M1 to M5 inclusive) show evidence of tampering.
- 10. I am of the opinion that the morphine/saline solution that was once contained within the ampoules in each of items SH3, SH4 and M1 to M5 inclusive has been removed and replaced with water, following which, the ampoules have then been resealed using epoxy resin.

NATA Accredited Laboratory 41

Tony Peter 

Date... 19. Oct. 13

The results relate solely to the item(s) and/or sample(s) as received.

29 Kessala Road  
Coopers Plains QLD 4108  
AUSTRALIA

PO Box 694  
Archerfield QLD 4108  
AUSTRALIA

Phone (+61 7) 3274 6000  
Fax (+61 7) 3000 6628  
Email F.Ste@health.qld.gov.au




STATEMENT OF WITNESS

Client Reference : QP1301035095  
Laboratory Number/s : 13FP71

JUSTICES ACT 1886

I acknowledge by virtue of Section 110A (6C) (c) of the Justices Act 1886 that:

- (i) This written statement by me dated 19 September 2013 and contained in the pages numbered 1 to 4 is true to the best of my knowledge and belief; and
- (ii) I make it knowing that, I would be liable to prosecution for stating anything that I know is false.



Tony PETER

Signed at BRISBANE on 19 September 2013

RTI Release

NATA Accredited Laboratory 41

The results relate solely to the item(s) and/or sample(s) as received.

39 Rossels Road  
Coopers Plains QLD 4108  
AUSTRALIA

PO Box 554  
Archerfield QLD 4108  
AUSTRALIA

Phone (+61 7) 3274 8990  
Fax (+61 7) 3000 4428  
Email FSS@health.qld.gov.au

13FP71

Page 4 of 4

## CERTIFICATE OF ANALYSIS

Client Reference : QP1301035095  
 Laboratory Number/s : 13FP71  
 Date Received : 28-Aug-2013

### DRUGS MISUSE ACT 1986

I, the undersigned, an Analyst duly appointed under the Drugs Misuse Act 1986, do hereby certify that:

Laboratory records show that on 28 August, 2013, S/Const J CASSON, of Hendra Police Station delivered an exhibit to Queensland Health Forensic and Scientific Services (QHFS) in relation to QPS Occurrence number QP1301035095. The exhibit was registered under laboratory reference number 13FP71 (receipt number 59495-9154). The exhibit consisted of one heat sealed plastic bag sealed with tamper tape seals I11-1141853 and I11-1141654 with one QP127 form attached and holding QPS documentation stating in part Occurrence #: QP1301035095 and containing, inter alia, the following:

**Description and Analysis of the Thing(s):**

Name(s): TREMBATH, Gavin

One heat-sealed plastic bag bearing Queensland Police Service Illicit Drug Exhibit barcode "...55023-7535..." holding:

QPS Packaging Identifiers	Item	Description	Quantity of Substance	Compound(s) identified
Barcodes				
550237535	SH1	One empty open amber glass ampoule of approximately 1 millilitre in volume and bearing manufacturer's labelling "...DBL™ MORPHINE SULFATE Injection BP 10mg in 1mL...".	Nil	Morphine detected.
	SH2	One empty open amber glass ampoule of approximately 1 millilitre in volume and bearing manufacturer's labelling "...DBL™ MORPHINE SULFATE Injection BP 10mg in 1mL...".	Nil	No dangerous drugs detected.

NATA Accredited Laboratory 41

Tony Peter 

Date... 19.09.13

The results relate solely to the Item(s) and/or sample(s) as received.

39 Kessels Road  
Coopers Plains QLD 4108  
AUSTRALIA

PO Box 594  
Archerfield QLD 4108  
AUSTRALIA

Phone (+61 7) 3274 9000  
Fax (+61 7) 3000 6628  
Email: FSS@health.qld.gov.au

13FP71

Page: 1 of 4

**CERTIFICATE OF ANALYSIS**

Client Reference : QP130135095  
 Laboratory Number/s : 13FP71

Table continued from previous page:

QPS Packaging Identifiers	Item	Description	Quantity of Substance	Compound(s) identified
Barcodes				
550237535	SH3	One amber glass ampoule of approximately 1 millilitre in volume and bearing manufacturer's labelling "...DBL™ MORPHINE SULFATE Injection BP 10mg in 1mL...", which contained 0.097 grams of a clear colourless mobile liquid .	0.097g	No dangerous drugs detected.
	SH4	One amber glass ampoule of approximately 1 millilitre in volume and bearing manufacturer's labelling "...DBL™ MORPHINE SULFATE Injection BP 10mg in 1mL...", which contained 0.097 grams of a clear colourless mobile liquid .	0.980g	Morphine detected.
	M1	One amber glass ampoule of approximately 1 millilitre in volume and bearing manufacturer's labelling "...DBL™ MORPHINE SULFATE Injection BP 10mg in 1mL...", which contained 0.994 grams of a clear colourless mobile liquid .	0.994g	Morphine detected.
	M2	One amber glass ampoule of approximately 1 millilitre in volume and bearing manufacturer's labelling "...DBL™ MORPHINE SULFATE Injection BP 10mg in 1mL...", which contained 0.978 grams of a clear colourless mobile liquid .	0.978g	Morphine detected.

NATA Accredited Laboratory 41

Tony Peter.....



Date...19.09.13..

The results relate solely to the item(s) and/or sample(s) as received.

39 Kessels Road  
 Coopers Plains QLD 4108  
 AUSTRALIA

PO Box 594  
 Archerfield QLD 4108  
 AUSTRALIA

Phone (+61 7) 3274 8000  
 Fax (+61 7) 3000 9628  
 Email FSS@health.qld.gov.au

13FP71

Page: 2 of 4



**CERTIFICATE OF ANALYSIS**

Client Reference : QP130135095  
 Laboratory Number/s : 13FP71

*Table continued from previous page:*

QPS Packaging Identifiers	Item	Description	Quantity of Substance	Compound(s) identified
Barcodes				
550237535	M3	One amber glass ampoule of approximately 1 millilitre in volume and bearing manufacturer's labelling "...DBL™ MORPHINE SULFATE Injection BP 10mg in 1mL...", which contained 0.989 grams of a clear colourless mobile liquid .	0.989g	Morphine detected.
	M4	One amber glass ampoule of approximately 1 millilitre in volume and bearing manufacturer's labelling "...DBL™ MORPHINE SULFATE Injection BP 10mg in 1mL...", which contained 0.862 grams of a clear colourless mobile liquid .	0.862g	Morphine detected.
	M5	One amber glass ampoule of approximately 1 millilitre in volume and bearing manufacturer's labelling "...DBL™ MORPHINE SULFATE Injection BP 10mg in 1mL...", which contained 0.992 grams of a clear colourless mobile liquid .	0.992g	Morphine detected.

RTI RELEASE

NATA Accredited Laboratory 41

Tony Peter 

Date 19.09.13

The results relate solely to the item(s) and/or sample(s) as received.

39 Kessels Road  
 Coopers Plains QLD 4108  
 AUSTRALIA

PO Box 594  
 Archerfield QLD 4108  
 AUSTRALIA

Phone (+61 7) 3274 9000  
 Fax (+61 7) 3000 9628  
 Email FSS@health.qld.gov.au

13FP71


Page: 3 of 4

CERTIFICATE OF ANALYSIS

Client Reference : QP130135095  
Laboratory Number/s : 13FP71

Purity results:

Item	Weight of Substance (grams)	Weight of Morphine in sample (grams)
SH4	0.980	<0.001
M1	0.994	<0.001
M2	0.978	<0.001
M3	0.989	<0.001
M4	0.862	<0.001
M5	0.992	<0.001



.....  
Tony Paul PETER, Analyst  
Forensic Chemistry Laboratory  
19 September 2013

RTI Release

NATA Accredited Laboratory 41

The results relate solely to the item(s) and/or sample(s) as received.

39 Kessels Road  
Coopers Plains QLD 4108  
AUSTRALIA

PO Box 594  
Archerfield QLD 4108  
AUSTRALIA

Phone (+61 7) 3274 9000  
Fax (+61 7) 3000 9628  
Email FSS@health.qld.gov.au

13FP71

Page: 4 of 4

**FORENSIC CHEMISTRY RETURN RECEIPT**

Our Reference: 13FP71

TO: Officer In Charge  
Hendra Police Station  
485 Nudgee Road  
HENDRA QLD 4011



Laboratory Reference : 13FP71  
Case Number : QP1301035095  
Person Involved : Gavin TREMBATH; UNKNOWN


**Certificate Information**

Certificate Collected By : DSC M BAUER  
Station/Location : Hendra Police Station  
Date Collected : 14:44 14-Oct-2013

**Exhibit Information**

Exhibit Collected By : DSC M BAUER  
Station/Location : Hendra Police Station  
Date Collected : 14:44 14-Oct-2013

SIGNED: .....

  
Saxon Campbell  
Property Officer  
14:45 14 October 2013

RTI Releases

**NATA Accredited Laboratory 41**

The results relate solely to the item(s) and/or sample(s) as received.

39 Kessels Road  
Coopers Plains QLD 4108  
AUSTRALIA

PO Box 594  
Aroerfield QLD 4108  
AUSTRALIA

Phone (+81 7) 3274 9000  
Fax (+81 7) 3000 9828  
Email FSS@health.qld.gov.au

59495-9154 Printed: 14:45 14-Oct-13