

QUEENSLAND PERINATAL DATA COLLECTION
NUMBER OF MOTHERS BY SELECTED VARIABLES BY YEAR ^(a)

Selected variable	Year of birth																
	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
Indigenous status of mother ^(b)																	
Aboriginal	2,052	1,914	2,118	2,147	2,059	1,898	1,984	2,030	1,995	2,260	2,098	2,255	2,444	2,403	2,567	2,714	2,946
Torres Strait Islander	556	552	521	508	513	541	494	553	501	522	554	586	581	580	573	551	536
Both Aboriginal & Torres Strait Islander	-	20	92	194	229	254	243	277	271	287	285	329	348	349	365	385	359
Neither Aboriginal nor Torres Strait Islander	44,648	44,790	44,713	45,192	45,714	46,207	45,593	46,644	47,280	51,265	52,768	56,018	56,917	57,667	57,518	57,462	58,817
Not stated	46	2	6	1	9	8	10	8	4	3	14	40	37	24	5	13	5
Age of mother (years)																	
Less than 20	3,205	3,235	3,085	3,159	3,183	3,158	3,067	3,046	3,003	3,069	3,076	3,260	3,456	3,340	3,344	3,120	3,165
20-34	38,138	37,705	37,849	38,117	38,147	38,303	37,795	38,342	38,528	41,566	42,289	44,564	44,933	45,523	45,540	45,830	47,440
35 or more	5,959	6,338	6,516	6,765	7,194	7,447	7,462	8,124	8,520	9,702	10,354	11,404	11,938	12,160	12,144	12,175	12,058
Not stated	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Marital status																	
Single	5,846	5,915	5,786	5,640	5,595	5,720	5,551	5,520	5,417	5,985	5,868	6,681	6,951	6,967	7,180	7,335	7,374
Married/defacto	40,887	40,829	41,059	41,693	42,245	42,475	42,064	43,277	43,956	47,601	49,042	51,735	52,535	53,192	52,985	52,838	54,346
Other	535	534	603	709	673	698	699	709	671	750	793	799	821	838	858	937	926
Not stated	34	-	2	-	11	15	10	6	7	1	16	13	20	26	5	15	17
Number of previous pregnancies^(c)																	
None	18,612	18,718	18,509	19,070	19,448	19,759	19,205	20,033	20,356	21,708	22,208	23,731	24,149	24,649	24,878	25,131	25,681
One to four	27,814	27,702	28,015	28,049	28,103	28,214	28,165	28,438	28,717	31,372	32,264	34,088	34,706	34,899	34,739	34,617	35,578
Five or more	869	858	924	923	972	935	953	1,041	977	1,255	1,247	1,409	1,472	1,475	1,411	1,372	1,403
Not stated	7	-	2	-	1	-	1	-	1	2	-	-	-	-	-	-	1
Plurality of pregnancy																	
Singleton	46,645	46,554	46,763	47,361	47,762	48,156	47,484	48,674	49,210	53,418	54,754	58,231	59,269	60,015	60,042	60,098	61,624
Twin	633	690	662	658	733	723	810	821	826	896	941	978	1,042	988	967	1,001	1,021
Other multiple	24	34	25	23	29	29	30	17	15	23	24	19	16	20	19	26	18
Onset of labour																	
Spontaneous - not augmented ^(d)	17,361	17,126	17,177	17,179	16,514	15,700	15,446	15,948	16,164	18,097	18,577	19,840	20,505	21,409	22,228	22,040	22,711
Spontaneous - augmented	14,124	13,237	12,668	12,431	12,828	12,658	11,869	11,920	12,439	12,731	12,653	13,744	13,935	13,431	12,613	12,307	12,215
Induced	10,224	11,038	11,485	12,003	12,200	12,752	12,261	12,422	11,699	12,687	13,048	13,553	13,615	13,661	13,579	14,180	14,620
No labour	5,592	5,877	6,117	6,429	6,980	7,798	8,747	9,220	9,749	10,822	11,439	12,091	12,270	12,519	12,595	12,596	13,091
Not stated	1	-	3	-	2	-	1	2	-	-	2	-	2	3	13	2	26
Number of mothers	47,302	47,278	47,450	48,042	48,524	48,908	48,324	49,512	50,051	54,337	55,719	59,228	60,327	61,023	61,028	61,125	62,663

(a) Changes to the MR63d form may have influenced reporting. Form changes occurred in 1990, 1991, July 1994, July 1997, July 1998 and July 1999.

(b) This item was modified in 1998 to allow capture of data for mother's Indigenous status.

(c) Includes pregnancies with an outcome after 20 weeks and/or 400grams

(d) Changes to the form may have significantly affected this data item.

QUEENSLAND PERINATAL DATA COLLECTION
NUMBER OF MOTHERS BY SELECTED VARIABLES BY YEAR ^(a)

Selected variable	Year of birth																
	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Indigenous status of mother ^(b)																	
Aboriginal	4.3	4.1	4.5	4.5	4.2	3.9	4.1	4.1	4.0	4.2	3.8	3.8	4.1	3.9	4.2	4.4	4.7
Torres Strait Islander	1.2	1.2	1.1	1.1	1.1	1.1	1.0	1.1	1.0	1.0	1.0	1.0	1.0	1.0	0.9	0.9	0.9
Both Aboriginal & Torres Strait Islander	-	0.0	0.2	0.4	0.5	0.5	0.5	0.6	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.6	0.6
Neither Aboriginal nor Torres Strait Islander	94.4	94.7	94.2	94.1	94.2	94.5	94.4	94.2	94.5	94.4	94.7	94.6	94.4	94.5	94.3	94.0	93.9
Not stated	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
Age of mother (years)																	
Less than 20	6.8	6.8	6.5	6.6	6.6	6.5	6.4	6.2	6.0	5.7	5.5	5.5	5.7	5.5	5.5	5.1	5.1
20-34	80.6	79.8	79.8	79.3	78.6	78.3	78.2	77.4	77.0	76.5	75.9	75.2	74.5	74.6	74.6	75.0	75.7
35 or more	12.6	13.4	13.7	14.1	14.8	15.2	15.4	16.4	17.0	17.9	18.6	19.3	19.8	19.9	19.9	19.9	19.2
Not stated	-	-	-	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-
Marital status																	
Single	12.4	12.5	12.2	11.7	11.5	11.7	11.5	11.2	10.8	11.0	10.5	11.3	11.5	11.4	11.8	12.0	11.8
Married/defacto	86.4	86.4	86.5	86.8	87.1	86.9	87.1	87.4	87.8	87.6	88.0	87.4	87.1	87.2	86.8	86.4	86.7
Other	1.1	1.1	1.3	1.5	1.4	1.4	1.5	1.4	1.3	1.4	1.4	1.4	1.4	1.4	1.4	1.5	1.5
Not stated	0.1	-	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Number of previous births																	
None	39.4	39.6	39.0	39.7	40.1	40.4	39.7	40.5	40.7	40.0	39.9	40.1	40.0	40.4	40.8	41.1	41.0
One to four	58.8	58.6	59.0	58.4	57.9	57.7	58.3	57.4	57.4	57.7	57.9	57.6	57.5	57.2	56.9	56.6	56.8
Five or more	1.8	1.8	2.0	1.9	2.0	1.9	2.0	2.1	2.0	2.3	2.2	2.4	2.4	2.4	2.3	2.2	2.2
Not stated	0.0	-	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plurality of pregnancy																	
Singleton	98.6	98.5	98.6	98.6	98.4	98.5	98.3	98.3	98.3	98.3	98.3	98.3	98.3	98.4	98.4	98.3	98.3
Twin	1.3	1.5	1.4	1.4	1.5	1.5	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.6	1.6	1.6	1.6
Other multiple	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Onset of Labour																	
Spontaneous - not augmented ^(c)	36.7	36.2	36.2	35.8	34.0	32.1	32.0	32.2	32.3	33.3	33.3	33.5	34.0	35.1	36.4	36.1	36.2
Spontaneous - augmented	29.9	28.0	26.7	25.9	26.4	25.9	24.6	24.1	24.9	23.4	22.7	23.2	23.1	22.0	20.7	20.1	19.5
Induced	21.6	23.4	24.2	25.0	25.1	26.1	25.4	25.1	23.4	23.4	23.4	22.9	22.6	22.4	22.3	23.2	23.3
No labour	11.8	12.4	12.9	13.4	14.4	15.9	18.1	18.6	19.5	19.9	20.5	20.4	20.3	20.5	20.6	20.6	20.9
Not stated	0.0	-	0.0	-	-	-	-	-	-	-	-	-	-	-	0.0	-	0.0
Number of mothers	47,302	47,278	47,450	48,042	48,524	48,908	48,324	49,512	50,051	54,337	55,719	59,228	60,327	61,023	61,028	61,125	62,663

(a) Changes to the MR63d form may have influenced reporting. Form changes occurred in 1990, 1991, July 1994, July 1997, July 1998 and July 1999.

(b) This item was modified in 1998 to allow capture of data for mother's Indigenous status.

(c) Changes to the form may have significantly affected this data item.

**QUEENSLAND PERINATAL DATA COLLECTION
NUMBER OF BABIES BY SELECTED VARIABLES BY YEAR ^(a)**

Selected Variable	Year of birth																
	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
Method of birth																	
Vaginal non-instrumental ^(b)	33,140	32,684	32,648	32,881	32,163	31,706	30,445	30,623	30,570	32,754	32,980	34,852	34,961	35,331	35,279	35,158	35,844
Forceps	2,747	2,357	2,180	1,999	1,819	1,529	1,262	1,004	949	947	1,096	1,174	1,184	1,142	1,170	1,158	1,392
Vacuum	1,902	2,099	2,098	2,183	2,354	2,515	2,577	2,942	3,055	3,391	3,353	3,849	4,320	4,494	4,762	4,775	4,931
Caesarean section	10,122	10,821	11,188	11,650	12,940	13,879	14,852	15,761	16,309	18,148	19,266	20,368	20,935	21,084	20,822	21,088	21,556
Other	74	77	47	34	40	61	60	36	25	41	11	-	-	-	-	-	-
Not stated	2	-	2	-	2	-	-	1	2	-	2	1	1	-	-	1	-
Birthweight (grams)																	
Less than 1,500	773	783	732	790	806	798	752	774	809	828	955	926	937	959	973	977	1,000
1,500-2,499	2,439	2,527	2,560	2,496	2,679	2,571	2,811	2,683	2,835	3,085	3,202	3,183	3,209	3,430	3,324	3,326	3,518
2,500-3,999	39,052	38,824	38,839	39,321	39,368	39,852	39,437	40,428	40,913	44,596	45,559	48,556	49,418	49,750	49,967	50,208	51,358
4,000 or more	5,720	5,900	6,026	6,135	6,460	6,464	6,190	6,473	6,340	6,767	6,980	7,561	7,831	7,901	7,759	7,663	7,830
Not stated	3	4	6	5	5	5	6	9	13	5	12	18	6	11	10	7	17
Gestation (weeks)																	
Less than 28	427	412	410	432	440	442	406	384	453	459	531	490	517	537	552	557	551
28-36	3,354	3,461	3,388	3,449	3,725	3,632	3,803	3,890	4,028	4,369	4,595	4,763	4,775	4,909	4,825	4,898	5,369
37-41	43,094	43,107	43,358	44,025	44,209	44,897	44,365	45,599	46,005	50,070	51,234	54,566	55,685	56,177	56,294	56,371	57,463
42 or more	1,110	1,058	1,003	840	933	718	620	491	417	379	342	414	419	422	356	349	338
Not stated	2	-	4	1	11	1	2	3	7	4	6	11	5	6	6	6	2
Facility Type																	
Public	35,123	34,838	35,350	36,250	36,388	34,503	33,312	34,119	34,430	37,658	38,742	41,530	42,201	42,795	42,787	43,360	44,855
Private	12,595	12,984	12,637	12,332	12,723	14,922	15,656	15,946	16,138	17,284	17,615	18,294	18,731	18,767	18,742	18,320	18,332
Home Births	240	213	171	164	126	103	61	67	58	42	47	81	110	123	85	69	84
Born Before Arrival (BBA) ^(c)	-	-	-	-	79	162	166	234	283	297	302	339	358	366	419	432	451
Not stated	29	3	5	1	2	-	1	1	1	-	2	-	1	-	-	-	1
Perinatal deaths																	
Stillbirths	362	353	341	347	358	363	329	307	347	375	391	417	384	447	413	401	460
Neonatal deaths	200	200	208	171	184	199	177	176	198	185	223	202	206	233	233	210	196
Perinatal deaths	562	553	549	518	542	562	506	483	545	560	614	619	590	680	646	611	656
Number of babies	47,987	48,038	48,163	48,747	49,318	49,690	49,196	50,367	50,910	55,281	56,708	60,244	61,401	62,051	62,033	62,181	63,727

(a) Changes to the MR63d form may have influenced reporting. Form changes occurred in 1990, 1991, July 1994, July 1997, July 1998, July 1999 and July 2006.

(b) Includes all spontaneous cephalic deliveries for the years 1988 - 1989. Includes breech deliveries.

(c) Not collected prior to 1 July 2000.

QUEENSLAND PERINATAL DATA COLLECTION

NUMBER OF BABIES BY SELECTED VARIABLES BY YEAR ^(a)

Selected Variable	Year of birth																
	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Method of birth																	
Vaginal non-instrumental ^(b)	69.1	68.0	67.8	67.5	65.2	63.8	61.9	60.8	60.1	59.3	58.2	57.9	56.9	56.9	56.9	56.5	56.3
Forceps	5.7	4.9	4.5	4.1	3.7	3.1	2.6	2.0	1.9	1.7	1.9	2.0	1.9	1.8	1.9	1.9	2.2
Vacuum	4.0	4.4	4.4	4.5	4.8	5.1	5.2	5.8	6.0	6.1	5.9	6.4	7.0	7.2	7.7	7.7	7.7
Caesarean section	21.1	22.5	23.2	23.9	26.2	27.9	30.2	31.3	32.0	32.8	34.0	33.8	34.1	34.0	33.6	33.9	33.8
Other	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	-	-	-	-	-	-
Not stated	0.0	-	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birthweight (grams)																	
Less than 1,500	1.6	1.6	1.5	1.6	1.6	1.6	1.5	1.5	1.6	1.5	1.7	1.5	1.5	1.6	1.6	1.6	1.6
1,500-2,499	5.1	5.3	5.3	5.1	5.4	5.2	5.7	5.3	5.6	5.6	5.7	5.3	5.2	5.5	5.4	5.4	5.5
2,500-3,999	81.4	80.8	80.6	80.7	79.8	80.2	80.2	80.3	80.4	80.7	80.3	80.6	80.5	80.2	80.6	80.8	80.6
4,000 or more	11.9	12.3	12.5	12.6	13.1	13.0	12.6	12.9	12.5	12.2	12.3	12.6	12.8	12.7	12.5	12.3	12.3
Not stated	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gestation (weeks)																	
Less than 28	0.9	0.9	0.9	0.9	0.9	0.9	0.8	0.8	0.9	0.8	0.9	0.8	0.8	0.9	0.9	0.9	0.9
28-36	7.0	7.2	7.0	7.1	7.6	7.3	7.7	7.7	7.9	7.9	8.1	7.9	7.8	7.9	7.8	7.9	8.4
37-41	89.8	89.7	90.0	90.3	89.6	90.4	90.2	90.5	90.4	90.6	90.4	90.6	90.7	90.5	90.8	90.7	90.2
42 or more	2.3	2.2	2.1	1.7	1.9	1.4	1.3	1.0	0.8	0.7	0.6	0.7	0.7	0.7	0.6	0.6	0.5
Not stated	0.0	-	0.0	-	0.0	-	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
Facility Type																	
Public	73.2	72.5	73.4	74.4	73.8	69.4	67.7	67.7	67.6	68.1	68.3	68.9	68.7	69.0	69.0	69.7	70.4
Private	26.3	27.0	26.2	25.3	25.8	30.0	31.8	31.7	31.7	31.3	31.1	30.4	30.5	30.2	30.2	29.5	28.8
Home Births	0.5	0.4	0.4	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1
Born Before Arrival (BBA) ^(c)	-	-	-	-	0.2	0.3	0.3	0.5	0.6	0.5	0.5	0.6	0.6	0.6	0.7	0.7	0.7
Not stated	0.1	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	-	0.0	-	0.0	-	-	-	-
Perinatal deaths																	
Stillbirths ^(d)	7.5	7.4	7.1	7.1	7.3	7.3	6.7	6.1	6.8	6.8	6.9	6.9	6.3	7.2	6.7	6.4	7.2
Neonatal deaths ^(e)	4.2	4.2	4.4	3.5	3.8	4.0	3.6	3.5	3.9	3.4	4.0	3.4	3.4	3.8	3.8	3.4	3.1
Perinatal deaths ^(d)	11.7	11.5	11.4	10.6	11.0	11.3	10.3	9.6	10.7	10.1	10.8	10.3	9.6	11.0	10.4	9.8	10.3
Number of babies	47,987	48,038	48,163	48,747	49,318	49,690	49,196	50,367	50,910	55,281	56,708	60,244	61,401	62,051	62,032	62,181	63,723

(a) Changes to the MR63d form may have influenced reporting. Form changes occurred in 1990, 1991, July 1994, July 1997, July 1998, July 1999 and July 2006.

(b) Includes all spontaneous cephalic deliveries for the years 1988 - 1989. Includes breech deliveries.

(c) Not collected prior to 1 July 2000.

(d) Per 1,000 births.

(e) Per 1,000 livebirths.

PUBLIC AND PRIVATE FACILITIES, QUEENSLAND, 2012
ACHS INDICATORS BY SIZE OF BIRTH FACILITY

Indicator name	Indicator subgroup	Clinical indicators by size of facility (births per year)																	
		More than 2000			1000 - 1999			500 - 999			Less than 500				Total				
		Public	Private	Total	Public	Private	Total	Public	Private	Total	Public	Private	Homebirth	Total	Public	Private	Homebirth	Total	
1. Outcome of selected primipara	Cl. 1.1 Total number of selected primipara(1) who have a spontaneous vaginal birth	No.	4,800	484	5,284	1,127	748	1,875	152	541	693	536	94	11	641	6,615	1,867	11	8,493
		Denom	8,621	1,305	9,926	2,016	2,479	4,495	262	1,344	1,606	871	269	11	1,151	11,770	5,397	11	17,178
		%	55.7	37.1	53.2	55.9	30.2	41.7	58.0	40.3	43.2	61.5	34.9	100.0	55.7	56.2	34.6	100.0	49.4
		% all mothers	7.7	0.8	8.4	1.8	1.2	3.0	0.2	0.9	1.1	0.9	0.2	0.0	1.0	10.6	3.0	0.0	13.6
	Cl. 1.2 Total number of selected primipara(1) who undergo induction of labour(2)	No.	2,512	455	2,967	611	768	1,379	76	468	544	190	81	-	271	3,389	1,772	-	5,161
		Denom	8,621	1,305	9,926	2,016	2,479	4,495	262	1,344	1,606	871	269	11	1,151	11,770	5,397	11	17,178
		%	29.1	34.9	29.9	30.3	31.0	30.7	29.0	34.8	33.9	21.8	30.1	-	23.5	28.8	32.8	-	30.0
		% all mothers	4.0	0.7	4.7	1.0	1.2	2.2	0.1	0.8	0.9	0.3	0.1	-	0.4	5.4	2.8	-	8.2
	Cl. 1.3 Total number of selected primipara(1) who undergo an instrumental vaginal birth(3)	No.	1,778	347	2,125	412	615	1,027	42	346	388	146	50	-	196	2,378	1,358	-	3,736
		Denom	8,621	1,305	9,926	2,016	2,479	4,495	262	1,344	1,606	871	269	11	1,151	11,770	5,397	11	17,178
		%	20.6	26.6	21.4	20.4	24.8	22.9	16.0	25.7	24.2	16.8	18.6	-	17.0	20.2	25.2	-	21.8
		% all mothers	2.8	0.6	3.4	0.7	1.0	1.6	0.1	0.6	0.6	0.2	0.1	-	0.3	3.8	2.2	-	6.0
	Cl. 1.4 Total number of selected primipara(1) undergoing caesarean section	No.	2,043	474	2,517	477	1,116	1,593	68	457	525	189	125	-	314	2,777	2,172	-	4,949
		Denom	8,621	1,305	9,926	2,016	2,479	4,495	262	1,344	1,606	871	269	11	1,151	11,770	5,397	11	17,178
		%	23.7	36.3	25.4	23.7	45.0	35.4	26.0	34.0	32.7	21.7	46.5	-	27.3	23.6	40.2	-	28.8
		% all mothers	3.3	0.8	4.0	0.8	1.8	2.5	0.1	0.7	0.8	0.3	0.2	-	0.5	4.4	3.5	-	7.9
2. Vaginal delivery following caesarean	Cl. 2.1 Total number of women delivering vaginally following a previous primary caesarean section (VBAC)(4)	No.	600	64	664	146	97	243	22	68	90	27	13	3	43	795	242	3	1,044
		Denom	3,009	796	3,805	813	1,524	2,337	112	753	865	287	151	3	441	4,221	3,224	3	7,452
		%	19.9	8.0	17.5	18.0	6.4	10.4	19.6	9.0	10.4	9.4	8.6	100.0	9.8	18.8	7.5	100.0	314.0
		% all mothers	1.0	0.1	1.1	0.2	0.2	0.4	0.0	0.1	0.1	0.0	0.0	-	0.1	1.3	0.4	-	1.7
3. Major perineal tears & surgical repair of the perineum	Cl. 3.1 Total number of selected primipara(1) with an intact perineum(5)	No.	637	94	731	249	112	361	29	134	163	136	15	2	153	1,051	355	2	1,408
		Denom	6,578	831	7,409	1,539	1,363	2,902	194	887	1,081	682	144	11	837	8,993	3,225	11	12,229
		%	9.7	11.3	9.9	16.2	8.2	12.4	15.0	15.1	15.1	19.9	10.4	18.2	18.3	11.7	11.0	18.2	11.5
		% all mothers	1.0	0.2	1.2	0.4	0.2	0.6	0.1	0.2	0.3	0.2	0.0	-	0.2	1.7	0.6	-	2.3
	Cl. 3.2 Total number of selected primipara(1) undergoing episiotomy(6) and no perineal tear(7) while giving birth vaginally	No.	1,490	268	1,758	418	615	1,033	45	233	278	101	31	-	132	2,054	1,147	-	3,201
		Denom	6,578	831	7,409	1,539	1,363	2,902	194	887	1,081	682	144	11	837	8,993	3,225	11	12,229
		%	22.7	32.3	23.7	27.2	45.1	35.6	23.2	26.3	25.7	14.8	21.5	-	15.8	22.8	35.6	-	26.2
		% all mothers	2.4	0.4	2.8	0.7	1.0	1.7	0.1	0.4	0.4	0.2	0.1	-	0.2	3.3	1.8	-	5.1
	Cl. 3.3 Total number of selected primipara(1) sustaining a perineal tear(7) and no episiotomy(6)	No.	3,769	425	4,194	754	547	1,301	114	442	556	395	93	7	495	5,032	1,507	7	6,546
		Denom	6,578	831	7,409	1,539	1,363	2,902	194	887	1,081	682	144	11	837	8,993	3,225	11	12,229
		%	57.3	51.1	56.6	49.0	40.1	44.8	58.8	49.8	51.4	57.9	64.6	63.6	59.1	56.0	46.7	63.6	53.5
		% all mothers	6.0	0.7	6.7	1.2	0.9	2.1	0.2	0.7	0.9	0.6	0.2	0.0	0.8	8.0	2.4	0.0	10.5
	Cl. 3.4 Total number of selected primipara(1) undergoing episiotomy(6) and sustaining a perineal tear(7) while giving birth vaginally	No.	128	-	128	34	36	70	1	17	18	11	-	-	11	174	53	-	227
		Denom	6,578	831	7,409	1,539	1,363	2,902	194	887	1,081	682	144	11	837	8,993	3,225	11	12,229
		%	2.0	-	1.7	2.2	2.6	2.4	0.5	1.9	1.7	1.6	-	-	1.3	1.9	1.6	-	1.9
		% all mothers	0.2	-	0.2	0.1	0.1	0.1	-	0.0	0.0	0.0	-	-	0.0	0.3	0.1	-	0.4
Cl. 3.5 Total number of selected primipara(1) requiring surgical repair(8) of the perineum(5) for third degree tear (7)	No.	417	14	431	69	35	104	3	23	26	30	2	-	32	519	74	-	593	
	Denom	6,578	831	7,409	1,539	1,363	2,902	194	887	1,081	682	144	11	837	8,993	3,225	11	12,229	
	%	6.3	1.7	5.8	4.5	2.6	3.6	1.6	2.6	2.4	4.4	1.4	-	3.8	5.8	2.3	-	4.9	
	% all mothers	0.7	0.0	0.7	0.1	0.1	0.2	-	0.0	0.0	0.1	-	-	0.1	0.8	0.1	-	1.0	
Cl. 3.6 Total number of selected primipara(1) requiring surgical repair(8) of the perineum(5) for fourth degree tear (7)	No.	33	2	35	4	4	8	2	3	5	4	1	-	5	43	10	-	53	
	Denom	6,578	831	7,409	1,539	1,363	2,902	194	887	1,081	682	144	11	837	8,993	3,225	11	12,229	
	%	0.5	0.2	0.5	0.3	0.3	0.3	1.0	0.3	0.5	0.6	0.7	-	0.6	0.5	0.3	-	0.4	
	% all mothers	0.1	-	0.1	0.0	0.0	0.0	-	-	0.0	0.0	-	-	0.0	0.1	0.0	-	0.1	
4. General anaesthesia for caesarean section	Cl. 4.1 Total number of women having a general anaesthetic(9) for a caesarean section	No.	851	54	905	216	100	316	16	98	114	39	9	-	48	1,122	261	-	1,383
		Denom	8,730	2,115	10,845	2,315	4,153	6,468	299	1,916	2,215	851	403	-	1,255	12,195	8,587	-	20,783
		%	9.8	2.6	8.3	9.3	2.4	4.9	5.4	5.1	5.2	4.6	2.2	-	3.8	9.2	3.0	-	6.7
		% all mothers	1.4	0.1	1.4	0.3	0.2	0.5	0.0	0.2	0.2	0.1	0.0	-	0.1	1.8	0.4	-	2.2
7. Postpartum haemorrhage/blood transfusion	Cl. 7.1 Total number of women who give birth vaginally who require a blood transfusion(10) during the same admission	No.	76	2	78	28	6	34	12	9	21	7	-	7	123	17	-	140	
		Denom	22,536	2,356	24,892	6,137	4,034	10,171	771	2,504	3,275	2,984	470	84	3,539	32,428	9,364	84	41,889
		%	0.3	0.1	0.3	0.5	0.2	0.3	1.6	0.4	0.6	0.2	-	-	0.2	0.4	0.2	-	0.3
		% all mothers	0.1	-	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-	-	0.0	0.2	0.0	-	0.2

PUBLIC AND PRIVATE FACILITIES, QUEENSLAND, 2012
ACHS INDICATORS BY SIZE OF BIRTH FACILITY

		Clinical indicators by size of facility (births per year)																
Indicator name	Indicator subgroup	More than 2000			1000 - 1999			500 - 999			Less than 500				Total			
		Public	Private	Total	Public	Private	Total	Public	Private	Total	Public	Private	Homebirth	Total	Public	Private	Homebirth	Total
	Cl. 7.2 Total number of women who undergo caesarean section who require a blood transfusion(10) during the same admission																	
	No.	53	4	57	12	6	18	2	11	13	4	-	-	4	71	21	-	92
	Denom	8,730	2,115	10,845	2,315	4,153	6,468	299	1,916	2,215	851	403	-	1,255	12,195	8,587	-	20,783
	%	0.6	0.2	0.5	0.5	0.1	0.3	0.7	0.6	0.6	0.5	-	-	0.3	0.6	0.2	-	0.4
	% all mothers	0.1	0.0	0.1	0.0	0.0	0.0	-	0.0	0.0	0.0	-	-	0.0	0.1	0.0	-	0.2
8. Intrauterine growth restriction (IUGR)(11)	Cl. 8.1 Total number of deliveries with birth weight less than 2750g at 40 weeks gestation or beyond																	
	No.	183	12	195	69	34	103	4	15	19	32	3	2	37	288	64	2	354
	Denom	12,805	1,191	13,996	3,402	2,096	5,498	398	1,493	1,891	1,754	248	50	2,052	18,359	5,028	50	23,445
	%	1.4	1.0	1.4	2.0	1.6	1.9	1.0	1.0	1.0	1.8	1.2	4.0	1.8	1.6	1.3	4.0	1.5
	% all mothers	0.3	0.0	0.3	0.1	0.1	0.2	0.0	0.0	0.0	0.1	-	-	0.1	0.5	0.1	-	0.6
9. Apgar score	Cl. 9.1 Total number of term babies born with an Apgar score(12) of less than 7 at five minutes post delivery																	
	No.	461	21	482	154	51	205	15	46	61	62	11	1	74	692	129	1	826
	Denom	28,415	4,005	32,420	7,771	7,569	15,340	996	4,089	5,085	3,667	842	84	4,593	40,849	16,505	84	57,450
	%	1.6	0.5	1.5	2.0	0.7	1.3	1.5	1.1	1.2	1.7	1.3	1	1.6	1.7	0.8	1	101.4
	% all mothers	0.7	0.0	0.8	0.3	0.1	0.3	0.0	0.1	0.1	0.1	0.0	-	0.1	1.1	0.2	-	1.3
10. Admission of term babies to SCN or NICN	Cl.10.1 Total number of inborn(14) term(13) babies transferred / admitted to a neonatal intensive care nursery(15) or special care nursery(16) for reasons other than congenital abnormality																	
	No.	4,039	115	4,154	1,436	728	2,164	104	297	401	-	18	-	18	5,579	1,158	-	6,737
	Denom	28,118	4,001	32,119	7,673	7,556	15,229	987	4,078	5,065	3,622	838	-	4,460	40,400	16,473	-	56,873
	%	14.4	2.9	12.9	18.7	9.6	14.2	10.5	7.3	7.9	-	2.2	-	0.4	13.8	7.0	-	11.9
	% all mothers	6.5	0.2	6.6	2.3	1.2	3.5	0.2	0.5	0.6	-	0.0	-	0.0	8.9	1.9	-	10.8

TABLE 3.01

ASSISTED CONCEPTION, QUEENSLAND, 2012
MOTHERS BY METHOD OF ASSISTANCE AND TYPE OF FACILITY

Assisted conception ^(a)	Type of facility									
	Public		Private		Homebirths		Born Before Arrival		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%
No Assisted Conception	43,371	98.1	15,823	88.3	82	97.6	447	99.1	59,723	95.3
Assisted Conception	826	1.9	2,102	11.7	1	1.2	4	0.9	2,933	4.7
<i>IVF</i>	449	54.4	1,320	62.8	-	-	1	25.0	1,770	60.4
<i>Ovulation Induction</i>	267	32.3	538	25.6	-	-	2	50.0	807	27.5
<i>AIH/AID</i>	81	9.8	192	9.1	-	-	1	25.0	274	9.3
<i>ICSI</i>	26	3.2	75	3.6	1	100.0	-	-	102	3.5
<i>Other</i>	19	2.3	43	2.1	-	-	-	-	62	2.1
<i>AIH/AID and ovulation induction</i>	7	0.9	13	0.6	-	-	-	-	20	0.7
<i>GIFT</i>	4	0.5	15	0.7	-	-	-	-	19	0.7
<i>Unknown / Not Stated</i>	1	0.1	-	-	-	-	-	-	1	0.0
Total ^(b)	44,202	100.0	17,925	100.0	84	100.0	451	100.0	62,663	100.0

(a) Reporting of multiple methods of assistance was permitted, so numbers cannot be cumulated.

(b) Includes mothers with not stated assisted conception.

TABLE 3.02

ASSISTED CONCEPTION, QUEENSLAND, 2012
MOTHERS BY METHOD OF ASSISTANCE

Assisted conception ^(a)	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
No Assisted Conception	45,656	45,869	46,317	46,863	47,307	47,466	46,861	47,976	48,326	52,527	53,612	57,080	57,948	58,524	58,305	58,381	59,723
Assisted Conception	1,246	1,234	1,116	1,178	1,212	1,441	1,462	1,535	1,722	1,804	2,102	2,145	2,373	2,490	2,722	2,737	2,933
IVF	219	231.0	313	366.0	421	599.0	724	831.0	911	1,003.0	1,266	1,288.0	1,459	1,518.0	1,718	1,695.0	1,770
Ovulation Induction	446	500.0	488	488.0	489	514.0	499	458.0	547	529.0	527	511.0	589	570.0	635	681.0	807
AIH/AID	122	140.0	132	161.0	149	163.0	146	190.0	197	212.0	211	228.0	239	288.0	240	259.0	274
ICSI	-	-	-	-	-	20.0	64	54.0	69	64.0	114	90.0	94	112.0	149	120.0	102
Other	33	35.0	52	59.0	59	82.0	50	51.0	56	47.0	37	68.0	47	55.0	66	58.0	62
AIH/AID and ovulation induction	-	-	-	4.0	1	3.0	1	-	-	1.0	1	4.0	-	2.0	14	5.0	20
GIFT	178	181.0	163	136.0	133	111.0	35	21.0	16	16.0	14	17.0	13	16.0	19	25.0	19
Unknown / Not Stated	279	177.0	14	3.0	7	1.0	1	1.0	2	2.0	1	2.0	-	8.0	3	1.0	1
Total ^(b)	47,302	47,278	47,450	48,042	48,524	48,908	48,324	49,512	50,051	54,337	55,719	59,228	60,327	61,023	61,028	61,120	62,663

(a) Reporting of multiple methods of assistance was permitted, so numbers cannot be cumulated.

(b) Includes mothers with not stated assisted conception.

**TABLE 3.03 MOTHERS BIRTHING IN QUEENSLAND, 2012
AGE OF MOTHER BY ASSISTED CONCEPTION**

Age of mother (years)	Assisted Conception					
	No.		Yes		Total ^(a)	
	No.	%	No.	%	No.	%
Under 15	20	0.0	-	-	20	0.0
15 - 19	3,143	5.3	1	0.0	3,145	5.0
20 - 24	10,331	17.3	67	2.3	10,399	16.6
25 - 29	17,712	29.7	549	18.7	18,263	29.1
30 - 34	17,706	29.7	1,070	36.5	18,778	30.0
35 - 39	8,903	14.9	912	31.1	9,815	15.7
40 - 44	1,843	3.1	288	9.8	2,132	3.4
45 and over	65	0.1	46	1.6	111	0.2
Total	59,723	100.0	2,933	100.0	62,663	100.0

(a) Includes mothers with not stated assisted conception.

TABLE 3.04

**ASSISTED CONCEPTION, QUEENSLAND, 2012
MOTHERS BY METHOD ASSISTANCE AND PLURALITY**

Assisted conception ^(a)	Plurality							
	Singleton		Twin		Other Multiple		Total	
	No.	%	No.	%	No.	%	No.	%
No Assisted Conception	58,970	95.7	746	73.1	7	38.9	59,723	95.3
Assisted Conception	2,647	4.3	275	26.9	11	61.1	2,933	4.7
<i>IVF</i>	1,579	59.7	187	68.0	4	36.4	1,770	60.4
<i>Ovulation Induction</i>	741	28.0	60	21.8	4	36.4	807	27.5
<i>AIH/AID</i>	250	9.4	22	8.0	2	18.2	274	9.3
<i>ICSI</i>	91	3.4	10	3.6	1	9	102	3.5
<i>Other</i>	58	2.2	4	1.5	-	-	62	2.1
<i>AIH/AID and ovulation induction</i>	17	0.6	3	1.1	-	-	20	0.7
<i>GIFT</i>	17	0.6	2	0.7	-	-	19	0.7
<i>Unknown / Not Stated</i>	1	0.0	-	-	-	-	1	0.0
Total ^(b)	61,624	100.0	1,021	100.0	18	100.0	62,663	100.0

(a) Reporting of multiple methods of assistance was permitted, so numbers cannot be cumulated.

(b) Includes mothers with not stated assisted conception.

**TABLE 3.05 MOTHERS WITH ASSISTED CONCEPTION, QUEENSLAND, 2012
BIRTHWEIGHT BY GESTATION**

Birthweight (grams)	Gestation (weeks)														Total	
	Less than 22		22-24		25-27		28-31		32-36		37-41		42 and over			
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 500	15	93.8	4	25.0	2	8.3	-	-	-	-	-	-	-	-	21	0.7
500 - 749	1	6.3	11	68.8	4	16.7	1	2.7	-	-	-	-	-	-	17	0.6
750 - 999	-	-	1	6.3	11	45.8	-	-	-	-	-	-	-	-	12	0.4
1,000 - 1,249	-	-	-	-	6	25.0	8	21.6	3	0.8	-	-	-	-	17	0.6
1,250 - 1,499	-	-	-	-	-	-	7	18.9	6	1.6	1	0.0	-	-	14	0.5
1,500 - 1,749	-	-	-	-	1	4.2	8	21.6	19	4.9	-	-	-	-	28	1.0
1,750 - 1,999	-	-	-	-	-	-	9	24.3	36	9.3	4	0.2	-	-	49	1.7
2,000 - 2,249	-	-	-	-	-	-	2	5.4	63	16.2	7	0.3	-	-	72	2.5
2,250 - 2,499	-	-	-	-	-	-	-	-	76	19.6	33	1.4	-	-	109	3.7
2,500 - 2,999	-	-	-	-	-	-	1	2.7	129	33.3	388	15.9	1	12.5	519	17.7
3,000 - 3,499	-	-	-	-	-	-	-	-	46	11.9	979	40.1	4	50.0	1,029	35.1
3,500 - 3,999	-	-	-	-	-	-	-	-	9	2.3	763	31.2	3	37.5	775	26.4
4,000 - 4,499	-	-	-	-	-	-	-	-	1	0.3	223	9.1	-	-	224	7.6
4,500 and over	-	-	-	-	-	-	-	-	-	-	46	1.9	-	-	46	1.6
Total (a)	16	100.0	16	100.0	24	100.0	37	100.0	388	100.0	2,444	100.0	8	100.0	2,933	100.0

(a) Includes mothers with not stated birthweight.

TABLE 3.06

MOTHERS BIRTHING IN QUEENSLAND BY ASSISTED CONCEPTION, 2012
HOSPITAL AND HEALTH SERVICE OF USUAL RESIDENCE OF MOTHER

Hospital and Health Service of Usual Residence of Mother	Assisted Conception					
	No		Yes		Total ^(a)	
	No.	%	No.	%	No.	%
Cairns and Hinterland	3,307	5.5	123	4.2	3,430	5.5
Cape York	230	0.4	6	0.2	236	0.4
Central Queensland	3,224	5.4	108	3.7	3,332	5.3
Central West	196	0.3	5	0.2	201	0.3
Darling Downs	3,650	6.1	108	3.7	3,759	6.0
Gold Coast	5,622	9.4	326	11.1	5,949	9.5
Mackay	2,680	4.5	70	2.4	2,750	4.4
Metro North	11,161	18.7	773	26.4	11,934	19.0
Metro South	14,537	24.3	863	29.4	15,400	24.6
North West	618	1.0	16	0.6	634	1.0
South West	413	0.7	16	0.6	429	0.7
Sunshine Coast	3,747	6.3	171	5.8	3,919	6.3
Torres Strait-Northern Peninsula	253	0.4	3	0.1	256	0.4
Townsville	3,299	5.5	116	4.0	3,416	5.5
West Moreton	3,976	6.7	144	4.9	4,121	6.6
Wide Bay	2,313	3.9	43	1.5	2,357	3.8
Interstate Overseas	495	0.8	42	1.4	538	0.9
Total^(b)	59,723	100.0	2,933	100.0	62,663	100.0

(a) Includes mothers with not stated assisted conception.

(b) Includes mothers with not stated Hospital and Health Service of usual residence.

TABLE 3.07

ASSISTED CONCEPTION, QUEENSLAND, 2012
ASSISTED CONCEPTION BY BIRTH STATUS

Assisted conception ^(a)	Outcome					
	Livebirth		Stillbirth		Total	
	No.	%	No.	%	No.	%
No Assisted Conception	60,079	95.0	404	87.8	60,483	94.9
Assisted Conception	3,179	5.0	54	11.7	3,233	5.1
<i>IVF</i>	1,930	60.7	35	65	1,965	60.8
<i>Ovulation Induction</i>	868	27.3	14	26	882	27.3
<i>AIH/AID</i>	296	9.3	4	7.4	300	9.3
<i>ICSI</i>	113	3.6	1	1.9	114	3.5
<i>Other</i>	65	2.0	1	2	66	2.0
<i>AIH/AID and ovulation induction</i>	23	0.7	-	-	23	0.7
<i>GIFT</i>	20	0.6	1	1.9	21	0.7
<i>Unknown / Not Stated</i>	1	0.03	-	-	1	0.0
Total ^(b)	63,263	100.0	460	100.0	63,723	100.0

(a) Reporting of multiple methods of assistance was permitted, so numbers cannot be cumulated.

(b) Includes mothers with not stated assisted conception.

**TABLE 4.01 MOTHERS BIRTHING IN QUEENSLAND, 2012
AGE OF MOTHER BY PLURALITY OF PREGNANCY**

Age of mother (years)	Plurality of pregnancy					
	Singleton		Multiple		Total	
	No.	%	No.	%	No.	%
Under 15	20	0.0	-	-	20	0.0
15 - 19	3,127	5.1	18	1.7	3,145	5.0
20 - 24	10,278	16.7	121	11.7	10,399	16.6
25 - 29	17,994	29.2	269	25.9	18,263	29.1
30 - 34	18,444	29.9	334	32.2	18,778	30.0
35 - 39	9,578	15.5	237	22.8	9,815	15.7
40 - 44	2,078	3.4	54	5.2	2,132	3.4
45 and over	105	0.2	6	0.6	111	0.2
Total	61,624	100.0	1,039	100.0	62,663	100.0

TABLE 4.02 MOTHERS BIRTHING IN QUEENSLAND, 2011 & 2012
HOSPITAL AND HEALTH SERVICE OF USUAL RESIDENCE OF MOTHER

Hospital and Health Service	Mothers			
	2011		2012	
	No.	%	No.	%
Cairns and Hinterland	3,425	5.6	3,430	5.5
Cape York	257	0.4	236	0.4
Central Queensland	3,230	5.3	3,332	5.3
Central West	167	0.3	201	0.3
Darling Downs	3,712	6.1	3,759	6.0
Gold Coast	5,843	9.6	5,949	9.5
Mackay	2,506	4.1	2,750	4.4
Metro North	11,687	19.1	11,934	19.1
Metro South	14,888	24.4	15,400	24.6
North West	606	1.0	634	1.0
South West	454	0.7	429	0.7
Sunshine Coast	3,886	6.4	3,919	6.3
Torres Strait-Northern Peninsula	274	0.5	256	0.4
Townsville	3,398	5.6	3,416	5.5
West Moreton	3,957	6.5	4,121	6.6
Wide Bay	2,253	3.7	2,357	3.8
Interstate/Overseas	581	1.0	538	0.9
Total^(a)	61,125	100.0	62,663	100.0

(a) Includes mothers with not stated Hospital and Health Service of usual residence.

**TABLE 4.03 MOTHERS BIRTHING IN QUEENSLAND, 2012
MARITAL STATUS OF MOTHER BY PLURALITY OF PREGNANCY**

Marital status of mother	Plurality of pregnancy					
	Singleton		Multiple		Total	
	No.	%	No.	%	No.	%
Married/defacto	53,434	86.7	912	87.8	54,346	86.7
Single	7,267	11.8	107	10.3	7,374	11.8
Separated	663	1.1	15	1.4	678	1.1
Divorced	209	0.3	3	0.3	212	0.3
Widowed	35	0.1	1	0.1	36	0.1
Total ^(a)	61,624	100.0	1,039	100.0	62,663	100.0

(a) Includes mothers with not stated marital status.

**TABLE 4.04 MOTHERS BIRTHING IN QUEENSLAND, 2012
INDIGENOUS STATUS OF MOTHER**

Indigenous status of mother	Mothers	
	No.	%
Aboriginal	2,946	4.7
Torres Strait Islander	536	0.9
Aboriginal and Torres Strait Islander	359	0.6
Neither Aboriginal nor Torres Strait Islander	58,817	93.9
Total ^(a)	62,663	100.0

(a) Includes mothers with not stated Indigenous status.

TABLE 4.05 MOTHERS BIRTHING IN QUEENSLAND, 2012
COUNTRY OF BIRTH OF MOTHER

Country of birth of mother	Mothers	
	No.	%
Australia	47,509	75.8
Fiji	216	0.3
New Zealand	3,639	5.8
Papua New Guinea	283	0.5
Other countries in Oceania	403	0.6
South Africa	504	0.8
Other countries in Africa	1,215	1.9
Canada	177	0.3
United States of America	255	0.4
Other countries in America	343	0.6
Hong Kong	117	0.2
India	1,074	1.7
Malaysia	202	0.3
Philippines	683	1.1
Vietnam	440	0.7
Other countries in Asia	2,775	4.4
United Kingdom	1,509	2.4
Republic of Ireland	193	0.3
Germany	185	0.3
Italy	41	0.1
Netherlands	86	0.1
Other countries in Europe	804	1.3
Not stated	9	0.0
Total ^(b)	62,663	100.0

(a) Includes Former Yugoslavia.

(b) Includes mothers with not stated country of birth.

TABLE 4.06 **MOTHERS BIRTHING IN QUEENSLAND, 2012**
BODY MASS INDEX (BMI) BY FACILITY TYPE

Body Mass Index (BMI)	Facility Type									
	Public Facility		Private Facility		Homebirths		Born Before Arrival		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%
18 and under	1,874	4.2	521	2.9	2	2.4	31	6.9	2,428	3.9
19-24	19,000	43.0	9,343	52.1	46	54.8	176	39.0	28,565	45.6
25-29	11,664	26.4	4,926	27.5	21	25.0	112	24.8	16,723	26.7
30-34	6,249	14.1	1,985	11.1	7	8.3	68	15.1	8,309	13.3
35-39	2,853	6.5	743	4.2	2	2.4	21	4.7	3,619	5.8
40+	1,835	4.2	340	1.9	-	-	12	2.7	2,187	3.5
Total	44,202	100.0	17,925	100.0	84	100.0	451	100.0	62,663	100.0

(a) Includes mothers with not stated BMI.

TABLE 5.01

MOTHERS BIRTHING IN QUEENSLAND, 2012
NUMBER OF ANTENATAL VISITS BY INDIGENOUS STATUS OF MOTHER

Number of antenatal visits	Indigenous status of mother					
	Indigenous		Non-Indigenous		Total ^(a)	
	No.	%	No.	%	No.	%
Less than 2	112	2.9	314	0.5	428	0.7
2 - 4	483	12.6	2,432	4.1	2,916	4.7
5 - 7	1,005	26.2	9,353	15.9	10,358	16.5
8 or more	2,237	58.2	46,682	79.4	48,919	78.1
Total^(b)	3,841	100.0	58,817	100.0	62,663	100.0

(a) Includes mothers with not stated Indigenous status.

(b) Includes mothers with not stated number of antenatal visits.

TABLE 5.02 MOTHERS BIRTHING IN QUEENSLAND, 2012
NUMBER OF PREVIOUS PREGNANCIES^(a) BY AGE OF MOTHER

Number of previous births	Age of mother (years)							
	Under 20		20 - 34		35 and over		Total	
	No.	%	No.	%	No.	%	No.	%
0	2,608	82.4	20,073	42.3	3,000	24.9	25,681	41.0
1	490	15.5	16,132	34.0	4,193	34.8	20,815	33.2
2	63	2.0	6,911	14.6	2,525	20.9	9,499	15.2
3	4	0.1	2,564	5.4	1,182	9.8	3,750	6.0
4	-	-	1,012	2.1	502	4.2	1,514	2.4
5 or more	-	-	748	1.6	656	5.4	1,404	2.2
Total	3,165	100.0	47,440	100.0	12,058	100.0	62,663	100.0

(a) Includes pregnancies with an outcome after 20 weeks and/or 400grams.

TABLE 5.03 **MOTHERS BIRTHING IN QUEENSLAND, 2012**
SELECTED MEDICAL CONDITIONS OF MOTHER

Condition ^(a)	Mothers	
	No.	%
Asthma	1,411	2.3
Depressive disorder	1,228	2.0
Disorder of thyroid	1,134	1.8
Streptococcal infection (including carrier of streptococcal an	738	1.2
Viral Hepatitis (including carrier status)	637	1.0
Anaemia	636	1.0
Pre-existing Hypertension	400	0.6
Pre-existing Diabetes mellitus	388	0.6
Substance abuse	378	0.6
Active Genital Herpes	299	0.5
Epilepsy	243	0.4
Urinary tract infection (unspecified)	164	0.3
Migraine	163	0.3
Heart Murmur	116	0.2
Influenza	42	0.1
All mothers	62,663	-

(a) Reporting of multiple conditions was permitted, so numbers cannot be cumulated.

TABLE 5.04 **MOTHERS BIRTHING IN QUEENSLAND, 2012**
SELECTED PREGNANCY COMPLICATIONS

Complication ^(a)	Mothers	
	No.	%
Previous uterine scar	10,955	17.5
Rupture of membranes >4 hours before onset of labour (<24 hours before labour)	9,138	14.6
Preterm labour	5,337	8.5
Prolonged pregnancy	4,254	6.8
Gestational diabetes	4,218	6.7
Hypertension complicating pregnancy (includes pre- eclampsia and eclampsia)	3,136	5.0
Breech presentation	2,598	4.2
Rupture of membranes >24 hours before labour	2,431	3.9
Poor fetal growth	1,688	2.7
Placenta previa with or without haemorrhage, abruptio placentae and other antepartum haemorrhage	1,682	2.7
Haemorrhage in early pregnancy	945	1.5
Threatened premature labour	710	1.1
Previous poor obstetric history	612	1.0
All mothers	62,663	-

(a) Reporting of multiple complications was permitted, so numbers cannot be cumulated.

TABLE 5.05

MOTHERS BIRTHING IN QUEENSLAND, 2012
ANTENATAL TRANSFER STATUS BY INDIGENOUS STATUS OF MOTHER

Antenatal Transfer Status	Indigenous Status of Mother									
	Aboriginal		Torres Strait Islander		Aboriginal and Torres Strait Islander		Neither Aboriginal nor Torres Strait Islander		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%
Not transferred	2,489	84.5	408	76.1	309	86.1	56,782	96.5	59,992	95.7
Transferred ^(b)	457	15.5	128	23.9	50	13.9	2,035	3.5	2,671	4.3
<i>Transferred - before labour</i>	397	13.5	124	23.1	46	12.8	1,531	2.6	2,099	3.3
<i>Transferred - during labour</i>	60	2.0	4	0.7	4	1.1	504	0.9	572	0.9
Total	2,946	100.0	536	100.0	359	100.0	58,817	100.0	62,663	100.0

(a) Includes mothers with not stated Indigenous status.

(b) Includes mothers with not stated time of antenatal transfer.

TABLE 5.06 MOTHERS BIRTHING IN QUEENSLAND, 2012
SELECTED REASON FOR ANTENATAL TRANSFER BY INDIGENOUS STATUS OF MOTHER

Reason ^(a)	Indigenous status of mother					
	Indigenous		Non-Indigenous		Total ^(b)	
	No.	%	No.	%	No.	%
Administrative & social reasons	507	79.8	779	38.3	1,287	48.2
Premature rupture of membranes	26	4.1	197	9.7	223	8.4
Hypertension	16	2.5	125	6.1	141	5.3
Abnormality of forces of labour (including prolonged labour)	4	0.6	111	5.5	115	4.3
Placenta praevia with or without haemorrhage, abruptio placentae an	9	1.4	95	4.7	104	3.9
Suspected fetal anomaly	8	1.3	84	4.1	92	3.4
Premature labour and delivery (including threatened)	12	1.9	69	3.4	81	3.0
Gestational diabetes	19	3.0	44	2.2	63	2.4
Poor fetal growth	9	1.4	52	2.6	61	2.3
Multiple pregnancy (including complications of multiple pregnancy)	7	1.1	28	1.4	35	1.3
Malpresentation of fetus before onset of labour	1	0.2	29	1.4	30	1.1
Previous uterine scar	13	2.1	16	0.8	29	1.1
Obstructed labour	1	0.2	15	0.7	16	0.6
Total Mothers transferred antenatally	635	-	2,035	-	2,671	-

(a) Reporting of multiple reasons was permitted, so numbers cannot be cumulated.

(b) Includes mothers with not stated Indigenous status.

(c) Where the membranes rupture prior to the onset of labour regardless of gestation.

TABLE 5.07

**MOTHERS BIRTHING IN QUEENSLAND, 2012
SMOKING STATUS BY NUMBER OF CIGARETTES AFTER 20 WEEKS GESTATION**

Tobacco smoking status during entire pregnancy	Average number of Cigarettes after 20 weeks gestation	Indigenous status of mother					
		Indigenous		Non-Indigenous		Total ^(a)	
		No.	%	No.	%	No.	%
Did not smoke during pregnancy		1,958	51.0	50,918	86.6	52,878	84.4
Smoked during pregnancy ^(b)		1,861	48.5	7,645	13.0	9,507	15.2
	<i>Did not smoke after 20 weeks</i>	210	11.3	1,428	18.7	1,638	17.2
	<i>10 or less per day</i>	1,222	65.7	4,541	59.4	5,763	60.6
	<i>More than 10 per day</i>	342	18.4	1,305	17.1	1,647	17.3
Total Mothers ^(c)		3,841	100.0	58,817	100.0	62,663	100.0

(a) Includes mothers with not stated Indigenous status.

(b) Includes mothers with not stated number of tobacco cigarettes after 20 weeks.

(c) Includes mothers with not stated smoking status before 20 weeks.

TABLE 5.08

**MOTHERS BIRTHING IN QUEENSLAND, 2012
SMOKING ADVICE DURING THE FIRST 20 WEEKS OF PREGNANCY
TO MOTHERS WHO SMOKED**

Smoking Advice	Indigenous status of mother				Total ^(a)	
	Indigenous		Non-Indigenous		No.	%
	No.	%	No.	%	No.	%
Advice not offered	192	10.3	675	8.8	868	9.1
Advice offered	1,614	86.7	6,626	86.7	8,240	86.7
Not stated	55	3.0	344	4.5	399	4.2
Total Mothers who Smoked	1,861	100.0	7,645	100.0	9,507	100.0

(a) Includes mothers with not stated Indigenous status.

**TABLE 5.09 MOTHERS BY ANTENATAL CARE TYPE
QUEENSLAND, 2012**

Antenatal Care Type	Mothers	
	No.	%
Private Medical Practitioner	18,041	28.8
Public Hospital/Clinic Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	10,328	16.5
Public Hospital/Clinic Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practitioner	10,052	16.0
Public Hospital/Clinic Midwifery Practitioner	9,061	14.5
Public Hospital/Clinic Medical Practitioner	7,141	11.4
Public Hospital/Clinic Medical Practitioner and General Practitioner	3,390	5.4
Public Hospital/Clinic Midwifery Practitioner and General Practitioner	1,849	3.0
General Practitioner	1,483	2.4
Private Medical Practitioner and General Practitioner	370	0.6
No Antenatal Care	235	0.4
Private Medical Practitioner and Public Hospital/Clinic Midwifery Practitioner	126	0.2
Private Medical Practitioner, Public Hospital/Clinic Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	120	0.2
Private Midwifery Practitioner	97	0.2
Private Medical Practitioner, Public Hospital/Clinic Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practitioner	81	0.1
Private Medical Practitioner and Public Hospital/Clinic Medical Practitioner	68	0.1
Private Medical Practitioner, Public Hospital/Clinic Midwifery Practitioner and General Practitioner	34	0.1
Private Medical Practitioner, Public Hospital/Clinic Medical Practitioner and General Practitioner	33	0.1
Private Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	28	0.0
Private Midwifery Practitioner, Public Hospital/Clinic Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	24	0.0
Private Midwifery Practitioner and Public Hospital/Clinic Midwifery Practitioner	20	0.0
Private Midwifery Practitioner and General Practitioner	20	0.0
Private Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practitioner	14	0.0
Private Midwifery Practitioner, Public Hospital/Clinic Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practitioner	12	0.0
Private Medical Practitioner and Private Midwifery Practitioner	9	0.0
Private Midwifery Practitioner, Public Hospital/Clinic Midwifery Practitioner and General Practitioner	6	0.0
Private Medical Practitioner, Private Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	4	0.0
Private Medical Practitioner, Private Midwifery Practitioner and General Practitioner	4	0.0
Private Medical Practitioner, Private Midwifery Practitioner, Public Hospital/Clinic Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practitioner	2	-
Private Medical Practitioner, Private Midwifery Practitioner, Public Hospital/Clinic Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	2	-
Not Stated	9	0.0
Total Mothers	62,663	100.0

TABLE 5.10

MOTHERS BIRTHING IN QUEENSLAND, 2012
GESTATION AT FIRST ANTENATAL VISIT BY FACILITY TYPE

Gestation at First Antenatal Visit	Facility Type								Total ^(a)	
	Public Hospital		Private Hospital		Homebirth		Born Before Arrival		No.	%
No Antenatal Care	207	0.5	-	-	-	-	28	6.2	235	0.4
First Trimester (Less than 14 weeks)	24,112	54.6	16,227	90.5	45	53.6	219	48.6	40,603	64.8
Second Trimester (14-28 weeks)	18,278	41.4	1,663	9.3	32	38.1	182	40.4	20,155	32.2
Third Trimester (29 or more weeks)	1,059	2.4	26	0.2	5	6.0	19	4.2	1,109	1.8
Not stated	546	1.2	9	0.1	2	2.4	3	0.7	561	0.9
Total Mothers	44,202	100.0	17,925	100.0	84	100.0	451	100.0	62,663	100.0

(a) Includes mothers with a not stated facility type.

TABLE 6.01

MOTHERS BIRTHING IN QUEENSLAND, 2012
ONSET OF LABOUR BY PLURALITY OF PREGNANCY

Onset of labour	Plurality of pregnancy					
	Singleton		Multiple		Total	
	No.	%	No.	%	No.	%
Spontaneous - not augmented	22,451	36.4	260	25.0	22,711	36.2
Spontaneous - augmented	12,137	19.7	78	7.5	12,215	19.5
Induced	14,443	23.4	177	17.0	14,620	23.3
No labour	12,567	20.4	524	50.4	13,091	20.9
Total^(a)	61,624	100.0	1,039	100.0	62,663	100.0

(a) Includes mothers with not stated onset of labour.

TABLE 6.02**MOTHERS BIRTHING IN QUEENSLAND, 2012
ONSET OF LABOUR BY AGE OF MOTHER**

Onset of labour	Age of mother							
	Under 20		20 - 34		35 and over		Total	
	No.	%	No.	%	No.	%	No.	%
Spontaneous - not augmented	1,409	44.5	17,639	37.2	3,663	30.4	22,711	36.2
Spontaneous - augmented	833	26.3	9,699	20.4	1,683	14.0	12,215	19.5
Induced	762	24.1	11,147	23.5	2,711	22.5	14,620	23.3
No labour	161	5.1	8,935	18.8	3,995	33.1	13,091	20.9
Total^(a)	3,165	100.0	47,440	100.0	12,058	100.0	62,663	100.0

(a) Includes mothers with not stated onset of labour.

**TABLE 6.03 MOTHERS WITH INDUCED LABOURS, QUEENSLAND, 2012
SELECTED REASON FOR INDUCTION**

Reason for induction	Mothers with induced labour	
	No.	%
Prolonged pregnancy	3,530	24.2
Psychosocial and other administrative circumstances	2,845	19.5
Premature rupture of membranes	1,855	12.7
Hypertension complicating pregnancy (incl. pre-eclampsia and eclampsia)	1,427	9.8
Diabetes complicating pregnancy	1,221	8.4
Poor fetal growth	702	4.8
Excessive fetal growth	369	2.5
Previous poor obstetric history	254	1.7
Fetal distress	229	1.6
Other fetal problems (includes decreased fetal movements)	218	1.5
Intrauterine fetal death	189	1.3
Spurious / false labour	123	0.8
Twin pregnancy	110	0.8
Rhesus and other isoimmunisation	40	0.3
Infection of amniotic sac and membranes	19	0.1
Total Induced Mothers	14,620	100.0

(a) Where the membranes rupture prior to the onset of labour regardless of gestation.

**TABLE 6.04 BIRTHS, QUEENSLAND, 2012
PRESENTATION BY PLURALITY OF PREGNANCY**

Presentation	Plurality of pregnancy					
	Singleton		Multiple		Total	
	No.	%	No.	%	No.	%
Vertex	58,451	94.9	1,389	66.2	59,840	93.9
Face	73	0.1	2	0.1	75	0.1
Brow	75	0.1	-	-	75	0.1
Breech	2,352	3.8	619	29.5	2,971	4.7
Other	670	1.1	79	3.8	749	1.2
Total ^(a)	61,624	100.0	2,099	100.0	63,723	100.0

(a) Includes babies with not stated presentation.

TABLE 6.05**BIRTHS, QUEENSLAND, 2012
METHOD OF BIRTH BY PLURALITY OF PREGNANCY**

Method of birth	Plurality of pregnancy					
	Singleton		Multiple		Total	
	No.	%	No.	%	No.	%
Vaginal non-instrumental	35,366	57.4	478	22.8	35,844	56.3
Forceps	1,351	2.2	41	2.0	1,392	2.2
Vacuum extraction	4,866	7.9	65	3.1	4,931	7.7
LSCS	19,940	32.4	1,501	71.5	21,441	33.7
Classical CS	101	0.2	14	0.7	115	0.2
Total	61,624	100.0	2,099	100.0	63,723	100.0

TABLE 6.06**BIRTHS, QUEENSLAND, 2012
METHOD OF BIRTH BY AGE OF MOTHER**

Method of birth	Age of mother (years)							
	Under 20		20 - 34		35 and over		Total	
	No.	%	No.	%	No.	%	No.	%
Vaginal non-instrumental	2,311	72.6	27,874	57.9	5,659	45.8	35,844	56.3
Forceps	65	2.0	1,104	2.3	223	1.8	1,392	2.2
Vacuum extraction	278	8.7	3,900	8.1	753	6.1	4,931	7.7
LSCS	528	16.6	15,225	31.6	5,688	46.0	21,441	33.7
Classical CS	1	0.0	76	0.2	38	0.3	115	0.2
Total	3,183	100.0	48,179	100.0	12,361	100.0	63,723	100.0

TABLE 6.07

BIRTHS, QUEENSLAND, 2012
METHOD OF BIRTH BY PRESENTATION

Method of birth	Presentation											
	Vertex		Face		Brow		Breech		Other		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Singleton												
Vaginal non-instrumental	34,732	59.4	23	31.5	16	21.3	269	11.4	323	48.2	35,366	57.4
Forceps	1,333	2.3	2	2.7	2	2.7	3	0.1	11	1.6	1,351	2.2
Vacuum extraction	4,827	8.3	1	1.4	4	5.3	-	-	34	5.1	4,866	7.9
LSCS	17,515	30.0	47	64.4	53	70.7	2,048	87.1	277	41.3	19,940	32.4
Classical CS	44	0.1	-	-	-	-	32	1.4	25	3.7	101	0.2
Total	58,451	100.0	73	100.0	75	100.0	2,352	100.0	670	100.0	61,624	100.0
Multiple												
Vaginal non-instrumental	368	126.4	1	50.0	-	-	93	114.9	9	11.4	478	122.4
Forceps	38	2.7	-	-	-	-	2	0.3	1	1.3	41	2.0
Vacuum extraction	65	4.7	-	-	-	-	-	-	-	-	65	3.1
LSCS	911	65.7	1	50.0	-	-	518	83.8	68	86.1	1,501	71.8
Classical CS	7	0.5	-	-	-	-	6	1.0	1	1.3	14	0.7
Total	1,389	200.0	2	100.0	-	-	619	200.0	79	100.0	2,099	200.0
Total babies	59,840	-	75	-	75	-	2,971	-	749	-	63,723	-

(a) Includes births with not stated presentation.

TABLE 6.08

BIRTHS, QUEENSLAND, 2012
METHOD OF BIRTH BY METHOD OF PHARMACOLOGICAL ANALGESIA
DURING LABOUR/BIRTH

Method of Pharmacological Analgesia during labour ^(a)	Method of birth							
	Vaginal		Forceps/ Vacuum		Caesarean		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%
None reported	11,371	31.7	514	8.1	9,842	45.7	21,727	34.1
At least one method	24,472	68.3	5,809	91.9	11,714	54.3	41,995	65.9
<i>Nitrous oxide</i>	19,194	78.4	3,923	67.5	3,224	27.5	26,341	62.7
<i>Systemic Opioid</i>	7,068	28.9	1,683	29.0	1,796	15.3	10,547	25.1
<i>Epidural</i>	6,479	26.5	3,715	64.0	3,777	32.2	13,971	33.3
<i>Spinal</i>	124	0.5	88	1.5	6,350	54.2	6,562	15.6
<i>Combined Spinal-Epidural</i>	130	0.5	73	1.3	360	3.1	563	1.3
<i>Caudal</i>	12	0.1	13	0.2	2	0.0	27	0.1
<i>Other</i>	257	1.1	70	1.2	173	1.5	500	1.2
Total^(b)	35,844	100.0	6,323	100.0	21,556	100.0	63,723	100.0

(a) Reporting of multiple methods of pharmacological analgesia permitted, so numbers cannot be cumulated.

(b) Includes babies with not stated pharmacological analgesia or other methods of birth.

**TABLE 6.09 BIRTHS, QUEENSLAND, 2012
METHOD OF BIRTH BY METHOD OF NON-PHARMACOLOGICAL
ANALGESIA DURING LABOUR/BIRTH**

Type of Non- Pharmacological Analgesia during Labour ^(a)	Method of birth							
	Vaginal non- instrumental		Forceps/Vacuum		Caesarean Section		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%
None reported	14,308	39.9	2,045	32.3	17,502	81.2	33,855	53.1
At least one method	21,534	60.1	4,278	67.7	4,054	18.8	29,866	46.9
<i>Shower</i>	10,947	50.8	2,151	50.3	1,770	43.7	14,868	49.8
<i>Heat pack</i>	9,797	45.5	2,015	47.1	2,043	50.4	13,855	46.4
<i>Massage</i>	6,844	31.8	1,642	38.4	1,549	38.2	10,035	33.6
<i>Birth ball</i>	5,566	25.9	1,307	30.6	1,226	30.2	8,099	27.1
<i>Water immersion</i>	1,934	9.0	290	6.8	180	4.4	2,404	8.1
<i>Aromatherapy</i>	601	2.8	114	2.7	104	2.6	819	2.7
<i>Homoeopathy</i>	545	2.5	65	1.5	95	2.3	705	2.4
<i>TENS</i>	726	3.4	271	6.3	202	5.0	1,199	4.0
<i>Acupuncture</i>	29	0.1	10	0.2	6	0.2	45	0.2
<i>Other</i>	4,879	22.7	1,110	26.0	1,005	24.8	6,994	23.4
Total ^(b)	35,844	100.0	6,323	100.0	21,556	100.0	63,723	100.0

(a) Reporting of multiple methods of non-pharmacological analgesia permitted, so numbers cannot be cumulated.

(b) Includes babies with not stated pharmacological analgesia or other methods of birth.

**TABLE 6.10 BIRTHS, QUEENSLAND, 2012
METHOD OF BIRTH BY METHOD OF ANAESTHESIA
DURING LABOUR/BIRTH**

Method of Anaesthesia for birth ^(a)	Method of birth							
	Vaginal non-instrumental		Forceps/ Vacuum		Caesarean Section		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%
None reported	31,883	89.0	2,881	45.6	1	-	34,765	54.6
At least one method	3,960	11.1	3,442	54.4	21,555	100.0	28,957	45.4
<i>Epidural</i>	2,668	67.4	2,434	70.7	3,601	16.7	8,703	30.1
<i>Spinal</i>	86	2.2	147	4.3	14,468	67.1	14,701	50.8
<i>Combined Spinal-Epidural</i>	21	0.5	40	1.2	2,554	11.9	2,615	9.0
<i>General Anaesthesia</i>	32	0.8	9	0.3	1,445	6.7	1,486	5.1
<i>Local to perineum</i>	1,254	31.7	946	27.5	15	0.1	2,215	7.7
<i>Pudendal</i>	16	0.4	173	5.0	3	0.0	192	0.7
<i>Caudal</i>	-	-	5	0.2	-	-	5	0.0
<i>Other</i>	26	0.7	10	0.3	79	0.4	115	0.4
Total ^(b)	35,844	100.0	6,323	100.0	21,556	100.0	63,723	100.0

(a) Reporting of multiple methods of anaesthesia permitted.

(b) Includes babies with not stated pharmacological analgesia or other methods of birth.

TABLE 6.11 MOTHERS BIRTHING BY PRIMARY CAESAREAN SECTION, QUEENSLAND, 2012

Reason for Caesarean Section	Labour status					
	No labour		Labour		Total	
	No.	%	No.	%	No.	%
Uterine inertia (inc failure to progress)	-	-	2,339	38.01	2,339	20.31
Fetal distress and/or meconium liquor	236	4.4	1,867	30.34	2,103	18.26
Breech	954	17.79	405	6.58	1,359	11.8
Social Circumstances	1,142	21.29	129	2.1	1,271	11.04
Placenta praevia, with or without haemorrhage, abruptio placenta and other antepartum haemorrhage	386	7.2	83	1.35	469	4.07
Failed medical and/or surgical induction of labour	402	7.5	25	0.41	427	3.71
Complicating pregnancy (incl. pre-eclampsia and eclampsia)	327	6.1	52	0.85	379	3.29
Multiple pregnancy	208	3.88	71	1.15	279	2.42
Cephalopelvic disproportion	110	2.05	164	2.67	274	2.38
Previous poor obstetric history	246	4.59	24	0.39	270	2.34
Poor fetal growth	191	3.56	12	0.2	203	1.76
Total	5,363	-	6,153	-	11,517	-

Note: Excludes Born Before Arrival (BBA).

TABLE 6.12

BIRTHS, QUEENSLAND, 2012
ONSET OF LABOUR BY METHOD OF BIRTH

Onset of labour	Method of birth							
	Vaginal non-instrumental		Forceps/ Vacuum		Caesarean Section		Total	
	No.	%	No.	%	No.	%	No.	%
Spontaneous - not augmented	18,108	50.5	1,632	25.8	3,217	14.9	22,957	36.0
Spontaneous - augmented	8,053	22.5	2,397	37.9	1,869	8.7	12,319	19.3
Induced	9,683	27.0	2,294	36.3	2,821	13.1	14,798	23.2
No labour	-	-	-	-	13,622	63.2	13,622	21.4
Total	35,844	100.0	6,323	100.0	21,556	100.0	63,723	100.0

**TABLE 6.13 TERM ^(a), SINGLETON BIRTHS WITH A VERTEX PRESENTATION TO PRIMIPAROUS MOTHERS AGED BETWEEN 20 AND 34 IN PUBLIC ACCOMMODATION, QUEENSLAND, 2012
ONSET OF LABOUR BY METHOD OF BIRTH**

Onset of labour	Method of birth							
	Vaginal non-instrumental		Forceps/ Vacuum		Caesarean Section		Total	
	No.	%	No.	%	No.	%	No.	%
Spontaneous - not augmented	2,559	48.2	519	27.3	317	15.1	3,395	36.5
Spontaneous - augmented	1,495	28.1	758	39.9	629	29.9	2,882	31.0
Induced	1,259	23.7	622	32.8	842	40.1	2,723	29.2
No labour	-	-	-	-	306	14.6	306	3.3
Total	5,313	100.0	1,899	100.0	2,101	100.0	9,313	100.0

Note: Excludes Born Before Arrival (BBA).

(a) Includes babies born between 37 and 41 completed gestational weeks.

**TABLE 6.14 MOTHERS WITH A PREVIOUS CAESAREAN SECTION OR OTHER UTERINE SURGERY, QUEENSLAND, 2012
METHOD OF BIRTH BY ONSET OF LABOUR^(a)**

Onset of labour	Method of birth							
	Vaginal non-instrumental		Forceps/ Vacuum		Caesarean Section		Total	
	No.	%	No.	%	No.	%	No.	%
Spontaneous - not augmented	767	56.7	154	48.1	1,236	13.3	2,157	19.7
Spontaneous - augmented	361	26.7	126	39.4	161	1.7	648	5.9
Induced	225	16.6	40	12.5	116	1.3	381	3.5
No labour	-	-	-	-	7,752	83.7	7,752	70.9
Total	1,353	100.0	320	100.0	9,266	100.0	10,939	100.0

(a) For multiple births, the method of birth of the first born baby are used.

**TABLE 6.15 MOTHERS BIRTHING IN QUEENSLAND, 2012
SELECTED LABOUR AND BIRTH COMPLICATIONS**

Complication ^(a)	Mothers	
	No.	%
Precipitate labour	16,378	26.1
Fetal distress and/or meconium liquor	11,205	17.9
Uterine inertia (incl. failure to progress)	4,177	6.7
Primary post-partum haemorrhage	3,512	5.6
Previous uterine scar	3,241	5.2
Prolonged second stage	3,113	5.0
Obstructed labour	2,292	3.7
Cord entanglement with/without compression	1,537	2.5
Breech presentation	870	1.4
Retained placenta with/without haemorrhage	684	1.1
Maternal distress	69	0.1
All mothers	62,663	-

(a) Reporting of multiple complications was permitted, so numbers cannot be cumulated.

**TABLE 6.16 SELECTED LABOUR AND BIRTH COMPLICATIONS, QUEENSLAND, 2012
FOLLOWING A PERIOD OF LABOUR**

Selected complication ^(a)	Method of birth							
	Vaginal non-instrumental		Forceps/ Vacuum		Caesarean Section		Total	
	No.	%	No.	%	No.	%	No.	%
Perineal and other genital tract trauma	17,673	49.3	2,376	37.6	17	0.2	20,066	40.1
Fetal distress and/or meconium liquor	4,297	12.0	3,308	52.3	3,171	40.1	10,776	21.5
Uterine inertia (incl. failure to progress)	94	0.3	878	13.9	3,205	40.5	4,177	8.3
Long labour	617	1.7	2,563	40.5	512	6.5	3,692	7.4
Primary post-partum haemorrhage	1,923	5.4	529	8.4	445	5.6	2,897	5.8
Obstructed labour	846	2.4	498	7.9	948	12.0	2,292	4.6
Other obstetric trauma	564	1.6	86	1.4	96	1.2	746	1.5
Total babies born after a period of labour	35,844	-	6,323	-	7,907	-	50,074	-

(a) Reporting of multiple conditions permitted, so numbers cannot be cumulated.

(b) For multiple births, the method of birth of the first born baby are used.

**TABLE 6.17 MOTHERS BIRTHING IN QUEENSLAND, 2012
SELECTED PROCEDURES AND OPERATIONS PERFORMED
DURING PREGNANCY, LABOUR AND THE PUERPERIUM**

Procedures and Operations ^(a)	Mothers	
	No.	%
Obstetric Ultrasound	62,410	99.6
Monitoring of fetal heart during labour	36,755	58.7
Manual removal of placenta	789	1.3
Amniocentesis	670	1.1
Administration of blood and blood products	591	0.9
Female sterilisation	215	0.3
Manipulation of fetal position and presentation	198	0.3
Chorionic villus sampling	123	0.2
Surgical postpartum evacuation of uterus	119	0.2
Insertion of cervical suture	114	0.2
Total mothers	62,663	-

(a) Reporting of multiple procedures was permitted, so numbers cannot be cumulated.

(b) May also include other diagnostic procedures on fetus.

TABLE 6.18 **MOTHERS BIRTHING IN QUEENSLAND, 2012**
SELECTED PUERPERIUM COMPLICATIONS

Complication ^(a)	Mothers	
	No.	%
Disorders of the breast and/or lactation (excluding infection)	2,465	3.9
Anaemia	1,370	2.2
Venous complications	456	0.7
Hypertension complicating the puerperium	423	0.7
Puerperial pyrexia	330	0.5
Complications of obstetrical surgical wounds	244	0.4
Post-partum haemorrhage	144	0.2
Spinal and epidural anaesthesia induced headache during puerperium	118	0.2
Infection of genitourinary tract	89	0.1
Infection of breast	35	0.1
Total mothers	62,663	-

(a) Reporting of multiple complications was permitted so numbers cannot be cumulated.

TABLE 6.19

**MOTHERS BIRTHING VAGINALLY, QUEENSLAND, 2012
GENITAL TRACT TRAUMA BY SURGICAL REPAIR**

Genital tract trauma ^{(a) (b)}	Surgical repair ^(c)					
	Yes		No		Total	
	No.	%	No.	%	No.	%
Nil	-	-	12,019	61.5	12,019	28.7
Other Genital Trauma	24	0.1	19	0.1	43	0.1
Vaginal tear with intact perineum	288	1.3	118	0.6	406	1.0
Graze only ^(d)	479	2.2	3,289	16.8	3,768	9.0
1st degree laceration only	3,907	17.5	3,851	19.7	7,758	18.5
2nd degree laceration only	10,836	48.5	254	1.3	11,090	26.5
3rd degree laceration only	771	3.5	1	0.0	772	1.8
4th degree laceration only	63	0.3	1	0.0	64	0.2
Episiotomy only	5,537	24.8	2	0.0	5,539	13.2
Episiotomy and laceration ^(d)	421	1.9	-	-	421	1.0
Total^(e)	22,326	100.0	19,554	100.0	41,880	100.0

(a) For multiple births, details of first born baby are used.

(b) In the case of multiple types of perineal trauma, the highest degree of trauma is used.

(c) Includes surgical repair to the lower genital tract including the cervix.

(d) May include episiotomies with lacerations, other trauma or labial and perineal grazes.

(e) Includes not stated.

TABLE 6.20

**MOTHERS BIRTHING VAGINALLY, QUEENSLAND, 2012
EPISIOTOMY BY SURGICAL REPAIR**

Episiotomy ^(b)	Surgical repair ^(a)					
	Yes		No		Total	
	No.	%	No.	%	No.	%
Nil	16,368	73.3	19,552	100.0	35,920	85.8
Episiotomy only	5,537	24.8	2	0.0	5,539	13.2
Episiotomy and laceration ^(c)	421	1.9	-	-	421	1.0
Total^(d)	22,326	100.0	19,554	100.0	41,880	100.0

(a) Includes surgical repair to the lower genital tract including the cervix.

(b) For multiple births, the method of birth of the first born baby are used.

(c) May include episiotomies with lacerations, other trauma or labial and perineal grazes.

TABLE 6.21

MOTHERS AGED BETWEEN 20 AND 34 IN PUBLIC ACCOMMODATION WITH A VAGINAL NON-INSTRUMENTAL BIRTH OF A SINGLETON, TERM^(a) BABY, QUEENSLAND, 2012, GENITAL TRACT^(b) TRAUMA BY ACCOUCHEUR

Genital tract trauma ^{(c) (d)}	Accoucheur												Total ^(e)	
	Other													
	Obstetrician		Medical officer		Midwife		Student midwife		Medical student		Other		No.	%
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Primiparous mothers ^(g)														
Nil	18	17.8	28	7.4	622	13.4	110	9.6	20	9.9	3	60.0	801	12.4
Other Genital Trauma	-	-	-	-	5	0.1	2	0.2	-	-	-	-	7	0.1
Vaginal tear with intact perineum	1	1.0	6	1.6	86	1.9	20	1.8	2	1.0	-	-	115	1.8
Graze only	3	3.0	22	5.8	417	9.0	129	11.3	27	13.3	1	20.0	599	9.3
1st degree laceration only	11	10.9	47	12.3	932	20.1	230	20.1	38	18.7	-	-	1,258	19.4
2nd degree laceration only	30	29.7	136	35.7	1,872	40.3	496	43.3	88	43.4	1	20.0	2,623	40.5
3rd degree laceration only	3	3.0	15	3.9	208	4.5	58	5.1	11	5.4	-	-	295	4.6
4th degree laceration only	-	-	-	-	15	0.3	3	0.3	-	-	-	-	18	0.3
Episiotomy only	31	30.7	121	31.8	449	9.7	86	7.5	15	7.4	-	-	702	10.8
Episiotomy and laceration	4	4.0	6	1.6	38	0.8	11	1.0	2	1.0	-	-	61	0.9
Total	101	100.0	381	100.0	4,644	100.0	1,145	100.0	203	100.0	5.0	100.0	6,479	100.0
Multiparous mothers ^(g)														
Nil	49	38.9	226	39.8	4,326	43.8	768	35.6	179	38.3	3	30.0	5,551	42.1
Other Genital Trauma	-	-	1	0.2	7	0.1	4	0.2	-	-	-	-	12	0.1
Vaginal tear with intact perineum	-	-	6	1.1	68	0.7	10	0.5	2	0.4	-	-	86	0.7
Graze only	6	4.8	65	11.4	1,083	11.0	346	16.1	52	11.1	2	20.0	1,554	11.8
1st degree laceration only	27	21.4	90	15.9	1,909	19.3	426	19.8	97	20.8	3	30.0	2,552	19.3
2nd degree laceration only	28	22.2	126	22.2	2,168	22.0	510	23.7	120	25.7	2	20.0	2,954	22.4
3rd degree laceration only	1	0.8	6	1.1	91	0.9	28	1.3	4	0.9	-	-	130	1.0
4th degree laceration only	-	-	1	0.2	9	0.1	1	0.1	3	0.6	-	-	14	0.1
Episiotomy only	15	11.9	43	7.6	187	1.9	58	2.7	8	1.7	-	-	311	2.4
Episiotomy and laceration	-	-	4	0.7	21	0.2	4	0.2	2	0.4	-	-	31	0.2
Total	126	100.0	568	100.0	9,869	100.0	2,155	100.0	467	100.0	10	100.0	13,195	100.0

Note: Excludes Born Before Arrival (BBA).

(a) Includes babies born between 37 and 41 completed gestational weeks.

(b) Lower than but not including the cervix.

(c) For multiple births, details of first born baby are used.

(d) In the case of multiple types of perineal trauma, the highest degree of trauma is used.

(e) Includes mothers with not stated accoucher.

(f) May include labial and perineal graze.

(g) Primiparous mothers have had no previous viable pregnancy. Multiparous mothers have had 1 or more previous viable pregnancies.

TABLE 6.22

**MOTHERS BIRTHING IN QUEENSLAND, 2012
SELECTED ANTENATAL ULTRASOUNDS**

	Plurality of pregnancy					
	Singleton		Multiple		Total	
	No.	%	No.	%	No.	%
Nuchal translucency ultrasound	39,970	64.9	779	174.9	40,749	65.0
Morphology ultrasound scan	59,663	96.8	1,006	196.8	60,669	96.8
Assessment for chorionicity scan	8	0.0	673	114.8	681	1.1
Total Mothers	61,624	-	1,039	-	62,663	-

**TABLE 7.01 BIRTHS, QUEENSLAND, 2012
SEX BY OUTCOME**

Sex	Outcome					
	Livebirth		Stillbirth		Total	
	No.	%	No.	%	No.	%
Male	32,658	51.6	225	48.9	32,883	51.6
Female	30,602	48.4	219	47.6	30,821	48.4
Indeterminate	3	-	16	3.5	19	0.0
Total	63,263	100.0	460	100.0	63,723	100.0

TABLE 7.02a **LIVEBIRTHS, QUEENSLAND, 2012**
APGAR SCORE AT 1 MINUTE AND 5 MINUTES

Apgar score	Livebirths			
	1 minute		5 minutes	
	No.	%	No.	%
0	31	0.1	29	0.1
1 - 3	1,276	2.0	230	0.4
4 - 7	7,617	12.0	1,762	2.8
8 - 10	54,280	85.8	61,187	96.7
Total ^(a)	63,263	100.0	63,263	100.0

(a) Includes livebirths with not stated apgar score.

**TABLE 7.02b LIVEBIRTHS, QUEENSLAND, 2012
APGAR SCORE AT 1 MINUTE BY APGAR SCORE AT 5 MINUTES**

Apgar score at 1 minute	Apgar score at 5 minutes									
	0		1-3		4-7		8-10		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%
0	15	51.7	10	4.4	5	0.3	1	0.0	31	0.1
1 - 3	13	44.8	187	81.3	617	35.0	458	0.8	1,276	2.0
4 - 7	-	-	22	9.6	1,014	57.6	6,581	10.8	7,617	12.0
8 - 10	-	-	11	4.8	126	7.2	54,142	88.5	54,280	85.8
Total^(b)	29	100.0	230	100.0	1,762	100.0	61,187	100.0	63,263	100.0

(a) Includes babies with not stated apgar score at 5 minutes.

(b) Includes babies with not stated apgar score at 1 minute.

**TABLE 7.03 LIVEBIRTHS, QUEENSLAND, 2012
USE OF RESUSCITATION**

Resuscitation used	Livebirths	
	No.	%
None	44,722	70.7
Routine suction only	4,414	7.0
At least one method other than routine suction	14,126	22.3
Total^(a)	63,263	100.0

(a) Includes babies with not stated resuscitation used.

**TABLE 7.04 LIVEBIRTHS, QUEENSLAND, 2012
RESUSCITATION OTHER THAN ROUTINE SUCTION**

Resuscitation used ^(a)	Livebirths	
	No.	%
Facial oxygen	7,995	12.6
Bag and mask	5,426	8.6
Aspiration of meconium	1,768	2.8
Intermittent positive pressure ventilation	811	1.3
Suction of meconium via endotracheal tube	417	0.7
External cardiac massage	182	0.3
Other drugs	80	0.1
Narcotic antagonist injection	63	0.1
Adrenalin/sodium bicarbonate/calcium	31	0.1
Other stimulations	1,373	2.2
Total livebirths	63,263	-

(a) Reporting of multiple methods of resuscitation was permitted, so numbers cannot be cumulated.

**TABLE 7.05 BIRTHS, QUEENSLAND, 2012
BIRTHWEIGHT BY INDIGENOUS STATUS OF MOTHER**

Birthweight (grams)	Indigenous status of mother									
	Aboriginal		Torres Strait Islander		Aboriginal and Torres Strait Islander		Neither Aboriginal nor Torres Strait Islander		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 500	19	0.6	2	0.4	-	-	221	0.4	243	0.4
500 - 749	10	0.3	4	0.7	2	0.6	137	0.2	153	0.2
750 - 999	19	0.6	2	0.4	1	0.3	147	0.3	169	0.3
1,000 - 1,249	20	0.7	1	0.2	3	0.8	162	0.3	186	0.3
1,250 - 1,499	19	0.6	-	-	1	0.3	229	0.4	249	0.4
1,500 - 1,749	28	0.9	6	1.1	-	-	322	0.5	356	0.6
1,750 - 1,999	39	1.3	2	0.4	3	0.8	479	0.8	524	0.8
2,000 - 2,249	78	2.6	13	2.4	8	2.2	888	1.5	988	1.6
2,250 - 2,499	150	5.0	15	2.8	12	3.3	1,472	2.5	1,650	2.6
2,500 - 2,999	610	20.4	87	16.1	71	19.5	8,440	14.1	9,209	14.5
3,000 - 3,499	987	33.1	191	35.2	130	35.6	20,893	34.9	22,202	34.8
3,500 - 3,999	739	24.8	150	27.7	97	26.6	18,961	31.7	19,947	31.3
4,000 - 4,499	217	7.3	59	10.9	32	8.8	6,256	10.5	6,564	10.3
4,500 and over	50	1.7	10	1.9	5	1.4	1,201	2.0	1,266	2.0
Total ^(b)	2,986	100.0	542	100.0	365	100.0	59,824	100.0	63,723	100.0

(a) Includes mothers with not stated Indigenous status.

(b) Includes babies with not stated birthweight.

**TABLE 7.06 BIRTHS, QUEENSLAND, 2012
GESTATION BY INDIGENOUS STATUS OF MOTHER**

Gestation (weeks)	Indigenous status of mother									
	Aboriginal		Torres Strait Islander		Aboriginal and Torres Strait Islander		Neither Aboriginal nor Torres Strait Islander		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 22	13	0.4	2	0.4	-	-	159	0.3	175	0.3
22 - 24	13	0.4	4	0.7	1	0.3	135	0.2	153	0.2
25 - 27	18	0.6	2	0.4	3	0.8	200	0.3	223	0.4
28 - 31	44	1.5	5	0.9	2	0.6	510	0.9	561	0.9
32 - 36	321	10.8	42	7.8	40	11.0	4,402	7.4	4,808	7.6
37 - 41	2,566	85.9	485	89.5	318	87.1	54,092	90.4	57,463	90.2
42 and over	11	0.4	2	0.4	1	0.3	324	0.5	338	0.5
Total ^(b)	2,986	100.0	542	100.0	365	100.0	59,824	100.0	63,723	100.0

(a) Includes mothers with not stated Indigenous status.

(b) Includes babies with not stated gestation.

**TABLE 7.07 SINGLETON BIRTHS, QUEENSLAND, 2012
BIRTHWEIGHT BY GESTATION**

Birthweight (grams)	Gestation (weeks)															
	Less than 22		22-24		25-27		28-31		32-36		37-41		42 and over		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 500	139	89.7	44	34.7	13	7.9	-	-	-	-	-	-	-	-	196	0.3
500 - 749	15	9.7	66	52.0	36	22.0	10	2.5	-	-	-	-	-	-	127	0.2
750 - 999	-	-	16	12.6	66	40.2	37	9.1	4	0.1	-	-	-	-	123	0.2
1,000 - 1,249	-	-	1	0.8	36	22.0	73	18.0	15	0.4	-	-	-	-	125	0.2
1,250 - 1,499	-	-	-	-	11	6.7	116	28.6	50	1.4	1	-	-	-	178	0.3
1,500 - 1,749	-	-	-	-	2	1.2	97	23.9	119	3.2	7	0.0	-	-	225	0.4
1,750 - 1,999	-	-	-	-	-	-	49	12.1	266	7.2	39	0.1	-	-	354	0.6
2,000 - 2,249	-	-	-	-	-	-	17	4.2	488	13.2	205	0.4	-	-	710	1.2
2,250 - 2,499	-	-	-	-	-	-	-	-	627	17.0	700	1.2	-	-	1,327	2.2
2,500 - 2,999	-	-	-	-	-	-	2	0.5	1,380	37.4	7,115	12.5	13	3.9	8,511	13.8
3,000 - 3,499	-	-	-	-	-	-	1	0.3	579	15.7	21,318	37.6	85	25.3	21,983	35.7
3,500 - 3,999	-	-	-	-	-	-	2	0.5	126	3.4	19,661	34.7	136	40.5	19,925	32.3
4,000 - 4,499	-	-	-	-	-	-	-	-	23	0.6	6,467	11.4	74	22.0	6,564	10.7
4,500 and over	-	-	-	-	-	-	-	-	11	0.3	1,227	2.2	28	8.3	1,266	2.1
Total ^(b)	155	100.0	127	100.0	164	100.0	406	100.0	3,689	100.0	56,745	100.0	336	100.0	61,624	100.0

(a) Includes babies with not stated gestation.

(b) Includes babies with not stated birthweight.

**TABLE 7.08 MULTIPLE BIRTHS, QUEENSLAND, 2012
BIRTHWEIGHT BY GESTATION**

Birthweight (grams)	Gestation (weeks)															
	Less than 22		22-24		25-27		28-31		32-36		37-41		42+		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 500	19	95.0	8	30.8	1	1.7	4	2.6	5	0.5	10	1.4	-	-	47	2.2
500 - 749	-	-	16	61.5	8	13.6	2	1.3	-	-	-	-	-	-	26	1.2
750 - 999	-	-	-	-	33	55.9	11	7.1	2	0.2	-	-	-	-	46	2.2
1000 - 1249	-	-	-	-	17	28.8	33	21.3	9	0.8	2	0.3	-	-	61	2.9
1250 - 1499	-	-	-	-	-	-	41	26.5	29	2.6	1	0.1	-	-	71	3.4
1500 - 1749	-	-	-	-	-	-	46	29.7	85	7.6	-	-	-	-	131	6.2
1750 - 1999	-	-	-	-	-	-	15	9.7	150	13.4	5	0.7	-	-	170	8.1
2000 - 2249	-	-	-	-	-	-	3	1.9	240	21.5	35	4.9	-	-	278	13.2
2250 - 2499	-	-	-	-	-	-	-	-	214	19.1	108	15.0	1	50.0	323	15.4
2500 - 2999	-	-	-	-	-	-	-	-	330	29.5	367	51.1	1	50.0	698	33.3
3000 - 3499	-	-	-	-	-	-	-	-	46	4.1	173	24.1	-	-	219	10.4
3500 - 3999	-	-	-	-	-	-	-	-	8	0.7	14	2.0	-	-	22	1.1
4000 - 4499	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total^(b)	20	100.0	26	100.0	59	100.0	155	100.0	1,119	100.0	718	100.0	2	100.0	2,099	100.0

(a) Includes babies with not stated gestation.

(b) Includes babies with not stated birthweight.

TABLE 7.09

LIVEBIRTHS, QUEENSLAND, 2012
NEONATAL TREATMENT BY GESTATION

Neonatal treatment ^(a)	Gestation (weeks)									
	Less than 28		28 - 36		37 - 41		42 and over		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%	No.	%
No neonatal treatment	94	30.6	972	18.5	48,162	83.9	274	81.8	49,503	78.3
Neonatal treatment	213	69.4	4,270	81.5	9,216	16.1	61	18.2	13,760	21.8
<i>Blood Glucose Monitoring</i>	90	42.3	2,924	68.5	5,520	59.9	36	59.0	8,570	62.3
<i>Ora/naso gastric feeding</i>	131	61.5	2,503	58.6	921	10.0	4	6.6	3,559	25.9
<i>Phototherapy</i>	89	41.8	1,336	31.3	1,034	11.2	9	14.8	2,468	17.9
<i>Intramuscular/Intravenous antibiotics</i>	119	55.9	2,109	49.4	3,023	32.8	28	45.9	5,279	38.4
<i>Intravenous fluid</i>	183	85.9	2,686	62.9	2,409	26.1	17	27.9	5,295	38.5
<i>Oxygen</i>	154	72.3	821	19.2	942	10.2	5	8.2	1,922	14.0
<i>Mechanical ventilation</i>	200	93.9	312	7.3	183	2.0	2	3.3	697	5.1
<i>IA Line</i>	60	28.2	134	3.1	57	0.6	1	1.6	252	1.8
<i>Exchange transfusion</i>	-	-	11	0.3	7	0.1	-	-	18	0.1
<i>CPAP</i>	121	56.8	957	22.4	598	6.5	2	3.3	1,678	12.2
<i>Other Treatment</i>	62	29.1	1,110	26.0	1,946	21.1	9	14.8	3,127	22.7
Total	307	100.0	5,242	100.0	57,378	100.0	335	100.0	63,263	100.0

(a) Reporting of multiple methods of neonatal treatment was permitted for each delivery, so numbers cannot be cumulated.

(b) Includes babies with not stated gestation.

**TABLE 7.10 LIVEBIRTHS, QUEENSLAND, 2012
NEONATAL SURVIVAL BY BIRTHWEIGHT**

Age (days)	Birthweight (grams)										Total ^(a)	
	Less than 1,000		1,000-1,499		1,500-2,499		2,500-4,499		4,500 and over		No.	%
0	No. 95	% 31.4	No. 11	% 2.8	No. 9	% 0.3	No. 13	% 0.0	No. 1	% 0.1	No. 129	% 0.2
1	5	1.7	-	-	4	0.1	4	0.0	-	-	13	0.0
2	3	1.0	1	0.3	1	0.0	3	0.0	-	-	8	0.0
3	3	1.0	-	-	2	0.1	1	0.0	-	-	6	0.0
4	2	0.7	-	-	2	0.1	2	0.0	-	-	6	0.0
5	2	1	-	-	2	0.1	1	0.0	-	-	5	0.0
6	1	0	-	-	1	0	2	-	-	-	4	0.0
7	-	-	1	0	2	0	-	-	-	-	3	-
8 - 14	4	1.3	2	0.5	1	0.0	4	0.0	-	-	11	0.0
15 - 21	1	0.3	1	0.3	2	0.1	2	0.0	-	-	6	0.0
22 - 28	1	0.3	-	-	1	0.0	1	-	-	-	3	-
Over 28	186	61.4	380	96.0	3,438	99.2	57,794	99.9	1,265	99.9	63,069	99.7
Total	303	100.0	396	100.0	3,465	100.0	57,827	100.0	1,266	100.0	63,263	100.0

(a) Includes babies with not stated birthweight.

**TABLE 7.11 LIVEBIRTHS, QUEENSLAND, 2012
SELECTED CONDITION CAUSING NEONATAL MORBIDITY**

Condition ^(a)	Livebirths	
	No.	%
Disorders relating to short gestation & low birthweight	6,693	10.6
Observation for other suspected disease and conditions (includes suspected sepsis)	4,330	6.8
Other respiratory conditions (excluding Respiratory Distress Syndrome)	4,321	6.8
Neonatal hypoglycaemia	3,499	5.5
Feeding problems in newborn	2,326	3.7
Perinatal jaundice requiring phototherapy (excl jaundice due to isoimmunization)	2,233	3.5
Respiratory distress syndrome	1,770	2.8
Slow fetal growth and fetal malnutrition	1,131	1.8
Birth trauma	529	0.8
Infection specific to perinatal period, other and unspecified	487	0.8
Intrauterine hypoxia and birth asphyxia	391	0.6
Haemolytic disease due to isoimmunisation	230	0.4
Disorders of conjutiva	189	0.3
Neonatal withdrawal symptoms from maternal use of drugs of addiction	178	0.3
Total livebirths	63,263	-

(a) Reporting of multiple conditions was permitted, so numbers cannot be cumulated.

TABLE 7.12a

**LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2012
FLUID BABY RECEIVED DURING THE BIRTH EPISODE BY
AGE OF MOTHER**

Feeding Method ^(a)	Age of mother (years)							
	Under 20		20 - 34		35 and over		Total	
	No.	%	No.	%	No.	%	No.	%
Breast milk/colostrum only	2,139	70.9	34,287	74.1	8,231	69.7	44,657	73.1
Breast milk/colostrum and infant formula	587	19.5	9,184	19.9	2,866	24.3	12,637	20.7
Infant formula only	279	9.3	2,695	5.8	675	5.7	3,649	6.0
Infant formula, other	3	0.1	8	0.0	1	0.0	12	0.0
Breast milk/colostrum, infant formula, other	5	0.2	37	0.1	20	0.2	62	0.1
Breast milk/colostrum, other	2	0.1	46	0.1	10	0.1	58	0.1
Total Livebirths Discharged Home ^(b)	3,017	-	46,275	-	11,807	-	61,099	100.0

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted.

(b) Includes not stated feeding method.

TABLE 7.12b

**LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2012
FLUID BABY RECEIVED IN THE 24 HOURS PRIOR TO DISCHARGE BY
AGE OF MOTHER**

Feeding Method ^(a)	Age of mother (years)							
	Under 20		20 - 34		35 and over		Total	
	No.	%	No.	%	No.	%	No.	%
Breast milk/colostrum only	2,262	75.0	36,984	79.9	9,101	77.1	48,347	79.1
Breast milk/colostrum and infant formula	355	11.8	5,729	12.4	1,781	15.1	7,865	12.9
Infant formula only	398	13	3,542	8	920	8	4,860	8
Breast milk/colostrum, other	-	-	2	-	-	-	2	-
Breast milk/colostrum, infant formula, other	-	-	-	-	1	0.0	1	-
Total Livebirths Discharged Home ^(b)	3,017	-	46,275	-	11,807	-	61,099	100.0

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted.

TABLE 7.13a

**LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2012
FLUID BABY RECEIVED IN THE BIRTH EPISODE BY
ACCOMMODATION STATUS OF MOTHER**

Feeding Method ^(a)	Accommodation status of mother					
	Private		Public		Total	
	No.	%	No.	%	No.	%
Breast milk/colostrum only	13,878	70.2	30,779	74.5	44,657	73.1
Breast milk/colostrum and infant formula	5,103	25.8	7,534	18.2	12,637	20.7
Infant formula only	747	3.8	2,902	7.0	3,649	6.0
Infant formula, other	1	0.0	11	0.0	12	0.0
Breast milk/colostrum, infant formula, other	17	0.1	45	0.1	62	0.1
Breast milk/colostrum, other	20	0.1	38	0.1	58	0.1
Total Livebirths Discharged Home ^(b)	19,768	-	41,331	-	61,099	100.0

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted.

(b) Includes not stated feeding method.

TABLE 7.13b

**LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2012
FLUID BABY RECEIVED IN THE 24 HOURS PRIOR TO DISCHARGE BY
ACCOMMODATION STATUS OF MOTHER**

Feeding Method ^(a)	Accommodation status of mother					
	Private		Public		Total	
	No.	%	No.	%	No.	%
Breast milk/colostrum only	15,784	79.9	32,563	78.8	48,347	79.1
Breast milk/colostrum, infant formula, other	-	-	1	-	1	-
Breast milk/colostrum, other	-	-	2	-	2	-
Infant formula only	1,107	6	3,753	9	4,860	8
Total Livebirths Discharged Home ^(b)	19,768	-	41,331	-	61,099	100.0

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted.

(b) Includes not stated feeding method.

TABLE 7.14a

**LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2012
FLUID BABY RECEIVED DURING THE BIRTH EPISODE
BY NUMBER OF PREVIOUS BIRTHS OF MOTHER**

Feeding Method ^(a)	Number of previous births						Total ^(b)	
	0		1 - 4		5 or more			
	No.	%	No.	%	No.	%	No.	%
Breast milk/colostrum only	17,725	70.6	26,096	75.3	836	63.6	44,657	73.1
Breast milk/colostrum and infant formula	6,533	26.0	5,837	16.8	267	20.3	12,637	20.7
Infant formula only	797	3.2	2,645	7.6	207	15.8	3,649	6.0
Infant formula, other	1	0.0	10	0.0	1	0.1	12	0.0
Breast milk/colostrum, infant formula, other	28	0.1	31	0.1	3	0.2	62	0.1
Breast milk/colostrum, other	26	0.1	32	0.1	-	-	58	0.1
Total Livebirths Discharged Home ^(c)	25,120	-	34,665	-	1,314	-	61,099	100.0

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted.

(c) Includes not stated feeding method.

TABLE 7.14b

**LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2012
FLUID THE BABY RECEIVED IN THE 24 HOURS PRIOR TO DISCHARGE
BY NUMBER OF PREVIOUS BIRTHS OF MOTHER**

Feeding Method ^(a)	Number of previous births						Total	
	0		1 - 4		5 or more			
	No.	%	No.	%	No.	%	No.	%
Breast milk/colostrum only	19,669	78.3	27,778	80.1	900	68.5	48347	79.1
Breast milk/colostrum and infant formula	4,119	16.4	3,581	10.3	165	12.6	7865	12.9
Infant formula only	1,320	5	3,291	9	249	19	4860	8
Breast milk/colostrum, other	2	0.0	-	-	-	-	2	-
Total Livebirths Discharged Home ^(c)	25,120	-	34,665	-	1,314	-	61,099	100.0

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted.

(c) Includes not stated feeding method.

**TABLE 7.15 BIRTHS, QUEENSLAND, 2012
SELECTED CONGENITAL ANOMALIES, NUMBERS AND RATES**

Selected congenital anomalies ^(a) (ICD code) ^(b)	No.	Rate ^(c)
Lymphangioma, any site (D18.1)	3	0.1
Anencephaly and similar malformations (Q00.0-Q00.22)	13	0.2
Encephalocele (Q01.0-Q01.9)	1	0.0
Microcephaly (Q02)	9	0.1
Congenital hydrocephalus (Q03.0-Q03.9)	25	0.4
Other congenital malformations of brain (Q04.0-Q04.9)	58	0.9
Spina bifida (Q05.0-Q05.9)	25	0.4
Other congenital malformations of spinal cord (Q06.0-Q06.9)	1	0.0
Other congenital malformations of nervous system (Q07.0-Q07.9)	11	0.2
Congenital malformations of eyelid, lacrimal apparatus and orbit (Q10.0-Q10.7)	8	0.1
Anophthalmos, microphthalmos and macropthalmos (Q11.0-Q11.3)	2	0.0
Congenital lens malformations (Q12.0-Q12.9)	2	0.0
Congenital malformations of anterior segment of eye (Q13.0-Q13.9)	4	0.1
Congenital malformations of posterior segment of eye (Q14.0-Q14.9)	1	0.0
Other congenital malformations of eye (Q15.0-Q15.9)	3	0.1
Other malformations of ear causing impairment of hearing (Q16.0-Q16.9)	1	0.0
Other congenital malformations of ear (Q17.0-Q17.9)	68	1.1
Other congenital malformations of face and neck (Q18.0-Q18.9)	7	0.1
Congenital malformations of cardiac chambers and connections (Q20.0-Q20.9)	37	0.6
Congenital malformations of cardiac septa (Q21.0-Q21.9)	215	3.4
- Ventricular septal defect (Q21.00-Q21.09)	153	2.4
- Arterial septal defect (Q21.10-Q21.19)	78	1.2
Congenital malformations of pulmonary and tricuspid valves (Q22.0-Q22.9)	25	0.4
Congenital malformations of aortic and mitral valves (Q23.0-Q23.9)	25	0.4
Other congenital malformations of heart (Q24.0-Q24.9)	43	0.7
Congenital malformations of great arteries (Q25.0-Q25.9)	98	1.5
Congenital malformations of great veins (Q26.0-Q26.9)	7	0.1
Other congenital malformations of peripheral vascular system (Q27.0-Q27.9)	278	4.4
Other congenital malformations of circulatory system (Q28.0-Q28.9)	2	0.0
Congenital malformations of nose (Q30.0-Q30.9)	11	0.2
Congenital malformations of larynx (Q31.0-Q31.9)	16	0.3
Congenital malformations of trachea and bronchus (Q32.0-Q32.4)	4	0.1
Congenital malformations of lung (Q33.0-Q33.9)	36	0.6
Other congenital malformations of respiratory system (Q34.0-Q34.9)	1	0.0
Cleft palate (Q35.1-Q35.9)	65	1.0
Cleft lip (Q36.0-Q36.9)	54	0.9
Other congenital malformations of tongue, mouth and pharynx (Q38.0-Q38.8)	445	7.0
Congenital malformations of oesophagus (Q39.0-Q39.9)	12	0.2
Other congenital malformation of upper alimentary tract (Q40.0-Q40.9)	6	0.1
Congenital absence, atresia and stenosis of small intestine (Q41.0-Q41.9)	15	0.2
Congenital absence, atresia and stenosis of large intestine (Q42.0-Q42.9)	17	0.3
Other congenital malformations of intestine (Q43.0-Q43.9)	21	0.3
Congenital malformations of gallbladder, bile ducts and liver (Q44.0-Q44.79)	6	0.1
Congenital malformations of ovaries, fallopian tubes and broad ligaments (Q50.0-Q50.69)	3	0.1
Congenital malformations of uterus and cervix (Q51.0-Q51.9)	5	0.1
Other congenital malformations of female genitalia (Q52.0-Q52.9)	8	0.1
Undescended testicle (Q53.0-Q53.9)	184	2.9
Hypospadias (Q54.0-Q54.9)	135	2.1
Other congenital malformations of male genital organs (Q55.0-Q55.9)	35	0.6
Indeterminate sex and pseudohermaphroditism (Q56.0-Q56.4)	19	0.3
Renal agenesis and other reduction defects of kidney (Q60.0-Q60.6)	33	0.5

**TABLE 7.15 BIRTHS, QUEENSLAND, 2012
SELECTED CONGENITAL ANOMALIES, NUMBERS AND RATES**

Selected congenital anomalies ^(a) (ICD code) ^(b)	No.	Rate ^(c)
Cystic kidney disease (Q61.0-Q61.9)	21	0.3
Congenital obstructive defects of renal pelvis and congenital malformations of ureter (Q62.0-Q62.8)	142	2.2
Other congenital malformations of kidney (Q63.0-Q63.9)	33	0.5
- Epispadias (Q64.0)	1	0.0
Other congenital malformations of urinary system (Q64.0-Q64.9)	13	0.2
Congenital deformities of hip (Q65.0-Q65.9)	183	2.9
- Congenital dislocation of hip, unilateral (Q65.0)	27	0.4
- Congenital dislocation of hip, bilateral (Q65.1)	25	0.4
Congenital deformities of feet (Q66.0-Q66.9)	689	10.8
- <i>Talipes equinovarus</i> (Q66.0)	397	6.2
- <i>Talipes calcaneovarus</i> (Q66.1)	5	0.1
- <i>Talipes calcaneovalgus</i> (Q66.4)	59	0.9
Congenital musculoskeletal deformities of head, face, spine and chest (Q67.0-Q67.8)	31	0.5
<i>Other congenital musculoskeletal deformities</i> (Q68.0-Q68.8)	20	0.3
<i>Polydactyly</i> (Q69.0-Q69.9)	36	0.6
<i>Syndactyly</i> (Q70.0-Q70.9)	45	0.7
Reduction defects of upper limb (Q71.0-Q71.9)	18	0.3
Reduction defects of lower limb (Q72.0-Q72.9)	10	0.2
Reduction defects of unspecified limb (Q73.0-Q73.89)	2	0.0
Other congenital malformations of limb(s) (Q74.0-Q74.9)	22	0.4
Other congenital malformations of skull and face bones (Q75.0-Q75.9)	23	0.4
Congenital malformations of spine and bony thorax (Q76.0-Q76.9)	24	0.4
Osteochondrodysplasia with defects of growth of tubular bones and spine (Q77.0-Q77.9)	2	0.0
Other osteochondrodysplasias (Q78.0-Q78.9)	7	0.1
Congenital malformations of the musculoskeletal system, not elsewhere classified (Q79.0-Q79.9)	74	1.2
- Congenital diaphragmatic hernia (Q79.0)	14	0.2
- Gastroschisis (Q79.3)	41	0.6
Congenital ichthyosis (Q80.0-Q80.9)	2	0.0
Other congenital malformations of skin (Q82.0-Q82.9)	686	10.8
<i>Congenital malformations of breast</i> (Q83.0-Q83.9)	1	0.0
<i>Other congenital malformations of integument</i> (Q84.0-Q84.9)	208	3.3
Phakamatoses, not elsewhere classified (Q85.0-Q85.9)	3	0.1
Congenital malformation syndromes due to known exogenous causes, nec (Q86.0-Q86.89)	2	0.0
Other specified congenital malformation syndromes affecting multiple systems (Q87.0-Q87.89)	18	0.3
Other congenital malformations, not elsewhere classified (Q89.0-Q89.9)	98	1.5
Down's syndrome (Q90.0-Q90.9)	75	1.2
Edwards' syndrome and Patau's syndrome (Q91.0-Q91.7)	18	0.3
Other trisomies and partial trisomies of the autosomes, not elsewhere classified (Q92.0-Q92.9)	15	0.2
Monosomies and deletions from the autosomes, not elsewhere classified (Q93.0-Q93.9)	5	0.1
Balanced rearrangements and structural markers, not elsewhere classified (Q95.0-Q95.9)	2	0.0
Turner's syndrome (Q96.0-Q96.9)	6	0.1
Other sex chromosome abnormalities, female phenotype, not elsewhere classified (Q97.0-Q97.9)	1	0.0
Other sex chromosome abnormalities, male phenotype, not elsewhere classified (Q98.0-Q98.9)	4	0.1
Other chromosome abnormalities, not elsewhere classified (Q99.0-Q99.9)	8	0.1
Clicking hip (R29.4)	135	2.1
Births with at least one anomaly	3,725	58.5
All births	63,723	-

(a) Reporting of multiple anomalies was permitted, so numbers cannot be cumulated.

(b) ICD-10-AM 7th edition is used for coding the congenital anomalies from 1 July 2010 to 30 June 2013.

(c) Per 1,000 births.

TABLE 8.01

**MOTHERS BIRTHING IN QUEENSLAND, 2012
HOSPITAL AND HEALTH SERVICE OF USUAL RESIDENCE OF MOTHER BY TYPE OF FACILITY AND ACCOMMODATION**

Hospital and Health Service of Usual Residence of Mother	Type of facility/accommodation															
	Public facility						Private facility								Total ^(b)	
	Public		Private		Total ^(a)		Private facility		Homebirths		Born Before Arrival		Total ^(b)			
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%		
Cairns and Hinterland	2,661	6.3	99	5.4	2,760	6.2	641	3.6	2	2.4	27	6.0	3,430	5.5		
Cape York	208	0.5	2	0.1	210	0.5	25	0.1	-	-	1	0.2	236	0.4		
Central Queensland	2,153	5.1	169	9.2	2,322	5.3	989	5.5	1	1.2	20	4.4	3,332	5.3		
Central West	107	0.3	52	2.8	159	0.4	41	0.2	-	-	1	0.2	201	0.3		
Darling Downs	2,598	6.1	215	11.7	2,813	6.4	911	5.1	7	8.3	28	6.2	3,759	6.0		
Gold Coast	3,722	8.8	49	2.7	3,771	8.5	2,118	11.8	18	21.4	41	9.1	5,949	9.5		
Mackay	1,689	4.0	151	8.2	1,840	4.2	879	4.9	-	-	31	6.9	2,750	4.4		
Metro North	7,332	17.3	317	17.2	7,649	17.3	4,198	23.4	16	19.1	71	15.7	11,934	19.0		
Metro South	10,460	24.7	103	5.6	10,563	23.9	4,727	26.4	14	16.7	96	21.3	15,400	24.6		
North West	511	1.2	81	4.4	592	1.3	41	0.2	-	-	1	0.2	634	1.0		
South West	312	0.7	13	0.7	325	0.7	102	0.6	-	-	2	0.4	429	0.7		
Sunshine Coast	2,733	6.5	91	4.9	2,824	6.4	1,058	5.9	14	16.7	23	5.1	3,919	6.3		
Torres Strait-Northern Peninsula	248	0.6	2	0.1	250	0.6	3	0.0	-	-	3	0.7	256	0.4		
Townsville	2,428	5.7	27	1.5	2,455	5.6	940	5.2	2	2.4	19	4.2	3,416	5.5		
West Moreton	3,035	7.2	206	11.2	3,241	7.3	822	4.6	9	10.7	49	10.9	4,121	6.6		
Wide Bay	2,011	4.8	257	14.0	2,268	5.1	56	0.3	1	1.2	32	7.1	2,357	3.8		
Interstate/Overseas	151	0.4	7	0.4	158	0.4	374	2.1	-	-	6	1.3	538	0.9		
Total^(c)	42,361	100.0	1,841	100.0	44,202	100.0	17,925	100.0	84	100.0	451	100.0	62,663	100.0		

(a) Includes those mothers with not stated accommodation type.

(b) Includes those mothers with not stated facility type.

(c) Includes those mothers with not stated Hospital and Health Service of usual residence.

TABLE 8.02

MOTHERS BIRTHING IN QUEENSLAND, 2012
AGE OF MOTHER BY TYPE OF FACILITY AND ACCOMMODATION

Age of mother (years)	Type of facility/accommodation													
	Public facility						Private facility							
	Public		Private		Total ^(a)		Private facility		Homebirths		Born Before Arrival		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Under 15	19	0.0	-	-	19	0.0	-	-	-	-	1	0.2	20	0.0
15 - 19	2,976	7.0	71	3.9	3,047	6.9	68	0.4	-	-	30	6.7	3,145	5.0
20 - 24	9,346	22.1	250	13.6	9,596	21.7	712	4.0	5	6.0	86	19.1	10,399	16.6
25 - 29	13,104	30.9	610	33.1	13,714	31.0	4,395	24.5	18	21.4	136	30.2	18,263	29.1
30 - 34	10,570	25.0	557	30.3	11,127	25.2	7,496	41.8	37	44.1	117	25.9	18,778	30.0
35 - 39	5,104	12.1	288	15.6	5,392	12.2	4,336	24.2	21	25.0	66	14.6	9,815	15.7
40 - 44	1,186	2.8	64	3.5	1,250	2.8	865	4.8	3	3.6	14	3.1	2,132	3.4
45 and over	56	0.1	1	0.1	57	0.1	53	0.3	-	-	1	0.2	111	0.2
Total	42,361	100.0	1,841	100.0	44,202	100.0	17,925	100.0	84	100.0	451	100.0	62,663	100.0

(a) Includes those mothers with not stated accommodation type.

(b) Includes those mothers with not stated facility type.

TABLE 8.03

MOTHERS BIRTHING IN QUEENSLAND, 2012

ONSET OF LABOUR BY TYPE OF FACILITY AND ACCOMMODATION^(a)

Onset of labour	Type of facility/accommodation													
	Public facility													
	Public		Private		Total ^(b)		Private facility		Homebirths		Born Before Arrival		Total ^(c)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Spontaneous - not augmented	17,821	42.1	677	36.8	18,498	41.9	3,681	20.5	82	97.6	449	99.6	22,711	36.2
Spontaneous - augmented	8,719	20.6	336	18.3	9,055	20.5	3,157	17.6	2	2.4	1	0.2	12,215	19.5
Induced	9,467	22.4	391	21.2	9,858	22.3	4,762	26.6	-	-	-	-	14,620	23.3
No labour	6,337	15.0	437	23.7	6,774	15.3	6,316	35.2	-	-	1	0	13,091	20.9
Total	42,361	100.0	1,841	100.0	44,202	100.0	17,925	100.0	84	100.0	451	100.0	62,663	100.0

(a) In the case of multiple births data from the first birth are used.

(b) Includes those mothers with not stated accommodation type.

(c) Includes those mothers with not stated facility type.

TABLE 8.04

BABIES BORN IN QUEENSLAND, 2012
METHOD OF BIRTH BY TYPE OF FACILITY AND ACCOMMODATION

Method of birth	Type of facility/accommodation													
	Public facility						Private facility							
	Public		Private		Total ^(a)		Private facility		Homebirths		Born Before Arrival		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Vaginal non-instrumental	27,142	63.1	1,028	55.0	28,170	62.8	7,139	38.9	84	100.0	450	99.8	35,844	56.3
Forceps	823	1.9	33	1.8	856	1.9	536	2.9	-	-	-	-	1,392	2.2
Vacuum extraction	3,046	7.1	141	7.5	3,187	7.1	1,744	9.5	-	-	-	-	4,931	7.7
LSCS	11,884	27.7	664	35.5	12,548	28.0	8,892	48.5	-	-	1	0.2	21,441	33.7
Classical CS	91	0.2	3	0.2	94	0.2	21	0.1	-	-	-	-	115	0.2
Total	42,986	100.0	1,869	100.0	44,855	100.0	18,332	100.0	84	100.0	451	100.0	63,723	100.0

(a) Includes those mothers with not stated accommodation type.

(b) Includes those mothers with not stated facility type.

TABLE 8.05 **MOTHERS BIRTHING IN QUEENSLAND, 2012 - HOSPITAL AND HEALTH SERVICE OF USUAL RESIDENCE OF MOTHER BY HEALTH SERVICE DISTRICT OF FACILITY OF BIRTH (a)**

Hospital and Health Service of Usual Residence of Mother	Hospital and Health Service of place of birth																			
	Cairns and Hinterland		Cape York		Central Queensland		Central West		Darling Downs		Gold Coast		Mackay		Mater Public Hospitals		Metro North		Metro South	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Cairns and Hinterland	3,388	89.3	-	-	-	-	-	-	-	-	-	-	1	0.0	3	0.1	3	0.0	1	0.0
Cape York	212	5.6	3	100.0	-	-	-	-	-	-	2	0.0	2	0.1	-	-	2	0.0	3	0.0
Central Queensland	2	0.1	-	-	3,149	95.1	1	0.8	12	0.3	5	0.1	27	1.1	3	0.1	57	0.5	34	0.3
Central West	-	-	-	-	21	0.6	118	96.7	11	0.3	1	0.0	2	0.1	1	0.0	7	0.1	13	0.1
Darling Downs	-	-	-	-	8	0.2	-	-	3,551	87.0	3	0.1	1	0.0	50	0.9	44	0.4	49	0.4
Gold Coast	-	-	-	-	1	0.0	-	-	3	0.1	5,501	92.4	-	-	67	1.2	28	0.3	329	2.8
Mackay	2	0.1	-	-	73	2.2	1	0.8	2	0.1	4	0.1	2,539	98.6	1	0.0	11	0.1	12	0.1
Metro North	1	0.0	-	-	-	-	-	-	3	0.1	9	0.2	-	-	173	3.2	10,091	88.9	1,532	12.8
Metro South	3	0.1	-	-	3	0.1	-	-	8	0.2	102	1.7	-	-	4,777	87.8	616	5.4	9,681	80.8
North West	27	0.7	-	-	1	0.0	1	0.8	2	0.1	3	0.1	-	-	2	0.0	6	0.1	7	0.1
South West	1	0.0	-	-	2	0.1	-	-	113	2.8	7	0.1	1	0.0	12	0.2	14	0.1	17	0.1
Sunshine Coast	-	-	-	-	-	-	-	-	8	0.2	4	0.1	-	-	7	0.1	213	1.9	21	0.2
Torres Strait-Northern Peninsula	128	3.4	-	-	1	0.0	-	-	-	-	-	-	-	-	-	-	1	0.0	-	-
Townsville	20	0.5	-	-	2	0.1	1	0.8	-	-	-	-	2	0.1	5	0.1	-	-	7	0.1
West Moreton	-	-	-	-	1	0.0	-	-	274	6.7	3	0.1	-	-	299	5.5	158	1.4	210	1.8
Wide Bay	-	-	-	-	46	1.4	-	-	9	0.2	5	0.1	1	0.0	3	0.1	84	0.7	12	0.1
Interstate/Overseas	11	0.3	-	-	4	0.1	-	-	84	2.1	303	5.1	-	-	35	0.6	17	0.2	48	0.4
Total	3,768	100.0	3	100.0	3,201	100.0	100	100.0	4,061	100.0	5,832	100.0	2,364	100.0	4,813	100.0	11,580	100.0	11,849	100.0

Hospital and Health Service of Usual Residence of Mother	Hospital and Health Service of place of birth																	
	North West		South West		Sunshine Coast		Torres Strait-Northern Peninsula		Townsville		West Moreton		Wide Bay		Home Births		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Cairns and Hinterland	-	-	-	-	-	-	-	-	32	0.9	-	-	-	-	2	2.4	3,430	5.5
Cape York	-	-	-	-	1	0.0	-	-	10	0.3	-	-	1	0.1	-	-	236	0.4
Central Queensland	1	0.18	1	0.4	15	0.4	-	-	14	0.4	3	0.1	7	0.3	1	1.2	3,332	5.3
Central West	9	1.64	2	0.8	3	0.1	-	-	12	0.3	-	-	1	0.1	-	-	201	0.3
Darling Downs	-	-	4	1.5	17	0.5	-	-	1	0.0	18	0.5	6	0.3	7	8.3	3,759	6.0
Gold Coast	-	-	-	-	-	-	-	-	1	0.0	-	-	-	-	18	21.4	5,949	9.5
Mackay	-	-	-	-	2	0.1	-	-	99	2.8	-	-	4	0.2	-	-	2,750	4.4
Metro North	2	0.36	-	-	55	1.5	-	-	1	0.0	51	1.5	-	-	16	19.1	11,934	19.0
Metro South	-	-	-	-	6	0.2	-	-	2	0.1	185	5.4	2	0.1	14	16.7	15,400	24.6
North West	537	97.64	-	-	4	0.1	-	-	43	1.2	1	0.0	-	-	-	-	634	1.0
South West	-	-	248	95.4	4	0.1	-	-	-	-	8	0.2	2	0.1	-	-	429	0.7
Sunshine Coast	-	-	-	-	3,644	95.8	-	-	-	-	2	0.1	6	0.3	14	16.7	3,919	6.3
Torres Strait-Northern Peninsula	-	-	-	-	1	0.0	119	92.3	5	0.1	1	0.0	-	-	-	-	256	0.4
Townsville	-	-	1	0.4	-	-	1	0.8	3,373	93.6	1	0.0	1	0.1	2	2.4	3,416	5.5
West Moreton	-	-	-	-	3	0.1	-	-	-	-	3,164	92.1	-	-	9	10.7	4,121	6.6
Wide Bay	-	-	-	-	41	1.1	-	-	-	-	-	-	2,155	98.6	1	1.2	2,357	3.8
Interstate/Overseas	1	0.2	4	1.5	9	0.2	9	7.0	10	0.3	3	0.1	-	-	-	-	538	0.9
Total	550	100.0	260	100.0	3,805	100.0	129	100.0	3,604	100.0	3,437	100.0	2,185	100.0	84	100.0	62,663	100.0

(a) The Health Service District of birth for planned homebirths has been included in the Health Service District of usual residence.

(b) Includes mothers who birthed at other or not stated place of birth.

**TABLE 8.06 LIVEBIRTHS TRANSFERRED, QUEENSLAND, 2012
LEVEL OF NURSERY AT FACILITY OF BIRTH BY LEVEL OF NURSERY AT FACILITY OF TRANSFER**

Level of nursery at facility of transfer	Level of nursery at facility of birth									
	Level one		Level two		Level three		Other ^(a)		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%
Level one	31	12.0	203	34.6	13	2.3	1	1.8	248	16.8
Level two	119	46.0	36	6.1	445	77.0	34	59.7	634	42.8
Level three	105	40.5	306	52.1	33	5.7	22	38.6	466	31.5
Other ^(b)	4	1.5	42	7.2	87	15.1	-	-	133	9.0
Total	259	100.0	587	100.0	578	100.0	57	100.0	1,481	100.0

Note: Excludes Born Before Arrival (BBA).

(a) Includes babies born at home or at a facility without approved maternity services.

(b) Includes babies transferred to facilities without approved maternity services, interstate facilities and not stated facilities.

TABLE 8.07 MOTHERS TRANSFERRED ANTENATALLY, QUEENSLAND, 2012
LEVEL OF NURSERY AT FACILITY OF BIRTH BY LEVEL OF NURSERY AT FACILITY OF TRANSFER

Level of nursery at facility of transfer	Level of nursery at facility of birth									
	Level one		Level two		Level three		Other ^(a)		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%	No.	%
Level one	65	68.4	871	60.8	409	36.4	-	-	1,345	50.7
Level two	13	13.7	134	9.4	440	39.2	-	-	587	22.1
Level three	3	3.2	65	4.5	40	3.6	-	-	108	4.1
Other ^(a)	14	14.7	362	25.3	235	20.9	2	100.0	613	23.1
Total	95	100.0	1,432	100.0	1,124	100.0	2	100.0	2,653	100.0

Note: Excludes Born Before Arrival (BBA).

(a) Includes mothers birthing at home or at a facility without approved maternity services.

(b) Includes homebirths, not stated facilities, facilities without approved maternity services and Interstate facilities.

TABLE 8.08

**MOTHERS BIRTHING IN QUEENSLAND, 2012 - HOSPITAL AND HEALTH SERVICE
OF USUAL RESIDENCE OF MOTHER BY AGE OF MOTHER AT BIRTH**

Hospital and Health Service of Usual Residence of Mother	Maternal Age						Total	
	Less than 20		20-34		35 and over		No.	%
	No.	%	No.	%	No.	%	No.	%
Cairns and Hinterland	228	7.2	2,570	5.4	632	5.2	3,430	5.5
Cape York	28	0.9	169	0.4	39	0.3	236	0.4
Central Queensland	210	6.6	2,671	5.6	451	3.7	3,332	5.3
Central West	16	0.5	161	0.3	24	0.2	201	0.3
Darling Downs	280	8.9	2,974	6.3	505	4.2	3,759	6.0
Gold Coast	182	5.8	4,384	9.2	1,383	11.5	5,949	9.5
Mackay	138	4.4	2,246	4.7	366	3.0	2,750	4.4
Metro North	419	13.2	8,691	18.3	2,824	23.4	11,934	19.0
Metro South	624	19.7	11,605	24.5	3,171	26.3	15,400	24.6
11.North West	66	2.1	494	1.0	74	0.6	634	1.0
South West	27	0.9	340	0.7	62	0.5	429	0.7
Sunshine Coast	148	4.7	2,887	6.1	884	7.3	3,919	6.3
Torres Strait-Northern Peninsula	47	1.5	178	0.4	31	0.3	256	0.4
Townsville	223	7.1	2,641	5.6	552	4.6	3,416	5.5
West Moreton	290	9.2	3,255	6.9	576	4.8	4,121	6.6
Wide Bay	224	7.1	1,797	3.8	336	2.8	2,357	3.8
Interstate/Overseas	15	0.5	376	0.8	147	1.2	538	0.9
Total^(a)	3,165	100.0	47,440	100.0	12,058	100.0	62,663	100.0

(a) Includes mothers with not stated place of Hospital and Health Service of usual residence.

TABLE 8.09

**BABIES BORN IN QUEENSLAND, 2012
BY FACILITY OF BIRTH TYPE & NAME**

Facility of birth type and name	Total	
	No.	%
Public Facilities		
Atherton	223	0.4
Ayr	119	0.2
Bamaga	2	0.0
Biloela	96	0.2
Blackwater	2	0.0
Bowen	10	0.0
Bundaberg	1,121	1.8
Caboolture	2,190	3.4
Cairns	2,496	3.9
Capricorn Coast	1	0.0
Charleville	43	0.1
Charters Towers	7	0.0
Cherbourg	2	0.0
Childers	1	0.0
Chinchilla	38	0.1
Clermont	2	0.0
Cloncurry	2	0.0
Collinsville	2	0.0
Cooktown	2	0.0
Cunnamulla	3	0.0
Dalby	278	0.4
Dysart	1	0.0
Emerald	323	0.5
Esk	4	0.0
Gatton	5	0.0
Gayndah	3	0.0
Gin Gin	2	0.0
Gladstone	521	0.8
Gold Coast	3,471	5.5
Gold Coast Hospital Birthing Centre	169	0.3
Goondiwindi	107	0.2
Gurriny Yealamucka	7	0.0
Gympie	375	0.6
Hervey Bay	1,050	1.7
Ingham	6	0.0
Inglewood	1	0.0
Innisfail	215	0.3
Ipswich	2,922	4.6
Joyce Palmer HS	6	0.0
Kingaroy	407	0.6
Laidley	2	0.0
Logan	3,516	5.5
Longreach	122	0.2
Mackay	1,327	2.1
Mackay Base Hospital Birthing Centre	95	0.2
Maleny	3	0.0
Mareeba	172	0.3
Marie Rose Centre	2	0.0
Maryborough	1	0.0
Mater Mothers' Public	5,513	8.7
Miles	1	0.0
Millmerran	3	0.0
Monto	2	0.0
Moranbah	2	0.0
Mossman	11	0.0
Mount Isa	555	0.9
Mount Morgan	3	0.0

TABLE 8.09

**BABIES BORN IN QUEENSLAND, 2012
BY FACILITY OF BIRTH TYPE & NAME**

Facility of birth type and name	Total	
	No.	%
Moura	2	0.0
Mundubbera	1	0.0
Nambour	2,314	3.6
Proserpine	305	0.5
Queen Elizabeth II	1	0.0
Redcliffe	1,748	2.7
Redland	2,228	3.5
Rockhampton	1,400	2.2
Roma	160	0.3
Royal Brisbane & Women's Birthing Centre	399	0.6
Royal Brisbane and Women's	3,784	5.9
Saibai Island Primary Health Care Centre	1	0.0
St George	52	0.1
Stanthorpe	129	0.2
Tara	5	0.0
The Prince Charles Hospital	1	0.0
Theodore	15	0.0
Thursday Island	121	0.2
Toowoomba	1,738	2.7
Toowoomba Hospital Birth Centre	160	0.3
Townsville	2,296	3.6
Townsville Hospital Birthing Centre	204	0.3
Tully	10	0.0
Warwick	215	0.3
Woorabinda	1	0.0
Public Facilities Total	44,855	70.4
Private Facilities	18,332	28.8
Homebirths	84	0.1
Born Before Arrival (BBA)	451	0.7
Total ^(a)	63,723	100.0

(a) Includes babies with not stated facility of birth.

TABLE 9.01**MOTHERS BIRTHING IN QUEENSLAND, 2012
SEPARATION STATUS OF MOTHER**

Separation status of mother	Mothers	
	No.	%
Discharged	61,598	99.0
Transferred	527	0.9
Homebirth	84	0.1
Died	2	-
Total ^(a)	62,212	100.0

Note: Excludes Born Before Arrival (BBA).

(a) Includes mothers with not stated separation status.

**TABLE 9.02 BIRTHS IN QUEENSLAND, 2012
SEPARATION STATUS OF BABY**

Separation status of baby	Births	
	No.	%
Discharged	61,099	96.6
Transferred	1,467	2.3
Homebirth	84	0.1
Died ^(a)	622	1.0
Total ^(b)	63,272	100.0

Note: Excludes Born Before Arrival (BBA).

(a) Includes stillbirths.

(b) Includes not stated separation status.

**TABLE 9.03 MOTHERS DISCHARGED HOME ^(a) AFTER BIRTHING IN A FACILITY, QUEENSLAND, 2012
POSTNATAL LENGTH OF STAY OF MOTHER BY TYPE OF FACILITY AND ACCOMMODATION**

Postnatal length of stay of mother (days)	Type of facility/accommodation									
	Public facility						Private facility			
	Public		Private		Total		Private facility		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%	No.	%
0	3,279	7.8	120	6.6	3,399	7.8	49	0.3	3,448	5.6
1	11,619	27.7	364	20.1	11,983	27.4	230	1.3	12,213	19.8
2	12,926	30.8	532	29.4	13,458	30.8	1,086	6.1	14,544	23.6
3	8,797	21.0	462	25.6	9,259	21.2	4,040	22.6	13,299	21.6
4	3,524	8.4	211	11.7	3,735	8.5	7,075	39.6	10,810	17.6
5	1,075	2.6	68	3.8	1,143	2.6	4,330	24.3	5,473	8.9
6	363	0.9	30	1.7	393	0.9	736	4.1	1,129	1.8
7	156	0.4	12	0.7	168	0.4	183	1.0	351	0.6
8	77	0.2	3	0.2	80	0.2	72	0.4	152	0.3
9	46	0.1	4	0.2	50	0.1	18	0.1	68	0.1
10	23	0.1	-	-	23	0.1	18	0.1	41	0.1
11-20	37	0.1	2	0.1	39	0.1	22	0.1	61	0.1
21 and over	9	0.0	-	-	9	0.0	-	-	9	0.0
Total	41,931	100.0	1,808	100.0	43,739	100.0	17,859	100.0	61,598	100.0
Average postnatal length of stay (days)	2.1		2.4		2.1		4.0		2.7	

Note: Excludes Born Before Arrival (BBA).

(a) Excludes inter-facility transfers.

(b) Includes not stated facility type.

TABLE 9.04 **MOTHERS DISCHARGED HOME ^(a) AFTER BIRTHING IN A FACILITY, QUEENSLAND, 2012**
POSTNATAL LENGTH OF STAY OF MOTHER BY NUMBER OF PREVIOUS PREGNANCIES ^(b)

Postnatal length of stay of mother (days)	Number of previous pregnancies													
	0		1		2		3		4		5 or more		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
0	583	2.3	1,399	6.8	791	8.5	361	9.9	165	11.3	149	11.1	3,448	5.6
1	3,167	12.5	4,534	22.2	2,487	26.7	1,088	29.9	484	33.1	453	33.7	12,213	19.8
2	6,104	24.0	4,553	22.3	2,198	23.6	933	25.6	390	26.7	366	27.2	14,544	23.6
3	5,935	23.4	4,428	21.7	1,835	19.7	653	17.9	231	15.8	217	16.1	13,299	21.6
4	5,321	21.0	3,564	17.4	1,320	14.2	383	10.5	127	8.7	95	7.1	10,810	17.6
5	3,149	12.4	1,589	7.8	509	5.5	146	4.0	48	3.3	32	2.4	5,473	8.9
6	733	2.9	236	1.2	95	1.0	44	1.2	4	0.3	17	1.3	1,129	1.8
7	211	0.8	75	0.4	29	0.3	25	0.7	4	0.3	7	0.5	351	0.6
8	91	0.4	36	0.2	13	0.1	7	0.2	4	0.3	1	0.1	152	0.3
9	39	0.2	18	0.1	6	0.1	1	0.0	3	0.2	1	0.1	68	0.1
10	24	0.1	7	0.0	6	0.1	-	-	1	0.1	3	0.2	41	0.1
11-20	29	0.1	16	0.1	9	0.1	4	0.1	1	0.1	2	0.2	61	0.1
21 and over	4	0.0	1	-	1	0.0	-	-	1	0.1	2	0.2	9	0.0
Total	25,390	100.0	20,456	100.0	9,299	100.0	3,645	100.0	1,463	100.0	1,345	100.0	61,598	100.0
Average postnatal length of stay (days)	3.1		2.5		2.3		2.1		2.0		2.0		2.7	

Note: Excludes Born Before Arrival (BBA).

(a) Excludes inter-facility transfers.

(b) Includes pregnancies with an outcome of delivery after 20 weeks and/or 400grams

TABLE 9.05 **MOTHERS DISCHARGED HOME ^(a) AFTER BIRTHING IN A FACILITY, QUEENSLAND, 2012**
POSTNATAL LENGTH OF STAY OF MOTHER BY METHOD OF BIRTH ^(b)

Postnatal length of stay of mother (days)	Method of birth											
	Vaginal non-instrumental		Forceps		Vacuum extraction		LSCS		Classical CS		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
0	3,378	9.7	10	0.7	55	1.1	4	0.0	1	1.0	3,448	5.6
1	11,134	32.0	131	9.6	707	14.5	240	1.2	1	1.0	12,213	19.8
2	9,833	28.2	328	24.1	1,334	27.4	3,043	14.9	6	5.9	14,544	23.6
3	5,570	16.0	359	26.4	1,288	26.5	6,060	29.7	22	21.8	13,299	21.6
4	3,797	10.9	363	26.7	1,090	22.4	5,528	27.1	32	31.7	10,810	17.6
5	802	2.3	112	8.2	276	5.7	4,267	20.9	16	15.8	5,473	8.9
6	199	0.6	35	2.6	73	1.5	817	4.0	5	5.0	1,129	1.8
7	68	0.2	9	0.7	26	0.5	243	1.2	5	5.0	351	0.6
8	26	0.1	7	0.5	9	0.2	108	0.5	2	2.0	152	0.3
9	17	0.1	5	0.4	5	0.1	37	0.2	4	4.0	68	0.1
10	8	0.0	1	0.1	5	0.1	26	0.1	1	1.0	41	0.1
11 - 20	14	0.0	-	-	1	0.0	41	0.2	5	5.0	61	0.1
21 and over	2	0.0	-	-	-	-	6	0.0	1	1.0	9	0.0
Total	34,848	100.0	1,360	100.0	4,869	100.0	20,420	100.0	101	100.0	61,598	100.0
Average postnatal length of stay	2.0		3.1		2.8		3.8		5.0		2.7	

Note: Excludes Born Before Arrival (BBA).

(a) Excludes inter-facility transfers.

(b) For multiple births where method of birth was not the same for each baby, the method for the first born was tabulated.

**TABLE 9.06 FACILITY LIVEBIRTHS DISCHARGED HOME^(a), QUEENSLAND, 2012
LENGTH OF STAY BY BIRTHWEIGHT**

Length of stay of baby (days)	Birthweight (grams)											
	Less than 1,000		1,000-1,499		1,500-2,499		2,500-4,499		4,500 and over		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
0	-	-	-	-	9	0.3	3,148	5.6	28	2.3	3,185	5.2
1	-	-	-	-	84	2.8	11,305	20.0	205	16.7	11,594	19.0
2	-	-	-	-	263	8.8	13,114	23.2	277	22.5	13,654	22.4
3	-	-	1	0.6	248	8.3	11,899	21.0	355	28.8	12,503	20.5
4	-	-	-	-	257	8.6	9,782	17.3	185	15.0	10,224	16.7
5	-	-	-	-	242	8.1	4,899	8.7	104	8.5	5,245	8.6
6	-	-	-	-	182	6.1	1,026	1.8	35	2.8	1,243	2.0
7	-	-	-	-	116	3.9	418	0.7	11	0.9	545	0.9
8	-	-	1	0.6	76	2.6	226	0.4	5	0.4	308	0.5
9	-	-	-	-	80	2.7	127	0.2	4	0.3	211	0.4
10	-	-	1	0.6	69	2.3	104	0.2	1	0.1	175	0.3
11 - 20	-	-	2	1.2	731	24.5	471	0.8	19	1.5	1,223	2.0
21 and over	69	100.0	157	96.9	623	20.9	138	0.2	2	0.2	989	1.6
Total	69	100.0	162	100.0	2,980	100.0	56,657	100.0	1,231	100.0	61,099	100.0
Average length of stay (days)	97.5		49.7		12.4		2.8		3.1		3.5	

Note: Excludes Born Before Arrival (BBA).

(a) Excludes inter-facility transfers.

(b) Includes those babies with not stated birthweight.

**TABLE 9.07 BIRTHS BY MONTH OF BIRTH,
QUEENSLAND, 2011 and 2012**

Month	Year			
	2011		2012	
	No.	%	No.	%
January	5,188	8.3	5347	8.4
February	4,980	8.0	5158	8.1
March	5,676	9.1	5619	8.8
April	5,282	8.5	5177	8.1
May	5,423	8.7	5516	8.7
June	5,247	8.4	5323	8.4
July	5,135	8.3	5399	8.5
August	5,206	8.4	5414	8.5
September	5,127	8.3	5229	8.2
October	4,981	8.0	5401	8.5
November	4,983	8.0	5094	8.0
December	4,948	8.0	5046	7.9
Total Births	62,176	100.0	63,723	100.0

**TABLE 10.01 PERINATAL DEATHS, QUEENSLAND, 2012
TYPE OF PERINATAL DEATH BY SEX**

Type of perinatal death		Sex		Total ^(a)
		Male	Female	
Stillbirth	No.	225	219	460
	Rate ^(b)	6.9	7.2	7.3
Neonatal death	No.	101	92	195
	Rate ^(c)	3.1	3.0	3.1
Perinatal death	No.	326	311	655
	Rate ^(b)	10.1	10.2	10.4

(a) Includes stillbirths and neonatal deaths of indeterminate sex.

(b) Per 1,000 births of specified sex.

(c) Per 1,000 livebirths of specified sex.

TABLE 10.02

STILLBIRTHS, QUEENSLAND, 2012
TIME OF DEATH BY SEX

Time of death	Sex					
	Male		Female		Total ^(a)	
	No.	%	No.	%	No.	%
Before labour commenced	170	75.6	164	74.9	348	75.7
During labour but before delivery	34	15.1	33	15.1	68	14.8
Before delivery but not known if before or during labour	21	9.3	22	10.1	44	9.6
Total	225	100.0	219	100.0	460	100.0

(a) Includes stillbirths of indeterminate sex.

**TABLE 10.03 NEONATAL DEATHS, QUEENSLAND, 2012
AGE AT NEONATAL DEATH BY SEX**

Age (days)	Sex					
	Male		Female		Total ^(a)	
	No.	%	No.	%	No.	%
0	72	71.3	56	60.9	130	66.7
1	8	7.9	5	5.4	13	6.7
2	5	5.0	3	3.3	8	4.1
3	1	1.0	5	5.4	6	3.1
4	4	4.0	2	2.2	6	3.1
5	1	1.0	4	4.4	5	2.6
6	1	1.0	3	3.3	4	2.1
7	1	1.0	2	2.2	3	1.5
8 - 14	4	4.0	7	7.6	11	5.6
15 - 21	3	3.0	3	3.3	6	3.1
22 - 28	1	1.0	2	2.2	3	1.5
Total	101	100.0	92	100.0	195	100.0

(a) Includes neonatal deaths of indeterminate sex.

**TABLE 10.04 PERINATAL DEATHS, QUEENSLAND, 2012
AGE OF MOTHER BY TYPE OF PERINATAL DEATH**

Age of mother (years)	Type of perinatal death						Total births No.
	Stillbirth		Neonatal death		Total		
	No.	Rate ^(a)	No.	Rate ^(b)	No.	Rate ^(a)	
Under 20	26	8.2	12	3.8	38	11.9	3,183
20 - 24	74	7.0	27	2.6	101	9.6	10,522
25 - 29	120	6.5	54	2.9	174	9.4	18,542
30 - 34	136	7.1	49	2.6	185	9.7	19,115
35 - 39	73	7.3	42	4.2	115	11.4	10,058
40 - 44	27	12.4	11	5.1	38	17.4	2,186
45 and over	4	34.2	-	-	4	34.2	117
Total	460	7.2	195	3.1	655	10.3	63,723

(a) Per 1,000 births of specified age.

(b) Per 1,000 livebirths of specified age.

TABLE 10.05

PERINATAL DEATHS, QUEENSLAND, 2012
INDIGENOUS STATUS OF MOTHER BY TYPE OF PERINATAL DEATH

Indigenous status of mother	Type of perinatal death						Total births No.
	Stillbirth		Neonatal death		Total		
	No.	Rate ^(a)	No.	Rate ^(b)	No.	Rate ^(a)	
Aboriginal	26	8.7	12	4.1	38	12.7	2,986
Torres Strait Islander	4	7.4	5	9.3	9	16.6	542
Aboriginal & Torres Strait Islander	2	5.5	1	2.8	3	8.2	365
Neither Aboriginal nor Torres Strait Islander	428	7.2	176	3.0	604	10.1	59,824
Total^(c)	460	7.2	195	3.1	655	10.3	63,723

(a) Per 1,000 births of specified Indigenous status of mother.

(b) Per 1,000 livebirths of specified Indigenous status of mother.

(c) Includes perinatal deaths with not stated Indigenous status of mother.

**TABLE 10.06 PERINATAL DEATHS, QUEENSLAND, 2012
MARITAL STATUS OF MOTHER BY TYPE OF PERINATAL DEATH**

Marital status of mother	Type of perinatal death						Total births
	Stillbirth		Neonatal death		Total		
	No.	Rate ^(a)	No.	Rate ^(b)	No.	Rate ^(a)	No.
Single	62	8.3	31	4.2	93	12.4	7,483
Married/defacto	385	7.0	160	2.9	545	9.9	55,277
Other	13	13.8	4	4.3	17	18.0	945
Total^(c)	460	7.2	195	3.1	655	10.3	63,723

(a) Per 1,000 births of specified marital status of mother.

(b) Per 1,000 livebirths of specified marital status of mother.

(c) Includes not stated marital status of mother.

**TABLE 10.07 PERINATAL DEATHS, QUEENSLAND, 2012
PLURALITY OF PREGNANCY BY TYPE OF PERINATAL DEATH**

Plurality of pregnancy	Type of perinatal death						Total births No.
	Stillbirth		Neonatal death		Total		
	No.	Rate ^(a)	No.	Rate ^(b)	No.	Rate ^(a)	
Singleton	388	6.3	166	2.7	554	9.0	61,624
Multiple	72	34.3	29	14.3	101	48.1	2,099
Total	460	7.2	195	3.1	655	10.3	63,723

(a) Per 1,000 births of specified plurality.

(b) Per 1,000 livebirths of specified plurality.

**TABLE 10.08 PERINATAL DEATHS, QUEENSLAND, 2012
BIRTHWEIGHT BY TYPE OF PERINATAL DEATH**

Birthweight (grams)	Type of perinatal death								
	Stillbirth			Neonatal death			Total		
	No.	%	Rate ^(a)	No.	%	Rate ^(b)	No.	%	Rate ^(a)
Less than 500	175	38.0	720.2	65	33.3	955.9	240	36.6	987.7
500 - 749	58	12.6	379.1	40	20.5	421.1	98	15.0	640.5
750 - 999	29	6.3	171.6	12	6.2	85.7	41	6.3	242.6
1,000 - 1,249	17	3.7	91.4	6	3.1	35.5	23	3.5	123.7
1,250 - 1,499	22	4.8	88.4	10	5.1	44.1	32	4.9	128.5
1,500 - 1,749	14	3.0	39.3	8	4.1	23.4	22	3.4	61.8
1,750 - 1,999	11	2.4	21.0	10	5.1	19.5	21	3.2	40.1
2,000 - 2,249	14	3.0	14.2	3	1.5	3.1	17	2.6	17.2
2,250 - 2,499	14	3.0	8.5	6	3.1	3.7	20	3.1	12.1
2,500 - 2,999	41	8.9	4.5	9	4.6	1.0	50	7.6	5.4
3,000 - 3,499	30	6.5	1.4	16	8.2	0.7	46	7.0	2.1
3,500 - 3,999	21	4.6	1.1	8	4.1	0.4	29	4.4	1.5
4,000 - 4,499	3	0.7	0.5	-	-	-	3	0.5	0.5
4,500 and over	-	-	-	1	0.5	0.8	1	0.2	0.8
Total^(c)	460	100.0	7.2	195	100.0	3.1	655	100.0	10.3

(a) Per 1,000 births of specified birthweight.

(b) Per 1,000 livebirths of specified birthweight.

(c) Includes perinatal deaths with not stated birthweight.

**TABLE 10.09 PERINATAL DEATHS, QUEENSLAND, 2012
GESTATION BY TYPE OF PERINATAL DEATH**

Gestation (weeks)	Type of perinatal death								
	Stillbirth			Neonatal death			Total		
	No.	%	Rate ^(a)	No.	%	Rate ^(b)	No.	%	Rate ^(a)
Less than 22	117	25.4	668.6	58	29.7	1,000.0	175	26.7	1,000.0
22 - 24	83	18.0	542.5	37	19.0	528.6	120	18.3	784.3
25 - 27	44	9.6	197.3	24	12.3	134.1	68	10.4	304.9
28 - 31	47	10.2	83.8	13	6.7	25.3	60	9.2	107.0
32 - 36	80	17.4	16.6	26	13.3	5.5	106	16.2	22.1
37 - 41	85	18.5	1.5	35	18.0	0.6	120	18.3	2.1
42 and over	3	0.7	8.9	2	1.0	6.0	5	0.8	14.8
Total ^(c)	460	100.0	7.2	195	100.0	3.1	655	100.0	10.3

(a) Per 1,000 births of specified gestation.

(b) Per 1,000 livebirths of specified gestation.

(c) Includes perinatal deaths with not stated gestation.

TABLE 10.10

PERINATAL DEATHS, QUEENSLAND, 2012
HOSPITAL AND HEALTH SERVICE OF USUAL RESIDENCE OF MOTHER BY TYPE OF PERINATAL DEATH

Hospital and Health Service of Usual Residence of Mother	Type of perinatal death										
	Stillbirth			Neonatal death			Perinatal death			Total births	
	No.	%	Rate ^(a)	No.	%	Rate ^(b)	No.	%	Rate ^(a)	No.	%
Cairns and Hinterland	24	5.2	6.9	12	6.2	3.5	36	5.5	10.4	3,473	5.5
Cape York	5	1.1	20.8	1	0.5	4.3	6	0.9	25.0	240	0.4
Central Queensland	19	4.1	5.6	18	9.2	5.4	37	5.7	10.9	3,386	5.3
Central West	2	0.4	9.8	-	-	-	2	0.3	9.8	204	0.3
Darling Downs	27	5.9	7.1	6	3.1	1.6	33	5.0	8.6	3,822	6.0
Gold Coast	35	7.6	5.8	15	7.7	2.5	50	7.6	8.3	6,054	9.5
Mackay	26	5.7	9.3	4	2.1	1.5	30	4.6	10.7	2,794	4.4
Metro North	86	18.7	7.1	34	17.4	2.8	120	18.3	9.9	12,150	19.1
Metro South	119	25.9	7.6	55	28.2	3.5	174	26.6	11.1	15,651	24.6
North West	6	1.3	9.3	1	0.5	1.6	7	1.1	10.9	645	1.0
South West	5	1.1	11.6	-	-	-	5	0.8	11.6	433	0.7
Sunshine Coast	17	3.7	4.3	15	7.7	3.8	32	4.9	8.0	3,996	6.3
Torres Strait-Northern Peninsula	4	0.9	15.3	4	2.1	15.6	8	1.2	30.7	261	0.4
Townsville	28	6.1	8.1	10	5.1	2.9	38	5.8	11.0	3,471	5.5
West Moreton	34	7.4	8.1	6	3.1	1.4	40	6.1	9.5	4,194	6.6
Wide Bay	19	4.1	8.0	10	5.1	4.2	29	4.4	12.1	2,390	3.8
Interstate Overseas	4	0.9	7.2	4	2.1	7.3	8	1.2	14.4	554	0.9
Total^(c)	460	100.0	7.2	195	100.0	3.1	655	100.0	10.3	63,723	100.0

(a) Per 1,000 births of specified Hospital and Health Service of usual residence of mother.

(b) Per 1,000 livebirths of specified Hospital and Health Service of usual residence of mother.

(c) Includes perinatal deaths with not stated Hospital and Health Service of usual residence of mother.

TABLE 10.11 NEONATAL DEATHS, QUEENSLAND, 2012 BIRTHWEIGHT BY GESTATION

Birthweight (grams)	Gestation (weeks)														Total	
	Less than 22		22-24		25-27		28-31		32-36		37-41		42 and over		No.	%
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 500	50	86.2	10	27.0	5	20.8	-	-	-	-	-	-	-	-	65	33.3
500 - 749	8	13.8	25	67.6	6	25.0	1	7.7	-	-	-	-	-	-	40	20.5
750 - 999	-	-	2	5.4	8	33.3	1	7.7	1	3.9	-	-	-	-	12	6.2
1,000 - 1,249	-	-	-	-	3	12.5	1	7.7	2	7.7	-	-	-	-	6	3.1
1,250 - 1,499	-	-	-	-	2	8.3	5	38.5	3	11.5	-	-	-	-	10	5.1
1,500 - 1,749	-	-	-	-	-	-	3	23.1	4	15.4	1	2.9	-	-	8	4.1
1,750 - 1,999	-	-	-	-	-	-	2	15.4	6	23.1	2	5.7	-	-	10	5.1
2,000 - 2,249	-	-	-	-	-	-	-	-	2	7.7	1	2.9	-	-	3	1.5
2,250 - 2,499	-	-	-	-	-	-	-	-	3	11.5	3	8.6	-	-	6	3.1
2,500 - 2,999	-	-	-	-	-	-	-	-	1	3.9	7	20.0	1.0	50.0	9	4.6
3,000 - 3,499	-	-	-	-	-	-	-	-	3	11.5	12	34.3	1.0	50.0	16	8.2
3,500 - 3,999	-	-	-	-	-	-	-	-	-	-	8	22.9	-	-	8	4.1
4,000 - 4,499	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 and over	-	-	-	-	-	-	-	-	-	-	1.0	2.9	-	-	1.0	0.5
Total^(a)	58	100.0	37	100.0	24	100.0	13	100.0	26	100.0	35	100.0	2	100.0	195	100.0

(a) Includes perinatal deaths with not stated birthweight.

TABLE 10.12 STILLBIRTHS, QUEENSLAND, 2012 BIRTHWEIGHT BY GESTATION

Birthweight (grams)	Gestation (weeks)															
	Less than 22		22-24		25-27		28-31		32-36		37-41		42 and over		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 500	108	92.3	42	50.6	7	15.9	3	6.4	5	6.3	10	11.8	-	-	175	38.0
500 - 749	7	6.0	34	41.0	17	38.6	-	-	-	-	-	-	-	-	58	12.6
750 - 999	-	-	4	4.8	13	29.6	11	23.4	1	1.3	-	-	-	-	29	6.3
1,000 - 1,249	-	-	1	1.2	3	6.8	9	19.2	3	3.8	1	1.2	-	-	17	3.7
1,250 - 1,499	-	-	-	-	2	4.6	9	19.2	10	12.5	1	1.2	-	-	22	4.8
1,500 - 1,749	-	-	-	-	2	4.6	8	17.0	4	5.0	-	-	-	-	14	3.0
1,750 - 1,999	-	-	-	-	-	-	3	6.4	7	8.8	1	1.2	-	-	11	2.4
2,000 - 2,249	-	-	-	-	-	-	2	4.3	10	12.5	2	2.4	-	-	14	3.0
2,250 - 2,499	-	-	-	-	-	-	-	-	9	11.3	5	5.9	-	-	14	3.0
2,500 - 2,999	-	-	-	-	-	-	-	-	23	28.8	18	21.2	-	-	41	8.9
3,000 - 3,499	-	-	-	-	-	-	-	-	4	5.0	25	29.4	1	33.3	30	6.5
3,500 - 3,999	-	-	-	-	-	-	-	-	3	3.8	16	18.8	2	66.7	21	4.6
4,000 - 4,499	-	-	-	-	-	-	-	-	-	-	3	3.5	-	-	3	0.7
4,500 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total ^(a)	117	100.0	83	100.0	44	100.0	47	100.0	80	100.0	85	100.0	3	100.0	460	100.0

(a) Includes babies with a not stated birthweight.

(b) Includes babies with a not stated gestation.

TABLE 10.13 PERINATAL DEATHS, QUEENSLAND, 2012
MAIN CONDITION IN FETUS/NEONATE BY TYPE OF PERINATAL DEATH

Main condition in fetus/neonate ^(a)	Type of perinatal death					
	Stillbirth		Neonatal		Perinatal	
	No.	%	No.	%	No.	%
Perinatal death of unspecified cause	219	47.6	13	6.7	232	35.4
Fetus/newborn affected by placenta,cord/memb comp	213	46.3	82	42.1	295	45.0
Termination of pregnancy, fetus and newborn	83	18.0	21	10.8	104	15.9
Fetal malnutrition and immaturity	59	12.8	61	31.3	120	18.3
Congenital anomalies	38	8.3	46	23.6	84	12.8
Hypoxia, birth asphyxia & other respiratory conditions	18	3.9	13	6.7	31	4.7
Infection	4	0.9	8	4.1	12	1.8
Total perinatal deaths	460	-	195	-	655	-

(a) Reporting of multiple conditions was permitted, so numbers cannot be cumulated.

**TABLE 10.14 PERINATAL DEATHS CAUSED BY CONGENITAL ANOMALIES, QUEENSLAND, 2012
NATURE/SITE OF CONGENITAL ANOMALY BY TYPE OF PERINATAL DEATH**

Nature/site of congenital anomaly ^(a)	Type of perinatal death		
	Stillbirth No.	Neonatal No.	Perinatal No.
Chromosomal anomalies	10	8	18
Other congenital anomalies of heart	8	9	17
Other congenital anomalies of nervous system	4	7	11
Other congenital musculoskeletal anomalies	2	5	7
Anencephalus and similar anomalies	2	4	6
Congenital anomalies of respiratory system	2	3	5
Bulbus cordis anomalies and anomalies of cardiac septal closure	1	3	4
Other and unspecified congenital anomalies	4	-	4
Congenital anomalies of urinary system	1	2	3
Other congenital anomalies of circulatory system	-	3	3
Other congenital anomalies of digestive system	1	1	2
Spina Bifida	2	-	2
Other congenital anomalies of limbs	1	-	1
Total	38	45	83

(a) The ICD-10 AM (International Classification of Diseases) was used for coding the congenital anomalies.

**TABLE 10.15 PERINATAL DEATHS, QUEENSLAND, 2012
POSTMORTEM STATUS BY TYPE OF PERINATAL DEATH**

Postmortem status	Type of perinatal death					
	Stillbirth		Neonatal		Perinatal	
	No.	%	No.	%	No.	%
Postmortem performed	145	31.5	38	19.5	183	27.9
Postmortem not performed	298	64.8	155	79.5	453	69.2
Total ^(a)	460	-	195	-	655	-

(a) Includes those with postmortem under investigation and not stated postmortem status.

**TABLE 10.16 PERINATAL DEATHS, QUEENSLAND, 2012
SELECTED WEIGHT & GESTATION GROUPED BY TYPE OF PERINATAL DEATH**

Type of Perinatal Death	Gestation (weeks)	Birthweight (grams)									
		Less than 500		500-999		1,000-1,499		1,500+		Total ^(c)	
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Stillbirth ^(a)	21 and less	108	683.5	7	466.7	-	-	-	-	117	668.6
	22-26	46	766.7	60	517.2	3	375.0	1	1,000.0	112	598.9
	27-31	6	857.1	19	575.8	21	146.9	14	112.0	62	200.0
	32-36	5	1,000.0	1	200.0	13	197.0	60	13.3	80	17.4
	37 and above	10	1,000.0	-	-	2	666.7	73	1.3	88	1.5
	Total ^(d)	175	729.2	87	514.8	39	177.3	148	2.4	460	7.3
Neonatal death ^(b)	21 and less	50	1,000.0	8	1,000.0	-	-	-	-	58	1,000.0
	22-26	14	1,000.0	40	714.3	2	400.0	-	-	56	746.7
	27-31	1	1,000.0	3	214.3	9	73.8	5	45.1	18	72.6
	32-36	-	-	1	250.0	5	94.3	19	4.3	26	5.8
	37 and above	-	-	-	-	-	-	37	0.6	37	0.6
	Total	65	1,000.0	52	634.2	16	88.4	61	1.0	195	3.1

(a) Includes stillbirths and neonatal deaths with not stated birthweight.

(b) Stillbirth rate per 1,000 total births of specified group.

(c) Neonatal death rate per 1,000 livebirths of specified group.

(d) Includes stillborn deaths with not stated gestation.

INCIDENCE DATA - QUEENSLAND NEWBORN SCREENING

Year	Condition																	
	Cystic Fibrosis			Congenital Hypothyroidism			Phenylketonuria			Galactosemia			MCAD ^(d)			Other EMS ^(e)		
	Infants ^(a)	Cases ^(b)	Rate ^(c)	Infants ^(a)	Cases ^(b)	Rate ^(c)	Infants ^(a)	Cases ^(b)	Rate ^(c)	Infants ^(a)	Cases ^(b)	Rate ^(c)	Infants ^(a)	Cases ^(b)	Rate ^(c)	Infants ^(a)	Cases ^(b)	Rate ^(c)
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
Previous	382,744	141	3.7	472,915	129	2.7	910,231	71	0.8	385,196	14	0.4						
1992	46,626	12	2.6	46,626	16	3.4	46,626	4	0.9	46,626	-	-						
1993	47,097	16	3.4	47,097	17	3.6	47,097	3	0.6	47,097	2	0.4						
1994	47,646	16	3.4	47,646	10	2.1	47,646	4	0.8	47,646	1	0.2						
1995	48,068	9	1.9	48,068	22	4.6	48,068	3	0.6	48,068	-	-						
1996	47,629	19	4.0	47,629	19	4.0	47,629	2	0.4	47,629	2	0.4						
1997	47,738	14	2.9	47,738	16	3.4	47,738	3	0.6	47,738	2	0.4						
1998	48,900	16	3.3	48,900	17	3.5	48,900	4	0.8	48,900	-	-						
1999	48,586	16	3.3	48,586	19	3.9	48,586	4	0.8	48,586	-	-						
2000	48,922	19	3.9	48,922	22	4.5	48,922	3	0.6	48,922	1	0.2						
2001	49,285	15	3.0	49,285	16	3.2	49,285	1	0.2	49,285	2	0.4						
2002	48,819	16	3.3	48,819	16	3.3	48,819	1	0.2	48,819	-	-						
2003	49,903	15	3.0	49,903	14	2.8	49,903	-	-	49,903	1	0.2						
2004	50,300	20	4.0	50,300	19	3.8	50,300	4	0.8	50,300	3	0.6	39,798	5	1.3	39,798	8	2.0
2005	54,956	23	4.2	54,956	15	2.7	54,956	7	1.3	54,956	-	-	54,956	7	1.3	54,956	2	0.4
2006	56,308	22	3.9	56,308	25	4.4	56,308	6	1.1	56,308	1	0.2	56,308	5	0.9	56,308	4	0.7
2007	59,732	30	5.0	59,732	19	3.2	59,732	4	0.7	59,732	-	-	59,732	6	1.0	59,732	11	1.8
2008	60,992	26	4.3	60,992	18	3.0	60,992	7	1.1	60,992	-	-	60,992	7	1.1	60,992	10	1.6
2009	61,443	23	3.7	61,443	35	5.7	61,443	5	0.8	61,443	1	0.2	61,443	3	0.5	61,443	12	2.0
2010	61,618	25	4.1	61,618	24	3.9	61,618	9	1.5	61,618	2	0.3	61,618	3	0.5	61,618	7	1.1
2011	61,637	19	3.1	61,637	20	3.2	61,637	3	0.5	61,637	1	0.2	61,637	4	0.6	61,637	13	2.1
2012	62,582	12	1.9	62,582	22	3.5	62,582	3	0.5	62,582	1	0.2	62,582	8	1.3	62,582	16	2.6
Total	1,491,531	524	3.5	1,581,702	530	3.4	2,019,018	151	0.7	1,493,983	34	0.2	519,066	48	0.9	519,066	83	1.6

(a) "Infants" refers to new births recorded by the Newborn Screening Section. Please note this includes stillborn babies.

(b) "Cases" refers to confirmed cases notified to the Newborn Screening Section

(c) Cases per 10,000 infants.

(d) MCAD: Medium-chain acyl-CoA dehydrogenase deficiency (from 1/4/2004)

(e) Other EMS: Other disorders of amino acid, organic acid and fatty acid metabolism detected by Tandem Mass Spectrometry (from 1/4/2004)

The above information has been provided to the Data Services Unit by the Newborn Screening Section for use in this publication. Newborn Screening data has been included in response to clinician request. Differences in birth figures between these data and the Perinatal Data Collection are a result of different collection methodologies. Appreciation is extended to the Newborn Screening Section for their assistance. It should be noted that the Perinatal Data Collection does not capture newborn screening data - and therefore cannot provide any further information regarding this table. Interested parties may contact the Newborn Screening Section in the following manner: