TABLE 5.01 MOTHERS BIRTHING IN QUEENSLAND, 2016
NUMBER OF ANTENATAL VISITS BY INDIGENOUS STATUS OF MOTHER

	Indigenous status of mother							
Number of antenatal visits	Indigenous		Non-Indige	nous	Total <sup>(a)</sup>			
	No.	%	No.	%	No.	%		
Less than 2	92	2.2	242	0.4	334	0.5		
2 - 4	442	10.6	2,155	3.7	2,597	4.2		
5 - 7	906	21.7	7,983	13.8	8,889	14.4		
8 or more	2,721	65.1	47,220	81.9	49,945	80.7		
Total <sup>(b)</sup>	4,178	100.0	57,694	100.0	61,876	100.0		

<sup>(</sup>a) Includes mothers with not stated Indigenous status.

<sup>(</sup>b) Includes mothers with not stated number of antenatal visits.

TABLE 5.02 MOTHERS BIRTHING IN QUEENSLAND, 2016 PARITY BY AGE OF MOTHER

			,	Age of motl	her (years)				
Parity	Under	20	20 - 3	4	35 and over			Total	
	No.	%	No.	%	No.	%	No.	%	
0	1,717	81.3	20,463	43.0	3,168	26.0	25,348	41.0	
1	351	16.6	16,372	34.4	4,432	36.4	21,155	34.2	
2	42	2.0	6,693	14.1	2,287	18.8	9,022	14.6	
3	2	0.1	2,462	5.2	1,132	9.3	3,596	5.8	
4			922	1.9	472	3.9	1,394	2.3	
5 or more		•	660	1.4	701	5.8	1,361	2.2	
Total	2,112	100.0	47,572	100.0	12,192	100.0	61,876	100.0	

TABLE 5.03 MOTHERS BIRTHING IN QUEENSLAND, 2016 SELECTED MEDICAL CONDITIONS OF MOTHER

Condition (a)	Mothers	
	No.	%
Depressive disorder	2,320	3.8
Disorder of thyroid	2,304	3.7
Anaemia	1,418	2.3
Asthma	1,349	2.2
Streptococcal infection (including carrier of streptococcal and other specified bacteria)	1,295	2.1
Active Genital Herpes	624	1.0
Substance abuse	621	1.0
Pre-existing Diabetes mellitus	489	0.8
Pre-existing Hypertension	482	0.8
Viral Hepatitis (including carrier status)	429	0.7
Urinary tract infection (unspecified)	409	0.7
Migraine	352	0.6
Epilepsy	268	0.4
Heart Murmur	122	0.2
Influenza	52	0.1
All mothers	61,876	-

<sup>(</sup>a) Reporting of multiple conditions was permitted, so numbers cannot be cumulated.

TABLE 5.04 MOTHERS BIRTHING IN QUEENSLAND, 2016 SELECTED PREGNANCY COMPLICATIONS

Complication <sup>(a)</sup>	Mothers	
	No.	%
Previous uterine scar	11,173	18.1
Rupture of membranes >4 hours before onset of labour (<24 hours before labour)	9,853	15.9
Gestational diabetes	7,324	11.8
Preterm labour	5,387	8.7
Hypertension complicating pregnancy (includes pre-eclampsia and eclampsia)	3,406	5.5
Prolonged pregnancy	3,123	5.1
Breech presentation	2,760	4.5
Poor fetal growth	2,757	4.5
Rupture of membranes >24 hours before labour	2,599	4.2
Placenta previa with or without haemorrhage, abruptio placentae and other antepartum haemorrhage	1,929	3.1
Previous poor obstetric history	995	1.6
Haemorrhage in early pregnancy	619	1.0
Threatened premature labour	407	0.7
All mothers	61,876	-

<sup>(</sup>a) Reporting of multiple complications was permitted, so numbers cannot be cumulated.

TABLE 5.05 MOTHERS BIRTHING IN QUEENSLAND, 2016
ANTENATAL TRANSFER STATUS BY INDIGENOUS STATUS OF MOTHER

				In	digenous Statu	s of Mothe	er			
			Torres		Aboriginal and		Neither Aboriginal nor			
Antenatal Transfer Status	Aboriginal		Strait Islar	Strait Islander		Torres Strait Islander		Torres Strait Islander		a)
	No.	%	No.	%	No.	%	No.	%	No.	%
Not transferred	2,901	89.4	419	88.6	408	88.9	55,524	96.2	59,255	95.8
Transferred	345	10.6	54	11.4	51	11.1	2,170	3.8	2,621	4.2
Transferred - before labour	293	9.0	47	9.9	44	9.6	1,634	2.8	2,019	3.3
Transferred - during labour	52	1.6	7	1.5	7	1.5	536	0.9	602	1.0
Total	3,246	100.0	473	100.0	459	100.0	57,694	100.0	61,876	100.0

<sup>(</sup>a) Includes mothers with not stated Indigenous status.

TABLE 5.06 MOTHERS BIRTHING IN QUEENSLAND, 2016
SELECTED REASON FOR ANTENATAL TRANSFER BY INDIGENOUS STATUS OF MOTHER

	Indigenous status of mother							
Reason <sup>(a)</sup>	Indigenous		Non-Indigenous		Total	(b)		
	No.	%	No.	%	No.	%		
Administrative & social reasons	226	50.2	697	32.1	923	35.2		
Premature rupture of membranes <sup>(c)</sup>	36	8.0	213	9.8	250	9.5		
Hypertension	28	6.2	127	5.9	155	5.9		
Suspected fetal anomaly	13	2.9	127	5.9	140	5.3		
Premature labour and delivery (including threatened)	19	4.2	117	5.4	136	5.2		
Poor fetal growth	21	4.7	104	4.8	125	4.8		
Gestational diabetes	30	6.7	73	3.4	103	3.9		
Placenta praevia with or without haemorrhage, abruptio placentae and other								
antepartum haemorrhage	9	2.0	92	4.2	101	3.9		
Abnormality of forces of labour (including prolonged labour)	4	0.9	95	4.4	99	3.8		
Previous uterine scar	21	4.7	38	1.8	59	2.3		
Malpresentation of fetus before onset of labour	5	1.1	47	2.2	52	2.0		
Multiple pregnancy (including complications of multiple pregnancy)	9	2.0	43	2.0	52	2.0		
Obstructed labour		•	17	0.8	17	0.7		
Total Mothers transferred antenatally	450		2,170		2,621			

<sup>(</sup>a) Reporting of multiple reasons was permitted, so numbers cannot be cumulated.

<sup>(</sup>b) Includes mothers with not stated Indigenous status.

<sup>(</sup>c) Where the membranes rupture prior to the onset of labour regardless of gestation.

TABLE 5.07 MOTHERS BIRTHING IN QUEENSLAND, 2016
SMOKING STATUS BY NUMBER OF CIGARETTES AFTER 20 WEEKS GESTATION

Tobacco Smoking Status	Average number of Cigarettes after	Indigenous status of mother							
during entire pregnancy	20 weeks gestation	Indigenous		Non-Indigenous		Total	(a)		
		No.	%	No.	%	No.	%		
Did not smoke during pregnancy		2,355	56.4	51,964	90.1	54,321	87.8		
Smoked during pregnancy <sup>(b)</sup>		1,792	42.9	5,640	9.8	<i>7,4</i> 33	12.0		
	Did not smoke after 20 weeks	177	9.9	1,083	19.2	1,260	17.0		
	10 or less per day	1,263	70.5	<i>3,54</i> 8	62.9	4,811	64.7		
	More than 10 per day	288	16.1	784	13.9	1,072	14.4		
Total Mothers (c)		4,178	100.0	57,694	100.0	61,876	100.0		

<sup>(</sup>a) Includes mothers with not stated Indigenous status.

<sup>(</sup>b) Includes mothers with not stated number of tobacco cigarettes after 20 weeks.

<sup>(</sup>c) Includes mothers with not stated smoking status before 20 weeks.

TABLE 5.08 MOTHERS BIRTHING IN QUEENSLAND, 2016
SMOKING ADVICE DURING THE FIRST 20 WEEKS OF PREGNANCY
TO MOTHERS WHO SMOKED

	Indi					
Smoking Advice	Indigend	ous	Non-Indige	enous	Total <sup>(a</sup>	a)
	No.	%	No.	%	No.	%
Advice not offered	142	7.9	432	7.7	574	7.7
Advice offered	1,570	87.6	4,993	88.5	6,564	88.3
Not stated	80	4.5	215	3.8	295	4.0
Total Mothers who Smoked	1,792	100.0	5,640	100.0	7,433	100.0

<sup>(</sup>a) Includes mothers with not stated Indigenous status.

TABLE 5.09 MOTHERS BY ANTENATAL CARE TYPE QUEENSLAND, 2016

ic Hospital/Clinic Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practioner ic Hospital/Clinic Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner ic Hospital/Clinic Midwifery Practitioner and General Practioner ic Hospital/Clinic Medical Practitioner and General Practioner ic Hospital/Clinic Medical Practitioner and General Practioner ic Hospital/Clinic Medical Practitioner ic Hospital/Clinic Medical Practitioner and General Practioner ate Midwifery Practioner ate Midwifery Practioner ate Medical Practitioner, Public Hospital/Clinic Midwifery Practitioner and Public Hospital/Clinic Midwifery Practitioner ate Medical Practitioner and Public Hospital/Clinic Midwifery Practitioner ate Medical Practitioner and Public Hospital/Clinic Medical Practitioner ate Medical Practitioner, Public Hospital/Clinic Medical Practitioner ate Medical Practitioner and Public Hospital/Clinic Medical Practitioner ate Medical Practitioner and Public Hospital/Clinic Medical Practitioner ate Medical Practitioner, Public Hospital/Clinic Medical Practitioner ate Midwifery Practioner, Public Hospital/Clinic Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner ate Midwifery Practioner, Public Hospital/Clinic Midwifery Practitioner and General Practioner ate Midwifery Practioner, Public Hospital/Clinic Midwifery Practitioner and General Practioner ate Midwifery Practioner, Public Hospital/Clinic Midwifery Practitioner and General Practioner ate Midwifery Practioner, Public Hospital/Clinic Midwifery Practitioner and General Practioner ate Midwifery Practioner, Public Hospital/Clinic Midwifery Practitioner and General Practioner ate Midwifery Practioner and Public Hospital/Clinic Midwifery Practitioner and General Practioner ate Midwifery Practioner and Public Hospital/Clinic Midwifery Practitioner and General Practioner	Mothe	ers	
	No.	%	
Private Medical Practitioner	15,432	24.	
Public Hospital/Clinic Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practioner	15,218	24.6	
Public Hospital/Clinic Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	14,442	23.3	
Public Hospital/Clinic Midwifery Practitioner	6,536	10.6	
Public Hospital/Clinic Medical Practitioner and General Practioner	2,525	4.	
Public Hospital/Clinic Midwifery Practitioner and General Practioner	2,108	3.4	
Public Hospital/Clinic Medical Practitioner	1,886	3. 1	
General Practioner	1,565	2.5	
Private Midwifery Practioner	495	0.8	
Private Medical Practitioner and General Practioner	425	0.7	
Private Medical Practitioner, Public Hospital/Clinic Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	204	0.3	
No Antenatal Care	193	0.3	
Private Medical Practitioner and Public Hospital/Clinic Midwifery Practitioner	183	0.3	
Private Midwifery Practioner and Public Hospital/Clinic Medical Practitioner	118	0.2	
Private Medical Practitioner, Public Hospital/Clinic Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practioner	103	0.2	
Private Medical Practitioner and Public Hospital/Clinic Medical Practitioner	66	0.1	
Private Midwifery Practioner, Public Hospital/Clinic Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	59	0.1	
Private Midwifery Practioner, Public Hospital/Clinic Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practioner	50	0.1	
Private Midwifery Practioner and General Practioner	46	0.1	
Private Midwifery Practioner, Public Hospital/Clinic Medical Practitioner and General Practioner	46	0.1	
Private Medical Practitioner, Public Hospital/Clinic Midwifery Practitioner and General Practioner	44	0.1	
Private Midwifery Practioner and Public Hospital/Clinic Midwifery Practitioner	43	0.1	
Private Medical Practitioner and Private Midwifery Practioner	36	0.1	
Private Midwifery Practioner, Public Hospital/Clinic Midwifery Practitioner and General Practioner	20	0.0	
Private Medical Practitioner, Public Hospital/Clinic Medical Practitioner and General Practioner	17	0.0	
Private Medical Practitioner, Private Midwifery Practioner and General Practioner	4	0.0	
Private Medical Practitioner, Private Midwifery Practioner and Public Hospital/Clinic Medical Practitioner	4	0.0	
Private Medical Prac, Private Midwifery Prac, Public Hospital/Clinic Midwifery Prac and Public Hospital/Clinic Medical Prac	3	-	
Not Stated	2	_	
Private Medical Prac, Private Midwifery Prac, Public Hospital/Clinic Midwifery Prac, Public Hospital/Clinic Medical Prac and General Prac	1	_	
Private Medical Practitioner, Private Midwifery Practioner and Public Hospital/Clinic Midwifery Practitioner	1	_	
Private Medical Practitioner, Private Midwifery Practioner, Public Hospital/Clinic Midwifery Practitioner and General Practioner	1	-	
Total Mothers	61,876	100.0	

TABLE 5.10 MOTHERS BIRTHING IN QUEENSLAND, 2016
GESTATION AT FIRST ANTENATAL VISIT BY FACILITY TYPE

				Facility T	ype						
Gestation at First Antenatal Visit	Public Hos	Public Hospital		Private Hospital		Homebirth		Born Before Arrival		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	
No Antenatal Care	158	0.4			2	1.2	33	6.6	193	0.3	
<14 weeks (first trimester)	32,951	72.4	14,461	92.3	96	57.8	296	59.1	47,804	77.3	
14-28 weeks (second trimester)	11,636	25.6	1,178	7.5	61	36.8	151	30.1	13,026	21.1	
29+ weeks (third trimester)	682	1.5	25	0.2	7	4.2	18	3.6	732	1.2	
Not Stated	118	0.3			•		3	0.6	121	0.2	
Total Mothers	45,545	100.0	15,664	100.0	166	100.0	501	100.0	61,876	100.0	