TABLE 7.01 BIRTHS, QUEENSLAND, 2009 SEX BY OUTCOME

			Outcor	ne		
Sex	Livebir	th	Stillbir	Tota		
	No.	%	No.	%	No.	%
Male	31,938	51.8	248	55.5	32,186	51.9
Female	29,663	48.2	192	43.0	29,855	48.1
Indeterminate	3	-	7	1.6	10	0.0
Total	61,604	100.0	447	100.0	62,051	100.0

TABLE 7.02a LIVEBIRTHS, QUEENSLAND, 2009
APGAR SCORE AT 1 MINUTE AND 5 MINUTES

		Livebirth	S	
Apgar score	1 minute		5 minutes	}
	No.	%	No.	%
0	28	0.1	32	0.1
1 - 3	1,153	1.9	194	0.3
4 - 7	7,489	12.2	1,432	2.3
8 - 10	52,862	85.8	59,878	97.2
Total ^(a)	61,604	100.0	61,604	100.0

⁽a) Includes livebirths with not stated apgar score.

TABLE 7.02b LIVEBIRTHS, QUEENSLAND, 2009
APGAR SCORE AT 1 MINUTE BY APGAR SCORE AT 5 MINUTES

Apgar score	Apgar score at 5 minutes												
at 1 minute	0	1-:	3	4-	7	8-10		Total ^(a)					
	No.	%	No.	%	No.	%	No.	%	No.	%			
0	9	28.1	11	5.7	8	0.6	-	-	28	0.1			
1 - 3	23	71.9	151	77.8	566	39.5	412	0.7	1,153	1.9			
4 - 7	-	-	18	9.3	748	52.2	6,721	11.2	7,489	12.2			
8 - 10	-	-	9	4.6	109	7.6	52,742	88.1	52,862	85.8			
Total (b)	32	100.0	194	100.0	1,432	100.0	59,878	100.0	61,604	100.0			

⁽a) Includes babies with not stated apgar score at 5 minutes.

⁽b) Includes babies with not stated apgar score at 1 minute.

TABLE 7.03 LIVEBIRTHS, QUEENSLAND, 2009 USE OF RESUSCITATION

Resuscitation used	Livebirths					
	No.	%				
None	40,099	65.1				
Routine suction only	5,790	9.4				
At least one method other than routine suction	15,714	25.5				
Total ^(a)	61,604	100.0				

⁽a) Includes babies with not stated resuscitation used.

TABLE 7.04 LIVEBIRTHS, QUEENSLAND, 2009
RESUSCITATION OTHER THAN ROUTINE SUCTION

Resuscitation used (a)	Livebirths	
	No.	%
Facial oxygen	10,924	17.7
Bag and mask	4,661	7.6
Aspiration of meconium	1,987	3.2
Intermittent positive pressure ventilation	647	1.1
Suction of meconium via endotracheal tube	443	0.7
Narcotic antagonist injection	163	0.3
External cardiac massage	156	0.3
Adrenalin/sodium bicarbonate/calcium	24	0.0
Other drugs	32	0.1
Other stimulations	763	1.2
Total livebirths	61,604	

⁽a) Reporting of multiple methods of resuscitation was permitted for each delivery, so numbers cannot be cumulated.

TABLE 7.05 BIRTHS, QUEENSLAND, 2009
BIRTHWEIGHT BY INDIGENOUS STATUS OF MOTHER

				Inc	digenous statu	us of moth	er				
Birthweight			Torre	es	Aborigin	Aboriginal and		Neither Aboriginal nor			
(grams)	Aborig	inal	Strait Isla	Strait Islander		Torres Strait Islander		Torres Strait Islander		Total ^(a)	
,	No.	%	No.	%	No.	%	No.	%	No.	%	
Less than 500	18	0.7	4	0.7	1	0.3	192	0.3	215	0.4	
500 - 749	10	0.4	3	0.5	1	0.3	172	0.3	186	0.3	
750 - 999	14	0.6	2	0.3	-	-	154	0.3	171	0.3	
1,000 - 1,249	10	0.4	4	0.7	4	1.1	143	0.2	161	0.3	
1,250 - 1,499	16	0.7	6	1.0	1	0.3	203	0.4	226	0.4	
1,500 - 1,749	30	1.2	4	0.7	3	0.9	302	0.5	340	0.6	
1,750 - 1,999	44	1.8	8	1.4	2	0.6	455	0.8	509	0.8	
2,000 - 2,249	63	2.6	12	2.0	4	1.1	853	1.5	936	1.5	
2,250 - 2,499	96	4.0	22	3.7	9	2.6	1,517	2.6	1,645	2.7	
2,500 - 2,999	535	22.0	109	18.4	67	19.0	8,105	13.8	8,819	14.2	
3,000 - 3,499	836	34.5	215	36.3	116	33.0	20,444	34.9	21,619	34.8	
3,500 - 3,999	550	22.7	157	26.5	108	30.7	18,490	31.5	19,312	31.1	
4,000 - 4,499	167	6.9	37	6.2	28	8.0	6,473	11.0	6,705	10.8	
4,500 and over	37	1.5	10	1.7	8	2.3	1,140	1.9	1,196	1.9	
Total (b)	2,427	100.0	593	100.0	352	100.0	58,653	100.0	62,051	100.0	

⁽a) Includes mothers with not stated Indigenous status.

⁽b) Includes babies with not stated birthweight.

TABLE 7.06 BIRTHS, QUEENSLAND, 2009
GESTATION BY INDIGENOUS STATUS OF MOTHER

				In	digenous sta	tus of mot	her			
Gestation	•		Torre	es	Aborigin	al and	Neither Abor	iginal nor		
(weeks)	Aborig	jinal	Strait Isl	ander	Torres Strai	t Islander	Torres Strait	Islander	Tota	l ^(a)
,	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 22	13	0.5	-	-	1	0.3	135	0.2	149	0.2
22 - 24	13	0.5	8	1.4	1	0.3	176	0.3	198	0.3
25 - 27	14	0.6	2	0.3	2	0.6	171	0.3	190	0.3
28 - 31	36	1.5	16	2.7	2	0.6	477	0.8	531	0.9
32 - 36	231	9.5	50	8.4	19	5.4	4,072	6.9	4,378	7.1
37 - 41	2,103	86.7	514	86.7	324	92.1	53,218	90.7	56,177	90.5
42 and over	12	0.5	3	0.5	3	0.9	403	0.7	422	0.7
Total (b)	2,427	100.0	593	100.0	352	100.0	58,653	100.0	62,051	100.0

⁽a) Includes mothers with not stated Indigenous status.

⁽b) Includes babies with not stated gestation.

TABLE 7.07 SINGLETON BIRTHS, QUEENSLAND, 2009 BIRTHWEIGHT BY GESTATION

Birthweight							(Gestation	(weeks)							
(grams)	Less than 22		22-2	22-24		27	28-	28-31		32-36		41	42 and over		Total (a)	
<u></u>	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%		%
Less than 500	111	88.8	53	34.9	7	4.5	6	1.5	-	-	-	-	-	-	178	0.3
500 - 749	12	9.6	80	52.6	31	19.8	10	2.5	3	0.1	-	-	-	-	136	0.2
750 - 999	2	1.6	18	11.8	77	49.0	40	10.0	4	0.1	-	-	-	-	141	0.2
1,000 - 1,249	-	-	-	-	35	22.3	68	17.0	21	0.6	-	-	-	-	124	0.2
1,250 - 1,499	-	-	-	-	5	3.2	109	27.3	49	1.5	-	-	-	-	163	0.3
1,500 - 1,749	-	-	-	-	1	0.6	100	25.0	116	3.5	3	0.0	-	-	220	0.4
1,750 - 1,999	-	-	-	-	-	-	46	11.5	252	7.5	52	0.1	-	-	350	0.6
2,000 - 2,249	-	-	-	-	-	-	14	3.5	454	13.5	202	0.4	-	-	671	1.1
2,250 - 2,499	-	-	-	-	1	0.6	7	1.8	571	17.0	721	1.3	-	-	1,300	2.2
2,500 - 2,999	-	-	-	-	-		-	-	1,205	35.8	6,925	12.5	13	3.1	8,144	13.6
3,000 - 3,499	-	-	-	-	-	-	-	-	554	16.5	20,734	37.4	104	24.6	21,395	35.7
3,500 - 3,999	-	-	-	-	-	-	-	-	100	3.0	19,024	34.4	163	38.6	19,287	32.1
4,000 - 4,499	-	-	-	-	-	-	-	-	19	0.6	6,566	11.9	116	27.5	6,701	11.2
4,500 and over	-	-	-	-	-	-	-	-	13	0.4	1,157	2.1	26	6.2	1,196	2.0
Total (b)	125	100.0	152	100.0	157	100.0	400	100.0	3,363	100.0	55,390	100.0	422	100.0	60,015	100.0

⁽a) Includes babies with not stated gestation.

⁽b) Includes babies with not stated birthweight.

TABLE 7.08 MULTIPLE BIRTHS, QUEENSLAND, 2009 BIRTHWEIGHT BY GESTATION

Birthweight							Gestation	(weeks)						
(grams)	Less than 22 22-24			24	25-2	27	28-31		32-36		37-41		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 500	23	95.8	8	17.4	-	-	1	0.8	2	0.2	3	0.4	37	1.8
500 - 749	1	4.2	33	71.7	13	<i>39.4</i>	1	0.8	2	0.2	-	-	50	2.5
750 - 999	-	-	5	10.9	13	<i>39.4</i>	11	8.4	1	0.1	-	-	30	1.5
1000 - 1249	-	-	-	-	6	18.2	25	19.1	6	0.6	-	-	37	1.8
1250 - 1499	-	-	-	-	1	3.0	40	30.5	22	2.2	-	-	63	3.1
1500 - 1749	-	-	-	-	-	-	39	29.8	80	7.9	1	0.1	120	5.9
1750 - 1999	-	-	-	-	-	-	9	6.9	141	13.9	9	1.1	159	7.8
2000 - 2249	-	-	-	-	-	-	2	1.5	212	20.9	51	6.5	265	13.0
2250 - 2499	-	-	-	-	-	-	1	1	237	23.4	107	13.6	345	16.9
2500 - 2999	-	-	-	-	-	-	1	1	265	26.1	409	52.0	675	33.2
3000 - 3499	-	-	-	-	-	-	-	-	44	4.3	180	22.9	224	11.0
3500 - 3999	-	-	-	-	-	-	-	-	1	0.1	24	3.1	25	1.2
4000 - 4499	-	-	-	-	-	-	-	-	1	0.1	3	0.4	4	0.2
4500 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total ^(b)	24	100.0	46	100.0	33	100.0	131	100.0	1,015	100.0	787	100.0	2,036	100.0

⁽a) Includes babies with not stated gestation.

⁽b) Includes babies with not stated birthweight.

TABLE 7.09 LIVEBIRTHS, QUEENSLAND, 2009
NEONATAL TREATMENT BY GESTATION

					Gestation (v	weeks)				
Neonatal treatment (a)	Less than 28		28 - 3	28 - 36		37 - 41		42 and over		(b)
	No.	%	No.	%	No.	%	No.	%	No.	%
No neonatal treatment	89	30.1	1,043	21.7	48,771	87.0	368	88.3	50,276	81.6
Neonatal treatment	207	69.9	3,757	78.3	7,315	13.0	49	11.8	11,328	18.4
Blood glucose monitoring	135	65.2	2,598	69.2	3,928	53.7	30	61.2	6,691	59.1
Intravenous fluid	186	89.9	2,298	61.2	1,992	27.2	12	24.5	4,488	39.6
Intramuscular/Intravenous antibiotics	170	82.1	1,916	51.0	2,199	30.1	22	44.9	4,307	38.0
Phototherapy	136	65.7	1,515	40.3	1,270	17.4	6	12.2	2,927	25.8
Oxygen	151	73.0	908	24.2	944	12.9	5	10.2	2,008	17.7
Ora/naso gastric feeding ^(c)	55	26.6	1,146	30.5	495	6.8	3	6.1	1,699	15.0
Mechanical ventilation	196	94.7	475	12.6	247	3.4	1	2.0	919	8.1
CPAP (c)	35	16.9	328	8.7	108	1.5	1	2.0	472	4.2
IA Line	61	29.5	112	3.0	40	0.6	-	-	213	1.9
Exchange transfusion	-	-	7	0.2	5	0.1	-	-	12	0.1
Other	105	50.7	1,319	35.1	1,504	20.6	10	20.4	2,938	25.9
Total	296	100.0	4,800	100.0	56,086	100.0	417	100.0	61,604	100.0

⁽a) Reporting of multiple methods of neonatal treatment was permitted for each delivery, so numbers cannot be cumulated.

⁽b) Includes babies with not stated gestation.

⁽c) Collected from 1 July 2009.

TABLE 7.10 LIVEBIRTHS, QUEENSLAND, 2009
NEONATAL SURVIVAL BY BIRTHWEIGHT

					Birt	hweight (gr	ams)					
Age (days)	Less than 1,000		1,000-1,499		1,500-2	1,500-2,499		2,500-4,499		d over	Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
0	107	34.5	5	1.4	10	0.3	24	0.0	-	-	147	0.2
1	3	1.0	1	0.3	1	0.0	8	0.0	-	-	13	0.0
2	8	2.6	1	0.3	1	0.0	12	0.0	-	-	22	0.0
3	1	0.3	-	-	-	-	6	0.0	-	-	7	0.0
4	-	-	-	-	-	-	1	0.0	-	-	1	-
5	4	1.3	-	-	1	0.0	-	-	-	-	5	0.0
6	2	0.7	-	-	2	0.1	2	0.0	-	-	6	0.0
7	-	-	-	-	1	0.0	2	0.0	-	-	3	-
8 - 14	3	1.0	1	0.3	2	0.1	6	0.0	-	-	12	0.0
15 - 21	4	1.3	1	0.3	2	0.1	6	0.0	-	-	13	0.0
22 - 28	2	0.7	1	0.3	1	0.0	-	-	-	-	4	0.0
Over 28	176	56.8	348	97.2	3,358	99.4	56,287	99.9	1,195	100.0	61,371	99.6
Total	310	100.0	358	100.0	3,379	100.0	56,354	100.0	1,195	100.0	61,604	100.0

⁽a) Includes babies with not stated birthweight.

TABLE 7.11 LIVEBIRTHS, QUEENSLAND, 2009
SELECTED CONDITION CAUSING NEONATAL MORBIDITY

Condition (a)	Livebirths	
	No.	%
Disorders relating to short gestation & low birthweight	6,267	10.2
Other respiratory conditions (excluding respiratory distress syndrome)	3,824	6.2
Observation for other suspected diseases and conditions		
(includes suspected sepsis)	3,380	5.5
Perinatal jaundice requiring phototherapy		
(excluding jaundice due to isoimmunization)	2,584	4.2
Neonatal hypoglycaemia	2,353	3.8
Feeding problems in newborn	1,850	3.0
Respiratory distress syndrome	1,606	2.6
Slow fetal growth and fetal malnutrtion	888	1.4
Infection specific to perinatal period, other and unspecified	517	0.8
Birth trauma	488	0.8
Intrauterine hypoxia and birth asphhyxia	387	0.6
Haemolytic disease due to isoimmunisation	265	0.4
Disorders of conjutiva	208	0.3
Neonatal withdrawal symtoms from maternal use of drugs of addiction	165	0.3
Total livebirths	61 604	
TOTAL IIVEDII (IIS	61,604	

⁽a) Reporting of multiple conditions was permitted for each baby, so numbers cannot be cumulated.

TABLE 7.12a LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2009
FLUID BABY RECEIVED DURING THE BIRTH EPISODE BY AGE OF MOTHER

_			Ag	e of mother	r (years)			
Feeding Method (a)	Under 20		20 - 34		35 and over		Total	
	No.	%	No.	%	No.	%	No.	%
Breast milk/colostrum only	2,156	68.0	32,731	73.7	8,425	70.6	43,312	72.8
Infant formula only	335	10.6	3,131	7.1	784	6.6	4,250	7.1
Breast milk/colostrum and infant formula	673	21.2	8,423	19.0	2,698	22.6	11,794	19.8
Breast milk/colostrum, other	-	-	15	0.0	2	0.0	17	0.0
Infant formula, other	1	0.0	3	0.0	-	-	4	0.0
Total Livebirths Discharged Home	3,172		44,390		11,929		59,491	

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted for each birth, so numbers cannot be cumulated.

TABLE 7.12b LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2009
FLUID BABY RECEIVED IN THE 24 HOURS PRIOR TO DISCHARGE BY AGE OF MOTHER

			Ag	e of mothe	r (years)			
Feeding Method (a)	Under 20		20 - 34		35 and over		Total	
	No.	%	No.	%	No.	%	No.	%
Breast milk/colostrum only	2,304	72.6	35,308	79.5	9,266	77.7	46,878	78.8
Infant formula only	483	15.2	4,068	9.2	1,034	8.7	5,585	9.4
Breast milk/colostrum and infant formula	384	12.1	4,993	11.3	1,627	13.6	7,004	11.8
Breast milk/colostrum, other	-	-	6	0.0	-	-	6	0.0
Infant formula, other	1	0.0	3	0.0	-	-	4	0.0
Other only	-	-	1	0.0	-	-	1	0.0
Total Livebirths Discharged Home	3,172		44,390		11,929		59,491	

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted for each birth, so numbers cannot be cumulated.

Note: As of July 2007 collection of infant feeding method changed to multiple reporting, therefore resulting in a break in series.

TABLE 7.13a LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2009
FLUID BABY RECEIVED IN THE BIRTH EPISODE BY ACCOMMODATION STATUS OF MOTHER

		Acco	mmodation stat	us of mother		
Feeding Method (a)	Public		Private		Total	
-	No.	%	No.	%	No.	%
Breast milk/colostrum	29,285	73.5	14,027	71.4	43,312	72.8
Infant formula only	3,347	8.4	903	4.6	4,250	7.1
Breast milk/colostrum and infant formula	7,118	17.9	4,676	23.8	11,794	19.8
Breast	11	0.0	6	0.0	17	0.0
Infant formula,other	3	0.0	1	0.0	4	0.0
Total Livebirths Discharged Home	39,849		19,642		59,491	

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted for each birth, so numbers cannot be cumulated.

TABLE 7.13b LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2009
FLUID BABY RECEIVED IN THE 24 HOURS PRIOR TO DISCHARGE BY ACCOMMODATION STATUS OF MOTHER

		Acco	mmodation state	us of mother		
Feeding Method (a)	Public		Private		Total	
	No.	%	No.	%	No.	%
Breast milk/colostrum only	31,201	78.3	15,677	79.8	46,878	78.8
Infant formula only	4,228	10.6	1,357	6.9	5,585	9.4
Breast milk/colostrum and infant formula	4,401	11.0	2,603	13.3	7,004	11.8
Breast	5	0.0	1	0.0	6	0.0
Infant formula,other	3	0.0	1	0.0	4	0.0
Other only	-	-	1	0.0	1	0.0
Total Livebirths Discharged Home	39,849		19,642		59,491	

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted for each birth, so numbers cannot be cumulated.

Note: As of July 2007 collection of infant feeding method changed to multiple reporting, therefore resulting in a break in series.

TABLE 7.14a LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2009
FLUID BABY RECEIVED DURING THE BIRTH EPISODE
BY NUMBER OF PREVIOUS BIRTHS OF MOTHER

		Nun	nber of pre	vious births			
0		1 - 4		5 or more		Total	
No.	%	No.	%	No.	%	No.	%
17,069	70.8	25,347	74.6	896	64.7	43,312	72.8
987	4.1	3,047	9.0	216	15.6	4,250	7.1
5,992	24.9	5,533	16.3	269	19.4	11,794	19.8
11	0.1	6	0.0	-	-	17	0.0
2	0.0	2	0.0	-	-	4	0.0
24,107		34,000		1,384		59,491	
	No. 17,069 987 5,992 11 2	No. % 17,069 70.8 987 4.1 5,992 24.9 11 0.1 2 0.0	No. % No. 17,069 70.8 25,347 987 4.1 3,047 5,992 24.9 5,533 11 0.1 6 2 0.0 2	No. % No. % 17,069 70.8 25,347 74.6 987 4.1 3,047 9.0 5,992 24.9 5,533 16.3 11 0.1 6 0.0 2 0.0 2 0.0	No. % No. % No. 17,069 70.8 25,347 74.6 896 987 4.1 3,047 9.0 216 5,992 24.9 5,533 16.3 269 11 0.1 6 0.0 - 2 0.0 2 0.0 -	No. % No. % No. % 17,069 70.8 25,347 74.6 896 64.7 987 4.1 3,047 9.0 216 15.6 5,992 24.9 5,533 16.3 269 19.4 11 0.1 6 0.0 - - 2 0.0 2 0.0 - -	No. % No. % No. % No. % No. % No. 17,069 70.8 25,347 74.6 896 64.7 43,312 987 4.1 3,047 9.0 216 15.6 4,250 5,992 24.9 5,533 16.3 269 19.4 11,794 11 0.1 6 0.0 - - 17 2 0.0 2 0.0 - - 4

Note: Excludes Born Before Arrival (BBA).

TABLE 7.14b LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2009
FLUID THE BABY RECEIVED IN THE 24 HOURS PRIOR TO DISCHARGE
BY NUMBER OF PREVIOUS BIRTHS OF MOTHER

			Nun	nber of prev	vious births				
Feeding Method (a)	0		1 - 4	1 - 4		5 or more		Total	
	No.	%	No.	%	No.	%	No.	%	
Breast milk/colostrum only	19,005	78.8	26,912	79.2	961	69.4	46,878	78.8	
Infant formula only	1,574	6.5	3,772	11.1	239	17.3	5,585	9.4	
Breast milk/colostrum and									
infant formula	3,520	14.6	3,300	9.7	184	13.3	7,004	11.8	
Breast milk/colostrum,other	4	0.0	2	0.0	-	-	6	0.0	
Infant formula,other	2	0.0	2	0.0	-	-	4	0.0	
Other only	-	-	1	0.0	-	-	1	0.0	
Total Livebirths Discharged Home	24,107		34,000		1,384		59,491		

Note: Excludes Born Before Arrival (BBA).

Note: As of July 2007 collection of infant feeding method changed to multiple reporting, therefore resulting in a break in series.

⁽a) Reporting of multiple feeding methods was permitted for each birth, so numbers cannot be cumulated.

⁽a) Reporting of multiple feeding methods was permitted for each birth, so numbers cannot be cumulated.

TABLE 7.15 BIRTHS, QUEENSLAND, 2009
SELECTED CONGENITAL ANOMALIES, NUMBERS AND RATES

Selected congenital anomalies ^(a) (ICD code) ^(b)	No.	Rate ^(c)
Anencephaly and similar malformations (Q00.0-Q00.22)	7	0.1
Encephalocele (Q01.0-Q01.9)	1	0.0
Microcephaly (Q02)	10	0.2
Congenital hydrocephalus (Q03.0-Q03.9)	26	0.4
Other congenital malformations of brain (Q04.0-Q04.9)	48	0.8
Spina bifida (Q05.0-Q05.9)	20	0.3
Other congenital malformations of spinal cord (Q06.0-Q06.9)	1	0.0
Other congenital malformations of nervous system (Q07.0-Q07.9)	8	0.1
Congenital malformations of eyelid, lacrimal apparatus and orbit (Q10.0-Q10.7)	9	0.2
Anophthalmos, micropthalmos and macrophthalmos (Q11.0-Q11.3)	7	0.1
Congenital lens malformations (Q12.0-Q12.9)	6	0.1
Congenital malformations of anterior segment of eye (Q13.0-Q13.9) Other congenital malformations of eye (Q15.0-Q15.9)	3	0.1 0.1
Congenital malformations of ear causing impairment of hearing (Q16.0-Q16.9)	6 7	0. 1 0. 1
Other congenital malformations of ear (Q17.0-Q17.9)	57	0.1
Other congenital malformations of ear (Q17.0-Q17.0) Other congenital malformations of face and neck (Q18.0-Q18.9)	13	0.2
Congenital malformations of cardiac chambers and connections (Q20.0-Q20.9)	33	0.5
Congenital malformations of cardiac septa (Q21.0-Q21.9)	237	3.8
- Ventricular septal defect (Q21.00-Q21.09)	150	2.4
- Arterial septal defect (Q21.10-Q21.19)	100	1.6
Congenital malformations of pulmonary and tricuspid valves (Q22.0-Q22.9)	19	0.3
Congenital malformations of aortic and mitral valves (Q23.0-Q23.9)	27	0.4
Other congenital malformations of heart (Q24.0-Q24.9)	40	0.6
Congenital malformations of great arteries (Q25.0-Q25.9)	155	2.5
Congenital malformations of great veins (Q26.0-Q26.9)	5	0.1
Other congenital malformations of peripheral vascular system (Q27.0-Q27.9)	155	2.5
Other congenital malformations of circulatory system (Q28.0-Q28.9)	2	0.0
Congenital malformations of nose (Q30.0-Q30.9)	23	0.4
Congenital malformations of larynx (Q31.0-Q31.9)	13	0.2
Congenital malformations of trachea and bronchus (Q32.0-Q32.4)	3	0.1
Congenital malformations of lung (Q33.0-Q33.9) Other congenital malformations of respiratory system (Q34.0-Q34.9)	48 2	0.8 0.0
Cleft palate (Q35.1-Q35.9)	29	0.0 0.5
Cleft lip (Q36.0-Q36.9)	19	0.3
Cleft palate with cleft lip (Q37.0-Q37.9)	27	0.4
Other congenital malformations of tongue, mouth and pharynx (Q38.0-Q38.8)	243	3.9
Congenital malformations of oesophagus (Q39.0-Q39.9)	21	0.3
Other congenital malformation of upper alimentary tract (Q40.0-Q40.9)	10	0.2
Congenital absence, atresia and stenosis of small intestine (Q41.0-Q41.9)	6	0.1
Congenital absence, atresia and stenosis of large intestine (Q42.0-Q42.9)	14	0.2
Other congenital malformations of intestine (Q43.0-Q43.9)	29	0.5
Congenital malformations of gallbladder, bile ducts and liver (Q44.0-Q44.79)	8	0.1
Congenital malformations of ovaries, fallopian tubes and broad ligaments (Q50.0-Q50.69)	5	0.1
Congenital malformations of uterus and cervix (Q51.0-Q51.9)	4	0.1
Other congenital malformations of female genitalia (Q52.0-Q52.9)	5	0.1
Undescended testicle (Q53.0-Q53.9)	180	2.9
Hypospadias (Q54.0-Q54.9)	141	2.3
Other congenital malformations of male genital organs (Q55.0-Q55.9)	30	0.5
Indeterminate sex and pseudohermaphroditism (Q56.0-Q56.4)	11	0.2
Renal agenesis and other reduction defects of kidney (Q60.0-Q60.6) Cystic kidney disease (Q61.0-Q61.9)	44 38	0.7 0.6
Congenital obstructive defects of renal pelvis and congenital malformations of ureter (Q62.0-Q62.8)	89	1.4
Other congenital malformations of kidney (Q63.0-Q63.9)	26	0.4
Other congenital malformations of urinary system (Q64.0-Q64.9)	18	0.3
- Epispadias (Q64.0)	2	0.0

TABLE 7.15 BIRTHS, QUEENSLAND, 2009
SELECTED CONGENITAL ANOMALIES, NUMBERS AND RATES

Selected congenital anomalies (a) (ICD code)(b)	No.	Rate ^(c)
Congenital deformities of hip (Q65.0-Q65.9)	167	2.7
- Congenital dislocation of hip, unilateral (Q65.0)	34	0.6
- Congenital dislocation of hip, bilateral (Q65.1)	18	0.3
- Congential subluxation of hip, unilateral (Q65.3)	1	0.0
Congenital deformities of feet (Q66.0-Q66.9)	550	8.9
- Talipes equinovarus (Q66.0)	218	3.5
- Talipes calcaneovarus (Q66.1)	8	0.1
- Talipes calcaneovalgus (Q66.4)	89	1.4
Congenital musculoskeletal deformities of head, face, spine and chest (Q67.0-Q67.8)	23	0.4
Other congenital musculoskeletal deformities (Q68.0-Q68.8)	30	0.5
Polydactyly (Q69.0-Q69.9)	44	0.7
Syndactyly (Q70.0-Q70.9)	40	0.6
Reduction defects of upper limb (Q71.0-Q71.9)	20	0.3
Reduction defects of lower limb (Q72.0-Q72.9)	13	0.2
Reduction defects of unspecified limb (Q73.0-Q73.89)	1	0.0
Other congenital malformations of limb(s) (Q74.0-Q74.9)	36	0.6
Other congenital malformations of skull and face bones (Q75.0-Q75.9)	36	0.6
Congenital malformations of spine and bony thorax (Q76.0-Q76.9)	21	0.3
Osteochondrodysplasia with defects of growth of tubular bones and spine (Q77.0-Q77.9)	5	0.1
Other osteochondrodysplasias (Q78.0-Q78.9)	3	0.1
Congenital malformations of the musculoskeletal system, not elsewhere classified (Q79.0-Q79.9)	83	1.3
- Congenital diaphragmatic hernia (Q79.0)	19	0.3
- Gastroschisis (Q79.3)	35	0.6
Congenital ichthyosis (Q80.0-Q80.9)	2	0.0
Epidermolysis bullosa (Q81.0-Q81.9)	3	0.1
Other congenital malformations of skin (Q82.0-Q82.9)	355	5.7
Congenital malformations of breast (Q83.0-Q83.9)	7	0.1
Other congenital malformations of integument (Q84.0-Q84.9)	122	2.0
Phakomatoses, not elsewhere classified (Q85.0-Q85.9)	2	0.0
Congenital malformation syndromes due to known exogenous causes, nec (Q86.0-Q86.89)	5	0.1
Other specified congenital malformation syndromes affecting multiple systems (Q87.0-Q87.89)	25	0.4
Other congenital malformations, not elsewhere classified (Q89.0-Q89.9)	317	5. 1
Down's syndrome (Q90.0-Q90.9)	66	1.1
Edwards' syndrome and Patau's syndrome (Q91.0-Q91.7)	21	0.3
Other trisomies and partial trisomies of the autosomes, not elsewhere classified (Q92.0-Q92.9)	13	0.2
Monosomies and deletions from the autosomes, not elsewhere classified (Q93.0-Q93.9)	2	0.0
Balanced rearrangements and structural markers, not elsewhere classified (Q95.0-Q95.9)	4	0.1
Turner's syndrome (Q96.0-Q96.9)	14	0.2
Other sex chromosome abnormalities, female phenotype, not elsewhere classified (Q97.0-Q97.9)	1	0.0
Other sex chromosome abnormalities, male phenotype, not elsewhere classified (Q98.0-Q98.9)	7	0.1
Other chromosome abnormalities, not elsewhere classified (Q99.0-Q99.9)	7	0.1
Lymphangioma, any site (D18.1)	3	0.1
Clicking hip (R29.4)	124	2.0
Births with at least one anomaly	3,073	49.5
All births	62,051 -	

⁽a) Reporting of multiple anomalies was permitted for each birth, so numbers cannot be cumulated.

⁽b) ICD-10-AM 6th edition is used for coding the congenital anomalies from 1 July 2008.

⁽c) Per 1,000 births.