



SW9409



Queensland Government

Intussusception Repair Child / Young Person (under 18 years)

Facility:

(Affix identification label here)

URN:

Family name:

Given name(s):

Address:

Date of birth:

Sex: M F I

A. Interpreter / cultural needs

- An Interpreter Service is required? Yes No
- If Yes, is a qualified Interpreter present? Yes No
- A Cultural Support Person is required? Yes No
- If Yes, is a Cultural Support Person present? Yes No

B. Condition and treatment

The doctor has explained that you/your child has the following condition: *(Doctor to document in patient's own words)*

.....
.....

This condition requires the following procedure. *(Doctor to document - include site and/or side where relevant to the procedure)*

.....
.....
.....
.....

The following will be performed:

Surgical repair of the area of the bowel, which has slipped inside another piece of bowel.

C. Risks of an intussusception repair

There are risks and complications with this procedure. They include but are not limited to the following.

General risks:

- Infection can occur which may require treatment including antibiotics.
- Bleeding could occur and may require a return to the operating room. Bleeding is more common if you have been taking blood thinning drugs such as Warfarin or Aspirin.
- Small areas of the lung can collapse, increasing the risk of chest infection. This may need antibiotics and physiotherapy.
- Impaired circulation may occur to a limb or to an organ which may require further treatment
- Death or brain damage as a result of this procedure are possible.

Specific risks:

- Deep bleeding inside the abdomen. This may need fluid replacement or further surgery.
- Damage of the bowel, which may cause leakage of bowel fluid. This may need further surgery.
- The bowel movement may be slow to return to normal after surgery. This may cause a build-up of fluid in the bowel with bloating of the tummy and vomiting. Further treatment may be necessary for this.
- Infections such as pus inside the abdomen. This may need surgical drainage.
- Part of the bowel may need to be removed due to irreversible damage.

- In some children, healing of the wound may be abnormal. The wound can be thickened and red and may be painful.
- A hernia caused by a weakness in the wound. This may need further surgery.
- Adhesions (bands of scar tissue) may form and cause blockage of the bowel. This can be a short term or a long-term complication and may need further surgery.
- The intussusception may come back.

D. Significant risks and procedure options

(Doctor to document in space provided. Continue in Medical Record if necessary.)

.....
.....
.....
.....

E. Risks of not having this procedure

(Doctor to document in space provided. Continue in Medical Record if necessary.)

.....
.....
.....
.....

F. Anaesthetic

This procedure may require an anaesthetic. *(Doctor to document type of anaesthetic discussed)*

.....
.....

G. Parent / patient / substitute decision maker consent

I acknowledge that the doctor has explained to me and/or my child:

- the medical condition and the proposed procedure, including additional treatment if the doctor finds something unexpected. I understand the risks, including the risks that are specific to me.
- the anaesthetic required for this procedure. I understand the risks, including the risks that are specific to me/my child.



Intussusception Repair Child / Young Person (under 18 years)

Facility:

(Affix identification label here)

URN:

Family name:

Given name(s):

Address:

Date of birth:

Sex: M F I

- other relevant procedure/treatment options and their associated risks.
- my/my child's prognosis and the risks of not having the procedure.
- that no guarantee has been made that the procedure will improve the condition even though it has been carried out with due professional care.
- the procedure may include a blood transfusion.
- tissues and blood may be removed and could be used for diagnosis or management of my/my child's condition, stored and disposed of sensitively by the hospital.
- if immediate life-threatening events happen during the procedure, health care will be provided in accordance with good clinical practice and in the best interests of the patient.
- a doctor other than the consultant/specialist may conduct/assist with the clinically appropriate procedure/treatment/investigation/examination. I understand this could be a doctor undergoing further training. I understand that all surgical trainees are supervised according to relevant professional guidelines.

My child and/or I were able to ask questions and raise concerns with the doctor about the condition, the proposed procedure and its risks, and my treatment options. Any questions and concerns have been discussed and answered to my/our satisfaction.

I understand that I have the right to change my/our mind at any time, including after I have signed this form but, preferably following a discussion with my doctor.

I understand that image/s or video footage may be recorded as part of and during the procedure and that these image/s or video/s will assist the doctor to provide appropriate treatment.

Student examination/procedure for educational purposes

For the purpose of undertaking professional training, a student/s may observe the medical examination/s or procedure/s and may also, subject to patient consent, perform an examination/s or assist in performing the procedure/s on a patient while the patient is under anaesthetic. This is for education purposes only. A student/s who undertakes an examination/s or assists in performing the procedure/s will be under the supervision of the treating doctor, in accordance with the relevant professional guidelines.

For the purposes of education I consent to a student/s undergoing training to:

- observe examination/s or procedure/s Yes No
- assist and/or perform examination/s or procedure/s Yes No

Student - this may include medical, nursing, midwifery, allied health or ambulance students.

I have been given the following Patient Information Sheet/s:

- About Your Child's Anaesthetic
- Intussusception Repair – Child / Young Person

On the basis of the above statements,

I request that my child has the procedure

Name of parent / Substitute Decision Maker/s:

Signature:

Relationship to patient:

Date: PH No:

If applicable: source of decision making authority (tick one):

- Court order Court order verified
- Legal guardian Documentation verified
- Other: Documentation verified

AND / OR for the young person

Based on *Gillick vs West Norfolk Area Health Authority* [1986] 1AC 112 a minor (i.e a patient under 18 years of age) is capable of giving informed consent when he or she achieves a sufficient understanding and intelligence to enable him or her to fully understand the nature, consequences and risks of the proposed procedure/treatment and the consequences of non-treatment.

I request to have this procedure

Name of patient:

Signature:

Date:

H. Doctor / delegate statement

I have explained to the patient all the above points under the Patient Consent section (G) and I am of the opinion that the patient/substitute decision-maker has understood the information.

Name of Doctor/delegate:

Designation:

Signature:

Date:

I. Interpreter's statement

I have given a sight translation in

(state the patient's language here) of the consent form and assisted in the provision of any verbal and written information given to the patient/parent or guardian/substitute decision-maker by the doctor.

Name of Interpreter:

Signature:

Date:

DO NOT WRITE IN THIS BINDING MARGIN

