

**TABLE 7.01 BIRTHS, QUEENSLAND, 2012  
SEX BY OUTCOME**

Sex	Outcome					
	Livebirth		Stillbirth		Total	
	No.	%	No.	%	No.	%
Male	32,658	51.6	225	48.9	32,883	51.6
Female	30,602	48.4	219	47.6	30,821	48.4
Indeterminate	3	-	16	3.5	19	0.0
<b>Total</b>	<b>63,263</b>	<b>100.0</b>	<b>460</b>	<b>100.0</b>	<b>63,723</b>	<b>100.0</b>

**TABLE 7.02a**                      **LIVEBIRTHS, QUEENSLAND, 2012**  
**APGAR SCORE AT 1 MINUTE AND 5 MINUTES**

Apgar score	Livebirths			
	1 minute		5 minutes	
	No.	%	No.	%
0	31	0.1	29	0.1
1 - 3	1,276	2.0	230	0.4
4 - 7	7,617	12.0	1,762	2.8
8 - 10	54,280	85.8	61,187	96.7
<b>Total</b> <sup>(a)</sup>	<b>63,263</b>	<b>100.0</b>	<b>63,263</b>	<b>100.0</b>

(a) Includes livebirths with not stated apgar score.

**TABLE 7.02b LIVEBIRTHS, QUEENSLAND, 2012  
APGAR SCORE AT 1 MINUTE BY APGAR SCORE AT 5 MINUTES**

Apgar score at 1 minute	Apgar score at 5 minutes									
	0		1-3		4-7		8-10		Total <sup>(a)</sup>	
	No.	%	No.	%	No.	%	No.	%	No.	%
0	15	51.7	10	4.4	5	0.3	1	0.0	31	0.1
1 - 3	13	44.8	187	81.3	617	35.0	458	0.8	1,276	2.0
4 - 7	-	-	22	9.6	1,014	57.6	6,581	10.8	7,617	12.0
8 - 10	-	-	11	4.8	126	7.2	54,142	88.5	54,280	85.8
<b>Total<sup>(b)</sup></b>	<b>29</b>	<b>100.0</b>	<b>230</b>	<b>100.0</b>	<b>1,762</b>	<b>100.0</b>	<b>61,187</b>	<b>100.0</b>	<b>63,263</b>	<b>100.0</b>

(a) Includes babies with not stated apgar score at 5 minutes.

(b) Includes babies with not stated apgar score at 1 minute.

**TABLE 7.03 LIVEBIRTHS, QUEENSLAND, 2012**  
**USE OF RESUSCITATION**

Resuscitation used	Livebirths	
	No.	%
None	44,722	70.7
Routine suction only	4,414	7.0
At least one method other than routine suction	14,126	22.3
<b>Total<sup>(a)</sup></b>	<b>63,263</b>	<b>100.0</b>

(a) Includes babies with not stated resuscitation used.

**TABLE 7.04 LIVEBIRTHS, QUEENSLAND, 2012  
RESUSCITATION OTHER THAN ROUTINE SUCTION**

Resuscitation used <sup>(a)</sup>	Livebirths	
	No.	%
Facial oxygen	7,995	12.6
Bag and mask	5,426	8.6
Aspiration of meconium	1,768	2.8
Intermittent positive pressure ventilation	811	1.3
Suction of meconium via endotracheal tube	417	0.7
External cardiac massage	182	0.3
Other drugs	80	0.1
Narcotic antagonist injection	63	0.1
Adrenalin/sodium bicarbonate/calcium	31	0.1
Other stimulations	1,373	2.2
<b>Total livebirths</b>	<b>63,263</b>	<b>-</b>

(a) Reporting of multiple methods of resuscitation was permitted, so numbers cannot be cumulated.

**TABLE 7.05 BIRTHS, QUEENSLAND, 2012  
BIRTHWEIGHT BY INDIGENOUS STATUS OF MOTHER**

Birthweight (grams)	Indigenous status of mother									
	Aboriginal		Torres Strait Islander		Aboriginal and Torres Strait Islander		Neither Aboriginal nor Torres Strait Islander		Total <sup>(a)</sup>	
	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 500	19	0.6	2	0.4	-	-	221	0.4	243	0.4
500 - 749	10	0.3	4	0.7	2	0.6	137	0.2	153	0.2
750 - 999	19	0.6	2	0.4	1	0.3	147	0.3	169	0.3
1,000 - 1,249	20	0.7	1	0.2	3	0.8	162	0.3	186	0.3
1,250 - 1,499	19	0.6	-	-	1	0.3	229	0.4	249	0.4
1,500 - 1,749	28	0.9	6	1.1	-	-	322	0.5	356	0.6
1,750 - 1,999	39	1.3	2	0.4	3	0.8	479	0.8	524	0.8
2,000 - 2,249	78	2.6	13	2.4	8	2.2	888	1.5	988	1.6
2,250 - 2,499	150	5.0	15	2.8	12	3.3	1,472	2.5	1,650	2.6
2,500 - 2,999	610	20.4	87	16.1	71	19.5	8,440	14.1	9,209	14.5
3,000 - 3,499	987	33.1	191	35.2	130	35.6	20,893	34.9	22,202	34.8
3,500 - 3,999	739	24.8	150	27.7	97	26.6	18,961	31.7	19,947	31.3
4,000 - 4,499	217	7.3	59	10.9	32	8.8	6,256	10.5	6,564	10.3
4,500 and over	50	1.7	10	1.9	5	1.4	1,201	2.0	1,266	2.0
<b>Total <sup>(b)</sup></b>	<b>2,986</b>	<b>100.0</b>	<b>542</b>	<b>100.0</b>	<b>365</b>	<b>100.0</b>	<b>59,824</b>	<b>100.0</b>	<b>63,723</b>	<b>100.0</b>

(a) Includes mothers with not stated Indigenous status.

(b) Includes babies with not stated birthweight.

**TABLE 7.06 BIRTHS, QUEENSLAND, 2012  
GESTATION BY INDIGENOUS STATUS OF MOTHER**

Gestation (weeks)	Indigenous status of mother									
	Aboriginal		Torres Strait Islander		Aboriginal and Torres Strait Islander		Neither Aboriginal nor Torres Strait Islander		Total <sup>(a)</sup>	
	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 22	13	0.4	2	0.4	-	-	159	0.3	175	0.3
22 - 24	13	0.4	4	0.7	1	0.3	135	0.2	153	0.2
25 - 27	18	0.6	2	0.4	3	0.8	200	0.3	223	0.4
28 - 31	44	1.5	5	0.9	2	0.6	510	0.9	561	0.9
32 - 36	321	10.8	42	7.8	40	11.0	4,402	7.4	4,808	7.6
37 - 41	2,566	85.9	485	89.5	318	87.1	54,092	90.4	57,463	90.2
42 and over	11	0.4	2	0.4	1	0.3	324	0.5	338	0.5
<b>Total <sup>(b)</sup></b>	<b>2,986</b>	<b>100.0</b>	<b>542</b>	<b>100.0</b>	<b>365</b>	<b>100.0</b>	<b>59,824</b>	<b>100.0</b>	<b>63,723</b>	<b>100.0</b>

(a) Includes mothers with not stated Indigenous status.

(b) Includes babies with not stated gestation.

**TABLE 7.07 SINGLETON BIRTHS, QUEENSLAND, 2012  
BIRTHWEIGHT BY GESTATION**

Birthweight (grams)	Gestation (weeks)														Total <sup>(a)</sup>	
	Less than 22		22-24		25-27		28-31		32-36		37-41		42 and over			
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 500	139	89.7	44	34.7	13	7.9	-	-	-	-	-	-	-	-	196	0.3
500 - 749	15	9.7	66	52.0	36	22.0	10	2.5	-	-	-	-	-	-	127	0.2
750 - 999	-	-	16	12.6	66	40.2	37	9.1	4	0.1	-	-	-	-	123	0.2
1,000 - 1,249	-	-	1	0.8	36	22.0	73	18.0	15	0.4	-	-	-	-	125	0.2
1,250 - 1,499	-	-	-	-	11	6.7	116	28.6	50	1.4	1	-	-	-	178	0.3
1,500 - 1,749	-	-	-	-	2	1.2	97	23.9	119	3.2	7	0.0	-	-	225	0.4
1,750 - 1,999	-	-	-	-	-	-	49	12.1	266	7.2	39	0.1	-	-	354	0.6
2,000 - 2,249	-	-	-	-	-	-	17	4.2	488	13.2	205	0.4	-	-	710	1.2
2,250 - 2,499	-	-	-	-	-	-	-	-	627	17.0	700	1.2	-	-	1,327	2.2
2,500 - 2,999	-	-	-	-	-	-	2	0.5	1,380	37.4	7,115	12.5	13	3.9	8,511	13.8
3,000 - 3,499	-	-	-	-	-	-	1	0.3	579	15.7	21,318	37.6	85	25.3	21,983	35.7
3,500 - 3,999	-	-	-	-	-	-	2	0.5	126	3.4	19,661	34.7	136	40.5	19,925	32.3
4,000 - 4,499	-	-	-	-	-	-	-	-	23	0.6	6,467	11.4	74	22.0	6,564	10.7
4,500 and over	-	-	-	-	-	-	-	-	11	0.3	1,227	2.2	28	8.3	1,266	2.1
<b>Total <sup>(b)</sup></b>	<b>155</b>	<b>100.0</b>	<b>127</b>	<b>100.0</b>	<b>164</b>	<b>100.0</b>	<b>406</b>	<b>100.0</b>	<b>3,689</b>	<b>100.0</b>	<b>56,745</b>	<b>100.0</b>	<b>336</b>	<b>100.0</b>	<b>61,624</b>	<b>100.0</b>

(a) Includes babies with not stated gestation.

(b) Includes babies with not stated birthweight.



**TABLE 7.08 MULTIPLE BIRTHS, QUEENSLAND, 2012  
BIRTHWEIGHT BY GESTATION**

Birthweight (grams)	Gestation (weeks)														Total <sup>(a)</sup>	
	Less than 22		22-24		25-27		28-31		32-36		37-41		42+		No.	%
Less than 500	No. 19	% 95.0	No. 8	% 30.8	No. 1	% 1.7	No. 4	% 2.6	No. 5	% 0.5	No. 10	% 1.4	-	-	No. 47	% 2.2
500 - 749	-	-	No. 16	% 61.5	No. 8	% 13.6	No. 2	% 1.3	-	-	-	-	-	-	No. 26	% 1.2
750 - 999	-	-	-	-	No. 33	% 55.9	No. 11	% 7.1	No. 2	% 0.2	-	-	-	-	No. 46	% 2.2
1000 - 1249	-	-	-	-	No. 17	% 28.8	No. 33	% 21.3	No. 9	% 0.8	No. 2	% 0.3	-	-	No. 61	% 2.9
1250 - 1499	-	-	-	-	-	-	No. 41	% 26.5	No. 29	% 2.6	No. 1	% 0.1	-	-	No. 71	% 3.4
1500 - 1749	-	-	-	-	-	-	No. 46	% 29.7	No. 85	% 7.6	-	-	-	-	No. 131	% 6.2
1750 - 1999	-	-	-	-	-	-	No. 15	% 9.7	No. 150	% 13.4	No. 5	% 0.7	-	-	No. 170	% 8.1
2000 - 2249	-	-	-	-	-	-	No. 3	% 1.9	No. 240	% 21.5	No. 35	% 4.9	-	-	No. 278	% 13.2
2250 - 2499	-	-	-	-	-	-	-	-	No. 214	% 19.1	No. 108	% 15.0	No. 1	% 50.0	No. 323	% 15.4
2500 - 2999	-	-	-	-	-	-	-	-	No. 330	% 29.5	No. 367	% 51.1	No. 1	% 50.0	No. 698	% 33.3
3000 - 3499	-	-	-	-	-	-	-	-	No. 46	% 4.1	No. 173	% 24.1	-	-	No. 219	% 10.4
3500 - 3999	-	-	-	-	-	-	-	-	No. 8	% 0.7	No. 14	% 2.0	-	-	No. 22	% 1.1
4000 - 4499	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4500 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total<sup>(b)</sup></b>	<b>No. 20</b>	<b>% 100.0</b>	<b>No. 26</b>	<b>% 100.0</b>	<b>No. 59</b>	<b>% 100.0</b>	<b>No. 155</b>	<b>% 100.0</b>	<b>No. 1,119</b>	<b>% 100.0</b>	<b>No. 718</b>	<b>% 100.0</b>	<b>No. 2</b>	<b>% 100.0</b>	<b>No. 2,099</b>	<b>% 100.0</b>

(a) Includes babies with not stated gestation.

(b) Includes babies with not stated birthweight.

TABLE 7.09

**LIVEBIRTHS, QUEENSLAND, 2012**  
**NEONATAL TREATMENT BY GESTATION**

Neonatal treatment <sup>(a)</sup>	Gestation (weeks)									
	Less than 28		28 - 36		37 - 41		42 and over		Total <sup>(b)</sup>	
	No.	%	No.	%	No.	%	No.	%	No.	%
No neonatal treatment	94	30.6	972	18.5	48,162	83.9	274	81.8	49,503	78.3
Neonatal treatment	213	69.4	4,270	81.5	9,216	16.1	61	18.2	13,760	21.8
<i>Blood Glucose Monitoring</i>	90	42.3	2,924	68.5	5,520	59.9	36	59.0	8,570	62.3
<i>Ora/naso gastric feeding</i>	131	61.5	2,503	58.6	921	10.0	4	6.6	3,559	25.9
<i>Phototherapy</i>	89	41.8	1,336	31.3	1,034	11.2	9	14.8	2,468	17.9
<i>Intramuscular/Intravenous antibiotics</i>	119	55.9	2,109	49.4	3,023	32.8	28	45.9	5,279	38.4
<i>Intravenous fluid</i>	183	85.9	2,686	62.9	2,409	26.1	17	27.9	5,295	38.5
<i>Oxygen</i>	154	72.3	821	19.2	942	10.2	5	8.2	1,922	14.0
<i>Mechanical ventilation</i>	200	93.9	312	7.3	183	2.0	2	3.3	697	5.1
<i>IA Line</i>	60	28.2	134	3.1	57	0.6	1	1.6	252	1.8
<i>Exchange transfusion</i>	-	-	11	0.3	7	0.1	-	-	18	0.1
<i>CPAP</i>	121	56.8	957	22.4	598	6.5	2	3.3	1,678	12.2
<i>Other Treatment</i>	62	29.1	1,110	26.0	1,946	21.1	9	14.8	3,127	22.7
<b>Total</b>	<b>307</b>	<b>100.0</b>	<b>5,242</b>	<b>100.0</b>	<b>57,378</b>	<b>100.0</b>	<b>335</b>	<b>100.0</b>	<b>63,263</b>	<b>100.0</b>

(a) Reporting of multiple methods of neonatal treatment was permitted for each delivery, so numbers cannot be cumulated.

(b) Includes babies with not stated gestation.

**TABLE 7.10 LIVEBIRTHS, QUEENSLAND, 2012  
NEONATAL SURVIVAL BY BIRTHWEIGHT**

Age (days)	Birthweight (grams)										Total <sup>(a)</sup>	
	Less than 1,000		1,000-1,499		1,500-2,499		2,500-4,499		4,500 and over		No.	%
0	No. 95	% 31.4	No. 11	% 2.8	No. 9	% 0.3	No. 13	% 0.0	No. 1	% 0.1	No. 129	% 0.2
1	5	1.7	-	-	4	0.1	4	0.0	-	-	13	0.0
2	3	1.0	1	0.3	1	0.0	3	0.0	-	-	8	0.0
3	3	1.0	-	-	2	0.1	1	0.0	-	-	6	0.0
4	2	0.7	-	-	2	0.1	2	0.0	-	-	6	0.0
5	2	1	-	-	2	0.1	1	0.0	-	-	5	0.0
6	1	0	-	-	1	0	2	-	-	-	4	0.0
7	-	-	1	0	2	0	-	-	-	-	3	-
8 - 14	4	1.3	2	0.5	1	0.0	4	0.0	-	-	11	0.0
15 - 21	1	0.3	1	0.3	2	0.1	2	0.0	-	-	6	0.0
22 - 28	1	0.3	-	-	1	0.0	1	-	-	-	3	-
Over 28	186	61.4	380	96.0	3,438	99.2	57,794	99.9	1,265	99.9	63,069	99.7
<b>Total</b>	<b>303</b>	<b>100.0</b>	<b>396</b>	<b>100.0</b>	<b>3,465</b>	<b>100.0</b>	<b>57,827</b>	<b>100.0</b>	<b>1,266</b>	<b>100.0</b>	<b>63,263</b>	<b>100.0</b>

(a) Includes babies with not stated birthweight.

**TABLE 7.11 LIVEBIRTHS, QUEENSLAND, 2012  
SELECTED CONDITION CAUSING NEONATAL MORBIDITY**

Condition <sup>(a)</sup>	Livebirths	
	No.	%
Disorders relating to short gestation & low birthweight	6,693	10.6
Observation for other suspected disease and conditions (includes suspected sepsis)	4,330	6.8
Other respiratory conditions (excluding Respiratory Distress Syndrome)	4,321	6.8
Neonatal hypoglycaemia	3,499	5.5
Feeding problems in newborn	2,326	3.7
Perinatal jaundice requiring phototherapy (excl jaundice due to isoimmunization)	2,233	3.5
Respiratory distress syndrome	1,770	2.8
Slow fetal growth and fetal malnutrition	1,131	1.8
Birth trauma	529	0.8
Infection specific to perinatal period, other and unspecified	487	0.8
Intrauterine hypoxia and birth asphyxia	391	0.6
Haemolytic disease due to isoimmunisation	230	0.4
Disorders of conjutiva	189	0.3
Neonatal withdrawal symptoms from maternal use of drugs of addiction	178	0.3
<b>Total livebirths</b>	<b>63,263</b>	<b>-</b>

(a) Reporting of multiple conditions was permitted, so numbers cannot be cumulated.

TABLE 7.12a

**LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2012  
FLUID BABY RECEIVED DURING THE BIRTH EPISODE BY  
AGE OF MOTHER**

Feeding Method <sup>(a)</sup>	Age of mother (years)							
	Under 20		20 - 34		35 and over		Total	
	No.	%	No.	%	No.	%	No.	%
Breast milk/colostrum only	2,139	70.9	34,287	74.1	8,231	69.7	44,657	73.1
Breast milk/colostrum and infant formula	587	19.5	9,184	19.9	2,866	24.3	12,637	20.7
Infant formula only	279	9.3	2,695	5.8	675	5.7	3,649	6.0
Infant formula, other	3	0.1	8	0.0	1	0.0	12	0.0
Breast milk/colostrum, infant formula, other	5	0.2	37	0.1	20	0.2	62	0.1
Breast milk/colostrum, other	2	0.1	46	0.1	10	0.1	58	0.1
<b>Total Livebirths Discharged Home <sup>(b)</sup></b>	<b>3,017</b>	<b>-</b>	<b>46,275</b>	<b>-</b>	<b>11,807</b>	<b>-</b>	<b>61,099</b>	<b>100.0</b>

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted.

(b) Includes not stated feeding method.

TABLE 7.12b

**LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2012  
FLUID BABY RECEIVED IN THE 24 HOURS PRIOR TO DISCHARGE BY  
AGE OF MOTHER**

Feeding Method <sup>(a)</sup>	Age of mother (years)							
	Under 20		20 - 34		35 and over		Total	
	No.	%	No.	%	No.	%	No.	%
Breast milk/colostrum only	2,262	75.0	36,984	79.9	9,101	77.1	48,347	79.1
Breast milk/colostrum and infant formula	355	11.8	5,729	12.4	1,781	15.1	7,865	12.9
Infant formula only	398	13	3,542	8	920	8	4,860	8
Breast milk/colostrum, other	-	-	2	-	-	-	2	-
Breast milk/colostrum, infant formula, other	-	-	-	-	1	0.0	1	-
<b>Total Livebirths Discharged Home <sup>(b)</sup></b>	<b>3,017</b>	<b>-</b>	<b>46,275</b>	<b>-</b>	<b>11,807</b>	<b>-</b>	<b>61,099</b>	<b>100.0</b>

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted.

TABLE 7.13a

**LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2012  
FLUID BABY RECEIVED IN THE BIRTH EPISODE BY  
ACCOMMODATION STATUS OF MOTHER**

Feeding Method <sup>(a)</sup>	Accommodation status of mother					
	Private		Public		Total	
	No.	%	No.	%	No.	%
Breast milk/colostrum only	13,878	70.2	30,779	74.5	44,657	73.1
Breast milk/colostrum and infant formula	5,103	25.8	7,534	18.2	12,637	20.7
Infant formula only	747	3.8	2,902	7.0	3,649	6.0
Infant formula, other	1	0.0	11	0.0	12	0.0
Breast milk/colostrum, infant formula, other	17	0.1	45	0.1	62	0.1
Breast milk/colostrum, other	20	0.1	38	0.1	58	0.1
<b>Total Livebirths Discharged Home <sup>(b)</sup></b>	<b>19,768</b>	<b>-</b>	<b>41,331</b>	<b>-</b>	<b>61,099</b>	<b>100.0</b>

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted.

(b) Includes not stated feeding method.

TABLE 7.13b

**LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2012  
FLUID BABY RECEIVED IN THE 24 HOURS PRIOR TO DISCHARGE BY  
ACCOMMODATION STATUS OF MOTHER**

Feeding Method <sup>(a)</sup>	Accommodation status of mother					
	Private		Public		Total	
	No.	%	No.	%	No.	%
Breast milk/colostrum only	15,784	79.9	32,563	78.8	48,347	79.1
Breast milk/colostrum, infant formula, other	-	-	1	-	1	-
Breast milk/colostrum, other	-	-	2	-	2	-
Infant formula only	1,107	6	3,753	9	4,860	8
<b>Total Livebirths Discharged Home <sup>(b)</sup></b>	<b>19,768</b>	<b>-</b>	<b>41,331</b>	<b>-</b>	<b>61,099</b>	<b>100.0</b>

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted.

(b) Includes not stated feeding method.

TABLE 7.14a

**LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2012  
FLUID BABY RECEIVED DURING THE BIRTH EPISODE  
BY NUMBER OF PREVIOUS BIRTHS OF MOTHER**

Feeding Method <sup>(a)</sup>	Number of previous births						Total <sup>(b)</sup>	
	0		1 - 4		5 or more			
	No.	%	No.	%	No.	%	No.	%
Breast milk/colostrum only	17,725	70.6	26,096	75.3	836	63.6	44,657	73.1
Breast milk/colostrum and infant formula	6,533	26.0	5,837	16.8	267	20.3	12,637	20.7
Infant formula only	797	3.2	2,645	7.6	207	15.8	3,649	6.0
Infant formula, other	1	0.0	10	0.0	1	0.1	12	0.0
Breast milk/colostrum, infant formula, other	28	0.1	31	0.1	3	0.2	62	0.1
Breast milk/colostrum, other	26	0.1	32	0.1	-	-	58	0.1
<b>Total Livebirths Discharged Home <sup>(c)</sup></b>	<b>25,120</b>	<b>-</b>	<b>34,665</b>	<b>-</b>	<b>1,314</b>	<b>-</b>	<b>61,099</b>	<b>100.0</b>

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted.

(c) Includes not stated feeding method.

TABLE 7.14b

**LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2012  
FLUID THE BABY RECEIVED IN THE 24 HOURS PRIOR TO DISCHARGE  
BY NUMBER OF PREVIOUS BIRTHS OF MOTHER**

Feeding Method <sup>(a)</sup>	Number of previous births						Total	
	0		1 - 4		5 or more			
	No.	%	No.	%	No.	%	No.	%
Breast milk/colostrum only	19,669	78.3	27,778	80.1	900	68.5	48347	79.1
Breast milk/colostrum and infant formula	4,119	16.4	3,581	10.3	165	12.6	7865	12.9
Infant formula only	1,320	5	3,291	9	249	19	4860	8
Breast milk/colostrum, other	2	0.0	-	-	-	-	2	-
<b>Total Livebirths Discharged Home <sup>(c)</sup></b>	<b>25,120</b>	<b>-</b>	<b>34,665</b>	<b>-</b>	<b>1,314</b>	<b>-</b>	<b>61,099</b>	<b>100.0</b>

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted.

(c) Includes not stated feeding method.

**TABLE 7.15 BIRTHS, QUEENSLAND, 2012  
SELECTED CONGENITAL ANOMALIES, NUMBERS AND RATES**

Selected congenital anomalies <sup>(a)</sup> (ICD code) <sup>(b)</sup>	No.	Rate <sup>(c)</sup>
Lymphangioma, any site (D18.1)	3	0.1
Anencephaly and similar malformations (Q00.0-Q00.22)	13	0.2
Encephalocele (Q01.0-Q01.9)	1	0.0
Microcephaly (Q02)	9	0.1
Congenital hydrocephalus (Q03.0-Q03.9)	25	0.4
Other congenital malformations of brain (Q04.0-Q04.9)	58	0.9
Spina bifida (Q05.0-Q05.9)	25	0.4
Other congenital malformations of spinal cord (Q06.0-Q06.9)	1	0.0
Other congenital malformations of nervous system (Q07.0-Q07.9)	11	0.2
Congenital malformations of eyelid, lacrimal apparatus and orbit (Q10.0-Q10.7)	8	0.1
Anophthalmos, microphthalmos and macropthalmos (Q11.0-Q11.3)	2	0.0
Congenital lens malformations (Q12.0-Q12.9)	2	0.0
Congenital malformations of anterior segment of eye (Q13.0-Q13.9)	4	0.1
Congenital malformations of posterior segment of eye (Q14.0-Q14.9)	1	0.0
Other congenital malformations of eye (Q15.0-Q15.9)	3	0.1
Other malformations of ear causing impairment of hearing (Q16.0-Q16.9)	1	0.0
Other congenital malformations of ear (Q17.0-Q17.9)	68	1.1
Other congenital malformations of face and neck (Q18.0-Q18.9)	7	0.1
Congenital malformations of cardiac chambers and connections (Q20.0-Q20.9)	37	0.6
Congenital malformations of cardiac septa (Q21.0-Q21.9)	215	3.4
- Ventricular septal defect (Q21.00-Q21.09)	153	2.4
- Arterial septal defect (Q21.10-Q21.19)	78	1.2
Congenital malformations of pulmonary and tricuspid valves (Q22.0-Q22.9)	25	0.4
Congenital malformations of aortic and mitral valves (Q23.0-Q23.9)	25	0.4
Other congenital malformations of heart (Q24.0-Q24.9)	43	0.7
Congenital malformations of great arteries (Q25.0-Q25.9)	98	1.5
Congenital malformations of great veins (Q26.0-Q26.9)	7	0.1
Other congenital malformations of peripheral vascular system (Q27.0-Q27.9)	278	4.4
Other congenital malformations of circulatory system (Q28.0-Q28.9)	2	0.0
Congenital malformations of nose (Q30.0-Q30.9)	11	0.2
Congenital malformations of larynx (Q31.0-Q31.9)	16	0.3
Congenital malformations of trachea and bronchus (Q32.0-Q32.4)	4	0.1
Congenital malformations of lung (Q33.0-Q33.9)	36	0.6
Other congenital malformations of respiratory system (Q34.0-Q34.9)	1	0.0
Cleft palate (Q35.1-Q35.9)	65	1.0
Cleft lip (Q36.0-Q36.9)	54	0.9
Other congenital malformations of tongue, mouth and pharynx (Q38.0-Q38.8)	445	7.0
Congenital malformations of oesophagus (Q39.0-Q39.9)	12	0.2
Other congenital malformation of upper alimentary tract (Q40.0-Q40.9)	6	0.1
Congenital absence, atresia and stenosis of small intestine (Q41.0-Q41.9)	15	0.2
Congenital absence, atresia and stenosis of large intestine (Q42.0-Q42.9)	17	0.3
Other congenital malformations of intestine (Q43.0-Q43.9)	21	0.3
Congenital malformations of gallbladder, bile ducts and liver (Q44.0-Q44.79)	6	0.1
Congenital malformations of ovaries, fallopian tubes and broad ligaments (Q50.0-Q50.69)	3	0.1
Congenital malformations of uterus and cervix (Q51.0-Q51.9)	5	0.1
Other congenital malformations of female genitalia (Q52.0-Q52.9)	8	0.1
Undescended testicle (Q53.0-Q53.9)	184	2.9
Hypospadias (Q54.0-Q54.9)	135	2.1
Other congenital malformations of male genital organs (Q55.0-Q55.9)	35	0.6
Indeterminate sex and pseudohermaphroditism (Q56.0-Q56.4)	19	0.3
Renal agenesis and other reduction defects of kidney (Q60.0-Q60.6)	33	0.5



**TABLE 7.15 BIRTHS, QUEENSLAND, 2012  
SELECTED CONGENITAL ANOMALIES, NUMBERS AND RATES**

Selected congenital anomalies <sup>(a)</sup> (ICD code) <sup>(b)</sup>	No.	Rate <sup>(c)</sup>
Cystic kidney disease (Q61.0-Q61.9)	21	0.3
Congenital obstructive defects of renal pelvis and congenital malformations of ureter (Q62.0-Q62.8)	142	2.2
Other congenital malformations of kidney (Q63.0-Q63.9)	33	0.5
- Epispadias (Q64.0)	1	0.0
Other congenital malformations of urinary system (Q64.0-Q64.9)	13	0.2
Congenital deformities of hip (Q65.0-Q65.9)	183	2.9
- Congenital dislocation of hip, unilateral (Q65.0)	27	0.4
- Congenital dislocation of hip, bilateral (Q65.1)	25	0.4
Congenital deformities of feet (Q66.0-Q66.9)	689	10.8
- <i>Talipes equinovarus</i> (Q66.0)	397	6.2
- <i>Talipes calcaneovarus</i> (Q66.1)	5	0.1
- <i>Talipes calcaneovalgus</i> (Q66.4)	59	0.9
Congenital musculoskeletal deformities of head, face, spine and chest (Q67.0-Q67.8)	31	0.5
<i>Other congenital musculoskeletal deformities</i> (Q68.0-Q68.8)	20	0.3
<i>Polydactyly</i> (Q69.0-Q69.9)	36	0.6
<i>Syndactyly</i> (Q70.0-Q70.9)	45	0.7
Reduction defects of upper limb (Q71.0-Q71.9)	18	0.3
Reduction defects of lower limb (Q72.0-Q72.9)	10	0.2
Reduction defects of unspecified limb (Q73.0-Q73.89)	2	0.0
Other congenital malformations of limb(s) (Q74.0-Q74.9)	22	0.4
Other congenital malformations of skull and face bones (Q75.0-Q75.9)	23	0.4
Congenital malformations of spine and bony thorax (Q76.0-Q76.9)	24	0.4
Osteochondrodysplasia with defects of growth of tubular bones and spine (Q77.0-Q77.9)	2	0.0
Other osteochondrodysplasias (Q78.0-Q78.9)	7	0.1
Congenital malformations of the musculoskeletal system, not elsewhere classified (Q79.0-Q79.9)	74	1.2
- Congenital diaphragmatic hernia (Q79.0)	14	0.2
- Gastroschisis (Q79.3)	41	0.6
Congenital ichthyosis (Q80.0-Q80.9)	2	0.0
Other congenital malformations of skin (Q82.0-Q82.9)	686	10.8
<i>Congenital malformations of breast</i> (Q83.0-Q83.9)	1	0.0
<i>Other congenital malformations of integument</i> (Q84.0-Q84.9)	208	3.3
Phakamatoses, not elsewhere classified (Q85.0-Q85.9)	3	0.1
Congenital malformation syndromes due to known exogenous causes, nec (Q86.0-Q86.89)	2	0.0
Other specified congenital malformation syndromes affecting multiple systems (Q87.0-Q87.89)	18	0.3
Other congenital malformations, not elsewhere classified (Q89.0-Q89.9)	98	1.5
Down's syndrome (Q90.0-Q90.9)	75	1.2
Edwards' syndrome and Patau's syndrome (Q91.0-Q91.7)	18	0.3
Other trisomies and partial trisomies of the autosomes, not elsewhere classified (Q92.0-Q92.9)	15	0.2
Monosomies and deletions from the autosomes, not elsewhere classified (Q93.0-Q93.9)	5	0.1
Balanced rearrangements and structural markers, not elsewhere classified (Q95.0-Q95.9)	2	0.0
Turner's syndrome (Q96.0-Q96.9)	6	0.1
Other sex chromosome abnormalities, female phenotype, not elsewhere classified (Q97.0-Q97.9)	1	0.0
Other sex chromosome abnormalities, male phenotype, not elsewhere classified (Q98.0-Q98.9)	4	0.1
Other chromosome abnormalities, not elsewhere classified (Q99.0-Q99.9)	8	0.1
Clicking hip (R29.4)	135	2.1
<b>Births with at least one anomaly</b>	<b>3,725</b>	<b>58.5</b>
<b>All births</b>	<b>63,723</b>	<b>-</b>

(a) Reporting of multiple anomalies was permitted, so numbers cannot be cumulated.

(b) ICD-10-AM 7th edition is used for coding the congenital anomalies from 1 July 2010 to 30 June 2013.

(c) Per 1,000 births.