

QUEENSLAND PERINATAL DATA COLLECTION
NUMBER OF MOTHERS BY SELECTED VARIABLES BY YEAR ^(a)

Selected variable	Year of birth																	
	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
Indigenous status of mother																		
Aboriginal	1,914	2,118	2,147	2,059	1,898	1,984	2,030	1,995	2,260	2,098	2,255	2,444	2,403	2,567	2,714	2,946	2,874	3,002
Torres Strait Islander	552	521	508	513	541	494	553	501	522	554	586	581	580	573	551	536	473	514
Both Aboriginal & Torres Strait Islander	20	92	194	229	254	243	277	271	287	285	329	348	349	365	385	359	401	394
Neither Aboriginal nor Torres Strait Islander	44,790	44,713	45,192	45,714	46,207	45,593	46,644	47,280	51,265	52,768	56,018	56,917	57,667	57,517	57,462	58,821	58,428	58,899
Not stated	2	6	1	9	8	10	8	4	3	14	40	37	24	5	13	5	7	2
Age of mother (years)																		
Less than 20	3,235	3,085	3,159	3,183	3,158	3,067	3,046	3,003	3,069	3,076	3,260	3,456	3,340	3,344	3,120	3,165	2,943	2,702
20-34	37,705	37,849	38,117	38,147	38,303	37,795	38,342	38,528	41,566	42,289	44,564	44,933	45,523	45,539	45,830	47,442	47,222	48,083
35 or more	6,338	6,516	6,765	7,194	7,447	7,462	8,124	8,520	9,702	10,354	11,404	11,938	12,160	12,144	12,175	12,060	12,018	12,026
Not stated	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marital status																		
Single	5,915	5,786	5,640	5,595	5,720	5,551	5,520	5,417	5,985	5,868	6,681	6,951	6,967	7,180	7,335	7,374	7,143	7,374
Married/defacto	40,829	41,059	41,693	42,245	42,475	42,064	43,277	43,956	47,601	49,042	51,735	52,535	53,192	52,984	52,838	54,350	54,142	54,586
Other	534	603	709	673	698	699	709	671	750	793	799	821	838	858	937	926	867	841
Not stated	-	2	-	11	15	10	6	7	1	16	13	20	26	5	15	17	31	10
Number of previous pregnancies^(b)																		
None	18,718	18,509	19,070	19,448	19,759	19,205	20,033	20,356	21,708	22,208	23,731	24,149	24,649	24,878	25,132	25,683	25,943	25,863
One to four	27,702	28,015	28,049	28,103	28,214	28,165	28,438	28,717	31,372	32,264	34,088	34,706	34,899	34,738	34,620	35,580	34,885	35,593
Five or more	858	924	923	972	935	953	1,041	977	1,255	1,247	1,409	1,472	1,475	1,411	1,373	1,403	1,355	1,355
Not stated	-	2	-	1	-	1	-	1	2	-	-	-	-	-	-	1	-	-
Plurality of pregnancy																		
Singleton	46,554	46,763	47,361	47,762	48,156	47,484	48,674	49,210	53,418	54,754	58,231	59,269	60,015	60,041	60,098	61,628	61,217	61,820
Twin	690	662	658	733	723	810	821	826	896	941	978	1,042	988	967	1,001	1,021	944	970
Other multiple	34	25	23	29	29	30	17	15	23	24	19	16	20	19	26	18	22	21
Onset of labour																		
Spontaneous - not augmented	17,126	17,177	17,179	16,514	15,700	15,446	15,948	16,164	18,097	18,577	19,840	20,505	21,409	22,227	22,040	22,715	22,053	21,848
Spontaneous - augmented	13,237	12,668	12,431	12,828	12,658	11,869	11,920	12,439	12,731	12,653	13,744	13,935	13,431	12,613	12,307	12,215	12,067	12,064
Induced	11,038	11,485	12,003	12,200	12,752	12,261	12,422	11,699	12,687	13,048	13,553	13,615	13,661	13,579	14,180	14,620	14,938	15,633
No labour	5,877	6,117	6,429	6,980	7,798	8,747	9,220	9,749	10,822	11,439	12,091	12,270	12,519	12,595	12,596	13,091	13,125	13,266
Not stated	-	3	-	2	-	1	2	-	-	2	-	2	3	13	2	26	-	-
Number of mothers	47,278	47,450	48,042	48,524	48,908	48,324	49,512	50,051	54,337	55,719	59,228	60,327	61,023	61,027	61,125	62,667	62,183	62,811

(a) Changes to the MR63d form may have influenced reporting. Form changes occur regularly.

(b) Includes pregnancies with an outcome after 20 weeks and/or 400grams

**QUEENSLAND PERINATAL DATA COLLECTION
NUMBER OF MOTHERS BY SELECTED VARIABLES BY YEAR ^(a)**

Selected variable	Year of birth																	
	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Indigenous status of mother																		
Aboriginal	4.1	4.5	4.5	4.2	3.9	4.1	4.1	4.0	4.2	3.8	3.8	4.1	3.9	4.2	4.4	4.7	4.6	4.8
Torres Strait Islander	1.2	1.1	1.1	1.1	1.1	1.0	1.1	1.0	1.0	1.0	1.0	1.0	1.0	0.9	0.9	0.9	0.8	0.8
Both Aboriginal & Torres Strait Islander	0.0	0.2	0.4	0.5	0.5	0.5	0.6	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
Neither Aboriginal nor Torres Strait Islander	94.7	94.2	94.1	94.2	94.5	94.4	94.2	94.5	94.4	94.7	94.6	94.4	94.5	94.3	94.0	93.9	94.0	93.8
Not stated	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
Age of mother (years)																		
Less than 20	6.8	6.5	6.6	6.6	6.5	6.4	6.2	6.0	5.7	5.5	5.5	5.7	5.5	5.5	5.1	5.1	4.7	4.3
20-34	79.8	79.8	79.3	78.6	78.3	78.2	77.4	77.0	76.5	75.9	75.2	74.5	74.6	74.6	75.0	75.7	75.9	76.6
35 or more	13.4	13.7	14.1	14.8	15.2	15.4	16.4	17.0	17.9	18.6	19.3	19.8	19.9	19.9	19.9	19.2	19.3	19.2
Not stated	-	-	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marital status																		
Single	12.5	12.2	11.7	11.5	11.7	11.5	11.2	10.8	11.0	10.5	11.3	11.5	11.4	11.8	12.0	11.8	11.5	11.7
Married/defacto	86.4	86.5	86.8	87.1	86.9	87.1	87.4	87.8	87.6	88.0	87.4	87.1	87.2	86.8	86.4	86.7	87.1	86.9
Other	1.1	1.3	1.5	1.4	1.4	1.5	1.4	1.3	1.4	1.4	1.4	1.4	1.4	1.4	1.5	1.5	1.4	1.3
Not stated	-	0.0	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
Number of previous births																		
None	39.6	39.0	39.7	40.1	40.4	39.7	40.5	40.7	40.0	39.9	40.1	40.0	40.4	40.8	41.1	41.0	41.7	41.2
One to four	58.6	59.0	58.4	57.9	57.7	58.3	57.4	57.4	57.7	57.9	57.6	57.5	57.2	56.9	56.6	56.8	56.1	56.7
Five or more	1.8	2.0	1.9	2.0	1.9	2.0	2.1	2.0	2.3	2.2	2.4	2.4	2.4	2.3	2.3	2.2	2.2	2.2
Not stated	-	0.0	-	0.0	-	0.0	-	0.0	0.0	-	-	-	-	-	-	0.0	-	-
Plurality of pregnancy																		
Singleton	98.5	98.6	98.6	98.4	98.5	98.3	98.3	98.3	98.3	98.3	98.3	98.3	98.4	98.4	98.3	98.3	98.5	98.4
Twin	1.5	1.4	1.4	1.5	1.5	1.7	1.7	1.7	1.7	1.7	1.7	1.7	1.6	1.6	1.6	1.6	1.5	1.5
Other multiple	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Onset of Labour																		
Spontaneous - not augmented ^(b)	36.2	36.2	35.8	34.0	32.1	32.0	32.2	32.3	33.3	33.3	33.5	34.0	35.1	36.4	36.1	36.3	35.5	34.8
Spontaneous - augmented	28.0	26.7	25.9	26.4	25.9	24.6	24.1	24.9	23.4	22.7	23.2	23.1	22.0	20.7	20.1	19.5	19.4	19.2
Induced	23.4	24.2	25.0	25.1	26.1	25.4	25.1	23.4	23.4	23.4	22.9	22.6	22.4	22.3	23.2	23.3	24.0	24.9
No labour	12.4	12.9	13.4	14.4	15.9	18.1	18.6	19.5	19.9	20.5	20.4	20.3	20.5	20.6	20.6	20.9	21.1	21.1
Not stated	-	0.0	-	0.0	-	0.0	0.0	-	-	0.0	-	0.0	0.0	0.0	0.0	0.0	-	-
Number of mothers	47,278	47,450	48,042	48,524	48,908	48,324	49,512	50,051	54,337	55,719	59,228	60,327	61,023	61,027	61,125	62,667	62,183	62,811

(a) Changes to the MR63d form may have influenced reporting. Form changes occur regularly.

(b) Includes pregnancies with an outcome after 20 weeks and/or 400grams

QUEENSLAND PERINATAL DATA COLLECTION
NUMBER OF BABIES BY SELECTED VARIABLES BY YEAR ^(a)

Selected Variable	Year of birth																	
	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
Method of birth																		
Vaginal non-instrumental	32,684	32,648	32,881	32,163	31,706	30,445	30,623	30,570	32,754	32,980	34,852	34,961	35,331	35,278	35,158	35,848	35,406	35,866
Forceps	2,357	2,180	1,999	1,819	1,529	1,262	1,004	949	947	1,096	1,174	1,184	1,142	1,170	1,158	1,392	1,535	1,709
Vacuum	2,099	2,098	2,183	2,354	2,515	2,577	2,942	3,055	3,391	3,353	3,849	4,320	4,494	4,762	4,775	4,931	4,722	4,718
Caesarean section	10,821	11,188	11,650	12,940	13,879	14,852	15,761	16,309	18,148	19,266	20,368	20,935	21,084	20,822	21,089	21,556	21,509	21,530
Other	77	47	34	40	61	60	36	25	41	11	-	-	-	-	-	-	-	-
Not stated	-	2	-	2	-	-	1	2	-	2	1	1	-	-	1	-	-	-
Birthweight (grams)																		
Less than 1,500	783	732	790	806	798	752	774	809	828	955	926	937	959	973	977	1,000	947	963
1,500-2,499	2,527	2,560	2,496	2,679	2,571	2,811	2,683	2,835	3,085	3,202	3,183	3,209	3,430	3,324	3,326	3,518	3,452	3,487
2,500-3,999	38,824	38,839	39,321	39,368	39,852	39,437	40,428	40,913	44,596	45,559	48,556	49,419	49,750	49,966	50,208	51,360	51,295	51,859
4,000 or more	5,900	6,026	6,135	6,460	6,464	6,190	6,473	6,340	6,767	6,980	7,561	7,831	7,901	7,759	7,663	7,832	7,467	7,508
Not stated	4	6	5	5	5	6	9	13	5	12	18	5	11	10	7	17	11	6
Gestation (weeks)																		
Less than 28	412	410	432	440	442	406	384	453	459	531	490	517	537	552	557	552	522	580
28-36	3,461	3,388	3,449	3,725	3,632	3,803	3,890	4,028	4,369	4,595	4,763	4,775	4,909	4,825	4,898	5,369	5,148	5,185
37-41	43,107	43,358	44,025	44,209	44,897	44,365	45,599	46,005	50,070	51,234	54,566	55,686	56,177	56,293	56,371	57,467	57,212	57,778
42 or more	1,058	1,003	840	933	718	620	491	417	379	342	414	419	422	356	349	338	290	280
Not stated	-	4	1	11	1	2	3	7	4	6	11	4	6	6	6	1	-	-
Facility Type																		
Public	34,838	35,350	36,250	36,388	34,503	33,312	34,119	34,430	37,658	38,742	41,530	42,201	42,795	42,787	43,360	44,855	44,332	45,630
Private	12,984	12,637	12,332	12,723	14,922	15,656	15,946	16,138	17,284	17,615	18,294	18,731	18,767	18,741	18,320	18,332	18,258	17,618
Home Births	213	171	164	126	103	61	67	58	42	47	81	110	123	85	69	89	104	98
Born Before Arrival (BBA) ^(b)	-	-	-	79	162	166	234	283	297	302	339	358	366	419	432	450	478	468
Not stated	3	5	1	2	-	1	1	1	-	2	-	1	-	-	-	1	-	9
Perinatal deaths																		
Stillbirths	353	341	347	358	363	329	307	347	375	391	417	384	447	413	401	460	411	432
Neonatal deaths	200	208	171	184	199	177	176	198	185	223	202	206	233	233	210	196	207	201
Perinatal deaths	553	549	518	542	562	506	483	545	560	614	619	590	680	646	611	656	618	633
Number of babies	48,038	48,163	48,747	49,318	49,690	49,196	50,367	50,910	55,281	56,708	60,244	61,401	62,051	62,032	62,181	63,727	63,171	63,823

(a) Changes to the MR63d form may have influenced reporting. Form changes occurred in 1990, 1991, July 1994, July 1997, July 1998, July 1999 and July 2006.

(b) Not collected prior to 1 July 2000.

QUEENSLAND PERINATAL DATA COLLECTION

NUMBER OF BABIES BY SELECTED VARIABLES BY YEAR ^(a)

Selected Variable	Year of birth																	
	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Method of birth																		
Vaginal non-instrumental	68.0	67.8	67.5	65.2	63.8	61.9	60.8	60.1	59.3	58.2	57.9	56.9	56.9	56.9	56.5	56.3	56.1	56.2
Forceps	4.9	4.5	4.1	3.7	3.1	2.6	2.0	1.9	1.7	1.9	2.0	1.9	1.8	1.9	1.9	2.2	2.4	2.7
Vacuum	4.4	4.4	4.5	4.8	5.1	5.2	5.8	6.0	6.1	5.9	6.4	7.0	7.2	7.7	7.7	7.7	7.5	7.4
Caesarean section	22.5	23.2	23.9	26.2	27.9	30.2	31.3	32.0	32.8	34.0	33.8	34.1	34.0	33.6	33.9	33.8	34.1	33.7
Other	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	-	-	-	-	-	-	-	-
Not stated	-	0.0	-	0.0	-	-	0.0	0.0	-	0.0	0.0	0.0	-	-	0.0	-	-	-
Birthweight (grams)																		
Less than 1,500	1.6	1.5	1.6	1.6	1.6	1.5	1.5	1.6	1.5	1.7	1.5	1.5	1.6	1.6	1.6	1.6	1.5	1.5
1,500-2,499	5.3	5.3	5.1	5.4	5.2	5.7	5.3	5.6	5.6	5.7	5.3	5.2	5.5	5.4	5.4	5.5	5.5	5.5
2,500-3,999	80.8	80.6	80.7	79.8	80.2	80.2	80.3	80.4	80.7	80.3	80.6	80.5	80.2	80.6	80.7	80.6	81.2	81.3
4,000 or more	12.3	12.5	12.6	13.1	13.0	12.6	12.9	12.5	12.2	12.3	12.6	12.8	12.7	12.5	12.3	12.3	11.8	11.8
Not stated	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Gestation (weeks)																		
Less than 28	0.9	0.9	0.9	0.9	0.9	0.8	0.8	0.9	0.8	0.9	0.8	0.8	0.9	0.9	0.9	0.9	0.8	0.9
28-36	7.2	7.0	7.1	7.6	7.3	7.7	7.7	7.9	7.9	8.1	7.9	7.8	7.9	7.8	7.9	8.4	8.2	8.1
37-41	89.7	90.0	90.3	89.6	90.4	90.2	90.5	90.4	90.6	90.4	90.6	90.7	90.5	90.8	90.7	90.2	90.6	90.5
42 or more	2.2	2.1	1.7	1.9	1.4	1.3	1.0	0.8	0.7	0.6	0.7	0.7	0.7	0.6	0.6	0.5	0.5	0.4
Not stated	-	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	-
Facility Type																		
Public	72.5	73.4	74.4	73.8	69.4	67.7	67.7	67.6	68.1	68.3	68.9	68.7	69.0	69.0	69.7	70.4	70.2	71.5
Private	27.0	26.2	25.3	25.8	30.0	31.8	31.7	31.7	31.3	31.1	30.4	30.5	30.2	30.2	29.5	28.8	28.9	27.6
Home Births	0.4	0.4	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.2	0.2
Born Before Arrival (BBA) ^(b)	-	-	-	0.2	0.3	0.3	0.5	0.6	0.5	0.5	0.6	0.6	0.6	0.7	0.7	0.7	0.8	0.7
Not stated	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	-	0.0	-	0.0	-	-	-	0.0	-	0.0
Perinatal deaths																		
Stillbirths ^(c)	7.4	7.1	7.1	7.3	7.3	6.7	6.1	6.8	6.8	6.9	6.9	6.3	7.2	6.7	6.4	7.2	6.5	6.8
Neonatal deaths ^(d)	4.2	4.4	3.5	3.8	4.0	3.6	3.5	3.9	3.4	4.0	3.4	3.4	3.8	3.8	3.4	3.1	3.3	3.2
Perinatal deaths ^(c)	11.5	11.4	10.6	11.0	11.3	10.3	9.6	10.7	10.1	10.8	10.3	9.6	11.0	10.4	9.8	10.3	9.8	9.9
Number of babies	48,038	48,163	48,747	49,318	49,690	49,196	50,367	50,910	55,281	56,708	60,244	61,401	62,051	62,032	62,181	63,727	63,171	63,823

(a) Changes to the MR63d form may have influenced reporting. Form changes occurred in 1990, 1991, July 1994, July 1997, July 1998, July 1999 and July 2006.

(b) Not collected prior to 1 July 2000.

(c) Per 1,000 births.

(d) Per 1,000 livebirths.

PUBLIC AND PRIVATE FACILITIES, QUEENSLAND, 2014
ACHS INDICATORS BY SIZE OF BIRTH FACILITY

Indicator name	Indicator subgroup	Clinical indicators by size of facility (births per year)																	
		More than 2000			1000 - 999			500 - 999			Less than 500			Total					
		Public	Private	Total	Public	Private	Total	Public	Private	Total	Public	Private	Homebirth	Total	Public	Private	Homebirth	Total	
1. Outcome of selected primipara	Cl. 1.1 Total number of selected primipara(1) who have a spontaneous vaginal birth	No.	3,104	427	4,265	1,056	533	1,589	273	689	962	459	117	20	596	4,892	1,766	20	7,412
		Denom	5,566	1,129	7,809	1,805	1,527	3,332	443	1,957	2,400	692	355	20	1,067	8,506	4,968	20	14,608
		%	55.8	37.8	54.6	58.5	34.9	47.7	61.6	35.2	40.1	66.3	33.0	100.0	55.9	57.5	35.6	100.0	50.7
		% all mothers	4.9	0.7	6.8	1.7	0.9	2.5	0.4	1.1	1.5	0.7	0.2	0.0	1.0	7.8	2.8	0.0	11.8
	Cl. 1.2 Total number of selected primipara(1) who undergo induction of labour(2)	No.	1,817	436	2,253	423	429	852	105	634	739	87	101	-	188	2,432	1,600	-	4,032
		Denom	6,680	1,129	7,809	1,805	1,527	3,332	443	1,957	2,400	692	355	20	1,067	9,620	4,968	20	14,608
		%	27.2	38.6	28.9	23.4	28.1	25.6	23.7	32.4	30.8	12.6	28.5	-	17.6	25.3	32.2	-	27.6
		% all mothers	2.9	0.7	3.6	0.7	0.7	1.4	0.2	1.0	1.2	0.1	0.2	-	0.3	3.9	2.6	-	6.4
	Cl. 1.3 Total number of selected primipara(1) who undergo an instrumental vaginal birth(3)	No.	1,493	303	1,796	333	331	664	92	474	566	92	82	-	174	2,010	1,190	-	3,200
		Denom	6,680	1,129	7,809	1,805	1,527	3,332	443	1,957	2,400	692	355	20	1,067	9,620	4,968	20	14,608
		%	22.4	26.8	23.0	18.5	21.7	19.9	20.8	24.2	23.6	13.3	23.1	-	16.3	20.9	24.0	-	21.9
		% all mothers	2.4	0.5	2.9	0.5	0.5	1.1	0.2	0.8	0.9	0.2	0.1	-	0.3	3.2	1.9	-	5.1
	Cl. 1.4 Total number of selected primipara(1) undergoing caesarean section	No.	1,349	399	1,748	416	663	1,079	78	794	872	141	156	-	297	1,984	2,012	-	3,996
		Denom	6,680	1,129	7,809	1,805	1,527	3,332	443	1,957	2,400	692	355	20	1,067	9,620	4,968	20	14,608
		%	20.2	35.3	22.4	23.1	43.4	32.4	17.6	40.6	36.3	20.4	43.9	-	27.8	20.6	40.5	-	27.4
		% all mothers	2.2	0.6	2.8	0.7	1.1	1.7	0.1	1.3	1.4	0.2	0.3	-	0.5	3.2	3.2	-	6.4
2. Vaginal delivery following caesarean	Cl. 2.1 Total number of women delivering vaginally following a previous primary caesarean section (VBAC)(4)	No.	497	42	539	114	49	163	30	65	95	26	14	2	42	667	170	2	839
		Denom	2,434	689	3,123	797	882	1,679	167	991	1,158	226	196	2	424	3,624	2,758	2	6,384
		%	20.4	6.1	17.3	14.3	5.6	9.7	18.0	6.6	8.2	11.5	7.1	100.0	9.9	18.4	6.2	100.0	13.1
		% all mothers	0.8	0.1	0.9	0.2	0.1	0.3	0.1	0.1	0.2	0.0	0.0	-	0.1	1.1	0.3	-	1.3
3. Major perineal tears & surgical repair of the perineum	Cl. 3.1 Total number of selected primipara(1) with an intact perineum(5)	No.	401	57	458	170	51	221	49	84	133	83	18	3	104	703	210	3	916
		Denom	5,331	730	6,061	1,389	864	2,253	365	1,163	1,528	551	199	20	770	7,636	2,956	20	10,612
		%	7.5	7.8	7.6	12.2	5.9	9.8	13.4	7.2	8.7	15.1	9.1	15.0	13.5	9.2	7.1	15.0	8.6
		% all mothers	0.6	0.1	0.7	0.3	0.1	0.4	0.1	0.1	0.2	0.1	0.0	-	0.2	1.1	0.3	-	1.5
	Cl. 3.2 Total number of selected primipara(1) undergoing episiotomy(6) and no perineal tear(7) while giving birth vaginally	No.	1,095	178	1,273	325	309	634	92	418	510	73	38	-	111	1,585	943	-	2,528
		Denom	5,331	730	6,061	1,389	864	2,253	365	1,163	1,528	551	199	20	770	7,636	2,956	20	10,612
		%	20.5	24.4	21.0	23.4	35.8	28.1	25.2	35.9	33.4	13.3	19.1	-	14.4	20.8	31.9	-	23.8
		% all mothers	1.7	0.3	2.0	0.5	0.5	1.0	0.2	0.7	0.8	0.1	0.1	-	0.2	2.5	1.5	-	4.0
	Cl. 3.3 Total number of selected primipara(1) sustaining a perineal tear(7) and no episiotomy(6)	No.	3,389	407	3,796	827	467	1,294	216	595	811	374	135	17	526	4,806	1,604	17	6,427
		Denom	5,331	730	6,061	1,389	864	2,253	365	1,163	1,528	551	199	20	770	7,636	2,956	20	10,612
		%	63.6	55.8	62.6	59.5	54.1	57.4	59.2	51.2	53.1	67.9	67.8	85.0	68.3	62.9	54.3	85.0	60.6
		% all mothers	5.4	0.7	6.0	1.3	0.7	2.1	0.3	1.0	1.3	0.6	0.2	0.0	0.8	7.7	2.6	0.0	10.2
	Cl. 3.4 Total number of selected primipara(1) undergoing episiotomy(6) and sustaining a perineal tear(7) while giving birth vaginally	No.	438	88	526	61	21	82	4	46	50	17	4	-	21	520	159	-	679
		Denom	5,331	730	6,061	1,389	864	2,253	365	1,163	1,528	551	199	20	770	7,636	2,956	20	10,612
		%	8.2	12.1	8.7	4.4	2.4	3.6	1.1	4.0	3.3	3.1	2.0	-	2.7	6.8	5.4	-	6.4
		% all mothers	0.7	0.1	0.8	0.1	0.0	0.1	0.0	0.1	0.1	0.0	0.0	-	0.0	0.8	0.3	-	1.1
Cl. 3.5 Total number of selected primipara(1) requiring surgical repair(8) of the perineum(5) for third degree tear (7)	No.	403	27	430	82	22	104	5	28	33	30	6	-	36	520	83	-	603	
	Denom	5,331	730	6,061	1,389	864	2,253	365	1,163	1,528	551	199	20	770	7,636	2,956	20	10,612	
	%	7.6	3.7	7.1	5.9	2.6	4.6	1.4	2.4	2.2	5.4	3.0	-	4.7	6.8	2.8	-	5.7	
	% all mothers	0.6	0.0	0.7	0.1	0.0	0.2	0.0	0.0	0.1	0.1	0.0	-	0.1	0.8	0.1	-	1.0	
Cl. 3.6 Total number of selected primipara(1) requiring surgical repair(8) of the perineum(5) for fourth degree tear (7)	No.	21	1	22	4	2	6	-	5	5	3	4	-	7	28	12	-	40	
	Denom	5,331	730	6,061	1,389	864	2,253	365	1,163	1,528	551	199	20	770	7,636	2,956	20	10,612	
	%	0.4	0.1	0.4	0.3	0.2	0.3	-	0.4	0.3	0.5	2.0	-	0.9	0.4	0.4	-	0.4	
	% all mothers	0.0	-	0.0	0.0	-	0.0	-	0.0	0.0	-	0.0	-	0.0	0.0	0.0	-	0.1	
4. General anaesthesia for caesarean	Cl. 4.1 Total number of women having a general anaesthetic(9) for a caesarean section	No.	856	61	917	223	78	301	36	80	116	37	28	-	65	1,152	247	0	1,399
		Denom	8,385	1,970	10,355	2,712	2,739	5,451	485	3,087	3,572	867	576	-	1,443	12,449	8,372	0	20,821
		%	10.2	3.1	8.9	8.2	2.9	5.5	7.4	2.6	3.3	4.3	4.9	-	4.5	9.3	3.0	-	6.7
		% all mothers	1.4	0.1	1.5	0.4	0.1	0.5	0.1	0.1	0.2	0.1	0.0	-	0.1	1.8	0.4	-	2.2

PUBLIC AND PRIVATE FACILITIES, QUEENSLAND, 2014
ACHS INDICATORS BY SIZE OF BIRTH FACILITY

Indicator name	Indicator subgroup	Clinical indicators by size of facility (births per year)																	
		More than 2000			1000 - 1999			500 - 999			Less than 500			Total					
		Public	Private	Total	Public	Private	Total	Public	Private	Total	Public	Private	Homebirth	Total	Public	Private	Homebirth	Total	
5. Antibiotics after caesarean section	Cl. 5.1 Total number of women who receive an appropriate prophylactic antibiotic at the time of caesarean section	No.	7,660	1,906	9,566	2,409	2,583	4,992	444	2,849	3,293	805	530	-	1,335	11,318	7,868	-	19,186
		Denom	8,380	1,970	10,350	2,711	2,739	5,450	484	3,087	3,571	867	576	-	1,443	12,442	8,372	-	20,814
		%	91.4	96.8	92.4	88.9	94.3	91.6	91.7	92.3	92.2	92.9	92.0	-	92.5	91.0	94.0	-	92.2
		% all mothers	12.2	3.0	15.2	3.8	4.1	8.0	0.7	4.5	5.2	1.3	0.8	-	2.1	18.0	12.5	-	30.6
7. Postpartum haemorrhage/blood transfusion	Cl. 7.1 Total number of women who give birth vaginally who require a blood transfusion(10) during the same admission	No.	131	5	136	40	7	47	13	7	20	23	2	-	25	207	21	-	228
		Denom	22,000	2,177	24,177	6,635	2,777	9,412	1,546	3,394	4,940	2,819	560	93	3,473	33,000	8,908	93	42,002
		%	0.6	0.2	0.6	0.6	0.3	0.5	0.8	0.2	0.4	0.8	0.4	-	0.7	0.6	0.2	-	0.5
		% all mothers	0.2	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	-	-	0.0	0.3	0.0	-	0.4
	Cl. 7.2 Total number of women who undergo caesarean section who require a blood transfusion(10) during the same admission	No.	80	4	84	28	12	40	1	9	10	3	2	-	5	112	27	-	139
		Denom	8,385	1,970	10,355	2,712	2,739	5,451	485	3,087	3,572	867	576	-	1,443	12,449	8,372	-	20,821
		%	1.0	0.2	0.8	1.0	0.4	0.7	0.2	0.3	0.3	0.4	0.4	-	0.4	0.9	0.3	-	0.7
		% all mothers	0.1	0.0	0.1	0.0	0.0	0.1	-	0.0	0.0	-	-	-	0.0	0.2	0.0	-	0.2
8. Intrauterine growth restriction (IUGR)(11)	Cl. 8.1 Total number of deliveries with birth weight less than 2750g at 40 weeks gestation or beyond	No.	186	10	196	42	24	66	7	30	37	27	4	-	31	262	68	-	330
		Denom	12,009	1,004	13,013	3,545	1,500	5,045	716	1,790	2,506	1,627	330	60	2,017	17,897	4,624	60	22,582
		%	1.6	1.0	1.5	1.2	1.6	1.3	1.0	1.7	1.5	1.7	1.2	-	1.5	1.5	1.5	-	1.5
		% all mothers	0.3	0.0	0.3	0.1	0.0	0.1	0.0	0.1	0.1	0.0	0.0	-	0.1	0.4	0.1	-	0.5
9. Apgar score	Cl. 9.1 Total number of term babies born with an Apgar score(12) of less than 7 at five minutes post delivery	No.	494	23	517	161	40	201	41	47	88	57	14	-	71	753	124	-	877
		Denom	27,703	3,764	31,467	8,603	5,160	13,763	1,908	6,116	8,024	3,528	1,071	91	4,690	41,742	16,111	91	57,944
		%	1.8	0.6	1.6	1.9	0.8	1.5	2.2	0.8	1.1	1.6	1.3	-	1.5	1.8	0.8	-	1.5
		% all mothers	0.8	0.0	0.8	0.3	0.1	0.3	0.1	0.1	0.1	0.1	0.0	-	0.1	1.2	0.2	-	1.4
10. Admission of term babies to SCN or NICU	Cl.10.1 Total number of inborn(14) term(13) babies transferred / admitted to a neonatal intensive care nursery(15) or special care nursery(16) for reasons other than congenital abnormality	No.	3,930	144	4,074	1,342	447	1,789	243	567	810	-	16	-	16	5,515	1,174	-	6,689
		Denom	27,470	3,755	31,225	8,538	5,151	13,689	1,892	6,106	7,998	3,491	1,071	-	4,562	41,391	16,083	-	57,474
		%	14.3	3.8	13.1	15.7	8.7	13.1	12.8	9.3	10.1	-	1.5	-	0.4	13.3	7.3	-	11.6
		% all mothers	6.3	0.2	6.5	2.1	0.7	2.9	0.4	0.9	1.3	-	0.0	-	0.0	8.8	1.9	-	10.7

Indicator Name	Indicator Sub-Grouping	Numerator Description	Denominator Description
1. Outcome of selected primipara	Cl. 1.1	Total number of selected primipara(1) who have a spontaneous vaginal birth	Total number of selected primipara(1) who give birth
	Cl. 1.2	Total number of selected primipara(1) who undergo induction of labour(2)	Total number of selected primipara(1) who give birth
	Cl. 1.3	Total number of selected primipara(1) who undergo an instrumental vaginal birth(3)	Total number of selected primipara(1) who give birth
	Cl. 1.4	Total number of selected primipara(1) undergoing caesarean section	Total number of selected primipara(1) who give birth
2. Vaginal delivery following caesarean	Cl. 2.1	Total number of women delivering vaginally following a previous primary caesarean section (VBAC)(4)	Total number of women delivering who have had a previous primary caesarean section and no intervening pregnancies greater than 20 weeks gestation
3. Major perineal tears & surgical repair of the perineum	Cl. 3.1	Total number of selected primipara(1) with an intact perineum(5)	Total number of selected primipara(1) delivering vaginally
	Cl. 3.2	Total number of selected primipara(1) undergoing episiotomy(6) and no perineal tear(7) while giving birth vaginally	Total number of selected primipara(1) delivering vaginally
	Cl. 3.3	Total number of selected primipara(1) sustaining a perineal tear(7) and no episiotomy(6)	Total number of selected primipara(1) delivering vaginally
	Cl. 3.4	Total number of selected primipara undergoing episiotomy and sustaining a perineal tear while giving birth vaginally	Total number of selected primipara(1) delivering vaginally
	Cl. 3.5	Total number of selected primipara(1) requiring surgical repair(8) of the perineum(5) for third degree tear (see note 7)	Total number of selected primipara(1) delivering vaginally
	Cl. 3.6	Total number of selected primipara(1) requiring surgical repair(8) of the perineum(5) for fourth degree tear (see note 7)	Total number of selected primipara(1) delivering vaginally
4. General anaesthesia for caesarean section	Cl. 4.1	Total number of women having a general anaesthetic(9) for a caesarean section	Total number of women having a caesarean section
5. Antibiotics after caesarean section	Cl. 5.1	Total number of women who receive an appropriate prophylactic antibiotic at the time of caesarean section	Total number of women having a caesarean section
7. Postpartum haemorrhage/blood transfusion	Cl. 7.1	Total number of women who give birth vaginally who require a blood transfusion(10) during the same admission	Total number of women who give birth vaginally
	Cl. 7.2	Total number of women who undergo caesarean section who require a blood transfusion(10) during the same admission	Total number of women having a caesarean section
8. Intrauterine growth restriction (IUGR)(11)	Cl. 8.1	Total number of deliveries with birth weight less than 2750g at 40 weeks gestation or beyond	Total number of deliveries at 40 weeks gestation or beyond
9. Apgar score	Cl. 9.1	Total number of term babies born with an Apgar score(12) of less than 7 at five minutes post delivery	Total number of term babies born
10. Admission of term babies to SCN or NICN	Cl.10.1	Total number of inborn(14) term(13) babies transferred / admitted to a neonatal intensive care nursery(15) or special care nursery(16) for reasons other than congenital abnormality	Total number of inborn(14) term(13) live babies

Notes for The Australian Council

- Selected primipara is defined as: a woman who is 20-34 years of age, giving birth for the first time, singleton pregnancy, cephalic presentation and 37 to 41 weeks gestation.
- Induction of labour is defined as surgical and / or medical induction.
- Instrumental vaginal birth is defined as forceps or vacuum.
- This number relates to those women delivering vaginally following a previous primary (first) caesarean section and having no other vaginal births.
- Perineum is defined as anatomically, the perineum extends from the pubic arch to the coccyx and is divided into the anterior urogenital and posterior anal triangle. Anterior perineal trauma is defined as injury to the labia, anterior vagina, urethra or clitoris. Posterior perineal trauma is defined as any injury to the posterior vaginal wall, perineal muscles or anal sphincters and may include disruption of the anal epithelium.
- Episiotomy is defined as surgical incision made intentionally to increase the diameter of the vulval outlet to facilitate delivery.
- Perineal Tears can be divided into: First degree: Injury to the skin only; Second degree Injury to the perineum involving perineal muscles but not involving the anal sphincter; Third degree Injury to perineum involving the anal sphincter complex; Fourth degree Injury to perineum involving the anal sphincter complex (external and internal anal sphincter) and anal epithelium. Any degree of perineal tear is included
- Surgical repair is defined as suture of the perineum following delivery.
- General anaesthetic includes women undergoing a primary general anaesthetic and includes conversions from regional to general anaesthetic where intubation is required to control the airway.
- Blood transfusion is required following massive blood loss of equal to or more than 1000mL or in response to a postpartum haemoglobin level of less than 8.0g/L. NOTE: This report will only be using the blood loss of equal to / or more than 1000ml for Primary Postpartum haemorrhages component, as the postpartum haemoglobin level is not collected in this manner.
- Severe IUGR is defined as babies less than the 3rd centile at 40 weeks gestation. Whilst recognising that birth weight varies with maternal height, weight, parity, ethnicity and foetal sex this is impractical to collect at present. A surrogate measure of birth weight less than 2750 grams after 40 weeks gestation is used.
- The Apgar score is calculated at one minute and again five minutes after the baby is born. It is determined by five characteristics of the baby, that is, heart rate, respiratory effort, muscle tone, reflex irritability and colour. Each characteristic is rated from zero to two. The sum of the above five characteristics is the total Apgar score of the baby. Term refers to gestation of equal to or greater than 37 weeks gestation. Foetal demise at any stage after the onset of labour / caesarean section is to be included. Fetal death in utero diagnosed prior to commencement (onset) of labour / caesarean section is excluded. Onset of labour refers to first stage of labour begins when uterine contractions reach sufficient frequency, intensity and duration to initiate readily demonstrable effacement and dilatation of the cervix.
- Term refers to gestation of equal to or greater than 37 weeks gestation.
- Inborn baby is defined as an infant born at the reporting hospital.
- Neonatal intensive care nurseries are staffed and equipped to treat critically ill newborn babies including those requiring prolonged assisted respiratory support, intravenous therapy, and alimentation and treatment of serious infections. Full supportive services are readily available throughout the hospital. These NICN also provide consultative services to other hospitals. Admissions due to congenital abnormality are excluded. Clarification from clinicians should be sought if difficulty is encountered in determining congenital abnormality.
- Special care nurseries are staffed and equipped to provide a full range of neonatal services for the majority of complicated neonatal problems, including short-term assisted ventilation and intravenous therapy.

TABLE 3.01

ASSISTED CONCEPTION, QUEENSLAND, 2014
MOTHERS BY METHOD OF ASSISTANCE AND TYPE OF FACILITY

Assisted conception ^(a)	Type of facility									
	Public		Private		Homebirths		Born Before Arrival		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%
No Assisted Conception	43,968	97.7	15,026	87.1	96	99.0	463	99.1	59,563	94.8
Assisted Conception	1,022	2.3	2,221	12.9	1	1.0	2	0.4	3,246	5.2
<i>IVF</i>	595	58.2	1,465	66.0	-	-	-	-	2,060	63.5
<i>Ovulation Induction</i>	321	31.4	528	23.8	-	-	1	50.0	850	26.2
<i>AIH/AID</i>	75	7.3	160	7.2	-	-	-	-	235	7.2
<i>ICSI</i>	39	3.8	107	4.8	-	-	-	-	146	4.5
<i>Other</i>	15	1.5	38	1.7	-	-	1	50.0	54	1.7
<i>Donor egg</i>	6	0.6	7	0.3	-	-	-	-	13	0.4
<i>GIFT</i>	1	0.1	12	0.5	-	-	-	-	13	0.4
<i>AIH/AID and ovulation induction</i>	2	0.2	-	-	1	100.0	-	-	3	0.1
Total ^(b)	44,990	100.0	17,247	100.0	98	100.0	467	100.0	62,811	100.0

(a) Reporting of multiple methods of assistance was permitted, so numbers cannot be cumulated.

(b) Includes mothers with not stated assisted conception.

**TABLE 3.02 ASSISTED CONCEPTION, QUEENSLAND, 2014
MOTHERS BY METHOD OF ASSISTANCE**

Assisted conception ^(a)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
No Assisted Conception	45,869	46,317	46,863	47,307	47,466	46,861	47,976	48,326	52,527	53,612	57,080	57,948	58,524	58,305	58,386	59,727	59,051	59,563
Assisted Conception	1,234	1,116	1,178	1,212	1,441	1,462	1,535	1,722	1,804	2,102	2,145	2,373	2,490	2,721	2,737	2,933	3,130	3,246
IVF	231	313	366	421	599	724	831	911	1,003	1,266	1,288	1,459	1,518	1,718	1,695	1,770	2,004	2,060
Ovulation Induction	500	488	488	489	514	499	458	547	529	527	511	589	570	634	681	807	785	850
AIH/AID	140	132	161	149	163	146	190	197	212	211	228	239	288	240	259	274	241	235
ICSI	-	-	-	-	20	64	54	69	64	114	90	94	112	149	120	102	135	146
Other	35	52	59	59	82	50	51	56	47	37	68	47	55	66	58	62	77	54
Donor egg	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
GIFT	181	163	136	133	111	35	21	16	16	14	17	13	16	19	25	19	9	13
AIH/AID and ovulation induction	-	-	4	1	3	1	-	-	1	1	4	-	2	14	5	20	11	3
Unknown / Not Stated	177	14	3	7	1	1	1	2	2	1	2	-	8	3	1	1	1	-
Total ^(b)	47,278	47,450	48,042	48,524	48,908	48,324	49,512	50,051	54,337	55,719	59,228	60,327	61,023	61,027	61,125	62,667	62,183	62,811

(a) Reporting of multiple methods of assistance was permitted, so numbers cannot be cumulated.

(b) Includes mothers with not stated assisted conception.

**TABLE 3.03 MOTHERS BIRTHING IN QUEENSLAND, 2014
AGE OF MOTHER BY ASSISTED CONCEPTION**

Age of mother (years)	Assisted Conception					
	No.		Yes		Total ^(a)	
	No.	%	No.	%	No.	%
Under 15	21	0.0	-	-	21	0.0
15 - 19	2,680	4.5	1	0.0	2,681	4.3
20 - 24	10,139	17.0	64	2.0	10,203	16.2
25 - 29	17,513	29.4	614	18.9	18,128	28.9
30 - 34	18,547	31.1	1,205	37.1	19,752	31.5
35 - 39	8,765	14.7	956	29.5	9,722	15.5
40 - 44	1,817	3.1	351	10.8	2,168	3.5
45 and over	81	0.1	55	1.7	136	0.2
Total	59,563	100.0	3,246	100.0	62,811	100.0

(a) Includes mothers with not stated assisted conception.

TABLE 3.04

ASSISTED CONCEPTION, QUEENSLAND, 2014
MOTHERS BY METHOD ASSISTANCE AND PLURALITY

Assisted conception ^(a)	Plurality							
	Singleton		Twin		Other Multiple		Total	
	No.	%	No.	%	No.	%	No.	%
No Assisted Conception	58,839	95.2	715	73.7	9	42.9	59,563	94.8
Assisted Conception	2,979	4.8	255	26.3	12	57.1	3,246	5.2
<i>AIH/AID</i>	214	7.2	40	15.7	3	25.0	257	7.9
<i>AIH/AID and ovulation induction</i>	3	0.1	-	-	-	-	3	0.1
<i>Donor egg</i>	11	0.4	4	1.6	-	-	15	0.5
<i>GIFT</i>	9	0.3	8	3.1	-	-	17	0.5
<i>ICSI</i>	137	4.6	18	7.1	-	-	155	4.8
<i>IVF</i>	1,876	63.0	354	138.8	21	175	2,251	69.4
<i>Other</i>	52	1.8	4	1.6	-	-	56	1.7
<i>Ovulation Induction</i>	795	26.7	102	40.0	12	100.0	909	28.0
Total ^(b)	61,820	100.0	970	100.0	21	100.0	62,811	100.0

(a) Reporting of multiple methods of assistance was permitted, so numbers cannot be cumulated.

(b) Includes mothers with not stated assisted conception.

TABLE 3.05 MOTHERS WITH ASSISTED CONCEPTION, QUEENSLAND, 2014
BIRTHWEIGHT BY GESTATION

Birthweight (grams)	Gestation (weeks)														Total	
	Less than 22		22-24		25-27		28-31		32-36		37-41		42 and over			
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 500	12	100.0	6	31.6	1	4.8	-	-	-	-	-	-	-	-	19	0.6
500 - 749	-	-	10	52.6	4	19.1	1	1.8	-	-	-	-	-	-	15	0.5
750 - 999	-	-	2	10.5	11	52.4	8	14.6	-	-	-	-	-	-	21	0.7
1,000 - 1,249	-	-	1	5.3	5	23.8	11	20.0	-	-	-	-	-	-	17	0.5
1,250 - 1,499	-	-	-	-	-	-	10	18.2	3	0.8	-	-	-	-	13	0.4
1,500 - 1,749	-	-	-	-	-	-	17	30.9	20	5.3	-	-	-	-	37	1.1
1,750 - 1,999	-	-	-	-	-	-	6	10.9	39	10.2	1	0.0	-	-	46	1.4
2,000 - 2,249	-	-	-	-	-	-	1	1.8	57	15.0	10	0.4	-	-	68	2.1
2,250 - 2,499	-	-	-	-	-	-	-	-	62	16.3	36	1.3	-	-	98	3.0
2,500 - 2,999	-	-	-	-	-	-	-	-	142	37.3	425	15.5	-	-	567	17.5
3,000 - 3,499	-	-	-	-	-	-	-	-	50	13.1	1,127	41.0	2	25.0	1,179	36.3
3,500 - 3,999	-	-	-	-	-	-	-	-	8	2.1	907	33.0	4	50.0	919	28.3
4,000 - 4,499	-	-	-	-	-	-	-	-	-	-	211	7.7	1	12.5	212	6.5
4,500 and over	-	-	-	-	-	-	-	-	-	-	33	1.2	1	12.5	34	1.1
Total ^(a)	12	100.0	19	100.0	21	100.0	55	100.0	381	100.0	2,750	100.0	8	100.0	3,246	100.0

(a) Includes mothers with not stated birthweight.

TABLE 3.06

**MOTHERS BIRTHING IN QUEENSLAND BY ASSISTED CONCEPTION, 2014
HOSPITAL AND HEALTH SERVICE OF USUAL RESIDENCE OF MOTHER**

Hospital and Health Service of Usual Residence of Mother	Assisted Conception					
	No		Yes		Total ^(a)	
	No.	%	No.	%	No.	%
Cairns and Hinterland	3,343	5.6	124	3.8	3,468	5.5
Central Queensland	3,288	5.5	138	4.3	3,426	5.5
Central West	164	0.3	5	0.2	169	0.3
Darling Downs	3,579	6.0	114	3.5	3,694	5.9
Gold Coast	6,179	10.4	425	13.1	6,604	10.5
Mackay	2,441	4.1	78	2.4	2,519	4.0
Metro North	10,949	18.4	820	25.3	11,769	18.7
Metro South	14,288	24.0	883	27.2	15,171	24.2
North West	591	1.0	17	0.5	608	1.0
South West	425	0.7	7	0.2	432	0.7
Sunshine Coast	3,782	6.4	201	6.2	3,983	6.3
Torres and Cape	260	0.4	4	0.1	264	0.4
Townsville	3,367	5.7	133	4.1	3,500	5.6
West Moreton	3,942	6.6	171	5.3	4,113	6.6
Wide Bay	2,178	3.7	47	1.5	2,225	3.5
Interstate Overseas	532	0.9	78	2.4	610	1.0
Total^(b)	59,563	100.0	3,246	100.0	62,811	100.0

(a) Includes mothers with not stated assisted conception.

(b) Includes mothers with not stated Hospital and Health Service of usual residence.

TABLE 3.07

ASSISTED CONCEPTION, QUEENSLAND, 2014
ASSISTED CONCEPTION BY BIRTH STATUS

Assisted conception ^(a)	Outcome					
	Livebirth		Stillbirth		Total	
	No.	%	No.	%	No.	%
No Assisted Conception	59,897	94.5	399	92.4	60,296	94.5
Assisted Conception	3,492	5.5	33	7.6	3,525	5.5
<i>AIH/AID</i>	255	7.3	2	6.1	257	7.3
<i>AIH/AID and ovulation induction</i>	3	0.09	-	-	3	0.1
<i>Donor egg</i>	15	0.4	-	-	15	0.4
<i>GIFT</i>	17	0.5	-	-	17	0.5
<i>ICSI</i>	154	4.4	1	3	155	4.4
<i>IVF</i>	2,229	63.8	22	66.7	2,251	63.9
<i>Other</i>	56	1.6	-	-	56	1.6
<i>Ovulation Induction</i>	901	25.8	8	24	909	25.8
Total ^(b)	63,391	100.0	432	100.0	63,823	100.0

(a) Reporting of multiple methods of assistance was permitted, so numbers cannot be cumulated.

(b) Includes mothers with not stated assisted conception.

**TABLE 4.01 MOTHERS BIRTHING IN QUEENSLAND, 2014
AGE OF MOTHER BY PLURALITY OF PREGNANCY**

Age of mother (years)	Plurality of pregnancy					
	Singleton		Multiple		Total	
	No.	%	No.	%	No.	%
Under 15	21	0.0	-	-	21	0.0
15 - 19	2,660	4.3	21	2.1	2,681	4.3
20 - 24	10,103	16.3	100	10.1	10,203	16.2
25 - 29	17,907	29.0	221	22.3	18,128	28.9
30 - 34	19,386	31.4	366	36.9	19,752	31.5
35 - 39	9,510	15.4	212	21.4	9,722	15.5
40 - 44	2,107	3.4	61	6.2	2,168	3.5
45 and over	126	0.2	10	1.0	136	0.2
Total	61,820	100.0	991	100.0	62,811	100.0

TABLE 4.02 MOTHERS BIRTHING IN QUEENSLAND, 2013 & 2014
HOSPITAL AND HEALTH SERVICE OF USUAL RESIDENCE OF MOTHER

Hospital and Health Service	Mothers			
	2013		2014	
	No.	%	No.	%
Cairns and Hinterland	3,388	5.5	3,468	5.5
Central Queensland	3,516	5.7	3,426	5.5
Central West	161	0.3	169	0.3
Darling Downs	3,730	6.0	3,694	5.9
Gold Coast	6,024	9.7	6,604	10.5
Mackay	2,604	4.2	2,519	4.0
Metro North	11,752	18.9	11,769	18.7
Metro South	15,143	24.4	15,171	24.2
North West	602	1.0	608	1.0
South West	416	0.7	432	0.7
Sunshine Coast	3,910	6.3	3,983	6.3
Torres and Cape	474	0.8	517	0.8
Townsville	3,443	5.5	3,500	5.6
West Moreton	4,109	6.6	4,113	6.6
Wide Bay	2,301	3.7	2,225	3.5
Interstate/Overseas	611	1.0	610	0.9
Total^(a)	62,184	100.0	62,811	100.0

(a) Includes mothers with not stated Hospital and Health Service of usual residence.

TABLE 4.03 **MOTHERS BIRTHING IN QUEENSLAND, 2014**
MARITAL STATUS OF MOTHER BY PLURALITY OF PREGNANCY

Marital status of mother	Plurality of pregnancy					
	Singleton		Multiple		Total	
	No.	%	No.	%	No.	%
Married/defacto	53,731	86.9	855	86.2	54,586	86.9
Single	7,261	11.8	113	11.4	7,374	11.7
Separated	599	1.0	16	1.7	615	1.0
Divorced	186	0.3	4	0.4	190	0.3
Widowed	34	0.1	2	0.3	36	0.1
Total ^(a)	61,820	100.0	991	100.0	62,811	100.0

(a) Includes mothers with not stated marital status.

**TABLE 4.04 MOTHERS BIRTHING IN QUEENSLAND, 2014
INDIGENOUS STATUS OF MOTHER**

Indigenous status of mother	Mothers	
	No.	%
Aboriginal	3,002	4.8
Torres Strait Islander	514	0.8
Aboriginal and Torres Strait Islander	394	0.6
Neither Aboriginal nor Torres Strait Islander	58,899	93.8
Total ^(a)	62,811	100.0

(a) Includes mothers with not stated Indigenous status.

TABLE 4.05 MOTHERS BIRTHING IN QUEENSLAND, 2014
COUNTRY OF BIRTH OF MOTHER

Country of birth of mother	Mothers	
	No.	%
Australia	46,661	74.3
Fiji	233	0.4
New Zealand	3,490	5.6
Papua New Guinea	234	0.4
Other countries in Oceania	416	0.7
South Africa	524	0.8
Other countries in Africa	1,358	2.2
Canada	214	0.3
United States of America	286	0.5
Other countries in America	450	0.7
Hong Kong	125	0.2
India	1,331	2.1
Malaysia	206	0.3
Philippines	759	1.2
Vietnam	419	0.7
Other countries in Asia	3,332	5.3
United Kingdom	1,366	2.2
Republic of Ireland	228	0.4
Germany	201	0.3
Italy	40	0.1
Netherlands	61	0.1
Other countries in Europe	864	1.4
Not stated	13	0.0
Total ^(a)	62,811	100.0

(a) Includes 'Those at sea.'

**TABLE 4.06 MOTHERS BIRTHING IN QUEENSLAND, 2014
BODY MASS INDEX (BMI) BY FACILITY TYPE**

Body Mass Index (BMI)	Facility Type										Total ^(a)	
	Public Hospital		Private Hospital		Homebirth		Born Before Arrival					
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
18 and under	3,810	8.5	1,286	7.5	10	10.3	41	8.8	5,147	8.2		
19-24	20,710	46.0	9,735	56.4	56	57.7	227	48.6	30,728	48.9		
25-29	10,247	22.8	3,801	22.0	13	13.4	106	22.7	14,167	22.6		
30-34	5,436	12.1	1,507	8.7	2	2.1	44	9.4	6,989	11.1		
35-39	2,491	5.5	597	3.5	1	1.0	14	3.0	3,103	4.9		
40+	1,538	3.4	295	1.7	-	-	4	0.9	1,837	2.9		
Total	44,999	100.0	17,247	100.0	97	100.0	467	100.0	62,811	100.0		

(a) Includes mothers with not stated BMI and not stated facility type.

23 November 2018: BMI categories amended to incorporate BMI calculated to 2 decimal places.

TABLE 5.01**MOTHERS BIRTHING IN QUEENSLAND, 2014
NUMBER OF ANTENATAL VISITS BY INDIGENOUS STATUS OF MOTHER**

Number of antenatal visits	Indigenous status of mother					
	Indigenous		Non-Indigenous		Total ^(a)	
	No.	%	No.	%	No.	%
Less than 2	98	2.5	222	0.4	320	0.5
2 - 4	500	12.8	2,600	4.4	3,100	4.9
5 - 7	937	24.0	8,635	14.7	9,572	15.2
8 or more	2,364	60.5	47,372	80.4	49,738	79.2
Total^(b)	3,910	100.0	58,899	100.0	62,811	100.0

(a) Includes mothers with not stated Indigenous status.

(b) Includes mothers with not stated number of antenatal visits.

TABLE 5.02 MOTHERS BIRTHING IN QUEENSLAND, 2014
PARITY^(a) BY AGE OF MOTHER

Parity	Age of mother (years)							
	Under 20		20 - 34		35 and over		Total	
	No.	%	No.	%	No.	%	No.	%
0	2,143	79.3	20,668	43.0	3,052	25.4	25,863	41.2
1	505	18.7	16,191	33.7	4,235	35.2	20,931	33.3
2	51	1.9	6,964	14.5	2,398	19.9	9,413	15.0
3	3	0.1	2,614	5.4	1,129	9.4	3,746	6.0
4	-	-	980	2.0	523	4.4	1,503	2.4
5 or more	-	-	666	1.4	689	5.7	1,355	2.2
Total	2,702	100.0	48,083	100.0	12,026	100.0	62,811	100.0

(a) Includes pregnancies with an outcome after 20 weeks and/or 400grams.

TABLE 5.03 MOTHERS BIRTHING IN QUEENSLAND, 2014
SELECTED MEDICAL CONDITIONS OF MOTHER

Condition ^(a)	Mothers	
	No.	%
Disorder of thyroid	1,643	2.6
Depressive disorder	1,498	2.4
Asthma	1,318	2.1
Anaemia	902	1.4
Streptococcal infection (including carrier of streptococcal and other specified bacteria)	699	1.1
Viral Hepatitis (including carrier status)	681	1.1
Active Genital Herpes	574	0.9
Substance abuse	484	0.8
Pre-existing Diabetes mellitus	432	0.7
Pre-existing Hypertension	393	0.6
Epilepsy	257	0.4
Migraine	188	0.3
Urinary tract infection (unspecified)	182	0.3
Heart Murmur	104	0.2
Influenza	39	0.1
All mothers	62,811	-

(a) Reporting of multiple conditions was permitted, so numbers cannot be cumulated.

TABLE 5.04 **MOTHERS BIRTHING IN QUEENSLAND, 2014**
SELECTED PREGNANCY COMPLICATIONS

Complication ^(a)	Mothers	
	No.	%
Previous uterine scar	11,099	17.7
Rupture of membranes >4 hours before onset of labour (<24 hours before labour)	9,739	15.5
Gestational diabetes	5,464	8.7
Preterm labour	5,249	8.4
Prolonged pregnancy	3,487	5.6
Hypertension complicating pregnancy (includes pre-eclampsia and eclampsia)	3,235	5.2
Breech presentation	2,623	4.2
Rupture of membranes >24 hours before labour	2,523	4.0
Poor fetal growth	2,121	3.4
Placenta previa with or without haemorrhage, abruptio placentae and other antepartum haemorrhage	1,763	2.8
Previous poor obstetric history	773	1.2
Haemorrhage in early pregnancy	728	1.2
Threatened premature labour	506	0.8
All mothers	62,811	-

(a) Reporting of multiple complications was permitted, so numbers cannot be cumulated.

TABLE 5.05

MOTHERS BIRTHING IN QUEENSLAND, 2014
ANTENATAL TRANSFER STATUS BY INDIGENOUS STATUS OF MOTHER

Antenatal Transfer Status	Indigenous Status of Mother									
	Aboriginal		Torres Strait Islander		Aboriginal and Torres Strait Islander		Neither Aboriginal nor Torres Strait Islander		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%
Not transferred	2,615	87.1	425	82.7	344	87.3	56,712	96.3	60,097	95.7
Transferred ^(b)	387	12.9	89	17.3	50	12.7	2,187	3.7	2,714	4.3
<i>Transferred - before labour</i>	335	11.2	85	16.5	47	11.9	1,614	2.7	2,082	3.3
<i>Transferred - during labour</i>	52	1.7	4	0.8	3	0.8	573	1.0	632	1.0
Total	3,002	100.0	514	100.0	394	100.0	58,899	100.0	62,811	100.0

(a) Includes mothers with not stated Indigenous status.

(b) Includes mothers with not stated time of antenatal transfer.

TABLE 5.06 MOTHERS BIRTHING IN QUEENSLAND, 2014
SELECTED REASON FOR ANTENATAL TRANSFER BY INDIGENOUS STATUS OF MOTHER

Reason ^(a)	Indigenous status of mother					
	Indigenous		Non-Indigenous		Total ^(b)	
	No.	%	No.	%	No.	%
Administrative & social reasons	354	67.3	844	38.6	1,198	44.1
Premature rupture of membranes	31	5.9	205	9.4	236	8.7
Hypertension	28	5.3	146	6.7	174	6.4
Premature labour and delivery (including threatened)	17	3.2	118	5.4	136	5.0
Suspected fetal anomaly	10	1.9	111	5.1	121	4.5
Abnormality of forces of labour (including prolonged labour)	1	0.2	94	4.3	95	3.5
Placenta praevia with or without haemorrhage, abruptio placentae and other antepartum haemorrhage	7	1.3	76	3.5	83	3.1
Poor fetal growth	7	1.3	75	3.4	82	3.0
Gestational diabetes	28	5.3	39	1.8	67	2.5
Previous uterine scar	16	3.0	33	1.5	49	1.8
Malpresentation of fetus before onset of labour	3	0.6	41	1.9	44	1.6
Multiple pregnancy (including complications of multiple pregnancy)	-	-	33	1.5	33	1.2
Obstructed labour	-	-	11	0.5	11	0.4
Total Mothers transferred antenatally	526	-	2,187	-	2,714	-

(a) Reporting of multiple reasons was permitted, so numbers cannot be cumulated.

(b) Includes mothers with not stated Indigenous status.

(c) Where the membranes rupture prior to the onset of labour regardless of gestation.

TABLE 5.07

MOTHERS BIRTHING IN QUEENSLAND, 2014
SMOKING STATUS BY NUMBER OF CIGARETTES AFTER 20 WEEKS GESTATION

Tobacco smoking status during entire pregnancy	Average number of cigarettes after 20 weeks gestation	Indigenous status of mother					
		Indigenous		Non-Indigenous		Total ^(a)	
		No.	%	No.	%	No.	%
Did not smoke during pregnancy		2,113	54.0	52,244	88.7	54,359	86.5
Smoked during pregnancy ^(b)		1,758	45.0	6,449	11.0	8,207	13.1
	<i>Did not smoke after 20 weeks</i>	181	10.3	1,228	19.0	1,409	17.2
	<i>10 or less per day</i>	1,191	67.7	3,862	59.9	5,053	61.6
	<i>More than 10 per day</i>	302	17.2	1,018	15.8	1,320	16.1
Total Mothers ^(c)		3,910	100.0	58,899	100.0	62,811	100.0

(a) Includes mothers with not stated Indigenous status.

(b) Includes mothers with not stated number of tobacco cigarettes after 20 weeks.

(c) Includes mothers with not stated smoking status before 20 weeks.

TABLE 5.08

**MOTHERS BIRTHING IN QUEENSLAND, 2014
SMOKING ADVICE DURING THE FIRST 20 WEEKS OF PREGNANCY
TO MOTHERS WHO SMOKED**

Smoking Advice	Indigenous status of mother				Total ^(a)	
	Indigenous		Non-Indigenous		No.	%
	No.	%	No.	%	No.	%
Advice not offered	141	8.0	495	7.7	636	7.8
Advice offered	1,514	86.1	5,585	86.6	7,099	86.5
Not stated	103	5.9	369	5.7	472	5.8
Total Mothers who Smoked	1,758	100.0	6,449	100.0	8,207	100.0

(a) Includes mothers with not stated Indigenous status.

**TABLE 5.09 MOTHERS BY ANTENATAL CARE TYPE
QUEENSLAND, 2014**

Antenatal Care Type	Mothers	
	No.	%
No Antenatal Care	157	0.3
Private Medical Practitioner	16,961	27.0
Public Hospital/Clinic Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practitioner	14,381	22.9
Public Hospital/Clinic Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	13,477	21.5
Public Hospital/Clinic Midwifery Practitioner	6,116	9.7
Public Hospital/Clinic Medical Practitioner	4,239	6.8
Public Hospital/Clinic Midwifery Practitioner and General Practitioner	2,836	4.5
Public Hospital/Clinic Medical Practitioner and General Practitioner	1,651	2.6
General Practitioner	1,031	1.6
Private Medical Practitioner and General Practitioner	488	0.8
Private Midwifery Practitioner	347	0.6
Private Medical Practitioner and Public Hospital/Clinic Midwifery Practitioner	178	0.3
Private Medical Practitioner, Public Hospital/Clinic Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	168	0.3
Private Medical Practitioner and Public Hospital/Clinic Medical Practitioner	143	0.2
Private Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	110	0.2
Private Medical Practitioner, Public Hospital/Clinic Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practitioner	97	0.2
Private Midwifery Practitioner, Public Hospital/Clinic Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	65	0.1
Private Midwifery Practitioner and Public Hospital/Clinic Midwifery Practitioner	56	0.1
Private Midwifery Practitioner and General Practitioner	46	0.1
Private Medical Practitioner, Public Hospital/Clinic Midwifery Practitioner and General Practitioner	45	0.1
Private Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practitioner	45	0.1
Private Midwifery Practitioner, Public Hospital/Clinic Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practitioner	43	0.1
Private Midwifery Practitioner, Public Hospital/Clinic Midwifery Practitioner and General Practitioner	29	0.1
Private Medical Practitioner and Private Midwifery Practitioner	26	0.0
Private Medical Practitioner, Public Hospital/Clinic Medical Practitioner and General Practitioner	25	0.0
Public Hospital/Clinic Medical Practitioner and Not Stated	10	0.0
Private Medical Practitioner, Private Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	3	-
Private Medical Practitioner, Private Midwifery Practitioner and General Practitioner	2	-
Private Medical Practitioner, Private Midwifery Practitioner, Public Hospital/Clinic Midwifery Practitioner, Public Hospital/Clinic Medical Practitioner and General Practitioner	2	-
Private Medical Practitioner, Private Midwifery Practitioner and Public Hospital/Clinic Midwifery Practitioner	1	-
Private Medical Practitioner, Private Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner and General Practitioner	1	-
Private Medical Practitioner, Private Midwifery Practitioner, Public Hospital/Clinic Midwifery Practitioner and Public Hospital/Clinic Medical Practitioner	1	0
Not Stated	31	0.1
Total Mothers	62,811	100.0

TABLE 5.10

MOTHERS BIRTHING IN QUEENSLAND, 2014
GESTATION AT FIRST ANTENATAL VISIT BY FACILITY TYPE

Gestation at First Antenatal Visit	Facility Type									
	Public Hospital		Private Hospital		Homebirth		Born Before Arrival		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%
No Antenatal Care	134	0.3	1	0.01	1	1.0	21	4.5	157	0.3
First Trimester (Less than 14 weeks)	26,155	58.1	15,733	91.2	62	63.9	250	53.5	42,201	67.2
Second Trimester (14-28 weeks)	16,910	37.6	1,456	8.4	30	30.9	157	33.6	18,553	29.5
Third Trimester (29 or more weeks)	1,002	2.2	41	0.2	3	3.1	26	5.6	1,072	1.7
Not stated	798	1.8	16	0.1	1	1.0	13	2.8	828	1.3
Total Mothers	44,999	100.0	17,247	100.0	97	100.0	467	100.0	62,811	100.0

(a) Includes mothers with a not stated facility type.

TABLE 6.01

**MOTHERS BIRTHING IN QUEENSLAND, 2014
ONSET OF LABOUR BY PLURALITY OF PREGNANCY**

Onset of labour	Plurality of pregnancy					
	Singleton		Multiple		Total	
	No.	%	No.	%	No.	%
Spontaneous - not augmented	21,646	35.0	202	20.4	21,848	34.8
Spontaneous - augmented	11,995	19.4	69	7.0	12,064	19.2
Induced	15,431	25.0	202	20.4	15,633	24.9
No labour	12,748	20.6	518	52.3	13,266	21.1
Total	61,820	100.0	991	100.0	62,811	100.0

TABLE 6.02**MOTHERS BIRTHING IN QUEENSLAND, 2014
ONSET OF LABOUR BY AGE OF MOTHER**

Onset of labour	Age of mother							
	Under 20		20 - 34		35 and over		Total	
	No.	%	No.	%	No.	%	No.	%
Spontaneous - not augmented	1,158	42.9	17,345	36.1	3,345	27.8	21,848	34.8
Spontaneous - augmented	740	27.4	9,727	20.2	1,597	13.3	12,064	19.2
Induced	636	23.5	11,968	24.9	3,029	25.2	15,633	24.9
No labour	168	6.2	9,043	18.8	4,055	33.7	13,266	21.1
Total	2,702	100.0	48,083	100.0	12,026	100.0	62,811	100.0

TABLE 6.03 MOTHERS WITH INDUCED LABOUR, QUEENSLAND, 2014
SELECTED REASON FOR INDUCTION

Reason for induction	Mothers with induced labour	
	No.	%
Prolonged pregnancy	3,172	20.3
Psychosocial and other administrative circumstances	2,707	17.3
Premature rupture of membranes	1,849	11.8
Diabetes complicating pregnancy	1,753	11.2
Hypertension complicating pregnancy (incl. pre-eclampsia and eclampsia)	1,479	9.5
Poor fetal growth	838	5.4
Excessive fetal growth	420	2.7
Other fetal problems (includes decreased fetal movements)	399	2.6
Fetal distress	300	1.9
Previous poor obstetric history	261	1.7
Intrauterine fetal death	170	1.1
Twin pregnancy	140	0.9
Spurious / false labour	136	0.9
Rhesus and other isoimmunisation	35	0.2
Infection of amniotic sac and membranes	26	0.2
Total Induced Mothers	15,633	100.0

(a) Where the membranes rupture prior to the onset of labour regardless of gestation.

**TABLE 6.04 BIRTHS, QUEENSLAND, 2014
PRESENTATION BY PLURALITY OF PREGNANCY**

Presentation	Plurality of pregnancy					
	Singleton		Multiple		Total	
	No.	%	No.	%	No.	%
Vertex	58,426	94.5	1,285	64.2	59,711	93.6
Face	73	0.1	2	0.1	75	0.1
Brow	79	0.1	3	0.2	82	0.1
Breech	2,313	3.7	600	30.0	2,913	4.6
Other	923	1.5	113	5.6	1,036	1.6
Total ^(a)	61,820	100.0	2,003	100.0	63,823	100.0

(a) Includes babies with not stated presentation.

TABLE 6.05**BIRTHS, QUEENSLAND, 2014
METHOD OF BIRTH BY PLURALITY OF PREGNANCY**

Method of birth	Plurality of pregnancy					
	Singleton		Multiple		Total	
	No.	%	No.	%	No.	%
Vaginal non-instrumental	35,390	57.3	476	23.8	35,866	56.2
Forceps	1,672	2.7	37	1.9	1,709	2.7
Vacuum extraction	4,645	7.5	73	3.6	4,718	7.4
LSCS	20,004	32.4	1,407	70.2	21,411	33.6
Classical CS	109	0.2	10	0.5	119	0.2
Total^(a)	61,820	100.0	2,003	100.0	63,823	100.0

(a) Includes 'Other' methods

TABLE 6.06**BIRTHS, QUEENSLAND, 2014
METHOD OF BIRTH BY AGE OF MOTHER**

Method of birth	Age of mother (years)							
	Under 20		20 - 34		35 and over		Total	
	No.	%	No.	%	No.	%	No.	%
Vaginal non-instrumental	1,941	71.3	28,272	58.0	5,653	45.9	35,866	56.2
Forceps	69	2.5	1,385	2.8	255	2.1	1,709	2.7
Vacuum extraction	239	8.8	3,822	7.8	657	5.3	4,718	7.4
LSCS	471	17.3	15,234	31.2	5,706	46.3	21,411	33.6
Classical CS	3	0.1	68	0.1	48	0.4	119	0.2
Total	2,723	100.0	48,781	100.0	12,319	100.0	63,823	100.0

TABLE 6.07

BIRTHS, QUEENSLAND, 2014
METHOD OF BIRTH BY PRESENTATION

Method of birth	Presentation											
	Vertex		Face		Brow		Breech		Other		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Singleton												
Vaginal non-instrumental	34,817	59.6	27	37.0	7	8.9	229	9.9	305	33.0	35,390	57.3
Forceps	1,626	2.8	2	2.7	7	8.9	5	0.2	32	3.5	1,672	2.7
Vacuum extraction	4,554	7.8	2	2.7	13	16.5	3	0.1	73	7.9	4,645	7.5
LSCS	17,379	29.8	42	57.5	52	65.8	2,034	87.9	496	53.7	20,004	32.4
Classical CS	50	0.1	-	-	-	-	42	1.8	17	1.8	109	0.2
Total^(b)	58,426	100.0	73	100.0	79	100.0	2,313	100.0	923	100.0	61,820	100.0
Multiple												
Vaginal non-instrumental	369	28.7	1	50.0	1	33.3	93	15.5	12	10.6	476	23.8
Forceps	31	2.4	-	-	1	33.3	5	0.8	-	-	37	1.9
Vacuum extraction	68	5.3	-	-	1	33.3	1	0	3	2.7	73	3.6
LSCS	813	63.3	1	50.0	-	-	497	82.8	96	85.0	1,407	70.2
Classical CS	4	0	-	-	-	-	4	0.7	2	1.8	10	0.5
Total^(b)	1,285	100.0	2	100.0	3	100.0	600	100.0	113	100.0	2,003	100.0
Total babies	59,711	-	75	-	82	-	2,913	-	1,036	-	63,823	-

(a) Includes births with not stated presentation.

(b) Includes 'Other' methods of birth

TABLE 6.08

BIRTHS, QUEENSLAND, 2014
METHOD OF BIRTH BY METHOD OF PHARMACOLOGICAL ANALGESIA
DURING LABOUR/BIRTH

Method of Pharmacological Analgesia during labour ^(a)	Method of birth							
	Vaginal non-instrumental		Forceps/ Vacuum		Caesarean Section		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%
None reported	11,187	31.2	459	7.1	9,171	42.6	20,817	32.6
At least one method	24,679	68.8	5,968	92.9	12,359	57.4	43,006	67.4
<i>Nitrous oxide</i>	19,703	79.8	4,129	69.2	3,341	27.0	27,173	63.2
<i>Epidural</i>	6,904	28.0	4,006	67.1	3,875	31.4	14,785	34.4
<i>Systemic Opioid</i>	6,284	25.5	1,639	27.5	1,643	13.3	9,566	22.2
<i>Spinal</i>	91	0.4	109	1.8	7,072	57.2	7,272	16.9
<i>Combined Spinal-Epidural</i>	104	0.4	64	1.1	446	3.6	614	1.4
<i>Caudal</i>	13	0.1	3	0.1	9	0.1	25	0.1
<i>Other</i>	228	0.9	63	1.1	198	1.6	489	1.1
Total^(b)	35,866	100.0	6,427	100.0	21,530	100.0	63,823	100.0

(a) Reporting of multiple methods of pharmacological analgesia permitted, so numbers cannot be cumulated.

(b) Includes babies with not stated pharmacological analgesia or other methods of birth.

TABLE 6.09

BIRTHS, QUEENSLAND, 2014
METHOD OF BIRTH BY METHOD OF NON-PHARMACOLOGICAL ANALGESIA
DURING LABOUR/BIRTH

Type of Non-Pharmacological Analgesia during Labour ^(a)	Method of birth							
	Vaginal non-instrumental		Forceps/ Vacuum		Caesarean Section		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%
None reported	14,754	41.1	2,119	33.0	17,620	81.8	34,493	54.0
At least one method	21,111	58.9	4,308	67.0	3,910	18.2	29,329	46.0
<i>Shower</i>	10,607	50.2	1,993	46.3	1,740	44.5	14,340	48.9
<i>Heat pack</i>	9,506	45.0	2,045	47.5	2,047	52.4	13,598	46.4
<i>Massage</i>	5,935	28.1	1,430	33.2	1,316	33.7	8,681	29.6
<i>Birth ball</i>	5,805	27.5	1,310	30.4	1,232	31.5	8,347	28.5
<i>Water immersion</i>	2,377	11.3	346	8.0	226	5.8	2,949	10.1
<i>TENS</i>	793	3.8	288	6.7	251	6.4	1,332	4.5
<i>Aromatherapy</i>	498	2.4	104	2.4	108	2.8	710	2.4
<i>Homoeopathy</i>	249	1.2	41	1.0	61	1.6	351	1.2
<i>Acupuncture</i>	34	0.2	10	0.2	16	0.4	60	0.2
<i>Other</i>	5,064	24.0	1,205	28.0	922	23.6	7,191	24.5
Total ^(b)	35,866	100.0	6,427	100.0	21,530	100.0	63,823	100.0

(a) Reporting of multiple methods of non-pharmacological analgesia permitted, so numbers cannot be cumulated.

(b) Includes babies with not stated pharmacological analgesia or other methods of birth.

**TABLE 6.10 BIRTHS, QUEENSLAND, 2014
METHOD OF BIRTH BY METHOD OF ANAESTHESIA
DURING LABOUR/BIRTH**

Method of Anaesthesia for birth ^(a)	Method of birth							
	Vaginal non-instrumental		Forceps/ Vacuum		Caesarean Section		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%
None reported	31,721	88.4	1,132	17.6	-	-	32,853	51.5
At least one method	4,145	11.6	5,295	82.4	21,530	100.0	30,970	48.5
<i>Spinal</i>	66	1.6	172	3.3	14,805	68.8	15,043	48.6
<i>Epidural</i>	2,795	67.4	3,926	74.2	3,518	16.3	10,239	33.1
<i>Local to perineum</i>	1,324	31.9	1,390	26.3	14	0.1	2,728	8.8
<i>Combined Spinal-Epidural</i>	19	0.5	72	1.4	2,306	10.7	2,397	7.7
<i>General Anaesthesia</i>	40	1.0	16	0.3	1,449	6.7	1,505	4.9
<i>Pudendal</i>	15	0.4	223	4.2	6	0.0	244	0.8
<i>Caudal</i>	1	0.0	4	0.1	5	0.0	10	0.0
<i>Other</i>	19	0.5	13	0.3	69	0.3	101	0.3
Total^(b)	35,866	100.0	6,427	100.0	21,530	100.0	63,823	100.0

(a) Reporting of multiple methods of anaesthesia permitted.

(b) Includes babies with not stated pharmacological analgesia or other methods of birth.

TABLE 6.11 MOTHERS BIRTHING BY LABOUR STATUS BY PRIMARY CAESAREAN SECTION REASON, QUEENSLAND, 2014

Reason for Caesarean Section	Labour status					
	No labour		Labour		Total	
	No.	%	No.	%	No.	%
Fetal distress and/or meconium liquor	133	2.4	930	15.49	1,063	9.2
Uterine inertia (inc failure to progress)	.	.	1,005	16.74	1,005	8.7
Breech	542	9.8	194	3.23	736	6.4
Social Circumstances	584	10.55	75	1.25	659	5.7
Failed medical and/or surgical induction of labour	223	4.03	11	0.18	234	2.0
placenta and other antepartum haemorrhage	174	3.14	55	0.92	229	2.0
Previous poor obstetric history	177	3.2	28	0.47	205	1.8
Hypertension complicating pregnancy (incl. pre-eclampsia and eclampsia)	174	3.14	18	0.3	192	1.7
Multiple pregnancy	110	1.99	24	0.4	134	1.2
Cephalopelvic disproportion	36	0.65	78	1.3	114	1.0
Poor fetal growth	92	1.66	6	0.1	98	0.9
Total	5,533	-	6,005	-	11,538	-

Note: Excludes Born Before Arrival (BBA).

TABLE 6.12

BIRTHS, QUEENSLAND, 2014
ONSET OF LABOUR BY METHOD OF BIRTH

Onset of labour	Method of birth							
	Vaginal non-instrumental		Forceps/ Vacuum		Caesarean Section		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%
Spontaneous - not augmented	17,500	48.8	1,545	24.0	2,991	13.9	22,036	34.5
Spontaneous - augmented	7,847	21.9	2,383	37.1	1,923	8.9	12,153	19.0
Induced	10,519	29.3	2,499	38.9	2,817	13.1	15,835	24.8
No labour	-	-	-	-	13,799	64.1	13,799	21.6
Total	35,866	100.0	6,427	100.0	21,530	100.0	63,823	100.0

(a) Includes those with 'other' methods of birth.

**TABLE 6.13 TERM ^(a), SINGLETON BIRTHS WITH A VERTEX PRESENTATION TO PRIMIPAROUS MOTHERS AGED BETWEEN 20 AND 34 IN PUBLIC ACCOMMODATION, QUEENSLAND, 2014
ONSET OF LABOUR BY METHOD OF BIRTH**

Onset of labour	Method of birth							
	Vaginal non-instrumental		Forceps/ Vacuum		Caesarean Section		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%
Spontaneous - not augmented	3,004	46.0	552	22.1	314	12.0	3,870	33.3
Spontaneous - augmented	1,809	27.7	1,063	42.6	855	32.7	3,727	32.0
Induced	1,723	26.4	879	35.2	1,042	39.9	3,644	31.3
No labour	-	-	-	-	402	15.4	402	3.5
Total	6,536	100.0	2,494	100.0	2,613	100.0	11,643	100.0

Note: Excludes Born Before Arrival (BBA).

(a) Includes babies born between 37 and 41 completed gestational weeks.

(b) Includes those with 'other' method of birth.

**TABLE 6.14 MOTHERS WITH A PREVIOUS CAESAREAN SECTION OR OTHER UTERINE SURGERY, QUEENSLAND, 2014
METHOD OF BIRTH BY ONSET OF LABOUR^(a)**

Onset of labour	Method of birth							
	Vaginal non-instrumental		Forceps/ Vacuum		Caesarean Section		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%
Spontaneous - not augmented	754	53.4	149	46.4	1,221	13.2	2,124	19.3
Spontaneous - augmented	359	25.4	113	35.2	173	1.9	645	5.9
Induced	299	21.2	59	18.4	139	1.5	497	4.5
No labour	-	-	-	-	7,733	83.5	7,733	70.3
Total	1,412	100.0	321	100.0	9,266	100.0	10,999	100.0

(a) For multiple births, the method of birth of the first born baby are used.

(b) Includes those with 'other' method of birth.

**TABLE 6.15 MOTHERS BIRTHING IN QUEENSLAND, 2014
SELECTED LABOUR AND BIRTH COMPLICATIONS**

Complication ^(a)	Mothers	
	No.	%
Precipitate labour	17,440	27.8
Fetal distress and/or meconium liquor	12,074	19.2
Primary post-partum haemorrhage	4,343	6.9
Uterine inertia (incl. failure to progress)	3,783	6.0
Previous uterine scar	3,338	5.3
Obstructed labour	2,719	4.3
Prolonged second stage	2,630	4.2
Cord entanglement with/without compression	1,227	2.0
Breech presentation	969	1.5
Retained placenta with/without haemorrhage	697	1.1
Maternal distress	59	0.1
All mothers	62,811	-

(a) Reporting of multiple complications was permitted, so numbers cannot be cumulated.

**TABLE 6.16 SELECTED LABOUR AND BIRTH COMPLICATIONS, QUEENSLAND, 2014
FOLLOWING A PERIOD OF LABOUR**

Selected complication ^(a)	Method of birth							
	Vaginal		Forceps/ Vacuum		Caesarean		Total	
	No.	%	No.	%	No.	%	No.	%
Perineal and other genital tract trauma	21,629	60.3	3,018	47.0	19	0.3	24,666	49.3
Fetal distress and/or meconium liquor	4,555	12.7	3,701	57.6	3,300	42.7	11,556	23.1
Uterine inertia (incl. failure to progress)	124	0.4	684	10.6	2,974	38.5	3,782	7.6
Primary post-partum haemorrhage	2,495	7.0	572	8.9	590	7.6	3,657	7.3
Long labour	580	1.6	2,120	33.0	458	5.9	3,158	6.3
Obstructed labour	850	2.4	615	9.6	1,254	16.2	2,719	5.4
Other obstetric trauma	308	0.9	38	0.6	86	1.1	432	0.9
Total babies born after a period of labo	35,866	-	6,427	-	7,731	-	50,024	-

(a) Reporting of multiple conditions permitted, so numbers cannot be cumulated.

(b) For multiple births, details of first born baby are used.

TABLE 6.17 MOTHERS BIRTHING IN QUEENSLAND, 2014
SELECTED PROCEDURES AND OPERATIONS PERFORMED
DURING PREGNANCY, LABOUR AND THE PUERPERIUM

Procedures and Operations ^(a)	Mothers	
	No.	%
Obstetric Ultrasound	62,568	99.6
Monitoring of fetal heart during labour	36,786	58.6
Manual removal of placenta	825	1.3
Administration of blood and blood products	728	1.2
Amniocentesis	507	0.8
Manipulation of fetal position and presentation	306	0.5
Female sterilisation	231	0.4
Surgical postpartum evacuation of uterus	147	0.2
Insertion of cervical suture	130	0.2
Chorionic villus sampling	107	0.2
Total mothers	62,811	-

(a) Reporting of multiple procedures was permitted, so numbers cannot be cumulated.

(b) May also include other diagnostic procedures on fetus.

TABLE 6.18 **MOTHERS BIRTHING IN QUEENSLAND, 2014**
SELECTED PUERPERIUM COMPLICATIONS

Complication ^(a)	Mothers	
	No.	%
Disorders of the breast and/or lactation (excluding infection)	2,909	4.6
Anaemia	1,233	2.0
Hypertension complicating the puerperium	526	0.8
Venous complications	519	0.8
Puerperial pyrexia	442	0.7
Complications of obstetrical surgical wounds	257	0.4
Spinal and epidural anaesthesia induced headache during puerperium	147	0.2
Infection of genitourinary tract	109	0.2
Post-partum haemorrhage	101	0.2
Infection of breast	18	0.0
Total mothers	62,811	-

(a) Reporting of multiple complications was permitted so numbers cannot be cumulated.

TABLE 6.19

**MOTHERS BIRTHING VAGINALLY, QUEENSLAND, 2014
GENITAL TRACT TRAUMA BY SURGICAL REPAIR**

Genital tract trauma ^{(a) (c)}	Surgical repair ^(b)					
	Yes		No		Total	
	No.	%	No.	%	No.	%
Nil	-	-	11,981	63.3	11,981	28.5
1st degree laceration, graze and vaginal tear	4,377	19.0	6,482	34.3	10,859	25.9
2nd degree laceration only	11,287	48.9	211	1.1	11,498	27.4
3rd degree laceration only	918	4.0	1	0.0	919	2.2
4th degree laceration only	56	0.2	-	-	56	0.1
Episiotomy and laceration	1,302	5.6	10	0.1	1,312	3.1
Episiotomy and other trauma ^(d)	43	0.2	-	-	43	0.1
Episiotomy only	4,962	21.5	103	0.5	5,065	12.1
Other genital trauma	23	0.1	50	0.3	73	0.2
Other trauma only	110	0.5	81	0.4	191	0.5
Other	10	0.0	-	-	10	0.0
Total^(e)	23,088	100.0	18,919	100.0	42,007	100.0

(a) In the case of multiple births, details of first birth are used.

(b) Includes surgical repair to the lower genital tract including the cervix.

(c) In the case of multiple types of perineal trauma, the highest degree of trauma is used.

(d) This category commenced collection as of 1 July 2013.

(e) Includes not stated.

TABLE 6.20

MOTHERS BIRTHING VAGINALLY, QUEENSLAND, 2014
EPISIOTOMY BY SURGICAL REPAIR

Episiotomy ^(b)	Surgical repair ^(a)					
	Yes		No		Total	
	No.	%	No.	%	No.	%
Nil	16,781	72.7	18,806	99.4	35,587	84.7
Episiotomy only	4,962	21.5	103	0.5	5,065	12.1
Episiotomy and other ^{(c)(d)}	1,345	5.8	10	0.1	1,355	3.2
Total ^(e)	23,088	100.0	18,919	100.0	42,007	100.0

(a) Includes surgical repair to the lower genital tract including the cervix.

(b) For multiple births, the method of birth of the first born baby are used.

(c) Includes episiotomies with lacerations and other trauma.

(d) May include episiotomies with labial and perineal grazes.

TABLE 6.21 A

PRIMIPAROUS MOTHERS AGED BETWEEN 20 AND 34 IN PUBLIC ACCOMMODATION WITH A VAGINAL NON-INSTRUMENTAL BIRTH OF A SINGLETON, TERM ^(b) BABY, QUEENSLAND, 2014, GENITAL TRACT^(c) TRAUMA BY ACCOUCHEUR

Primiparous mothers ^(a) Genital tract trauma ^{(c) (d)}	Accoucheur													
	Medical Officer		Medical Student		Midwife		Obstetrician		Student Midwife		Other		Total ^(e)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Nil	31	7.9	19	9.1	568	12.3	10	8.0	115	9.0	1	50.0	744	11.2
1st degree laceration only	74	18.8	58	27.6	1,353	29.2	15	12.0	353	27.7	.	.	1,853	27.9
2nd degree laceration only	107	27.2	93	44.3	1,897	41.0	29	23.2	578	45.3	1	50.0	2,705	40.8
3rd degree laceration only	15	3.8	8	3.8	264	5.7	7	5.6	61	4.8	.	.	355	5.4
4th degree laceration only	.	.	1	0.5	15	0.3	.	.	1	0.1	.	.	17	0.3
Episiotomy and laceration ^(d)	37	9.4	7	3.3	127	2.7	9	7.2	32	2.5	.	.	212	3.2
Episiotomy and other trauma ^(f)	4	0.1	1	0.8	5	0.1
Episiotomy only	126	32.1	22	10.5	377	8.1	53	42.4	127	10.0	.	.	705	10.6
Other Genital Trauma	1	0.3	.	.	6	0.1	1	0.8	3	0.2	.	.	11	0.2
Other trauma only ^(f)	1	0.3	2	1.0	17	0.4	.	.	3	0.2	.	.	23	0.4
Vaginal tear with intact perineum	3	0.1	3	0.1
Other	1	0.3	.	.	2	0.0	.	.	2	0.2	.	.	5	0.1
Total ^(g)	393	100.0	210	100.0	4,633	100.0	125	100.0	1,275	100.0	2	100.0	6,638	100.0

Note: Excludes Born Before Arrival (BBA).

(a) Primiparous mothers have had no previous viable pregnancy. Multiparous mothers have had 1 or more previous viable pregnancies.

(b) Includes babies born between 37 and 41 completed gestational weeks.

(c) For multiple births, details of first birth are used.

(d) In the case of multiple types of perineal trauma, the highest degree of trauma is used.

(e) Includes mothers with not stated accoucheur.

(f) May include labial and perineal graze.

(g) Includes not stated.

TABLE 6.21 B

MULTIPAROUS ^(a) MOTHERS AGED BETWEEN 20 AND 34 IN PUBLIC ACCOMMODATION WITH A VAGINAL NON-INSTRUMENTAL BIRTH OF A SINGLETON, TERM ^(b) BABY, QUEENSLAND, 2014, GENITAL TRACT ^(c) TRAUMA BY ACCOUCHEUR

<i>Multiparous mothers</i> ^(a) Genital tract trauma ^{(c)(d)}	Accoucheur													
	Medical Officer		Medical Student		Midwife		Obstetrician		Student Midwife		Other		Total ^(e)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Nil	231	42.6	168	38.0	4,286	44.9	77	48.1	935	37.4	4	33.3	5,701	43.2
1st degree laceration only	123	22.7	141	31.9	2,594	27.2	18	11.3	802	32.1	5	41.7	3,684	27.9
2nd degree laceration only	112	20.7	113	25.6	2,327	24.4	36	22.5	655	26.2	3	25.0	3,246	24.6
3rd degree laceration only	8	1.5	4	0.9	91	1.0	3	1.9	33	1.3	.	.	139	1.1
4th degree laceration only	8	0.1	.	.	2	0.1	.	.	10	0.1
Episiotomy and laceration ^(d)	7	1.3	2	0.5	39	0.4	3	1.9	10	0.4	.	.	61	0.5
Episiotomy and other trauma ^(f)	1	0.0	1	0.6	2	0.0
Episiotomy only	58	10.7	11	2.5	153	1.6	22.0	13.8	43	1.7	.	.	287	2.2
Other Genital Trauma	1	0.2	1	0.2	23	0.2	.	.	7	0.3	.	.	32	0.2
Other trauma only ^(f)	2	0.4	2	0.5	25	0.3	.	.	12	0.5	.	.	41	0.3
Vaginal tear with intact perineum	1	0.0	1	0.0
Other	1	0.0	1	0.0
Total	542	100.0	442	100.0	9,549	100.0	160	100.0	2,499	100.0	12	100.0	13,205	100.0

(a) Primiparous mothers have had no previous viable pregnancy. Multiparous mothers have had 1 or more previous viable pregnancies.

(b) Includes babies born between 37 and 41 completed gestational weeks.

(c) For multiple births, details of first birth are used.

(d) In the case of multiple types of perineal trauma, the highest degree of trauma is used.

(e) As of 1 July 2013 'Graze only' are combined with 1st degree laceration.

(f) May include labial and perineal graze.

TABLE 6.22**MOTHERS BIRTHING IN QUEENSLAND, 2014
SELECTED ANTENATAL ULTRASOUNDS**

	Plurality of pregnancy					
	Singleton		Multiple		Total	
	No.	%	No.	%	No.	%
Nuchal translucency ultrasound	40,878	98.2	768	1.8	41,646	100.0
Morphology ultrasound scan	59,101	98.4	953	1.6	60,054	100.0
Assessment for chorionicity scan	8	1.6	483	98.4	491	100.0
Total Mothers	61,820	-	991	-	62,811	-

**TABLE 7.01 BIRTHS, QUEENSLAND, 2014
SEX BY OUTCOME**

Sex	Outcome					
	Livebirth		Stillbirth		Total	
	No.	%	No.	%	No.	%
Male	32,465	51.2	245	56.7	32,710	51.3
Female	30,924	48.8	179	41.4	31,103	48.7
Indeterminate	2	-	8	1.9	10	0.0
Total	63,391	100.0	432	100.0	63,823	100.0

TABLE 7.02a **LIVEBIRTHS, QUEENSLAND, 2014**
APGAR SCORE AT 1 MINUTE AND 5 MINUTES

Apgar score	Livebirths			
	1 minute		5 minutes	
	No.	%	No.	%
0	26	0.0	21	0.0
1 - 3	1,528	2.4	224	0.4
4 - 7	7,130	11.3	2,198	3.5
8 - 10	54,636	86.2	60,872	96.0
Total ^(a)	63,391	100.0	63,391	100.0

(a) Includes livebirths with not stated apgar score.

**TABLE 7.02b LIVEBIRTHS, QUEENSLAND, 2014
APGAR SCORE AT 1 MINUTE BY APGAR SCORE AT 5 MINUTES**

Apgar score at 1 minute	Apgar score at 5 minutes									
	0		1-3		4-7		8-10		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%
0	8	38.1	8	3.6	8	0.4	2	0.0	26	0.0
1 - 3	12	57.1	177	79.0	801	36.4	532	0.9	1,528	2.4
4 - 7	-	-	24	10.7	1,235	56.2	5,869	9.6	7,130	11.3
8 - 10	-	-	15	6.7	154	7.0	54,460	89.5	54,636	86.2
Total^(b)	21	100.0	224	100.0	2,198	100.0	60,872	100.0	63,391	100.0

(a) Includes babies with not stated apgar score at 5 minutes.

(b) Includes babies with not stated apgar score at 1 minute.

TABLE 7.03 LIVEBIRTHS, QUEENSLAND, 2014
USE OF RESUSCITATION

Resuscitation used	Livebirths	
	No.	%
None	48,359	76.3
Routine suction only	3,370	5.3
At least one method other than routine suction	11,662	18.4
Total^(a)	63,391	100.0

(a) Includes babies with not stated resuscitation used.

**TABLE 7.04 LIVEBIRTHS, QUEENSLAND, 2014
RESUSCITATION OTHER THAN ROUTINE SUCTION**

Resuscitation used ^(a)	Livebirths	
	No.	%
Facial oxygen	5,430	8.6
Bag and mask	5,339	8.4
Aspiration of meconium	1,305	2.1
Intermittent positive pressure ventilation	774	1.2
Suction of meconium via endotracheal tube	389	0.6
External cardiac massage	211	0.3
Other drugs	66	0.1
Narcotic antagonist injection	32	0.1
Adrenalin/sodium bicarbonate/calcium	27	0.0
Other stimulations	1,275	2.0
Total livebirths	63,391	-

(a) Reporting of multiple methods of resuscitation was permitted, so numbers cannot be cumulated.

**TABLE 7.05 BIRTHS, QUEENSLAND, 2014
BIRTHWEIGHT BY INDIGENOUS STATUS OF MOTHER**

Birthweight (grams)	Indigenous status of mother									
	Aboriginal		Torres Strait Islander		Aboriginal and Torres Strait Islander		Neither Aboriginal nor Torres Strait Islander		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 500	20	0.7	2	0.4	5	1.3	236	0.4	263	0.4
500 - 749	13	0.4	1	0.2	1	0.3	164	0.3	179	0.3
750 - 999	11	0.4	2	0.4	3	0.8	154	0.3	170	0.3
1000 - 1249	10	0.3	1	0.2	2	0.5	135	0.2	148	0.2
1250 - 1499	18	0.6	5	1.0	1	0.3	179	0.3	203	0.3
1500 - 1749	31	1.0	1	0.2	3	0.8	334	0.6	369	0.6
1750 - 1999	39	1.3	5	1.0	4	1.0	509	0.9	557	0.9
2000 - 2249	73	2.4	6	1.2	15	3.8	820	1.4	914	1.4
2250 - 2499	137	4.5	13	2.5	11	2.8	1,486	2.5	1,647	2.6
2500 - 2999	606	20.0	80	15.4	70	17.6	8,764	14.6	9,521	14.9
3000 - 3499	1,049	34.6	183	35.3	139	35.0	21,370	35.7	22,741	35.6
3500 - 3999	740	24.4	155	29.9	97	24.4	18,604	31.1	19,597	30.7
4000 - 4499	238	7.9	56	10.8	39	9.8	6,124	10.2	6,457	10.1
4500 and over	47	1.6	9	1.7	7	1.8	988	1.7	1,051	1.7
Total ^(b)	3,033	100.0	519	100.0	397	100.0	59,872	100.0	63,823	100.0

(a) Includes mothers with not stated Indigenous status.

(b) Includes babies with not stated birthweight.

**TABLE 7.06 BIRTHS, QUEENSLAND, 2014
GESTATION BY INDIGENOUS STATUS OF MOTHER**

Gestation (weeks)	Indigenous status of mother									
	Aboriginal		Torres Strait Islander		Aboriginal and Torres Strait Islander		Neither Aboriginal nor Torres Strait Islander		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 22	10	0.3	-	-	4	1.0	163	0.3	177	0.3
22 - 24	17	0.6	4	0.8	3	0.8	168	0.3	192	0.3
25 - 27	11	0.4	2	0.4	-	-	198	0.3	211	0.3
28 - 31	40	1.3	6	1.2	6	1.5	474	0.8	526	0.8
32 - 36	302	10.0	27	5.2	37	9.3	4,292	7.2	4,659	7.3
37 - 41	2,645	87.2	479	92.3	346	87.2	54,307	90.7	57,778	90.5
42 and over	8	0.3	1	0.2	1	0.3	270	0.5	280	0.4
Total ^(b)	3,033	100.0	519	100.0	397	100.0	59,872	100.0	63,823	100.0

(a) Includes mothers with not stated Indigenous status.

(b) Includes babies with not stated gestation.

**TABLE 7.07 SINGLETON BIRTHS, QUEENSLAND, 2014
BIRTHWEIGHT BY GESTATION**

Birthweight (grams)	Gestation (weeks)															
	Less than 22		22-24		25-27		28-31		32-36		37-41		42 and over		Total ^(a)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 500	145	91.2	63	41.7	10	6.2	6	1.6	-	-	-	-	-	-	224	0.4
500 - 749	13	8.2	75	49.7	41	25.3	10	2.6	1	0.0	-	-	-	-	140	0.2
750 - 999	1	0.6	12	8.0	77	47.5	44	11.6	2	0.1	-	-	-	-	136	0.2
1,000 - 1,249	-	-	-	-	26	16.1	65	17.1	14	0.4	1	-	-	-	106	0.2
1,250 - 1,499	-	-	-	-	5	3.1	98	25.7	42	1.2	2	-	-	-	147	0.2
1,500 - 1,749	-	-	-	-	1	0.6	90	23.6	118	3.3	6	0.0	-	-	215	0.4
1,750 - 1,999	-	-	-	-	1	0.6	46	12.1	306	8.6	26	0.1	-	-	379	0.6
2,000 - 2,249	-	-	-	-	-	-	15	3.9	452	12.8	183	0.3	-	-	650	1.1
2,250 - 2,499	-	-	-	-	-	-	2	0.5	588	16.6	721	1.3	-	-	1,311	2.1
2,500 - 2,999	-	-	-	-	-	-	2	0.5	1,304	36.8	7,559	13.2	11	3.9	8,876	14.4
3,000 - 3,499	-	-	-	-	-	-	2	0.5	563	15.9	21,925	38.4	59	21.1	22,549	36.5
3,500 - 3,999	-	-	-	-	-	-	-	-	123	3.5	19,328	33.8	124	44.3	19,575	31.7
4,000 - 4,499	-	-	-	-	-	-	-	-	24	0.7	6,369	11.2	63	22.5	6,456	10.4
4,500 and over	-	-	-	-	-	-	-	-	6	0.2	1,022	1.8	23	8.2	1,051	1.7
Total ^(b)	159	100.0	151	100.0	162	100.0	381	100.0	3,545	100.0	57,142	100.0	280	100.0	61,820	100.0

(a) Includes babies with not stated gestation.

(b) Includes babies with not stated birthweight.

**TABLE 7.08 MULTIPLE BIRTHS, QUEENSLAND, 2014
BIRTHWEIGHT BY GESTATION**

Birthweight (grams)	Gestation (weeks)														Total ^(a)	
	Less than 22		22-24		25-27		28-31		32-36		37-41		42+		No.	%
Less than 500	No. 16	% 88.9	No. 14	% 34.2	No. 5	% 10.2	No. 2	% 1.4	No. 2	% 0.2	No. -	% -	No. -	% -	No. 39	% 2.0
500 - 749	No. 2	% 11.1	No. 25	% 61.0	No. 9	% 18.4	No. 1	% 0.7	No. 1	% 0.1	No. 1	% 0.2	No. -	% -	No. 39	% 2.0
750 - 999	No. -	% -	No. 1	% 2.4	No. 22	% 44.9	No. 10	% 6.9	No. 1	% 0.1	No. -	% -	No. -	% -	No. 34	% 1.7
1000 - 1249	No. -	% -	No. 1	% 2.4	No. 13	% 26.5	No. 25	% 17.2	No. 3	% 0.3	No. -	% -	No. -	% -	No. 42	% 2.1
1250 - 1499	No. -	% -	No. -	% -	No. -	% -	No. 42	% 29.0	No. 14	% 1.3	No. -	% -	No. -	% -	No. 56	% 2.8
1500 - 1749	No. -	% -	No. -	% -	No. -	% -	No. 54	% 37.2	No. 99	% 8.9	No. 1	% 0.2	No. -	% -	No. 154	% 7.7
1750 - 1999	No. -	% -	No. -	% -	No. -	% -	No. 9	% 6.2	No. 162	% 14.5	No. 7	% 1.1	No. -	% -	No. 178	% 8.9
2000 - 2249	No. -	% -	No. -	% -	No. -	% -	No. 2	% 1.4	No. 220	% 19.8	No. 42	% 6.6	No. -	% -	No. 264	% 13.2
2250 - 2499	No. -	% -	No. -	% -	No. -	% -	No. -	% -	No. 258	% 23.2	No. 78	% 12.3	No. -	% -	No. 336	% 16.8
2500 - 2999	No. -	% -	No. -	% -	No. -	% -	No. -	% -	No. 305	% 27.4	No. 340	% 53.5	No. -	% -	No. 645	% 32.2
3000 - 3499	No. -	% -	No. -	% -	No. -	% -	No. -	% -	No. 42	% 3.8	No. 150	% 23.6	No. -	% -	No. 192	% 9.6
3500 - 3999	No. -	% -	No. -	% -	No. -	% -	No. -	% -	No. 6	% 0.5	No. 16	% 2.5	No. -	% -	No. 22	% 1.1
4000 - 4499	No. -	% -	No. -	% -	No. -	% -	No. -	% -	No. -	% -	No. 1.0	% 0.2	No. -	% -	No. 1	% 0.1
4500 and over	No. -	% -	No. -	% -	No. -	% -	No. -	% -	No. -	% -	No. -	% -	No. -	% -	No. -	% -
Total^(b)	No. 18	% 100.0	No. 41	% 100.0	No. 49	% 100.0	No. 145	% 100.0	No. 1,114	% 100.0	No. 636	% 100.0	No. -	% -	No. 2,003	% 100.0

(a) Includes babies with not stated gestation.

(b) Includes babies with not stated birthweight.

TABLE 7.09

LIVEBIRTHS, QUEENSLAND, 2014
NEONATAL TREATMENT BY GESTATION

Neonatal treatment ^(a)	Gestation (weeks)									
	Less than 28		28 - 36		37 - 41		42 and over		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%	No.	%
No neonatal treatment	99	30.9	845	16.6	47,596	82.5	216	77.4	48,756	76.9
Neonatal treatment	221	69.1	4,236	83.4	10,115	17.5	63	22.6	14,635	23.1
<i>Blood Glucose Monitoring</i>	114	51.6	3,148	74.3	6,194	61.2	42	66.7	9,498	64.9
<i>Intramuscular/Intravenous antibiotics</i>	166	75.1	2,130	50.3	3,533	34.9	30	47.6	5,859	40.0
<i>Intravenous fluid</i>	202	91.4	2,664	62.9	2,383	23.6	17	27.0	5,266	36.0
<i>Ora/naso gastric feeding</i>	157	71.0	2,349	55.5	835	8.3	6	9.5	3,347	22.9
<i>Other Treatment</i>	90	40.7	768	18.1	1,694	16.8	4	6	2,556	17.5
<i>Phototherapy</i>	145	65.6	1,367	32.3	975	9.6	1	1.6	2,488	17.0
<i>CPAP</i>	136	61.5	1,147	27.1	822	8.1	3	4.8	2,108	14.4
<i>Oxygen</i>	172	77.8	763	18.0	750	7.4	7	11.1	1,692	11.6
<i>Mechanical ventilation</i>	206	93.2	338	8.0	197	2.0	5	7.9	746	5.1
<i>IA Line</i>	114	51.6	167	3.9	58	0.6	2	3.2	341	2.3
<i>Exchange transfusion</i>	2	0.9	11	0.3	5	0.1	-	-	18	0.1
Total	320	100.0	5,081	100.0	57,711	100.0	279	100.0	63,391	100.0

(a) Reporting of multiple methods of neonatal treatment was permitted for each delivery, so numbers cannot be cumulated.

(b) Includes babies with not stated gestation.

**TABLE 7.10 LIVEBIRTHS, QUEENSLAND, 2014
NEONATAL SURVIVAL BY BIRTHWEIGHT**

Age (days)	Birthweight (grams)										Total ^(a)	
	Less than 1,000		1,000-1,499		1,500-2,499		2,500-4,499		4,500 and over		No.	%
0	No. 109	% 32.3	No. 1	% 0.3	No. 8	% 0.2	No. 13	% 0.0	No. -	% -	No. 132	% 0.2
1	5	1.5	2	0.6	1	0.0	3	0.0	-	-	11	0.0
2	1	0.3	-	-	1	0.0	-	-	-	-	2	-
3	1	0.3	-	-	1	0.0	2	0.0	-	-	4	0.0
4	1	0.3	-	-	1	0.0	1	0.0	-	-	3	-
5	-	-	-	-	-	-	1	0.0	-	-	1	-
6	3	1	1	0	-	-	2	-	-	-	6	0.0
7	3	1	-	-	-	-	2	-	-	-	5	0.0
8 - 14	12	3.6	2	0.6	1	0.0	5	0.0	-	-	20	0.0
15 - 21	1	0.3	2	0.6	1	0.0	5	0.0	-	-	9	0.0
22 - 28	3	0.9	1	0.3	-	-	4	0.0	-	-	8	0.0
Over 28	199	58.9	317	97.2	3,426	99.6	58,199	99.9	1,049	100.0	63,190	99.7
Total	338	100.0	326	100.0	3,440	100.0	58,237	100.0	1,049	100.0	63,391	100.0

(a) Includes babies with not stated birthweight.

**TABLE 7.11 LIVEBIRTHS, QUEENSLAND, 2014
SELECTED CONDITION CAUSING NEONATAL MORBIDITY**

Condition ^(a)	Livebirths	
	No.	%
Disorders relating to short gestation & low birthweight	6,496	10.3
Observation for other suspected disease and conditions (includes suspected sepsis)	6,270	9.9
Other respiratory conditions (excluding Respiratory Distress Syndrome)	4,622	7.3
Neonatal hypoglycaemia	4,007	6.3
Feeding problems in newborn	2,445	3.9
Perinatal jaundice requiring phototherapy (excl jaundice due to isoimmunization)	2,238	3.5
Respiratory distress syndrome	1,806	2.9
Slow fetal growth and fetal malnutrition	1,398	2.2
Intrauterine hypoxia and birth asphyxia	820	1.3
Birth trauma	599	0.9
Infection specific to perinatal period, other and unspecified	307	0.5
Haemolytic disease due to isoimmunisation	250	0.4
Neonatal withdrawal symptoms from maternal use of drugs of addiction	240	0.4
Disorders of conjutiva	188	0.3
Total livebirths	63,391	-

(a) Reporting of multiple conditions was permitted, so numbers cannot be cumulated.

TABLE 7.12a

**LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2014
FLUID BABY RECEIVED DURING THE BIRTH EPISODE BY
AGE OF MOTHER**

Feeding Method ^(a)	Age of mother (years)							
	Under 20		20 - 34		35 and over		Total	
	No.	%	No.	%	No.	%	No.	%
Breast milk/colostrum only	1,756	68.1	34,499	73.5	8,096	68.7	44,351	72.4
Breast milk/colostrum and infant formula	547	21.2	9,753	20.8	3,033	25.8	13,333	21.8
Infant formula only	272	10.6	2,609	5.6	632	5.4	3,513	5.7
Breast milk/colostrum, other	1	0.0	28	0.1	8	0.1	37	0.0
Breast milk/colostrum, infant formula, other	1	0.0	19	0.0	6	0.0	26	0.0
Infant formula, other	-	-	9	0.02	1	0.01	10	0.02
Total Livebirths Discharged Home ^(b)	2,577	-	46,925	-	11,779	-	61,281	-

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted.

(b) Includes not stated feeding method and 'nil by mouth'.

TABLE 7.12b

**LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2014
FLUID BABY RECEIVED IN THE 24 HOURS PRIOR TO DISCHARGE BY
AGE OF MOTHER**

Feeding Method ^(a)	Age of mother (years)							
	Under 20		20 - 34		35 and over		Total	
	No.	%	No.	%	No.	%	No.	%
Breast milk/colostrum only	1,863	72.3	37,034	78.9	8,872	75.3	47,769	78.0
Breast milk/colostrum and infant formula	343	13.3	6,492	13.8	2,055	17.5	8,890	14.5
Infant formula only	370	14.4	3,389	7.2	849	7.2	4,608	7.5
Breast milk/colostrum, other	-	-	2	0.0	-	-	2	-
Breast milk/colostrum, infant formula, other	1	0.0	-	-	-	-	1	-
Infant formula, other	-	-	-	-	-	-	-	-
Total Livebirths Discharged Home ^(b)	2,577	-	46,925	-	11,779	-	61,281	-

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted.

(b) Includes not stated feeding method and 'nil by mouth'.

TABLE 7.13a

**LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2014
FLUID BABY RECEIVED IN THE BIRTH EPISODE BY
ACCOMMODATION STATUS OF MOTHER**

Feeding Method ^(a)	Accommodation status of mother					
	Private		Public		Total	
	No.	%	No.	%	No.	%
Breast milk/colostrum only	13,966	71.0	30,384	73.0	44,351	72.4
Breast milk/colostrum and infant formula	5,043	25.6	8,290	19.9	13,333	21.8
Infant formula only	646	3.3	2,867	6.9	3,513	5.7
Breast milk/colostrum, infant formula, other	10	0.1	16	0.0	26	0.0
Breast milk/colostrum, other	7	0.0	30	0.0	37	0.0
Infant formula, other	-	-	10	0.0	10	0.0
Total Livebirths Discharged Home ^(b)	19,672	-	41,608	-	61,281	-

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted.

(b) Includes not stated feeding method.

TABLE 7.13b

**LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2014
FLUID BABY RECEIVED IN THE 24 HOURS PRIOR TO DISCHARGE BY
ACCOMMODATION STATUS OF MOTHER**

Feeding Method ^(a)	Accommodation status of mother					
	Private		Public		Total	
	No.	%	No.	%	No.	%
Breast milk/colostrum only	15,724	79.9	32,044	77.0	47,769	78.0
Breast milk/colostrum and infant formula	2,961	15.1	5,929	14.3	8,890	14.5
Infant formula only	987	5.0	3,621	8.7	4,608	7.5
Breast milk/colostrum, other	-	-	2	0.0	2	0.0
Breast milk/colostrum, infant formula, other	-	-	1	0.0	1	0.0
Infant formula, other	-	-	-	-	-	-
Total Livebirths Discharged Home ^(b)	19,672	-	41,608	-	61,281	-

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted.

(b) Includes not stated feeding method.

TABLE 7.14a

**LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2014
FLUID BABY RECEIVED DURING THE BIRTH EPISODE
BY NUMBER OF PREVIOUS BIRTHS OF MOTHER**

Feeding Method ^(a)	Number of previous births							
	0		1 - 4		5 or more		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%
Breast milk/colostrum only	17,709	69.9	25,844	74.5	798	62.7	44,351	72.4
Breast milk/colostrum and infant formula	6,791	26.8	6,266	18.1	276	21.7	13,333	21.8
Infant formula only	783	3.1	2,534	7.3	196	15.4	3,513	5.7
Breast milk/colostrum, infant formula, other	19	0.1	7	0.0	-	-	26	0.0
Breast milk/colostrum, other	17	0.1	17	0.0	3	0.2	37	0.1
Infant formula, other	4	0.0	6	0.0	-	-	10	0.0
Total Livebirths Discharged Home^(b)	25,329	-	34,678	-	1,274	-	61,281	-

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted.

(b) Includes 'not stated' feeding method.

TABLE 7.14b

**LIVEBIRTHS DISCHARGED HOME, QUEENSLAND, 2014
FLUID THE BABY RECEIVED IN THE 24 HOURS PRIOR TO DISCHARGE
BY NUMBER OF PREVIOUS BIRTHS OF MOTHER**

Feeding Method ^(a)	Number of previous births							
	0		1 - 4		5 or more		Total	
	No.	%	No.	%	No.	%	No.	%
Breast milk/colostrum only	19,586	77.3	27,336	78.8	847	66.5	47,769	78.0
Breast milk/colostrum and infant formula	4,516	17.8	4,173	12.0	201	15.8	8,890	14.5
Infant formula only	1,217	4.8	3,165	9.1	226	17.8	4,608	7.5
Breast milk/colostrum, infant formula, other	-	-	-	-	-	-	-	-
Breast milk/colostrum, other	2	0.0	-	-	-	-	2	0.0
Infant formula, other	-	-	-	-	-	-	-	-
Other only	-	-	-	-	-	-	-	-
Total Livebirths Discharged Home^(b)	25,329	-	34,678	-	1,274	-	61,281	-

Note: Excludes Born Before Arrival (BBA).

(a) Reporting of multiple feeding methods was permitted.

(b) Includes 'not stated' feeding method.

**TABLE 7.15 BIRTHS, QUEENSLAND, 2014
SELECTED CONGENITAL ANOMALIES, NUMBERS AND RATES**

Selected congenital anomalies ^(a) (ICD code) ^(b)	No.	Rate ^(c)
Lymphangioma, any site (D18.1)	5	0.1
Anencephaly and similar malformations (Q00.0-Q00.22)	7	0.1
Encephalocele (Q01.0-Q01.9)	1	0.0
Microcephaly (Q02)	11	0.2
Congenital hydrocephalus (Q03.0-Q03.9)	14	0.2
Other congenital malformations of brain (Q04.0-Q04.9)	62	1.0
Spina bifida (Q05.0-Q05.9)	35	0.6
Other congenital malformations of spinal cord (Q06.0-Q06.9)	4	0.1
Other congenital malformations of nervous system (Q07.0-Q07.9)	10	0.2
Congenital malformations of eyelid, lacrimal apparatus and orbit (Q10.0-Q10.7)	6	0.1
Congenital malformations of anterior segment of eye (Q13.0-Q13.9)	4	0.1
Congenital malformations of posterior segment of eye (Q14.0-Q14.9)	1	0.0
Other congenital malformations of eye (Q15.0-Q15.9)	1	0.0
Other malformations of ear causing impairment of hearing (Q16.0-Q16.9)	3	0.1
Other congenital malformations of ear (Q17.0-Q17.9)	64	1.0
Other congenital malformations of face and neck (Q18.0-Q18.9)	8	0.1
Congenital malformations of cardiac chambers and connections (Q20.0-Q20.9)	48	0.8
Congenital malformations of cardiac septa (Q21.0-Q21.9)	228	3.6
- Ventricular septal defect (Q21.00-Q21.09)	148	2.3
- Arterial septal defect (Q21.10-Q21.19)	78	1.2
Congenital malformations of pulmonary and tricuspid valves (Q22.0-Q22.9)	26	0.4
Congenital malformations of aortic and mitral valves (Q23.0-Q23.9)	27	0.4
Other congenital malformations of heart (Q24.0-Q24.9)	43	0.7
Congenital malformations of great arteries (Q25.0-Q25.9)	118	1.9
Congenital malformations of great veins (Q26.0-Q26.9)	10	0.2
Other congenital malformations of peripheral vascular system (Q27.0-Q27.9)	284	4.5
Other congenital malformations of circulatory system (Q28.0-Q28.9)	4	0.1
Congenital malformations of nose (Q30.0-Q30.9)	20	0.3
Congenital malformations of larynx (Q31.0-Q31.9)	13	0.2
Congenital malformations of trachea and bronchus (Q32.0-Q32.4)	6	0.1
Congenital malformations of lung (Q33.0-Q33.9)	42	0.7
Other congenital malformations of respiratory system (Q34.0-Q34.9)	6	0.1
Cleft palate (Q35.1-Q35.9)	63	1.0
Cleft lip (Q36.0-Q36.9)	50	0.8
Other congenital malformations of tongue, mouth and pharynx (Q38.0-Q38.8)	662	10.4
Congenital malformations of oesophagus (Q39.0-Q39.9)	16	0.3
Other congenital malformation of upper alimentary tract (Q40.0-Q40.9)	5	0.1
Congenital absence, atresia and stenosis of small intestine (Q41.0-Q41.9)	12	0.2
Congenital absence, atresia and stenosis of large intestine (Q42.0-Q42.9)	25	0.4
Other congenital malformations of intestine (Q43.0-Q43.9)	27	0.4
Congenital malformations of gallbladder, bile ducts and liver (Q44.0-Q44.79)	5	0.1
Other congenital malformations of digestive system (Q45.0-Q45.9)	2	0.0
Congenital malformations of ovaries, fallopian tubes and broad ligaments (Q50.0-Q50.69)	1	0.0
Congenital malformations of uterus and cervix (Q51.0-Q51.9)	2	0.0
Other congenital malformations of female genitalia (Q52.0-Q52.9)	14	0.2
Undescended testicle (Q53.0-Q53.9)	190	3.0
Hypospadias (Q54.0-Q54.9)	145	2.3
Other congenital malformations of male genital organs (Q55.0-Q55.9)	20	0.3
Indeterminate sex and pseudohermaphroditism (Q56.0-Q56.4)	11	0.2
Renal agenesis and other reduction defects of kidney (Q60.0-Q60.6)	34	0.5
Cystic kidney disease (Q61.0-Q61.9)	29	0.5
Congenital obstructive defects of renal pelvis and congenital malformations of ureter (Q62.0-Q62.8)	152	2.4

**TABLE 7.15 BIRTHS, QUEENSLAND, 2014
SELECTED CONGENITAL ANOMALIES, NUMBERS AND RATES**

Selected congenital anomalies ^(a) (ICD code) ^(b)	No.	Rate ^(c)
Other congenital malformations of kidney (Q63.0-Q63.9)	42	0.7
- <i>Epispadias</i> (Q64.0)	2	0.0
Other congenital malformations of urinary system (Q64.0-Q64.9)	19	0.3
Congenital deformities of hip (Q65.0-Q65.9)	152	2.4
- <i>Congenital dislocation of hip, unilateral</i> (Q65.0)	23	0.4
- <i>Congenital dislocation of hip, bilateral</i> (Q65.1)	14	0.2
- <i>Congenital subluxation of hip, unilateral</i> (Q65.3)	2	0.0
Congenital deformities of feet (Q66.0-Q66.9)	650	10.2
- <i>Talipes equinovarus</i> (Q66.0)	439	6.9
- <i>Talipes calcaneovarus</i> (Q66.1)	11	0.2
- <i>Talipes calcaneovalgus</i> (Q66.4)	54	0.9
Congenital musculoskeletal deformities of head, face, spine and chest (Q67.0-Q67.8)	32	0.5
Other congenital musculoskeletal deformities (Q68.0-Q68.8)	21	0.3
Polydactyly (Q69.0-Q69.9)	46	0.7
Syndactyly (Q70.0-Q70.9)	30	0.5
Reduction defects of upper limb (Q71.0-Q71.9)	15	0.2
Reduction defects of lower limb (Q72.0-Q72.9)	11	0.2
Other congenital malformations of limb(s) (Q74.0-Q74.9)	29	0.5
Other congenital malformations of skull and face bones (Q75.0-Q75.9)	30	0.5
Congenital malformations of spine and bony thorax (Q76.0-Q76.9)	17	0.3
Osteochondrodysplasia with defects of growth of tubular bones and spine (Q77.0-Q77.9)	3	0.1
Other osteochondrodysplasias (Q78.0-Q78.9)	11	0.2
Congenital malformations of the musculoskeletal system, not elsewhere classified (Q79.0-Q79.9)	78	1.2
- <i>Congenital diaphragmatic hernia</i> (Q79.0)	16	0.3
- <i>Gastroschisis</i> (Q79.3)	39	0.6
<i>Congenital ichthyosis</i> (Q80.0-Q80.9)	1	0.0
Epidermolysis bullosa (Q81.0-Q81.9)	3	0.1
Other congenital malformations of skin (Q82.0-Q82.9)	678	10.6
Other congenital malformations of integument (Q84.0-Q84.9)	216	3.4
Phakamatoses, not elsewhere classified (Q85.0-Q85.9)	2	0.0
Congenital malformation syndromes due to known exogenous causes, nec (Q86.0-Q86.89)	1	0.0
Other specified congenital malformation syndromes affecting multiple systems (Q87.0-Q87.89)	21	0.3
Other congenital malformations, not elsewhere classified (Q89.0-Q89.9)	49	0.8
Down's syndrome (Q90.0-Q90.9)	65	1.0
Edwards' syndrome and Patau's syndrome (Q91.0-Q91.7)	17	0.3
Other trisomies and partial trisomies of the autosomes, not elsewhere classified (Q92.0-Q92.9)	17	0.3
Monosomies and deletions from the autosomes, not elsewhere classified (Q93.0-Q93.9)	3	0.1
Turner's syndrome (Q96.0-Q96.9)	10	0.2
Other sex chromosome abnormalities, female phenotype, not elsewhere classified (Q97.0-Q97.9)	2	0.0
Other sex chromosome abnormalities, male phenotype, not elsewhere classified (Q98.0-Q98.9)	4	0.1
Other chromosome abnormalities, not elsewhere classified (Q99.0-Q99.9)	8	0.1
Clicking hip (R29.4)	256	4.0
Births with at least one anomaly	3,987	6.2
All births	63,823	-

(a) Reporting of multiple anomalies was permitted, so numbers cannot be cumulated.

(b) ICD-10-AM 7th edition is used for coding the congenital anomalies from 1 July 2010 to 30 June 2013.

(c) Per 1,000 births.

TABLE 8.01 **MOTHERS BIRTHING IN QUEENSLAND, 2014**
HOSPITAL AND HEALTH SERVICE OF USUAL RESIDENCE OF MOTHER BY TYPE OF FACILITY AND ACCOMMODATION

Hospital and Health Service of Usual Residence of Mother	Type of facility/accommodation													
	Public facility						Private facility		Homebirths		Born Before Arrival		Total ^(b)	
	Public		Private		Total ^(a)		No.	%	No.	%	No.	%	No.	%
Cairns and Hinterland	2,652	6.2	143	5.9	2,795	6.2	633	3.7	2	2.0	38	8.1	3,468	5.5
Central Queensland	2,093	4.9	242	9.9	2,335	5.2	1,067	6.2	3	3.1	21	4.5	3,426	5.5
Central West	119	0.3	24	1.0	143	0.3	26	0.2	169	0.3
Darling Downs	2,578	6.1	218	8.9	2,796	6.2	862	5.0	8	8.2	28	6.0	3,694	5.9
Gold Coast	4,443	10.4	164	6.7	4,607	10.2	1,945	11.3	6	6.1	46	9.9	6,604	10.5
Mackay	1,578	3.7	136	5.6	1,714	3.8	786	4.6	.	.	19	4.1	2,519	4.0
Metro North	7,339	17.3	260	10.6	7,599	16.9	4,076	23.6	22	22.5	72	15.4	11,769	18.7
Metro South	9,965	23.4	552	22.6	10,517	23.4	4,528	26.3	15	15.3	111	23.8	15,171	24.2
North West	495	1.2	64	2.6	559	1.2	46	0.3	.	.	3	0.6	608	1.0
South West	302	0.7	34	1.4	336	0.8	89	0.5	2	2.0	5	1.1	432	0.7
Sunshine Coast	2,753	6.5	148	6.1	2,901	6.5	1,036	6.0	21	21	25	5.4	3,983	6.3
Torres and Cape	462	1.1	10	0.4	472	1.1	36	0.2	.	.	9	1.9	517	0.8
Townsville	2,585	6.1	35	1.4	2,620	5.8	845	4.9	.	.	35	7.5	3,500	5.6
West Moreton	3,114	7.3	145	5.9	3,259	7.2	801	4.6	18	18.4	35	7.5	4,113	6.6
Wide Bay	1,885	4.4	259	10.6	2,144	4.8	62	0.4	1	1.0	18	3.9	2,225	3.5
Interstate Overseas	190	0.5	9	0.4	199	0.4	409	2.4	.	.	2	0.4	610	1.0
Total	42,556	100.0	2,443	100.0	44,999	100.0	17,247	100.0	98	100.0	467	100.0	62,811	100.0

(a) Includes those mothers with not stated accommodation type.

(b) Includes those mothers with not stated facility type.

(c) Includes those mothers with not stated Hospital and Health Service of usual residence.

TABLE 8.02

MOTHERS BIRTHING IN QUEENSLAND, 2014
AGE OF MOTHER BY TYPE OF FACILITY AND ACCOMMODATION

Age of mother (years)	Type of facility/accommodation													
	Public facility						Private facility							
	Public		Private		Total ^(a)		Private facility		Homebirths		Born Before Arrival		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Under 15	21	0.1	.	.	21	0.1	21	0.0
15 - 19	2,509	5.9	101	4.1	2,610	5.8	50	0.3	.	.	21	4.5	2,681	4.3
20 - 24	9,089	21.4	376	15.4	9,465	21.0	635	3.7	7	7.1	96	20.6	10,203	16.2
25 - 29	13,053	30.7	741	30.3	13,794	30.7	4,168	24.2	27	27.6	139	29.8	18,128	28.9
30 - 34	11,355	26.7	795	32.5	12,150	27.0	7,435	43.1	39	39.8	128	27.4	19,752	31.5
35 - 39	5,251	12.3	346	14.2	5,597	12.4	4,035	23.4	21	21.4	69	14.8	9,722	15.5
40 - 44	1,212	2.9	83	3.4	1,295	2.9	857	5.0	2	2.0	14	3.0	2,168	3.5
45 and over	66	0.2	1	0.0	67	0.2	67	0.4	2	2.0	.	.	136	0.2
Total	42,556	100.0	2,443	100.0	44,999	100.0	17,247	100.0	98	100.0	467	100.0	62,811	100.0

(a) Includes those mothers with not stated accommodation type.

(b) Includes those mothers with not stated facility type.

TABLE 8.03

MOTHERS BIRTHING IN QUEENSLAND, 2014

ONSET OF LABOUR BY TYPE OF FACILITY AND ACCOMMODATION ^(a)

Onset of labour	Type of facility/accommodation													
	Public facility													
	Public		Private		Total ^(b)		Private facility		Homebirths		Born Before Arrival		Total ^(c)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Spontaneous - not augmented	16,799	39.5	994	40.7	17,793	39.5	3,495	20.3	95	96.9	465	99.6	21,848	34.8
Spontaneous - augmented	8,847	20.8	412	16.9	9,259	20.6	2,800	16.2	3	3.1	2	0.4	12,064	19.2
Induced	10,359	24.3	531	21.7	10,890	24.2	4,743	27.5	15,633	24.9
No labour	6,551	15.4	506	20.7	7,057	15.7	6,209	36.0	13,266	21.1
Total	42,556	100.0	2,443	100.0	44,999	100.0	17,247	100.0	98	100.0	467	100.0	62,811	100.0

(a) In the case of multiple births data from the first birth are used.

(b) Includes those mothers with not stated accommodation type.

(c) Includes those mothers with not stated facility type.

TABLE 8.04

BABIES BORN IN QUEENSLAND, 2014
METHOD OF BIRTH BY TYPE OF FACILITY AND ACCOMMODATION

Method of birth	Type of facility/accommodation													
	Public facility						Private facility							
	Public		Private		Total ^(a)		Private facility		Homebirths		Born Before Arrival		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Vaginal non-instrumental	26,992	62.6	1,450	58.2	28,442	62.3	6,858	38.9	98	100.0	468	100.0	35,866	56.2
Forceps	1,173	2.7	63	2.5	1,236	2.7	473	2.7	1,709	2.7
Vacuum extraction	2,938	6.8	168	6.7	3,106	6.8	1,612	9.2	4,718	7.4
LSCS	11,967	27.7	799	32.1	12,766	28.0	8,645	49.1	21,411	33.6
Classical CS	76	0.2	13	0.5	89	0.2	30	0.2	119	0.2
Total	43,146	100.0	2,493	100.0	45,639	100.0	17,618	100.0	98	100.0	468	100.0	63,823	100.0

(a) Includes those mothers with not stated accommodation type.

(b) Includes those mothers with not stated facility type.

TABLE 8.05 **MOTHERS BIRTHING IN QUEENSLAND, 2014 - HOSPITAL AND HEALTH SERVICE OF USUAL RESIDENCE OF MOTHER BY HOSPITAL AND HEALTH SERVICE OF FACILITY OF BIRTH ^(a)**

Hospital and Health Service of Usual Residence of Mother	Hospital and Health Service of place of birth																	
	Cairns and Hinterland		Central Queensland		Central West		Darling Downs		Gold Coast		Mackay		Mater Public Hospitals		Metro North		Metro South	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Cairns and Hinterland	3,411	89.3	-	-	-	-	-	-	-	-	2	0.1	3	0.1	1	0.0	2	0.0
Central Queensland	-	-	3,237	95.5	-	-	6	0.2	5	0.1	29	1.2	5	0.1	63	0.6	34	0.3
Central West	1	0.0	20	0.6	92	95.8	13	0.3	1	0.0	1	0.0	1	0.0	5	0.1	6	0.1
Darling Downs	-	-	2	0.1	-	-	3,528	87.8	3	0.0	1	0.0	40	0.7	31	0.3	51	0.4
Gold Coast	2	0.1	2	0.1	-	-	-	-	6,328	91.4	1	0.0	37	0.7	14	0.1	211	1.8
Mackay	2	0.1	70	2.1	2	2.1	1	0.0	2	0.0	2,320	98.3	3	0.1	7	0.1	11	0.1
Metro North	1	0.0	2	0.1	-	-	3	0.1	15	0.2	1	0.0	186	3.4	9,809	90.1	1,655	14.1
Metro South	-	-	-	-	-	-	2	0.1	185	2.7	-	-	4,919	88.7	513	4.7	9,382	80.0
North West	25	0.7	1	0.0	-	-	3	0.1	1	0.0	1	0.0	1	0.0	4	0.0	8	0.1
South West	-	-	2	0.1	-	-	107	2.7	4	0.1	1	0.0	4	0.1	21	0.2	20	0.2
Sunshine Coast	1	0.0	1	0.0	-	-	9	0.2	6	0.1	2	0.1	12	0.2	159	1.5	26	0.2
Torres and Cape	176	4.6	3.0	0.1	-	-	-	-	-	-	-	-	2	0.0	3	0.0	1	0.0
Townsville	17	0.5	-	-	1	1.0	-	-	2	0.0	1	0.0	3	0.1	1	0.0	-	-
West Moreton	-	-	-	-	-	-	260	6.5	15	0.2	-	-	288	5.2	147	1.4	251	2.1
Wide Bay	-	-	48	1.4	-	-	9	0.2	3	0.0	-	-	5	0.1	70	0.6	10	0.1
Interstate/Overseas	19	0.5	2	0.1	1	1.0	76	1.9	356	5.1	1	0.0	34	0.6	34	0.3	52	0.4
Total	3,820	100.0	3,390	100.0	96	100.0	4,017	100.0	6,927	100.0	2,361	100.0	5,546	100.0	10,883	100.0	11,723	100.0

Hospital and Health Service of Usual Residence of Mother	Hospital and Health Service of place of birth																	
	North West		South West		Sunshine Coast		Torres and Cape		Townsville		West Moreton		Wide Bay		Home Births		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Cairns and Hinterland	-	-	-	-	1	0.0	2	1.4	44	1.2	-	-	-	-	2	2.1	3,468	5.5
Central Queensland	-	-	-	-	18	0.5	-	-	10	0.3	1	0.0	15	0.7	3	3.1	3,426	5.5
Central West	6	1.16	2	0.7	1	0.0	-	-	17	0.5	2	0.1	1	0.1	-	-	169	0.3
Darling Downs	-	-	8	3.0	17	0.4	-	-	-	-	4	0.1	1	0.1	8	8.3	3,694	5.9
Gold Coast	-	-	-	-	-	-	-	-	-	-	2	0.1	1	0.1	6	6.2	6,604	10.5
Mackay	-	-	-	-	8	0.2	-	-	88	2.4	3	0.1	2	0.1	-	-	2,519	4.0
Metro North	-	-	-	-	52	1.3	-	-	-	-	23	0.7	-	-	22	21.7	11,769	18.7
Metro South	-	-	-	-	8	0.2	-	-	2	0.1	145	4.4	-	-	15	15.5	15,171	24.2
North West	503	97.48	-	-	7	0.2	-	-	54	1.5	-	-	-	-	-	-	608	1.0
South West	-	-	256	95.2	6	0.2	-	-	-	-	7	0.2	1	0.1	2	2.1	432	0.7
Sunshine Coast	-	-	-	-	3,739	95.4	-	-	1	0.0	1	0.0	5	0.2	21	21.7	3,983	6.3
Torres and Cape	-	-	-	-	1	0.0	63	45.0	15	0.4	-	-	-	-	-	-	264	0.4
Townsville	1	0.19	-	-	1	0.0	-	-	3,473	93.4	-	-	-	-	-	-	3,500	5.6
West Moreton	-	-	-	-	1	0.0	-	-	-	-	3,133	94.3	-	-	18	18.6	4,113	6.6
Wide Bay	-	-	-	-	43	1.1	-	-	-	-	-	-	2,036	98.6	1	1.0	2,225	3.5
Interstate/Overseas	6	1.2	3	1.1	13	0.3	2	1.4	6	0.2	1	0.0	2	0.1	-	-	610	1.0

Source: Perinatal Data Collection, Queensland Health (November 2016)

TABLE 8.05

**MOTHERS BIRTHING IN QUEENSLAND, 2014 - HOSPITAL AND HEALTH SERVICE OF
USUAL RESIDENCE OF MOTHER BY HOSPITAL AND HEALTH SERVICE OF FACILITY OF BIRTH ^(a)**

Hospital and Health Service of Usual Residence of Mother	Hospital and Health Service of place of birth																	
	Cairns and Hinterland		Central Queensland		Central West		Darling Downs		Gold Coast		Mackay		Mater Public Hospitals		Metro North		Metro South	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Total	516	100.0	269	100.0	3,921	100.0	140	100.0	3,717	100.0	3,322	100.0	2,064	100.0	98	100.0	62,811	100.0

(a) The Hospital and Health Service of birth for planned homebirths and freebirths has been included in the Hospital and Health Service of usual residence.

(b) Includes mothers who birthed at other or not stated place of birth.

**TABLE 8.06 LIVEBIRTHS TRANSFERRED, QUEENSLAND, 2014
LEVEL OF NURSERY AT FACILITY OF BIRTH BY LEVEL OF NURSERY AT FACILITY OF TRANSFER**

Level of nursery at facility of transfer	Level of nursery at facility of birth									
	General		SCN		ICN		Other ^(a)		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%
General	26	9.6	124	26.8	9	1.5	3	4.8	162	11.6
SCN	114	41.9	31	6.7	397	66.7	41	66.1	583	41.9
ICN	129	47.4	272	58.8	39	6.6	18	29.0	458	32.9
Other ^(b)	3	1.1	36	7.8	150	25.2	-	-	189	13.6
Total	272	100.0	463	100.0	595	100.0	62	100.0	1,392	100.0

Note: Excludes Born Before Arrival (BBA).

(a) Includes babies born at home or at a facility without approved maternity services.

(b) Includes babies transferred to facilities without approved maternity services, interstate facilities and not stated facilities.

TABLE 8.07 MOTHERS TRANSFERRED ANTENATALLY, QUEENSLAND, 2014
LEVEL OF NURSERY AT FACILITY OF BIRTH BY LEVEL OF NURSERY AT FACILITY OF TRANSFER

Level of nursery at facility of transfer	Level of nursery at facility of birth									
	General		SCN		ICN		Other ^(a)		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%	No.	%
General	99	82.5	866	66.4	490	38.7	1	16.7	1,456	54.0
SCN	6	5.0	109	8.4	495	39.1	2	33.3	612	22.7
ICN	4	3.3	66	5.1	36	2.8	2	33.3	108	4.0
Other ^(a)	11	9.2	263	20.2	246	19.4	1	16.7	521	19.3
Total	120	100.0	1,304	100.0	1,267	100.0	6	100.0	2,697	100.0

Note: Excludes Born Before Arrival (BBA).

(a) Includes mothers birthing at home or at a facility without approved maternity services.

(b) Includes homebirths, not stated facilities, facilities without approved maternity services and Interstate facilities.

TABLE 8.08

**MOTHERS BIRTHING IN QUEENSLAND, 2014 - HOSPITAL AND HEALTH SERVICE
OF USUAL RESIDENCE OF MOTHER BY AGE OF MOTHER AT BIRTH**

Hospital and Health Service of Usual Residence of Mother	Maternal Age						Total	
	Less than 20		20-34		35 and over			
	No.	%	No.	%	No.	%	No.	%
Cairns and Hinterland	216	8.0	2,592	5.4	660	5.5	3,468	5.5
Central Queensland	182	6.7	2,831	5.9	413	3.4	3,426	5.5
Central West	8	0.3	132	0.3	29	0.2	169	0.3
Darling Downs	258	9.6	2,961	6.2	475	4.0	3,694	5.9
Gold Coast	164	6.1	4,947	10.3	1,493	12.4	6,604	10.5
Mackay	82	3.0	2,083	4.3	354	2.9	2,519	4.0
Metro North	349	12.9	8,697	18.1	2,723	22.6	11,769	18.7
Metro South	504	18.7	11,501	23.9	3,166	26.3	15,171	24.2
North West	69	2.6	472	1.0	67	0.6	608	1.0
South West	30	1.1	344	0.7	58	0.5	432	0.7
Sunshine Coast	134	5.0	2,982	6.2	867	7.2	3,983	6.3
Torres and Cape	38	1.4	196	0.4	30	0.3	264	0.4
Townsville	196	7.3	2,770	5.8	534	4.4	3,500	5.6
West Moreton	258	9.6	3,246	6.8	609	5.1	4,113	6.6
Wide Bay	173	6.4	1,724	3.6	328	2.7	2,225	3.5
Interstate/Overseas	14	0.5	415	0.9	181	1.5	610	1.0
Total^(a)	2,702	100.0	48,083	100.0	12,026	100.0	62,811	100.0

(a) Includes mothers with not stated place of Hospital and Health Service of usual residence.

TABLE 8.09

**BABIES BORN IN QUEENSLAND, 2014
BY FACILITY OF BIRTH, TYPE & NAME**

Facility of birth type and name	Total	
	No.	%
Public Facilities		
Atherton	204	0.3
Ayr	129	0.2
Barcaldine	1	0.0
Beaudesert	154	0.2
Biloela	85	0.1
Blackwater	2	0.0
Boonah	1	0.0
Bowen	7	0.0
Bundaberg	1,090	1.7
Caboolture	2,004	3.1
Cairns	2,502	3.9
Capricorn Coast	2	0.0
Charleville	52	0.1
Charters Towers	3	0.0
Cherbourg	1	0.0
Chinchilla	49	0.1
Clermont	1	0.0
Cloncurry	4	0.0
Cunnamulla	1	0.0
Dalby	252	0.4
Dysart	2	0.0
Emerald	338	0.5
Gatton	1	0.0
Gayndah	1	0.0
Gin Gin	1	0.0
Gladstone	541	0.9
Gold Coast University Hospital	4,461	7.0
Gold Coast University Hospital Birthing Centre	296	0.5
Goondiwindi	105	0.2
Gurriny Yealamucka	7	0.0
Gympie	353	0.6
Hervey Bay	974	1.5
Hope Vale Primary Health Care Centre	1	0.0
Ingham	5	0.0
Innisfail	176	0.3
Ipswich	2,848	4.5
Joyce Palmer HS	4	0.0
Kingaroy	395	0.6
Kowanyama PHC	1	0.0
Lockhart River PHC	2	0.0
Logan	3,443	5.4
Longreach	95	0.2
Mackay	1,262	2.0
Mackay Base Hospital Birthing Centre	82	0.1
Maleny	1	0.0
Mareeba	245	0.4
Maryborough	2	0.0
Mater Hospital Brisbane	3	0.0
Mater Mothers' Hospital	5,610	8.8
Millmerran	1	0.0
Mitchell	1	0.0
Moranbah	1	0.0
Mossman	2	0.0
Mount Isa	516	0.8
Mount Morgan	2	0.0
Moura	1	0.0
Mundubbera	1	0.0
Nambour	2,463	3.9
Proserpine	261	0.4

TABLE 8.09

**BABIES BORN IN QUEENSLAND, 2014
BY FACILITY OF BIRTH, TYPE & NAME**

Facility of birth type and name	Total	
	No.	%
(Cont'd)		
Redcliffe	1,720	2.7
Redland	1,879	2.9
Rockhampton	1,377	2.2
Roma	166	0.3
Royal Brisbane & Women's Birthing Centre	342	0.5
Royal Brisbane and Women's	3,931	6.2
Saibai Island Primary Health Care Centre	1	0.0
St George	46	0.1
Stanthorpe	127	0.2
Tara	1	0.0
Texas	2	0.0
Theodore	9	0.0
Thursday Island	129	0.2
Toowoomba	1,797	2.8
Toowoomba Hospital Birth Centre	163	0.3
Townsville	2,514	3.9
Townsville Hospital Birthing Centre	173	0.3
Tully	1	0.0
Warwick	207	0.3
Weipa	4	0.0
Woorabinda	2	0.0
Public Facilities Total	45,639	71.5
Private Facilities	17,618	27.6
Homebirths	98	0.2
Born Before Arrival (BBA)	468	0.7
Total ^(a)	63,823	100.0

(a) Includes babies with not stated facility of birth.

TABLE 9.01**MOTHERS BIRTHING IN QUEENSLAND, 2014
SEPARATION STATUS OF MOTHER**

Separation status of mother	Mothers	
	No.	%
Discharged	61,801	99.1
Transferred	444	0.7
Homebirth	98	0.2
Died	1	-
Total ^(a)	62,344	100.0

Note: Excludes Born Before Arrival (BBA).

(a) Includes mothers with not stated separation status.

TABLE 9.02 BIRTHS IN QUEENSLAND, 2014
SEPARATION STATUS OF BABY

Separation status of baby	Births	
	No.	%
Discharged	61,280	96.7
Transferred	1,380	2.2
Homebirth	98	0.2
Died ^(a)	597	0.9
Total ^(b)	63,355	100.0

Note: Excludes Born Before Arrival (BBA).

(a) Includes stillbirths.

(b) Includes not stated separation status.

**TABLE 9.03 MOTHERS DISCHARGED HOME ^(a) AFTER BIRTHING IN A FACILITY, QUEENSLAND, 2014
POSTNATAL LENGTH OF STAY OF MOTHER BY TYPE OF FACILITY AND ACCOMMODATION**

Postnatal length of stay of mother (days)	Type of facility/accommodation									
	Public facility						Private facility			
	Public		Private		Total		Private facility		Total ^(b)	
	No.	%	No.	%	No.	%	No.	%	No.	%
0	3,381	8.0	245	10.1	3,626	8.1	33	0.2	3,660	5.9
1	12,629	29.9	680	28.1	13,309	29.8	216	1.3	13,525	21.9
2	13,815	32.7	707	29.2	14,522	32.5	1,145	6.7	15,667	25.4
3	8,423	20.0	511	21.1	8,934	20.0	3,955	23.0	12,889	20.9
4	2,562	6.1	178	7.4	2,740	6.1	6,691	39.0	9,431	15.3
5	833	2.0	64	2.7	897	2.0	4,112	23.9	5,009	8.1
6	264	0.6	14	0.6	278	0.6	740	4.3	1,018	1.7
7	161	0.4	8	0.3	169	0.4	191	1.1	360	0.6
8	50	0.1	4	0.2	54	0.1	49	0.3	103	0.2
9	26	0.1	2	0.1	28	0.1	19	0.1	47	0.1
10	18	0.0	2	0.1	20	0.0	9	0.1	29	0.1
11-20	35	0.1	4	0.2	39	0.1	17	0.1	56	0.1
21 and over	6	0.0	-	-	6	0.0	1	0.0	7	0.0
Total	42,203	100.0	2,419	100.0	44,622	100.0	17,178	100.0	61,801	100.0
Average postnatal length of stay (days)	2.0		2.0		2.0		4.0		2.6	

Note: Excludes Born Before Arrival (BBA).

(a) Excludes inter-facility transfers.

(b) Includes not stated facility type.

**TABLE 9.04 MOTHERS DISCHARGED HOME ^(a) AFTER BIRTHING IN A FACILITY, QUEENSLAND, 2014
POSTNATAL LENGTH OF STAY OF MOTHER BY PARITY^(b)**

Postnatal length of stay of mother (days)	Number of previous pregnancies													
	0		1		2		3		4		5 or more		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
0	636	2.5	1,467	7.1	821	8.9	421	11.5	175	12.0	140	10.8	3,660	5.9
1	3,713	14.5	5,007	24.3	2,575	27.9	1,220	33.4	519	35.5	491	38.0	13,525	21.9
2	6,817	26.7	4,887	23.7	2,290	24.8	940	25.8	389	26.6	344	26.6	15,667	25.4
3	5,715	22.4	4,395	21.3	1,800	19.5	579	15.9	222	15.2	178	13.8	12,889	20.9
4	4,670	18.3	3,159	15.3	1,131	12.3	293	8.0	98	6.7	80	6.2	9,431	15.3
5	3,010	11.8	1,352	6.6	451	4.9	124	3.4	36	2.5	36	2.8	5,009	8.1
6	673	2.6	213	1.0	82	0.9	29	0.8	10	0.7	11	0.9	1,018	1.7
7	214	0.8	73	0.4	35	0.4	22	0.6	9	0.6	7	0.5	360	0.6
8	51	0.2	23	0.1	14	0.2	12	0.3	3	0.2	-	-	103	0.2
9	31	0.1	9	0.0	6	0.1	-	-	-	-	1	0.1	47	0.1
10	18	0.1	3	0.0	6	0.1	1	0.0	-	-	1	0.1	29	0.1
11-20	25	0.1	8	0.0	8	0.1	10	0.3	2	0.1	3	0.2	56	0.1
21 and over	3	0.0	2	0.0	2	0.0	-	-	-	-	-	-	7	0.0
Total	25,576	100.0	20,598	100.0	9,221	100.0	3,651	100.0	1,463	100.0	1,292	100.0	61,801	100.0
Average postnatal length of stay (days)	2.9		2.4		2.2		2.0		1.9		1.8		2.5	

Note: Excludes Born Before Arrival (BBA).

(a) Excludes inter-facility transfers.

(b) Includes pregnancies with an outcome of delivery after 20 weeks and/or 400grams

TABLE 9.05 **MOTHERS DISCHARGED HOME ^(a) AFTER BIRTHING IN A FACILITY, QUEENSLAND, 2014**
POSTNATAL LENGTH OF STAY OF MOTHER BY METHOD OF BIRTH ^(b)

Postnatal length of stay of mother (days)	Method of birth											
	Vaginal non-instrumental		Forceps		Vacuum extraction		LSCS		Classical CS		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
0	3,584	10.3	11	0.7	56	1.2	9	0.0	-	-	3,660	5.9
1	12,229	35.1	214	12.8	803	17.2	279	1.4	-	-	13,525	21.9
2	9,582	27.5	583	34.7	1,447	31.0	4,047	19.8	8	7.5	15,667	25.4
3	5,020	14.4	402	24.0	1,054	22.6	6,384	31.2	29	27.1	12,889	20.9
4	3,517	10.1	341	20.3	907	19.5	4,640	22.7	26	24.3	9,431	15.3
5	648	1.9	99	5.9	286	6.1	3,959	19.4	17	15.9	5,009	8.1
6	186	0.5	20	1.2	77	1.7	725	3.5	10	9.4	1,018	1.7
7	73	0.2	7	0.4	24	0.5	250	1.2	6	5.6	360	0.6
8	20	0.1	1	0.1	1	0.0	74	0.4	7	6.5	103	0.2
9	13	0.0	-	-	2	0.0	32	0.2	-	-	47	0.1
10	9	0.0	-	-	2	0.0	17	0.1	1	0.9	29	0.1
11 - 20	7	0.0	-	-	3	0.1	43	0.2	3	2.8	56	0.1
21 and over	2	0.0	-	-	-	-	5	0.0	-	-	7	0.0
Total	34,890	100.0	1,678	100.0	4,662	100.0	20,464	100.0	107	100.0	61,801	100.0
Average postnatal length of stay	1.9	-	2.8	-	2.7	-	3.6	-	4.7	-	2.5	

Note: Excludes Born Before Arrival (BBA).

(a) Excludes inter-facility transfers.

(b) For multiple births where method of birth was not the same for each baby, the method for the first born was tabulated.

**TABLE 9.06 FACILITY LIVEBIRTHS DISCHARGED HOME^(a), QUEENSLAND, 2014
LENGTH OF STAY BY BIRTHWEIGHT**

Length of stay of baby (days)	Birthweight (grams)										Total ^(b)	
	Less than 1,000		1,000-1,499		1,500-2,499		2,500-4,499		4,500 and over			
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
0	-	-	-	-	7	0.2	3,382	5.9	22	2.2	3,411	5.6
1	-	-	-	-	142	4.7	12,502	21.9	206	20.1	12,850	21.0
2	-	-	-	-	237	7.9	14,040	24.6	250	24.4	14,527	23.7
3	-	-	-	-	302	10.0	11,369	19.9	276	27.0	11,947	19.5
4	-	-	-	-	261	8.7	8,660	15.2	150	14.7	9,071	14.8
5	-	-	-	-	229	7.6	4,647	8.2	75	7.3	4,951	8.1
6	-	-	1	0.7	137	4.6	998	1.8	22	2.2	1,158	1.9
7	-	-	1	0.7	89	3.0	416	0.7	4	0.4	510	0.8
8	-	-	-	-	89	3.0	201	0.4	2	0.2	292	0.5
9	-	-	-	-	53	1.8	119	0.2	2	0.2	174	0.3
10	-	-	-	-	89	3.0	133	0.2	5	0.5	227	0.4
11 - 20	-	-	8	5.9	738	24.5	449	0.8	6	0.6	1,201	2.0
21 and over	74	100.0	125	92.6	640	21.2	119	0.2	4	0.4	962	1.6
Total	74	100.0	135	100.0	3,013	100.0	57,035	100.0	1,024	100.0	61,281	100.0
Average length of stay (days)	87.9		50.1		12.8		2.7		2.9		3.4	

Note: Excludes Born Before Arrival (BBA).

(a) Excludes inter-facility transfers.

(b) Includes those babies with not stated birthweight.

**TABLE 9.07 BIRTHS BY MONTH OF BIRTH,
QUEENSLAND, 2013 and 2014**

Month	Year			
	2013		2014	
	No.	%		%
January	5,253	8.3	5,347	8.4
February	4,984	7.9	5,298	8.3
March	5,616	8.9	5,556	8.7
April	5,282	8.4	5,451	8.5
May	5,532	8.8	5,423	8.5
June	5,262	8.3	5,181	8.1
July	5,346	8.5	5,616	8.8
August	5,450	8.6	5,264	8.3
September	5,244	8.3	5,364	8.4
October	5,232	8.3	5,385	8.4
November	4,916	7.8	4,821	7.6
December	5,056	8.0	5,117	8.0
Total Births	63,173	100.0	63,823	100.0

**TABLE 10.01 PERINATAL DEATHS, QUEENSLAND, 2014
TYPE OF PERINATAL DEATH BY SEX**

Type of perinatal death		Sex		Total ^(a)
		Male	Female	
Stillbirth	No.	245	179	432
	Rate ^(b)	7.6	5.8	6.9
Neonatal death	No.	102	98	201
	Rate ^(c)	3.2	3.2	3.2
Perinatal death	No.	347	277	633
	Rate ^(b)	10.8	9.0	10.0

(a) Includes stillbirths and neonatal deaths of indeterminate sex.

(b) Per 1,000 births of specified sex.

(c) Per 1,000 livebirths of specified sex.

TABLE 10.02**STILLBIRTHS, QUEENSLAND, 2014
TIME OF DEATH BY SEX**

Time of death	Sex					
	Male		Female		Total ^(a)	
	No.	%	No.	%	No.	%
Before labour commenced	170	69.4	133	74.3	311	72.0
During labour but before delivery	29	11.8	19	10.6	48	11.1
Before delivery but not known if before or during labour	46	18.8	27	15.1	73	16.9
Total	245	100.0	179	100.0	432	100.0

(a) Includes stillbirths of indeterminate sex.

**TABLE 10.03 NEONATAL DEATHS, QUEENSLAND, 2014
AGE AT NEONATAL DEATH BY SEX**

Age (days)	Sex					
	Male		Female		Total ^(a)	
	No.	%	No.	%	No.	%
0	72	70.6	59	60.2	132	65.7
1	3	2.9	8	8.2	11	5.5
2	1	1.0	1	1.0	2	1.0
3	2	2.0	2	2.0	4	2.0
4	2	2.0	1	1.0	3	1.5
5	1	1.0	-	-	1	0.5
6	2	2.0	4	4.1	6	3.0
7	5	4.9	-	-	5	2.5
8 - 14	6	5.9	14	14.3	20	10.0
15 - 21	1	1.0	7	7.1	8	4.0
22 - 28	7	6.9	2	2.0	9	4.5
Total	102	100.0	98	100.0	201	100.0

(a) Includes neonatal deaths of indeterminate sex.

**TABLE 10.04 PERINATAL DEATHS, QUEENSLAND, 2014
AGE OF MOTHER BY TYPE OF PERINATAL DEATH**

Age of mother (years)	Type of perinatal death						Total births No.
	Stillbirth		Neonatal death		Total		
	No.	Rate ^(a)	No.	Rate ^(b)	No.	Rate ^(a)	
Under 20	20	7.3	13	4.8	33	12.1	2,723
20 - 24	67	6.5	30	2.9	97	9.4	10,304
25 - 29	123	6.7	63	3.5	186	10.1	18,354
30 - 34	112	5.6	44	2.2	156	7.8	20,123
35 - 39	84	8.5	42	4.3	126	12.7	9,941
40 - 44	22	9.9	8	3.6	30	13.5	2,232
45 and over	4	27.4	1	7.0	5	34.3	146
Total	432	6.8	201	3.2	633	9.9	63,823

(a) Per 1,000 births of specified age.

(b) Per 1,000 livebirths of specified age.

TABLE 10.05

**PERINATAL DEATHS, QUEENSLAND, 2014
INDIGENOUS STATUS OF MOTHER BY TYPE OF PERINATAL DEATH**

Indigenous status of mother	Type of perinatal death						Total births No.
	Stillbirth		Neonatal death		Total		
	No.	Rate ^(a)	No.	Rate ^(b)	No.	Rate ^(a)	
Aboriginal	20	6.6	18	6.0	38	12.5	3,033
Torres Strait Islander	1	1.9	3	5.8	4	7.7	519
Aboriginal & Torres Strait Islander	4	10.1	5	12.7	9	22.7	397
Neither Aboriginal nor Torres Strait Islander	407	6.8	175	2.9	582	9.7	59,872
Total^(c)	432	6.8	201	3.2	633	9.9	63,823

(a) Per 1,000 births of specified Indigenous status of mother.

(b) Per 1,000 livebirths of specified Indigenous status of mother.

(c) Includes perinatal deaths with not stated Indigenous status of mother.

**TABLE 10.06 PERINATAL DEATHS, QUEENSLAND, 2014
MARITAL STATUS OF MOTHER BY TYPE OF PERINATAL DEATH**

Marital status of mother	Type of perinatal death						Total births
	Stillbirth		Neonatal death		Total		
	No.	Rate ^(a)	No.	Rate ^(b)	No.	Rate ^(a)	
Single	80	10.7	47	6.3	127	17.0	7,489
Married/defacto	339	6.1	148	2.7	487	8.8	55,458
Other	13	15.0	6	7.0	19	22.0	865
Total^(c)	432	6.8	201	3.2	633	9.9	63,823

(a) Per 1,000 births of specified marital status of mother.

(b) Per 1,000 livebirths of specified marital status of mother.

(c) Includes not stated marital status of mother.

**TABLE 10.07 PERINATAL DEATHS, QUEENSLAND, 2014
PLURALITY OF PREGNANCY BY TYPE OF PERINATAL DEATH**

Plurality of pregnancy	Type of perinatal death						Total births No.
	Stillbirth		Neonatal death		Total		
	No.	Rate ^(a)	No.	Rate ^(b)	No.	Rate ^(a)	
Singleton	385	6.2	169	2.8	554	9.0	61,820
Multiple	47	23.5	32	16.4	79	39.4	2,003
Total	432	6.8	201	3.2	633	9.9	63,823

(a) Per 1,000 births of specified plurality.

(b) Per 1,000 livebirths of specified plurality.

**TABLE 10.08 PERINATAL DEATHS, QUEENSLAND, 2014
BIRTHWEIGHT BY TYPE OF PERINATAL DEATH**

Birthweight (grams)	Type of perinatal death								
	Stillbirth			Neonatal death			Total		
	No.	%	Rate ^(a)	No.	%	Rate ^(b)	No.	%	Rate ^(a)
Less than 500	180	41.7	684.4	78	38.8	939.8	258	40.8	981.0
500 - 749	72	16.7	402.2	48	23.9	448.6	120	19.0	670.4
750 - 999	22	5.1	129.4	13	6.5	87.8	35	5.5	205.9
1,000 - 1,249	14	3.2	94.6	7	3.5	52.2	21	3.3	141.9
1,250 - 1,499	11	2.6	54.5	2	1.0	10.5	13	2.1	64.4
1,500 - 1,749	12	2.8	32.5	3	1.5	8.4	15	2.4	40.7
1,750 - 1,999	14	3.2	25.1	5	2.5	9.2	19	3.0	34.1
2,000 - 2,249	5	1.2	5.5	2	1.0	2.2	7	1.1	7.7
2,250 - 2,499	16	3.7	9.7	4	2.0	2.5	20	3.2	12.1
2,500 - 2,999	26	6.0	2.7	13	6.5	1.4	39	6.2	4.1
3,000 - 3,499	36	8.3	1.6	16	8.0	0.7	52	8.2	2.3
3,500 - 3,999	14	3.2	0.7	7	3.5	0.4	21	3.3	1.1
4,000 - 4,499	3	0.7	0.5	2	1.0	0.3	5	0.8	0.8
4,500 and over	2	0.5	1.9	-	-	-	2	0.3	1.9
Total^(c)	432	100.0	6.8	201	100.0	3.2	633	100.0	9.9

(a) Per 1,000 births of specified birthweight.

(b) Per 1,000 livebirths of specified birthweight.

(c) Includes perinatal deaths with not stated birthweight.

**TABLE 10.09 PERINATAL DEATHS, QUEENSLAND, 2014
GESTATION BY TYPE OF PERINATAL DEATH**

Gestation (weeks)	Type of perinatal death								
	Stillbirth			Neonatal death			Total		
	No.	%	Rate ^(a)	No.	%	Rate ^(b)	No.	%	Rate ^(a)
Less than 22	120	27.8	678.0	57	28.4	1,000.0	177	28.0	1,000.0
22 - 24	97	22.5	505.2	67	33.3	705.3	164	25.9	854.2
25 - 27	43	10.0	203.8	16	8.0	95.2	59	9.3	279.6
28 - 31	39	9.0	74.3	7	3.5	14.4	46	7.3	87.6
32 - 36	65	15.1	14.0	20	10.0	4.4	85	13.4	18.2
37 - 41	67	15.5	1.2	31	15.4	0.5	98	15.5	1.7
42 and over	1	0.2	3.6	3	1.5	10.8	4	0.6	14.3
Total ^(c)	432	100.0	6.8	201	100.0	3.2	633	100.0	9.9

(a) Per 1,000 births of specified gestation.

(b) Per 1,000 livebirths of specified gestation.

(c) Includes perinatal deaths with not stated gestation.

TABLE 10.10

PERINATAL DEATHS, QUEENSLAND, 2014
HOSPITAL AND HEALTH SERVICE OF USUAL RESIDENCE OF MOTHER BY TYPE OF PERINATAL DEATH

Hospital and Health Service of Usual Residence of Mother	Type of perinatal death										
	Stillbirth			Neonatal death			Perinatal death			Total births	
	No.	%	Rate ^(a)	No.	%	Rate ^(b)	No.	%	Rate ^(a)	No.	%
Cairns and Hinterland	20	4.6	5.7	8	4.0	2.3	28	4.4	8.0	3,520	5.5
Central Queensland	18	4.2	5.2	12	6.0	3.5	30	4.7	8.6	3,483	5.5
Central West	3	0.7	17.4	-	-	-	3	0.5	17.4	172	0.3
Darling Downs	38	8.8	10.2	16	8.0	4.3	54	8.5	14.4	3,741	5.9
Gold Coast	42	9.7	6.3	15	7.5	2.3	57	9.0	8.5	6,706	10.5
Mackay	22	5.1	8.6	3	1.5	1.2	25	4.0	9.8	2,550	4.0
Metro North	59	13.7	4.9	36	17.9	3.0	95	15.0	7.9	11,989	18.8
Metro South	109	25.2	7.1	48	23.9	3.1	157	24.8	10.2	15,425	24.2
North West	2	0.5	3.3	5	2.5	8.1	7	1.1	11.4	616	1.0
South West	5	1.2	11.3	1	0.5	2.3	6	1.0	13.6	442	0.7
Sunshine Coast	27	6.3	6.7	15	7.5	3.7	42	6.6	10.4	4,053	6.4
Torres and Cape	2	0.5	14.1	2	1.0	15.1	4	0.6	29.1	267	0.4
Townsville	33	7.6	9.3	19	9.5	5.4	52	8.2	14.6	3,551	5.6
West Moreton	32	7.4	7.7	9	4.5	2.2	41	6.5	9.9	4,160	6.5
Wide Bay	14	3.2	6.2	6	3.0	2.7	20	3.2	8.8	2,264	3.6
Interstate Overseas	5	1.2	8.0	4	2.0	6.5	9	1.4	14.4	625	1.0
Total^(c)	432	100.0	6.8	201	100.0	3.2	633	100.0	9.9	63,823	100.0

(a) Per 1,000 births of specified Hospital and Health Service of usual residence of mother.

(b) Per 1,000 livebirths of specified Hospital and Health Service of usual residence of mother.

(c) Includes perinatal deaths with not stated Hospital and Health Service of usual residence of mother.

TABLE 10.11 NEONATAL DEATHS, QUEENSLAND, 2014 BIRTHWEIGHT BY GESTATION

Birthweight (grams)	Gestation (weeks)														Total	
	Less than 22		22-24		25-27		28-31		32-36		37-41		42 and over		No.	%
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 500	55	96.5	20	29.9	1	6.3	2	28.6	-	-	-	-	-	-	78	38.8
500 - 749	2	3.5	41	61.2	4	25.0	1	14.3	-	-	-	-	-	-	48	23.9
750 - 999	-	-	5	7.5	8	50.0	-	-	-	-	-	-	-	-	13	6.5
1,000 - 1,249	-	-	-	-	3	18.8	2	28.6	1	5.0	1	3.2	-	-	7	3.5
1,250 - 1,499	-	-	-	-	-	-	1	14.3	1	5.0	-	-	-	-	2	1.0
1,500 - 1,749	-	-	-	-	-	-	1	14.3	2	10.0	-	-	-	-	3	1.5
1,750 - 1,999	-	-	-	-	-	-	-	-	4	20.0	1	3.2	-	-	5	2.5
2,000 - 2,249	-	-	-	-	-	-	-	-	-	-	2	6.5	-	-	2	1.0
2,250 - 2,499	-	-	-	-	-	-	-	-	3	15.0	1	3.2	-	-	4	2.0
2,500 - 2,999	-	-	-	-	-	-	-	-	5	25.0	7	22.6	1	33.3	13	6.5
3,000 - 3,499	-	-	-	-	-	-	-	-	3	15.0	11	35.5	2	66.7	16	8.0
3,500 - 3,999	-	-	-	-	-	-	-	-	1	5.0	6	19.4	-	-	7	3.5
4,000 - 4,499	-	-	-	-	-	-	-	-	-	-	2	6.5	-	-	2	1.0
4500 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total^(a)	57	100.0	67	100.0	16	100.0	7	100.0	20	100.0	31	100.0	3	100.0	201	100.0

(a) Includes perinatal deaths with not stated birthweight.

TABLE 10.12 STILLBIRTHS, QUEENSLAND, 2014 BIRTHWEIGHT BY GESTATION

Birthweight (grams)	Gestation (weeks)														Total ^(b)	
	Less than 22		22-24		25-27		28-31		32-36		37-41		42 and over		No.	%
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Less than 500	106	88.3	55	56.7	11	25.6	6	15.4	2	3.1	-	-	-	-	180	41.7
500 - 749	13	10.8	39	40.2	13	30.2	4	10.3	2	3.1	1	1	-	-	72	16.7
750 - 999	1	0.8	2	2.1	11	25.6	7	18.0	1	1.5	-	-	-	-	22	5.1
1,000 - 1,249	-	-	1	1.0	3	7.0	8	20.5	2	3.1	-	-	-	-	14	3.2
1,250 - 1,499	-	-	-	-	3	7.0	4	10.3	4	6.2	-	-	-	-	11	2.6
1,500 - 1,749	-	-	-	-	-	-	4	10.3	8	12.3	-	-	-	-	12	2.8
1,750 - 1,999	-	-	-	-	1	2.3	4	10.3	8	12.3	1	1.5	-	-	14	3.2
2,000 - 2,249	-	-	-	-	-	-	-	-	5	7.7	-	-	-	-	5	1.2
2,250 - 2,499	-	-	-	-	-	-	-	-	10	15.4	6	9.0	-	-	16	3.7
2,500 - 2,999	-	-	-	-	-	-	-	-	11	16.9	15	22.4	-	-	26	6.0
3,000 - 3,499	-	-	-	-	-	-	1	2.6	7	10.8	27	40.3	1	100.0	36	8.3
3,500 - 3,999	-	-	-	-	-	-	-	-	2	3.1	12	17.9	-	-	14	3.2
4,000 - 4,499	-	-	-	-	-	-	-	-	-	-	3	4.5	-	-	3	0.7
4,500 and over	-	-	-	-	-	-	-	-	-	-	2	3.0	-	-	2	0.5
Total ^(a)	120	100.0	97	100.0	43	100.0	39	100.0	65	100.0	67	100.0	1	100.0	432	100.0

(a) Includes babies with a not stated birthweight.

(b) Includes babies with a not stated gestation.

TABLE 10.13 PERINATAL DEATHS, QUEENSLAND, 2014
MAIN CONDITION IN FETUS/NEONATE BY TYPE OF PERINATAL DEATH

Main condition in fetus/neonate ^(a)	Type of perinatal death					
	Stillbirth		Neonatal		Perinatal	
	No.	%	No.	%	No.	%
Fetus/newborn affected by placenta, cord/memb comp	212	49.1	99	49.3	311	49.1
Perinatal death of unspecified cause	149	34.5	10	5.0	159	25.1
Fetal malnutrition and immaturity	73	16.9	73	36.3	146	23.1
Termination of pregnancy	108	25.0	28	13.9	136	21.5
Congenital anomalies	42	9.7	34	16.9	76	12.0
Hypoxia, birth asphyxia & other respiratory conditions	13	3.0	13	6.5	26	4.1
Infection	10	2.3	13	6.5	23	3.6
Total perinatal deaths	432	-	201	-	633	-

(a) Reporting of multiple conditions was permitted, so numbers cannot be cumulated.

**TABLE 10.14 PERINATAL DEATHS CAUSED BY CONGENITAL ANOMALIES, QUEENSLAND, 2014
NATURE/SITE OF CONGENITAL ANOMALY BY TYPE OF PERINATAL DEATH**

Nature/site of congenital anomaly ^(a)	Type of perinatal death		
	Stillbirth	Neonatal	Perinatal
	No.	No.	No.
Chromosomal anomalies	14	5	19
Other congenital musculoskeletal anomalies	8	3	11
Congenital anomalies of urinary system	4	4	8
Other congenital anomalies of heart	4	4	8
Congenital anomalies of respiratory system	2	5	7
Other congenital anomalies of circulatory system	1	4	5
Other and unspecified congenital anomalies	3	2	5
Anencephalus and similar anomalies	1	3	4
Other congenital anomalies of nervous system	2	2	4
Bulbus cordis anomalies and anomalies of cardiac septal closure	-	2	2
Certain congenital musculoskeletal deformities	1	-	1
Other congenital anomalies of limbs	1	-	1
Total	41	34	75

(a) The ICD-10 AM (International Classification of Diseases) was used for coding the congenital anomalies.

**TABLE 10.15 PERINATAL DEATHS, QUEENSLAND, 2014
POSTMORTEM STATUS BY TYPE OF PERINATAL DEATH**

Postmortem status	Type of perinatal death					
	Stillbirth		Neonatal		Perinatal	
	No.	%	No.	%	No.	%
Postmortem performed	105	24.3	36	17.9	141	22.3
Postmortem not performed	274	63.4	162	80.6	436	68.9
Total ^(a)	432	100.0	201	100.0	633	-

(a) Includes those with postmortem under investigation and not stated postmortem status.

**TABLE 10.16 PERINATAL DEATHS, QUEENSLAND, 2014
SELECTED WEIGHT & GESTATION GROUPED BY TYPE OF PERINATAL DEATH**

Type of Perinatal Death	Gestation (weeks)	Birthweight (grams)									
		Less than 500		500-999		1,000-1,499		1,500+		Total ^(c)	
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Stillbirth ^(a)	21 and less	106	658.4	14	875.0	-	-	-	-	120	678.0
	22-26	63	732.6	61	445.3	3	428.6	1	1,000.0	129	553.7
	27-31	9	818.2	15	454.6	16	150.9	9	83.3	50	193.1
	32-36	2	1,000.0	3	750.0	6	139.5	51	11.7	65	14.7
	37 and above	-	-	1	1,000.0	-	-	67	1.2	68	1.2
	Total ^(d)		180	692.3	94	492.2	25	157.2	128	2.1	432
Neonatal death ^(b)	21 and less	55	1,000.0	2	1,000.0	-	-	-	-	57	1,000.0
	22-26	21	913.0	54	710.5	2	500.0	-	-	78	750.0
	27-31	2	1,000.0	5	277.8	4	44.4	1	10.1	12	57.4
	32-36	-	-	-	-	2	54.1	18	4.2	20	4.6
	37 and above	-	-	-	-	1	333.3	33	0.6	34	0.6
	Total		78	975.0	61	628.9	9	67.2	52	0.8	201

(a) Includes stillbirths and neonatal deaths with not stated birthweight.

(b) Stillbirth rate per 1,000 total births of specified group.

(c) Neonatal death rate per 1,000 livebirths of specified group.

(d) Includes stillborn deaths with not stated gestation.

INCIDENCE DATA - QUEENSLAND NEWBORN SCREENING

Year	Condition																	
	Cystic Fibrosis			Congenital Hypothyroidism			Phenylketonuria			Galactosemia			MCAD ^(d)			Other EMS ^(e)		
	Infants ^(a)	Cases ^(b)	Rate ^(c)	Infants ^(a)	Cases ^(b)	Rate ^(c)	Infants ^(a)	Cases ^(b)	Rate ^(c)	Infants ^(a)	Cases ^(b)	Rate ^(c)	Infants ^(a)	Cases ^(b)	Rate ^(c)	Infants ^(a)	Cases ^(b)	Rate ^(c)
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
Previous	476,467	169	6.3	566,638	162	6.2	1,003,954	78	1.6	478,919	16	0.4						
1994	47,646	16	3.4	47,646	10	2.1	47,646	4	0.8	47,646	1	0.2						
1995	48,068	9	1.9	48,068	22	4.6	48,068	3	0.6	48,068	-	-						
1996	47,629	19	4.0	47,629	19	4.0	47,629	2	0.4	47,629	2	0.4						
1997	47,738	14	2.9	47,738	16	3.4	47,738	3	0.6	47,738	2	0.4						
1998	48,900	16	3.3	48,900	17	3.5	48,900	4	0.8	48,900	-	-						
1999	48,586	16	3.3	48,586	19	3.9	48,586	4	0.8	48,586	-	-						
2000	48,922	19	3.9	48,922	22	4.5	48,922	3	0.6	48,922	1	0.2						
2001	49,285	15	3.0	49,285	16	3.2	49,285	1	0.2	49,285	2	0.4						
2002	48,819	16	3.3	48,819	16	3.3	48,819	1	0.2	48,819	-	-						
2003	49,903	15	3.0	49,903	14	2.8	49,903	-	-	49,903	1	0.2						
2004	50,300	20	4.0	50,300	19	3.8	50,300	4	0.8	50,300	3	0.6	39,798	5	1.3	39,798	8	2.0
2005	54,956	23	4.2	54,956	15	2.7	54,956	7	1.3	54,956	-	-	54,956	7	1.3	54,956	2	0.4
2006	56,308	22	3.9	56,308	25	4.4	56,308	6	1.1	56,308	1	0.2	56,308	5	0.9	56,308	4	0.7
2007	59,732	30	5.0	59,732	19	3.2	59,732	4	0.7	59,732	-	-	59,732	6	1.0	59,732	11	1.8
2008	60,992	26	4.3	60,992	18	3.0	60,992	7	1.1	60,992	-	-	60,992	7	1.1	60,992	10	1.6
2009	61,443	23	3.7	61,443	35	5.7	61,443	5	0.8	61,443	1	0.2	61,443	3	0.5	61,443	12	2.0
2010	61,618	25	4.1	61,618	24	3.9	61,618	9	1.5	61,618	2	0.3	61,618	3	0.5	61,618	7	1.1
2011	61,637	19	3.1	61,637	20	3.2	61,637	3	0.5	61,637	1	0.2	61,637	4	0.6	61,637	13	2.1
2012	62,582	12	1.9	62,582	22	3.5	62,582	3	0.5	62,582	1	0.2	62,582	8	1.3	62,582	16	2.6
2013	62,606	23	3.7	62,606	19	3.0	62,606	4	0.6	62,606	-	-	62,606	5	0.8	62,606	11	1.8
2014	63,199	19	3.0	63,199	19	3.0	63,199	3	0.5	63,199	1	0.2	63,199	7	1.1	63,199	6	0.9
Total	1,617,336	566	3.5	1,707,507	568	3.3	2,144,823	158	0.7	1,619,788	35	0.2	644,871	60	0.9	644,871	100	1.6

(a) "Infants" refers to new births recorded by the Newborn Screening Section. Please note this includes stillborn babies.

(b) "Cases" refers to confirmed cases notified to the Newborn Screening Section

(c) Cases per 10,000 infants.

(d) MCAD: Medium-chain acyl-CoA dehydrogenase deficiency (from 1/4/2004)

(e) Other EMS: Other disorders of amino acid, organic acid and fatty acid metabolism detected by Tandem Mass Spectrometry (from 1/4/2004)

The above information has been provided to the Data Services Unit by the Newborn Screening Section for use in this publication. Newborn Screening data has been included in response to clinician request. Differences in birth figures between these data and the Perinatal Data Collection are a result of different collection methodologies. Appreciation is extended to the Newborn Screening Section for their assistance. It should be noted that the Perinatal Data Collection does not capture newborn screening data - and therefore cannot provide any further information regarding this table. Interested parties may contact the Newborn Screening Section in the following manner: