

## RTI #3794 – Public Health Order Case Summary

### Contextual Information

There has been one Public Health Order (PHO) for a controlled notifiable condition known to the Communicable Diseases Branch during this time period. The PHO was made in 2009 and the person was initially placed under a Behavioural *Order* for 28 days to comply with a prescribed management plan.

The Order included a brief detention of 17 days to undergo assessments and appointments to enable the development of a long term management plan. During this time the person remained in supported accommodation, was provided with case management support by Queensland Health and with legal representation from Legal Aid.

The order was extended by the Magistrate and remained in place until the person left Queensland in 2011, when a cross-border notification was made to the appropriate state health department. The Magistrate determined that ongoing mandatory contact with health services, principally through the case manager, was required in the best interests of the person and to address the public health concerns.

### Data source

This information was provided by the Communicable Diseases Branch of the Department of Health.

RTI RELEASED

Action Ref	Action Nature Desc	Act Desc	Responsible Office Name	Action Type Desc	Section Number	Closure Reason Desc	Closure Date	Received Date	Section Description
	Environmental Health	Public Health Regulation 2005	Gold Coast Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2E	Paid in Full	/08	/08	Removal of bonded ACM without certificate
	Environmental Health	Public Health Regulation 2005	Metro South Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2I(1)	Paid at SPER	/10	/08	Packaging and disposal of associated asbestos waste as soon as practicable
	Environmental Health	Public Health Regulation 2005	Sunshine Coast Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2G(2)	Paid at SPER	/10	/08	If bonded ACM is broken during removal or specified work, not sealing a broken surface of bonded ACM that is not being removed
	Environmental Health	Public Health Regulation 2005	Sunshine Coast Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2F(1)	Paid in Full	/09	/09	Use of power tool to cut or clean ACM,High pressure water process to clean ACM or Compressed air to clean ACM or a surface where ACM is present
	Environmental Health	Public Health Regulation 2005	Sunshine Coast Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2F(1)	Paid in Full	/09	/09	Use of power tool to cut or clean ACM,High pressure water process to clean ACM or Compressed air to clean ACM or a surface where ACM is present
	Environmental Health	Public Health Regulation 2005	Metro North Public Health Unit - Moreton Bay	Prescribed Infringement Notices (PINs)	SECTION 2F(1)	Paid at SPER	/13	/09	Use of power tool to cut or clean ACM,High pressure water process to clean ACM or Compressed air to clean ACM or a surface where ACM is present
	Environmental Health	Public Health Regulation 2005	Gold Coast Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2E	Paid in Full	/10	/10	Removal of bonded ACM without certificate
	Environmental Health	Public Health Regulation 2005	Metro South Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2E	Paid in Full	/10	/10	Removal of bonded ACM without certificate
	Environmental Health	Public Health Regulation 2005	West Moreton Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2E	Court Election	/10	/10	Removal of bonded ACM without certificate
	Environmental Health	Public Health Regulation 2005	West Moreton Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2G(2)	Court Election	/10	/10	If bonded ACM is broken during removal or specified work, not sealing a broken surface of bonded ACM that is not being removed
	Environmental Health	Public Health Regulation 2005	West Moreton Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2I(1)	Court Election	/10	/10	Packaging and disposal of associated asbestos waste as soon as practicable
	Environmental Health	Public Health Regulation 2005	West Moreton Public Health Unit	Legal proceedings (prosecutions)	SECTION 2E	Case Closed At Court	/10	/10	Removal of bonded ACM without certificate
	Environmental Health	Public Health Act 2005	Metro North Public Health Unit - Moreton Bay	Prescribed Infringement Notices (PINs)	SECTION 23(4)	Paid at SPER	/12	/11	A person not complying with a public health order, without a reasonable excuse.
	Environmental Health	Public Health Regulation 2005	Metro South Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2E	Paid in Full	/11	/11	Removal of bonded ACM without certificate
	Environmental Health	Public Health Regulation 2005	Sunshine Coast Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2F(1)	Paid in Full	/12	/12	Use of power tool to cut or clean ACM,High pressure water process to clean ACM or Compressed air to clean ACM or a surface where ACM is present
	Environmental Health	Public Health Regulation 2005	West Moreton Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2E	Paid in Full	/12	/12	Removal of bonded ACM without certificate
	Environmental Health	Public Health Regulation 2005	Gold Coast Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2E	Paid at SPER	/14	/13	Removal of bonded ACM without certificate
	Environmental Health	Public Health Regulation 2005	Gold Coast Public Health Unit	Compliance, Remedial, Improvement Notice or Public Health Order	SECTION 2H(1)	Compliant	/13	/13	Requirement to take reasonable measures to minimise release of asbestos fibres
	Environmental Health	Public Health Regulation 2005	Gold Coast Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2F(1)	Paid in Full	/15	/13	Use of power tool to cut or clean ACM,High pressure water process to clean ACM or Compressed air to clean ACM or a surface where ACM is present
	Environmental Health	Public Health Regulation 2005	Gold Coast Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2I(1)	Paid in Full	/15	/13	Packaging and disposal of associated asbestos waste as soon as practicable
	Environmental Health	Public Health Act 2005	Gold Coast Public Health Unit	Compliance, Remedial, Improvement Notice or Public Health Order	SECTION 23	Compliance Matter	/13	/13	Public Health Orders
	Environmental Health	Public Health Regulation 2005	Gold Coast Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2E	Paid in Full	/13	/13	Removal of bonded ACM without certificate
	Environmental Health	Public Health Regulation 2005	West Moreton Public Health Unit	Written advice or warning	SECTION 2I(1)	Insufficient Evidence To Proceed	/13	/13	Packaging and disposal of associated asbestos waste as soon as practicable
	Environmental Health	Public Health Regulation 2005	West Moreton Public Health Unit	Written advice or warning	SECTION 2I(1)	Compliant	/13	/13	Packaging and disposal of associated asbestos waste as soon as practicable
	Environmental Health	Public Health Regulation 2005	Sunshine Coast Public Health Unit	Compliance, Remedial, Improvement Notice or Public Health Order	MULTIPLE OFFENCES	Compliant	/13	/13	Multiple Offences - Data migration
	Environmental Health	Public Health Act 2005	West Moreton Public Health Unit	Compliance, Remedial, Improvement Notice or Public Health Order	SECTION 23	Compliant	/14	/13	Public Health Orders
	Environmental Health	Public Health Regulation 2005	West Moreton Public Health Unit	Compliance, Remedial, Improvement Notice or Public Health Order	SECTION 2F(1)(B)	Compliance Matter	/14	/14	Using a high pressure water process to clean ACM
	Environmental Health	Public Health Act 2005	Gold Coast Public Health Unit	Compliance, Remedial, Improvement Notice or Public Health Order	SECTION 23	Enforcement Action Escalated	/14	/14	Public Health Orders
	Environmental Health	Public Health Regulation 2005	Gold Coast Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2F(1)(B)	Paid in Full	/14	/14	Using a high pressure water process to clean ACM
	Environmental Health	Public Health Regulation 2005	Gold Coast Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2I(1)	Paid in Full	/14	/14	Packaging and disposal of associated asbestos waste as soon as practicable
	Environmental Health	Public Health Regulation 2005	West Moreton Public Health Unit	Written advice or warning	SECTION 2E	Compliant	/14	/14	Removal of bonded ACM without certificate
	Environmental Health	Public Health Regulation 2005	West Moreton Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2F(1)(B)	Withdrawn	/14	/14	Using a high pressure water process to clean ACM
	Environmental Health	Public Health Regulation 2005	West Moreton Public Health Unit	Compliance, Remedial, Improvement Notice or Public Health Order	SECTION 2F(1)(B)	Compliance Matter	/15	/14	Using a high pressure water process to clean ACM
	Environmental Health	Public Health Regulation 2005	Regulatory and System Support Unit (RASSU)	Prescribed Infringement Notices (PINs)	SECTION 2E	Voluntary Instalment Plan	/14	/14	Removal of bonded ACM without certificate
	Environmental Health	Public Health Regulation 2005	Regulatory and System Support Unit (RASSU)	Prescribed Infringement Notices (PINs)	SECTION 2I(1)	Voluntary Instalment Plan	/14	/14	Packaging and disposal of associated asbestos waste as soon as practicable
	Environmental Health	Public Health Act 2005	Metro North Public Health Unit - Brisbane North	Prescribed Infringement Notices (PINs)	SECTION 23(4)	Paid at SPER	/15	/14	A person not complying with a public health order, without a reasonable excuse.
	Environmental Health	Public Health Regulation 2005	West Moreton Public Health Unit	Compliance, Remedial, Improvement Notice or Public Health Order	MULTIPLE OFFENCES	Compliance Matter	/15	/14	Multiple Offences - Data migration
	Environmental Health	Public Health Regulation 2005	Tropical Public Health Services (Cairns)	Compliance, Remedial, Improvement Notice or Public Health Order	SECTION 2E	Compliant	/15	/15	Removal of bonded ACM without certificate
	Environmental Health	Public Health Regulation 2005	Regulatory and System Support Unit (RASSU)	Prescribed Infringement Notices (PINs)	SECTION 2F(1)(B)	Transferred to SPER	/15	/15	Using a high pressure water process to clean ACM
	Environmental Health	Public Health Regulation 2005	Metro South Public Health Unit	Prescribed Infringement Notices (PINs)	SECTION 2H(1)	Paid in Full	/15	/15	Failure to take reasonable measure to minimise release of asbestos fibres when carrying out prescribed work
	Environmental Health	Public Health Regulation 2005	West Moreton Public Health Unit	Compliance, Remedial, Improvement Notice or Public Health Order	MULTIPLE OFFENCES	Compliance Matter	/15	/15	Multiple Offences - Data migration
	Environmental Health	Public Health Regulation 2005	Sunshine Coast Public Health Unit	Written advice or warning	SECTION 2F(1)(B)	Agency Closed Action	/15	/15	Using a high pressure water process to clean ACM
	Environmental Health	Public Health Regulation 2005	Metro South Public Health Unit	Compliance, Remedial, Improvement Notice or Public Health Order	SECTION 2I(1)	Compliant	/15	/15	Packaging and disposal of associated asbestos waste as soon as practicable
	Environmental Health	Public Health Regulation 2005	Metro South Public Health Unit	Compliance, Remedial, Improvement Notice or Public Health Order	SECTION 2I(1)	Compliant	/15	/15	Packaging and disposal of associated asbestos waste as soon as practicable
	Water Quality	Public Health Act 2005	Public Health Unit	Written advice or warning	SECTION 57 (F)(2)	Compliance Matter	/15	/15	A recycled water provider supplying water they know, or reasonably ought to know, is not fit for use (other than for drinking).
	Environmental Health	Public Health Act 2005	Sunshine Coast Public Health Unit	Written advice or warning	SECTION 2I(1)	Transferred to SPER	/15	/15	Packaging and disposal of associated asbestos waste as soon as practicable
	Environmental Health	Public Health Act 2005	Metro South Public Health Unit	Compliance, Remedial, Improvement Notice or Public Health Order	SECTION 23	Compliant	/15	/15	Public Health Orders
	Environmental Health	Public Health Act 2005	Public Health Unit	Written advice or warning	SECTION 23	Compliance Matter	/15	/15	Public Health Orders

